

Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 21 | Best Validation Score: 0.8868 (Node 7)

Node Tree:

Table of Contents:

Node ID	Stage	Status	Tool
-1			
0			autogluon.multimodal
1			machine learning
2			autogluon.tabular
3			autogluon.multimodal
4			machine learning
5			autogluon.multimodal
6			machine learning
7			machine learning
8			machine learning
9			machine learning
10			machine learning
11			machine learning
12			machine learning
13			machine learning
14			autogluon.multimodal
15			machine learning
16			autogluon.tabular
17			machine learning
18			machine learning
19			machine learning



Status	Color
Success	Green
Failure	Red
Neutral	Blue

Node Details:

Node -1 (root)

Property	Value
uct_value	0.0185
ctime	2026-05-22 16:55:50
debug_attempts	0
depth	0
execution_time	0.0
expected_child_count	0
failure_visits	11
id	-1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
num_children	4
prev_tutorial_prompt	None
stage	root
time_step	-1
tool_used	
tools_available	[]
unvalidated_visits	0
validated_reward	7.9527000000000002
validated_visits	9
validation_score	None
visits	20
parent_id	None
child_ids	[0, 1, 2, 6]

Node 0 (evolve)

Property	Value
uct_value	0.9737
ctime	2026-05-22 16:56:44
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.25
exploration	1.2131672923786587
failure_penalty	-0.25
failure_visits	4
id	0
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
normalized_failure_visit	2
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	0
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	4
parent_id	-1
child_ids	[3, 5]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 55-addition_3/node_0/conda_env

Resolved 235 packages in 2.48s

Uninstalled 1 package in 2.08s

Installed 233 packages in 2m 19s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.16
... [truncated, 9333 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs during model training when AutoGluon MultiModal attempts to initialize the FocalLoss function. The root cause is that the `alpha` parameter (class weights) is being passed as a list of floats, but internally, AutoGluon expects either a single float, a NumPy array, or a PyTorch tensor—NOT a Python list. As a result, when it tries to convert the list to a tensor, it encounters a ValueError: "too many dimensions 'str'", likely due to an unexpected type or shape.

SUGGESTED_FIX:

Convert the `class\_weights` list to a NumPy array or a PyTorch tensor before passing it as the `optim.focal\_loss.alpha` hyperparameter. Specifically, update your code so that `class\_weights = np.array(class\_weights, dtype=np.float32)` before including it in the hyperparameters dictionary. This ensures compatibility with AutoGluon's FocalLoss implementation and prevents the ValueError during training.

Node 1 (evolve)

Property	Value
uct_value	1.7306
ctime	2026-05-22 17:07:48
debug_attempts	1
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.0037730452153744
failure_penalty	-0.0
failure_visits	2
id	1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	evolve
time_step	1
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	-1
child_ids	[4]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.11/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 55-addition_3/node_1/conda_env

Resolved 79 packages in 763ms

Uninstalled 1 package in 2.37s

Installed 78 packages in 1m 00s

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.5.20

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.4.1

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.16.1

+ idna==3.16

+ jinja2==3.1.6

```
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.14.0a1
+ pydantic-core==2.47.0
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ s... [truncated, 14832 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script attempts to access the columns 'skin_tone' and 'alternative_skin_tone' in the test set when building the test_tabular array, but these columns do not exist in test.csv. This results in a pandas KeyError: "None of [Index(['skin_tone', 'alternative_skin_tone'], dtype='str')] are in the [columns]", causing the script to crash during test feature construction.

SUGGESTED_FIX:

Before accessing tabular columns in the test set, check if those columns exist in test.csv. Only attempt to extract and concatenate tabular features for the test set if the relevant columns are present; otherwise, use only image features for test data. This ensures compatibility between train and test feature construction and prevents `KeyError`.

Node 2 (evolve)

Property	Value
uct_value	1.7306
ctime	2026-05-22 17:20:42
debug_attempts	1
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	0.8578388191546724
failure_penalty	-0.0
failure_visits	2
id	2
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	evolve
time_step	2
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	-1
child_ids	[16]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 55-addition_3/node_2/conda_env

Resolved 239 packages in 1.35s

Uninstalled 1 package in 1.82s

Installed 237 packages in 1m 50s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==0.... [truncated, 23759 chars total]

Error Analysis:

ERROR_SUMMARY: AutoGluon Tabular failed to train any models because there were no valid tabular features available for training—none of the features in your train set (after excluding label, image_name, and expert_opinion) were present in both train and test. As a result, all candidate models were skipped, and a RuntimeError was raised: "No models were trained successfully during fit()."

SUGGESTED_FIX:

Switch from AutoGluon Tabular to AutoGluon Multimodal, and use the image files as features by specifying the image path column (image_name mapped to the actual .jpg file path) and configuring feature_metadata to mark it as an image_path. Prepare your train and test DataFrames so that the image_name column contains the absolute path to each image file, and set up the TabularPredictor with multimodal hyperparameters and feature_metadata accordingly. This will allow AutoGluon to use the image data for training and prediction, resolving the "no valid features" error.

Node 3 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-22 17:28:10
debug_attempts	2
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	2
id	3
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	3
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0

validated_visits	0
validation_score	None
visits	2
parent_id	0
child_ids	[14]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 55-addition_3/node_3/conda_env

Resolved 235 packages in 1.73s

Uninstalled 1 package in 1.72s

Installed 233 packages in 1m 39s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

- + catboost==1.2.10
- + certifi==2026.5.20
- + cffi==2.0.0
- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0

+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.16
... [truncated, 9457 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the class weights (`alpha`) passed to the focal loss in AutoGluon are not strictly numeric; at least one value is a string (likely due to label mapping or class weight computation). When `torch.tensor(alpha, dtype=torch.float32)` is called, it fails with `ValueError: too many dimensions 'str'` because PyTorch cannot convert string values to floats. This typically happens if the class weights array contains non-numeric types or if the label mapping is not enforced to be strictly 0/1 integers.

SUGGESTED_FIX:

Check the output of your `compute_class_weights` function and ensure it always returns a numpy array of floats (not strings or objects). Also, after mapping labels, explicitly convert the label column to integer type (`train["label"] = train["label"].astype(int)`) before computing class weights. Print or log `class_weights` right before passing them to the hyperparameters to confirm they are `[float, float]` (e.g., `[0.7, 1.3]`). If necessary, add an assertion: `assert np.issubdtype(class_weights.dtype, np.floating)` and `class_weights.shape == (2,)`.

Node 4 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-22 17:36:05
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	4
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	<pre>### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have the necessary tools and data. # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have the necessary tools and data.</pre>
stage	debug
time_step	4
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0

validation_score	None
visits	1
parent_id	1
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.11/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 55-addition_3/node_4/conda_env
Resolved 79 packages in 362ms
Uninstalled 1 package in 1.71s
Installed 78 packages in 39.43s
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.5.20
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.4.1
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0
+ frozenlist==1.8.0
+ fsspec==2026.2.0
+ h11==0.16.0
+ hf-xet==1.5.0
+ httpcore==1.0.9
+ httpx==0.28.1
+ huggingface-hub==1.16.1
+ idna==3.16

```

```
+ jinja2==3.1.6
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.14.0a1
+ pydantic-core==2.47.0
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ s... [truncated, 13950 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the `LGBMClassifier.fit()` method in the installed LightGBM version does not accept the `early_stopping_rounds` argument directly. This argument was either moved to the `fit()` method only in newer versions, or must be provided via callbacks in some versions. Passing it directly causes a `TypeError`.

SUGGESTED_FIX:

Remove the ``early_stopping_rounds`` and ``verbose`` arguments from the ``fit()`` call, and instead use the LightGBM callback API for early stopping. Alternatively, check your LightGBM version and consult its documentation to use the correct method for early stopping (e.g., via ``callbacks=[lgb.early_stopping(20)]``).

Node 5 (debug)

Property	Value
uct_value	1.6649
ctime	2026-05-22 17:47:41
debug_attempts	2
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	1
id	5
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	5
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0

validated_visits	0
validation_score	None
visits	1
parent_id	0
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 55-addition_3/node_5/conda_env

Resolved 235 packages in 1.24s

Uninstalled 1 package in 1.66s

Installed 233 packages in 1m 48s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

- + catboost==1.2.10
- + certifi==2026.5.20
- + cffi==2.0.0
- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0

+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.16
... [truncated, 9412 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the value passed as `alpha` (class weights) to the focal loss function in AutoGluon is not in the expected format; specifically, it contains a string or an object with too many dimensions, causing `torch.tensor(alpha, dtype=torch.float32)` to fail with `ValueError: too many dimensions 'str'`. This is likely due to the `compute\_class\_weights` function returning a numpy array with an unexpected type or the way it is passed into the AutoGluon hyperparameters.

SUGGESTED_FIX:

Check that the `class\_weights` variable is a flat list or 1D numpy array of floats (not strings or objects) before passing it to `optim.focal\_loss.alpha`. Explicitly convert it using `class\_weights = [float(w) for w in class\_weights]` or `class\_weights = np.array(class\_weights, dtype=np.float32).tolist()`, and verify that no elements are strings or arrays. Then, pass this cleaned list to the hyperparameters dictionary for `optim.focal\_loss.alpha`.

Node 6 (debug)

Property	Value
uct_value	1.0706
avg_raw_score	0.8836333333333335
ctime	2026-05-22 17:56:29
debug_attempts	2
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.4426877470355891
exploration	0.5486755522842814
failure_penalty	-0.0
failure_visits	3
id	6
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.5410628019323866
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	6
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.4426877470355891
validated_reward	7.952700000000002

validated_visits	9
validated_weight	0.81818181818182
validation_score	0.8799
visits	12
parent_id	-1
child_ids	[8, 7]

Node 7 (evolve)

Property	Value
uct_value	1.4838
avg_raw_score	0.8841
ctime	2026-05-22 18:07:23
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.4869565217391271
exploration	0.9792182817790904
failure_penalty	-0.0
failure_visits	1
id	7
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.6086956521739089
num_children	2
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve

time_step	7
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.4869565217391271
validated_reward	3.5364
validated_visits	4
validated_weight	0.8
validation_score	0.8868
visits	5
parent_id	6
child_ids	[10, 12]

Node 8 (evolve)

Property	Value
uct_value	1.3158
avg_raw_score	0.8841
ctime	2026-05-22 18:35:28
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.4869565217391271
exploration	0.9792182817790904
failure_penalty	-0.0
failure_visits	2
id	8
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.6086956521739089
num_children	2
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve

time_step	8
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.4869565217391271
validated_reward	3.5364
validated_visits	4
validated_weight	0.8
validation_score	0.8868
visits	6
parent_id	6
child_ids	[9, 11]

Node 9 (evolve)

Property	Value
uct_value	1.4116
avg_raw_score	0.8832
ctime	2026-05-22 19:10:46
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.4782608695652118
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	1
id	9
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.4782608695652118
num_children	2
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve

time_step	9
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.4782608695652118
validated_reward	1.7664
validated_visits	2
validated_weight	1.0
validation_score	0.8832
visits	3
parent_id	8
child_ids	[19, 13]

Node 10 (evolve)

Property	Value
uct_value	1.7467
avg_raw_score	0.8832
ctime	2026-05-22 19:54:49
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.4782608695652118
exploration	1.1772322201769845
failure_penalty	-0.0
failure_visits	0
id	10
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.4782608695652118
num_children	1
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve

time_step	10
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.4782608695652118
validated_reward	1.7664
validated_visits	2
validated_weight	1.0
validation_score	0.8832
visits	2
parent_id	7
child_ids	[15]

Node 11 (evolve)

Property	Value
uct_value	1.5775
avg_raw_score	0.8832
ctime	2026-05-22 20:38:05
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.2391304347826059
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	1
id	11
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.4782608695652118
num_children	1
prev_tutorial_prompt	<pre>### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have the necessary tools and knowledge. # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have the necessary tools and knowledge.</pre>
stage	evolve

time_step	11
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.2391304347826059
validated_reward	0.8832
validated_visits	1
validated_weight	0.5
validation_score	0.8832
visits	2
parent_id	8
child_ids	[17]

Node 12 (evolve)

Property	Value
uct_value	1.5076
avg_raw_score	0.8832
ctime	2026-05-22 21:12:17
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.4782608695652118
exploration	1.664857771836881
failure_penalty	-0.0
failure_visits	1
id	12
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.4782608695652118
num_children	1
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve

time_step	12
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.4782608695652118
validated_reward	0.8832
validated_visits	1
validated_weight	1.0
validation_score	0.8832
visits	2
parent_id	7
child_ids	[18]

Node 13 (evolve)

Property	Value
uct_value	1.9603
ctime	2026-05-22 21:42:48
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	13
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	13
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.8832
validated_visits	1

validation_score	0.8832
visits	1
parent_id	9
child_ids	[]

Node 14 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-22 22:12:56
debug_attempts	2
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	14
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	14
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	3
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 55-addition_3/node_14/conda_env

Resolved 235 packages in 1.90s

Uninstalled 1 package in 1.56s

Installed 233 packages in 1m 39s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.14

+ botocore==1.43.14

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.4.1

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2
+ colorama==0.4.6
+ colorful==0.6.0a1
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==48.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.63.0
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.53.0
+ googleapis-common-protos==1.75.0
+ graphviz==0.21
+ grpcio==1.81.0rc1
+ hf-xet==1.5.0
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.16... [truncated, 9307 chars total]

Error Analysis:

ERROR_SUMMARY: The error "ValueError: too many dimensions 'str'" occurred because the class_weights (alpha) parameter passed to AutoGluon's focal loss was a numpy array or list containing string values, or was not in the expected 1D float format. The focal loss implementation expects alpha to be a 1D array of floats (per-class

weights), but received an array with string elements or an incorrect shape, causing `torch.tensor(alpha, dtype=torch.float32)` to fail.

SUGGESTED_FIX:

Check how `class_weights` is computed and ensure it is a 1D numpy array or list of floats (not strings or objects). Before passing `class_weights` to the hyperparameters (as `optim.focal_loss.alpha`), explicitly convert it to float type (e.g., `class_weights = np.array(class_weights, dtype=np.float32).tolist()`) and verify it contains only numeric values and has shape (2,) for binary classification.

Node 15 (evolve)

Property	Value
uct_value	1.6555
ctime	2026-05-22 22:21:48
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	15
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	15
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.8832
validated_visits	1

validation_score	0.8832
visits	1
parent_id	10
child_ids	[]

Node 16 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-22 22:52:30
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	16
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates using AutoGluon Multimodal for multimodal classification on the PetFinder dataset.
stage	debug
time_step	16
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	2
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 55-addition_3/node_16/conda_env

Resolved 239 packages in 1.40s

Uninstalled 1 package in 1.88s

Installed 237 packages in 1m 41s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.14

+ botocore==1.43.14

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.4.1

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2
+ colorama==0.4.6
+ colorful==0.6.0a1
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==48.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.63.0
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.53.0
+ googleapis-common-protos==1.75.0
+ graphviz==0.21
+ grpcio==1.81.0rc1
+ hf-xet==1.5.0
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0... [truncated, 23791 chars total]

Error Analysis:

ERROR_SUMMARY: AutoGluon Tabular failed to train any models because there were no valid tabular features available for training—after preprocessing, all features used for training were either excluded or missing in both train and test sets. As a result, the fit() method could not proceed, leading to the error: "No models were trained"

successfully during fit()."

SUGGESTED_FIX:

Switch to AutoGluon MultimodalPredictor to leverage image data directly, as your task is image classification and tabular features are insufficient. Prepare your train and test DataFrames to include a column with absolute image paths, specify this column as an image feature in FeatureMetadata, and train using the multimodal hyperparameter configuration; ensure your label column is correctly mapped to binary (0/1) for malignant/non-neoplastic.

Node 17 (evolve)

Property	Value
uct_value	1.1772
ctime	2026-05-22 22:59:36
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	1
id	17
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	17
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0

validation_score	None
visits	1
parent_id	11
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.11/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 55-addition_3/node_17/conda_env

Resolved 79 packages in 594ms

Uninstalled 1 package in 1.75s

Installed 78 packages in 39.72s

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.5.20

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.4.1

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.16.1

+ idna==3.16


```
+ jinja2==3.1.6
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.14.0a1
+ pydantic-core==2.47.0
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ ... [truncated, 2737 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurred because the Python script attempted to import the AutoGluon Tabular module (`from autogluon.tabular import TabularPredictor`), but the `autogluon` package was not installed in the conda environment. This resulted in a `ModuleNotFoundError: No module named 'autogluon'`.

SUGGESTED_FIX: Update your environment setup script to explicitly install the `autogluon.tabular` package (e.g., by adding `pip install autogluon.tabular[all]` after activating the environment). Ensure that all required dependencies for AutoGluon are included before running the Python script.

Node 18 (evolve)

Property	Value
uct_value	1.1772
ctime	2026-05-22 23:03:13
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	1
id	18
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have then
stage	evolve
time_step	18
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0

validation_score	None
visits	1
parent_id	12
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.11/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 55-addition_3/node_18/conda_env

Resolved 79 packages in 952ms

Uninstalled 1 package in 1.59s

Installed 78 packages in 32.84s

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.5.20

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.4.1

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.16.1

+ idna==3.16

```
+ jinja2==3.1.6
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.14.0a1
+ pydantic-core==2.47.0
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ ... [truncated, 20804 chars total]
```

Error Analysis:

ERROR_SUMMARY: AutoGluon failed to train any models because there were no valid features available for training; all candidate models were skipped with "No valid features to train ... Skipping this model." This occurred because the only columns present in both train and test were identifiers (e.g., image_name) or columns not suitable as features, resulting in an empty feature set for model training. Consequently, a RuntimeError was raised: "No models were trained successfully during fit()."

SUGGESTED_FIX:

Update your pipeline to extract features from the actual image files referenced by `image_name` (e.g., using a pretrained CNN or image embeddings) and merge these features into your train and test DataFrames before training. Ensure that the resulting DataFrames contain meaningful, non-identifier feature columns present in both train and test, so AutoGluon (or any ML model) has valid input features to learn from.

Node 19 (evolve)

Property	Value
uct_value	1.4821
ctime	2026-05-22 23:18:30
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	1
id	19
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	19
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0

validation_score	None
visits	1
parent_id	9
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.11/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 55-addition_3/node_19/conda_env
Resolved 79 packages in 565ms
Uninstalled 1 package in 1.63s
Installed 78 packages in 34.79s
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.5.20
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.4.1
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0
+ frozenlist==1.8.0
+ fsspec==2026.2.0
+ h11==0.16.0
+ hf-xet==1.5.0
+ httpcore==1.0.9
+ httpx==0.28.1
+ huggingface-hub==1.16.1
+ idna==3.16

```



```
+ jinja2==3.1.6
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.14.0a1
+ pydantic-core==2.47.0
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ ... [truncated, 3304 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the code attempts to train an AutoGluon Tabular model, but there are no overlapping tabular features (other than image_name, which is not a feature) between the train and test datasets. As a result, AutoGluon cannot proceed with tabular training, leading to a RuntimeError.

SUGGESTED_FIX:

Switch to an image-based machine learning pipeline (e.g., using AutoGluon ImagePredictor, PyTorch, or TensorFlow/Keras) that directly uses the image files referenced by `image_name` for training and inference. Update your code to load the actual image data, preprocess it, and train a model for image classification, ensuring the output format and fairness requirements are met.