

Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 21 | Best Validation Score: 0.9643 (Node 5)

Node Tree:

Table of Contents:

Node ID	Stage	Status	Tool
-1			
0			autogluon.multimodal
1			machine learning
2			autogluon.tabular
3			autogluon.multimodal
4			autogluon.multimodal
5			autogluon.multimodal
6			autogluon.multimodal
7			autogluon.multimodal
8			machine learning
9			autogluon.multimodal
10			autogluon.multimodal
11			autogluon.multimodal
12			autogluon.multimodal
13			autogluon.multimodal
14			autogluon.multimodal
15			autogluon.multimodal
16			autogluon.multimodal
17			autogluon.multimodal
18			autogluon.multimodal
19			autogluon.multimodal



Status	Color
Success	Green
Failure	Red
Neutral	Blue

Node Details:

Node -1 (root)

Property	Value
uct_value	0.6250
ctime	2026-05-21 16:08:40
debug_attempts	0
depth	0
execution_time	0.0
expected_child_count	0
failure_visits	5
id	-1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
num_children	4
prev_tutorial_prompt	None
stage	root
time_step	-1
tool_used	
tools_available	[]
unvalidated_visits	0
validated_reward	14.461330000000004
validated_visits	15
validation_score	None
visits	20
parent_id	None
child_ids	[0, 1, 2, 3]

Node 0 (evolve)

Property	Value
uct_value	2.4474
ctime	2026-05-21 16:09:40
debug_attempts	0
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	1
id	0
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	None
stage	evolve
time_step	0
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	1
parent_id	-1
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 50-addition_3/node_0/conda_env

Resolved 235 packages in 1.43s

Uninstalled 1 package in 1.81s

Installed 233 packages in 47.95s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260521

+ autogluon-common==1.5.1b20260521

+ autogluon-core==1.5.1b20260521

+ autogluon-features==1.5.1b20260521

+ autogluon-multimodal==1.5.1b20260521

+ autogluon-tabular==1.5.1b20260521

+ autogluon-timeseries==1.5.1b20260521

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.12

+ botocore==1.43.12

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.0
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.15
... [truncated, 18340 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the test DataFrame passed to ``predictor.predict_proba()`` only contains the columns ``['image_name', 'image']``, while the model was trained using additional tabular metadata columns: ``['skin_tone', 'alternative_skin_tone', 'expert_opinion', 'skin_tone', 'image', 'label', 'image_name']``. AutoGluon MultiModal requires all non-label columns used during training (except the label itself) to be present at prediction time, so it raises a `ValueError` when the test set is missing ``['alternative_skin_tone', 'expert_opinion', 'skin_tone']``.

SUGGESTED_FIX:

Modify your test DataFrame before prediction to include the missing columns (``'skin_tone'``, ``'alternative_skin_tone'``, ``'expert_opinion'``). Add these columns to the test DataFrame with placeholder values (e.g., ``np.nan`` or a default value), ensuring the column names and order match those used in training. This will allow AutoGluon to process the test data without error, even if the metadata is unavailable at inference time.

Node 1 (evolve)

Property	Value
uct_value	1.7306
ctime	2026-05-21 16:35:37
debug_attempts	1
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2867582287320087
failure_penalty	-0.0
failure_visits	2
id	1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	evolve
time_step	1
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	-1
child_ids	[8]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.11/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 50-addition_3/node_1/conda_env

Resolved 79 packages in 1.23s

Uninstalled 1 package in 2.02s

Installed 78 packages in 37.60s

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.5.20

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.4.0

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.16.0

+ idna==3.15

+ jinja2==3.1.6

```
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.13.4
+ pydantic-core==2.46.4
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ set... [truncated, 3368 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the symbol `TabularBlock` is used in the `build\_data loaders` and `build\_test\_dl` functions, but it is not imported or defined anywhere in the script. This results in a `NameError` at runtime, preventing the construction of the fastai `DataBlock` for combining image and tabular data.

SUGGESTED_FIX:

Add `from fastai.tabular.all import TabularBlock` to the import section near the top of your script, ensuring that `TabularBlock` is available in the namespace before it is used in the `DataBlock` definitions. After adding this import, rerun your script to verify that the error is resolved.

Node 2 (evolve)

Property	Value
uct_value	2.4474
ctime	2026-05-21 16:42:45
debug_attempts	0
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2131672923786587
failure_penalty	-0.0
failure_visits	1
id	2
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	None
stage	evolve
time_step	2
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	1
parent_id	-1
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 50-addition_3/node_2/conda_env

Resolved 239 packages in 3.67s

Uninstalled 1 package in 2.10s

Installed 237 packages in 1m 02s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260521

+ autogluon-common==1.5.1b20260521

+ autogluon-core==1.5.1b20260521

+ autogluon-features==1.5.1b20260521

+ autogluon-multimodal==1.5.1b20260521

+ autogluon-tabular==1.5.1b20260521

+ autogluon-timeseries==1.5.1b20260521

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.12

+ botocore==1.43.12

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.0
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==0.... [truncated, 42057 chars total]

Error Analysis:

ERROR_SUMMARY: AutoGluon Tabular failed to train any models because the Ray backend attempted to create UNIX domain sockets with file paths exceeding the system limit of 107 bytes ("AF_UNIX path length cannot exceed 107 bytes"). This is due to excessively long temporary directory paths (e.g., /sc-scratch/sc-scratch-ikim-guidlight/tmp/ray/session_.../sockets/plasma_store), causing OSError during model training and resulting in no models being fit.

SUGGESTED_FIX:

Shorten the base directory path used for temporary files and model outputs to ensure all UNIX socket paths remain under 107 bytes. Move your working directory (including data, output, and conda environment) to a location with a much shorter absolute path (e.g., /tmp/mlzero or /scratch/mlzero), and update all relevant path variables in your scripts and environment setup accordingly. Then, rerun the pipeline to allow Ray and AutoGluon to create sockets within the allowed path length.

Node 3 (debug)

Property	Value
uct_value	1.4868
avg_raw_score	0.9640714285714288
ctime	2026-05-21 16:48:59
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.86666666666667219
exploration	0.6264768959394785
failure_penalty	-0.0
failure_visits	1
id	3
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.9285714285714877
num_children	3
prev_tutorial_prompt	None
stage	debug
time_step	3
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.86666666666667219
validated_reward	14.461330000000004

validated_visits	15
validated_weight	0.9333333333333333
validation_score	0.9607
visits	16
parent_id	-1
child_ids	[11, 4, 5]

Node 4 (evolve)

Property	Value
uct_value	2.3545
ctime	2026-05-21 17:11:41
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.972471791529754
failure_penalty	-0.0
failure_visits	1
id	4
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	4
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0

validated_visits	0
validation_score	None
visits	1
parent_id	3
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 50-addition_3/node_4/conda_env

Resolved 235 packages in 1.95s

Uninstalled 1 package in 1.78s

Installed 233 packages in 49.52s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260521

+ autogluon-common==1.5.1b20260521

+ autogluon-core==1.5.1b20260521

+ autogluon-features==1.5.1b20260521

+ autogluon-multimodal==1.5.1b20260521

+ autogluon-tabular==1.5.1b20260521

+ autogluon-timeseries==1.5.1b20260521

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.12

+ botocore==1.43.12

+ catalogue==2.0.10

- + catboost==1.2.10
- + certifi==2026.5.20
- + cffi==2.0.0
- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.0
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0

+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.15
... [truncated, 18444 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs during model training with AutoGluon MultiModal using a Swin Transformer backbone and torch.compile (PyTorch 2.x). The root cause is an incompatibility between torch.compile (with CUDA graphs enabled) and the Swin Transformer model, leading to a RuntimeError: "accessing tensor output of CUDAGraphs that has been overwritten by a subsequent run." This is likely due to in-place tensor modifications or lack of proper tensor cloning in the model or data pipeline, which torch.compile with CUDA graphs cannot safely handle.

SUGGESTED_FIX:

Disable torch.compile by setting ``env.compile.turn\_on``: False` in your hyperparameters when calling `predictor.fit()`. This will avoid the use of CUDA graphs and prevent the tensor overwrite error. If you require compilation for speed, consider using a different backbone (e.g., ResNet) or wait for upstream fixes in PyTorch/AutoGluon that improve compatibility with Swin Transformer and torch.compile.

Node 5 (evolve)

Property	Value
uct_value	1.8899
avg_raw_score	0.96433
ctime	2026-05-21 17:21:49
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	1.0
exploration	0.9499530461978067
failure_penalty	-0.0
failure_visits	0
id	5
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	5
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	1.0
validated_reward	6.7503100000000001
validated_visits	7
validated_weight	1.0
validation_score	0.9643
visits	7
parent_id	3
child_ids	[6, 7]

Node 6 (evolve)

Property	Value
uct_value	2.1388
avg_raw_score	0.96433
ctime	2026-05-21 17:50:50
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	1.0
exploration	1.0927696792610198
failure_penalty	-0.0
failure_visits	0
id	6
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates AutoGluon MultiModal for multimodal machine learning, focusing on image classification.
stage	evolve
time_step	6
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	1.0
validated_reward	2.89299
validated_visits	3
validated_weight	1.0
validation_score	0.9643
visits	3
parent_id	5
child_ids	[9, 17]

Node 7 (evolve)

Property	Value
uct_value	2.1388
avg_raw_score	0.96433
ctime	2026-05-21 18:19:06
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	1.0
exploration	1.3383640602871656
failure_penalty	-0.0
failure_visits	0
id	7
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates AutoGluon MultiModal for multimodal machine learning, focusing on image classification.
stage	evolve
time_step	7
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	1.0
validated_reward	2.89299
validated_visits	3
validated_weight	1.0
validation_score	0.9643
visits	3
parent_id	5
child_ids	[10, 19]

Node 8 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-21 18:46:02
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	8
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have then
stage	debug
time_step	8
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0

validation_score	None
visits	1
parent_id	1
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.11/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 50-addition_3/node_8/conda_env
Resolved 79 packages in 574ms
Uninstalled 1 package in 1.82s
Installed 78 packages in 41.17s
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.5.20
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.4.0
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0
+ frozenlist==1.8.0
+ fsspec==2026.2.0
+ h11==0.16.0
+ hf-xet==1.5.0
+ httpcore==1.0.9
+ httpx==0.28.1
+ huggingface-hub==1.16.0
+ idna==3.15

```

```
+ jinja2==3.1.6
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.13.4
+ pydantic-core==2.46.4
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ set... [truncated, 2755 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script raises a NameError because it attempts to call a function named main() at the end, but no such function is defined anywhere in the code. As a result, the script does not execute any training, prediction, or output logic.

SUGGESTED_FIX: Define a `main()` function that encapsulates the intended workflow (data loading, preprocessing, model training, prediction, and output saving), or move the relevant code directly under the `if __name__ == "__main__":` block. Ensure that `main()` is properly implemented and invoked so the script executes as intended.

Node 9 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-21 18:53:05
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	9
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates AutoGluon MultiModal for multimodal machine learning, focusing on image classification.
stage	evolve
time_step	9
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.96433
validated_visits	1
validation_score	0.9643
visits	1
parent_id	6
child_ids	[]

Node 10 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-21 19:19:11
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	10
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates AutoGluon MultiModal for multimodal machine learning, focusing on image classification.
stage	evolve
time_step	10
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.96433
validated_visits	1
validation_score	0.9643
visits	1
parent_id	7
child_ids	[]

Node 11 (debug)

Property	Value
uct_value	1.8899
avg_raw_score	0.9643300000000001
ctime	2026-05-21 19:45:29
debug_attempts	1
depth	4
execution_time	0.0
expected_child_count	0
exploitation	1.0000000000000306
exploration	0.8794856240100927
failure_penalty	-0.0
failure_visits	0
id	11
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0000000000000306
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	11
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	1.00000000000000306
validated_reward	6.7503100000000001
validated_visits	7
validated_weight	1.0
validation_score	0.9643
visits	7
parent_id	3
child_ids	[12, 13]

Node 12 (evolve)

Property	Value
uct_value	2.1388
avg_raw_score	0.96433
ctime	2026-05-21 20:11:00
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
exploitation	1.0
exploration	1.0927696792610198
failure_penalty	-0.0
failure_visits	0
id	12
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates AutoGluon MultiModal for multimodal machine learning, focusing on image classification.
stage	evolve
time_step	12
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	1.0
validated_reward	2.89299
validated_visits	3
validated_weight	1.0
validation_score	0.9643
visits	3
parent_id	11
child_ids	[16, 14]

Node 13 (evolve)

Property	Value
uct_value	2.1388
avg_raw_score	0.96433
ctime	2026-05-21 20:36:01
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
exploitation	1.0
exploration	1.3383640602871656
failure_penalty	-0.0
failure_visits	0
id	13
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates AutoGluon MultiModal for multimodal machine learning, focusing on image classification.
stage	evolve
time_step	13
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	1.0
validated_reward	2.89299
validated_visits	3
validated_weight	1.0
validation_score	0.9643
visits	3
parent_id	11
child_ids	[18, 15]

Node 14 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-21 21:00:27
debug_attempts	0
depth	6
execution_time	0.0
expected_child_count	0
failure_visits	0
id	14
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	14
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.96433
validated_visits	1
validation_score	0.9643
visits	1
parent_id	12
child_ids	[]

Node 15 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-21 21:25:07
debug_attempts	0
depth	6
execution_time	0.0
expected_child_count	0
failure_visits	0
id	15
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	15
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.96433
validated_visits	1
validation_score	0.9643
visits	1
parent_id	13
child_ids	[]

Node 16 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-21 21:49:59
debug_attempts	0
depth	6
execution_time	0.0
expected_child_count	0
failure_visits	0
id	16
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	16
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.96433
validated_visits	1
validation_score	0.9643
visits	1
parent_id	12
child_ids	[]

Node 17 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-21 22:14:57
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	17
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates AutoGluon MultiModal for multimodal machine learning, focusing on image classification.
stage	evolve
time_step	17
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.96433
validated_visits	1
validation_score	0.9643
visits	1
parent_id	6
child_ids	[]

Node 18 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-21 22:40:08
debug_attempts	0
depth	6
execution_time	0.0
expected_child_count	0
failure_visits	0
id	18
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	18
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.96433
validated_visits	1
validation_score	0.9643
visits	1
parent_id	13
child_ids	[]

Node 19 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-21 23:05:03
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	19
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates AutoGluon MultiModal for multimodal machine learning, focusing on image classification.
stage	evolve
time_step	19
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.96433
validated_visits	1
validation_score	0.9643
visits	1
parent_id	7
child_ids	[]

