

ICPSR 39038

**Hispanic Established Populations
for the Epidemiologic Study of the
Elderly (HEPESE) Wave 9, 2016
[Arizona, California, Colorado, New
Mexico, and Texas]**

ICPSR Codebook for Respondent Wave 9

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Hispanic Established Populations for the Epidemiologic Study of the Elderly (HEPESE) Wave 9, 2016 [Arizona, California, Colorado, New Mexico, and Texas]

Kyriakos S. Markides

The University of Texas Medical Branch at Galveston, Texas

Soham Al Snih

The University of Texas Medical Branch at Galveston, Texas

Phillip A. Cantu

The University of Texas Medical Branch at Galveston, Texas

Jacqueline L. Angel

University of Texas-Austin

Raymond F. Palmer

The University of Texas Health Science Center at San Antonio

Ioannis Malagaris

The University of Texas Medical Branch at Galveston, Texas

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/39038/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #39038

*Hispanic Established Populations for the Epidemiologic Study of the Elderly (HEPESE)
Wave 9, 2016 [Arizona, California, Colorado, New Mexico, and Texas]
DS 1: Respondent Wave 9*

1. **Linking Variable:** Data from the informant interviews are linkable to the respondent data in the HEPESE waves via a unique ID variable **Q_NO** shared by each respondent-informant pair.
2. **Stata Limitations:** Due to Stata limitations for non-integer values with labels, the value 1.5 "Equipment only" for variables **LSLIND913**, **LSLIND923**, **LSLIND933**, **LSLIND943**, and **LSLIND953** has been removed in the Stata files.

ICPSR 39038

Hispanic Established Populations for the Epidemiologic Study of the Elderly (HEPESE) Wave 9, 2016 [Arizona, California, Colorado, New Mexico, and Texas]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Respondent Wave 9

Q_NO: Respondent Q_NO

Subject ID Number

Value	Label	Unweighted Frequency	%
10002	-	1	0.2 %
10019	-	1	0.2 %
10025	-	1	0.2 %
10052	-	1	0.2 %
10062	-	1	0.2 %
10066	-	1	0.2 %
10085	-	1	0.2 %
10089	-	1	0.2 %
10090	-	1	0.2 %
10092	-	1	0.2 %
10106	-	1	0.2 %
10107	-	1	0.2 %
10109	-	1	0.2 %
10117	-	1	0.2 %
10161	-	1	0.2 %
10182	-	1	0.2 %
10198	-	1	0.2 %
10200	-	1	0.2 %
10202	-	1	0.2 %
10209	-	1	0.2 %
10215	-	1	0.2 %
10230	-	1	0.2 %
10231	-	1	0.2 %
10312	-	1	0.2 %
10315	-	1	0.2 %
10321	-	1	0.2 %
10343	-	1	0.2 %
10349	-	1	0.2 %
10360	-	1	0.2 %
10371	-	1	0.2 %
10377	-	1	0.2 %
10391	-	1	0.2 %
10403	-	1	0.2 %

Value	Label	Unweighted Frequency	%
10404	-	1	0.2 %
10411	-	1	0.2 %
10430	-	1	0.2 %
10432	-	1	0.2 %
10442	-	1	0.2 %
10480	-	1	0.2 %
10492	-	1	0.2 %
10499	-	1	0.2 %
10528	-	1	0.2 %
10533	-	1	0.2 %
10571	-	1	0.2 %
10630	-	1	0.2 %
10640	-	1	0.2 %
10649	-	1	0.2 %
10650	-	1	0.2 %
10652	-	1	0.2 %
10655	-	1	0.2 %
	Total	480	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 480 valid cases out of 480 total cases.

- Mean: 19812.85
- Minimum: 10002.00
- Maximum: 30919.00
- Standard Deviation: 9134.11

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

DATEINT9: Date of the Interview

Date of Interview in mmddyy10. format

Value	Label	Unweighted Frequency	%
01-APR-2016	-	3	0.6 %
01-AUG-2016	-	1	0.2 %
01-JUL-2016	-	1	0.2 %
01-JUN-2016	-	1	0.2 %
01-MAR-2016	-	4	0.8 %
01-OCT-2016	-	2	0.4 %
02-APR-2016	-	5	1.0 %

Value	Label	Unweighted Frequency	%
02-AUG-2016	-	1	0.2 %
02-FEB-2016	-	3	0.6 %
02-JUL-2016	-	4	0.8 %
02-JUN-2016	-	4	0.8 %
02-MAR-2016	-	11	2.3 %
02-MAY-2016	-	1	0.2 %
03-AUG-2016	-	1	0.2 %
03-FEB-2016	-	5	1.0 %
03-JUN-2016	-	3	0.6 %
03-MAR-2016	-	2	0.4 %
03-MAY-2016	-	2	0.4 %
04-APR-2016	-	1	0.2 %
04-FEB-2016	-	5	1.0 %
04-JUN-2016	-	8	1.7 %
04-MAR-2016	-	5	1.0 %
04-MAY-2016	-	1	0.2 %
04-NOV-2016	-	1	0.2 %
05-APR-2016	-	1	0.2 %
05-FEB-2016	-	7	1.5 %
05-JUL-2016	-	1	0.2 %
05-JUN-2016	-	1	0.2 %
05-MAR-2016	-	4	0.8 %
06-APR-2016	-	2	0.4 %
06-FEB-2016	-	9	1.9 %
06-JUN-2016	-	7	1.5 %
06-MAR-2016	-	4	0.8 %
06-MAY-2016	-	4	0.8 %
07-APR-2016	-	1	0.2 %
07-FEB-2016	-	3	0.6 %
07-JUN-2016	-	5	1.0 %
07-MAR-2016	-	4	0.8 %
07-MAY-2016	-	2	0.4 %
08-APR-2016	-	6	1.2 %
08-FEB-2016	-	4	0.8 %
08-JUL-2016	-	1	0.2 %
08-JUN-2016	-	1	0.2 %
08-MAR-2016	-	1	0.2 %
08-NOV-2016	-	1	0.2 %
09-APR-2016	-	12	2.5 %

Value	Label	Unweighted Frequency	%
09-FEB-2016	-	4	0.8 %
09-JUN-2016	-	1	0.2 %
09-MAR-2016	-	5	1.0 %
09-MAY-2016	-	2	0.4 %
	Total	480	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 480 valid cases out of 480 total cases.

Location: 6-16 (width: 11; decimal: 0)

Variable Type: character

AGE9: Age at Time of Interview

S4.P Age: in Years

Value	Label	Unweighted Frequency	%
85	-	10	2.1 %
86	-	34	7.1 %
87	-	60	12.5 %
88	-	70	14.6 %
89	-	50	10.4 %
90	-	59	12.3 %
91	-	45	9.4 %
92	-	45	9.4 %
93	-	27	5.6 %
94	-	21	4.4 %
95	-	11	2.3 %
96	-	17	3.5 %
97	-	9	1.9 %
98	-	7	1.5 %
99	-	8	1.7 %
100	-	4	0.8 %
101	-	2	0.4 %
106	-	1	0.2 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Mean: 90.35
- Median: 90.00
- Mode: 88.00

- Minimum: 85.00
- Maximum: 106.00
- Standard Deviation: 3.46

Location: 17-19 (width: 3; decimal: 0)

Variable Type: numeric

SAMEADDR9: Same Address as previous interview

NN2a.P Do you have a different mailing address? (IF YES, RECORD BELOW)

Value	Label	Unweighted Frequency	%
1	Yes	442	92.1 %
2	No	38	7.9 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 20-20 (width: 1; decimal: 0)

Variable Type: numeric

PROXYREL9: What is the Relationship of the Proxy to Respondent

S5.P Relationship of Proxy to Respondent

Value	Label	Unweighted Frequency	%
2	Spouse	13	2.7 %
3	Son/daughter	98	20.4 %
4	Son/daughter-in-law	10	2.1 %
5	Grandchild	10	2.1 %
6	Parent	0	0.0 %
7	Brother/sister	2	0.4 %
8	Nephew/niece	3	0.6 %
9	Cousin	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	5	1.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	9	1.9 %
16	All others	0	0.0 %
17	Sister/brother-in-law	1	0.2 %
	Missing Data		
.	-	329	68.5 %

Value	Label	Unweighted Frequency	%
	Total	480	100%

Based upon 151 valid cases out of 480 total cases.

- Minimum: 2.00
- Maximum: 17.00

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

SEX9: Gender of the Respondent

S5.P Respondent Gender

Value	Label	Unweighted Frequency	%
1	Male	169	35.2 %
2	Female	311	64.8 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 23-23 (width: 1; decimal: 0)

Variable Type: numeric

MARSTAT9: What is the Marital Status of Respondent

A10.P Are you presently married, separated, divorced, widowed, or never married?

Value	Label	Unweighted Frequency	%
1	Married	125	26.0 %
2	Separated	3	0.6 %
3	Divorced	5	1.0 %
4	Widowed	15	3.1 %
5	Never married	312	65.0 %
6	Common Law Married	17	3.5 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 477 valid cases out of 480 total cases.

- Minimum: 1.00

- Maximum: 6.00

Location: 24-24 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

MARLEN9: Length of Time Married/Separated/Divorced/Widowed

A11.P How long have you been (married/separated/divorced/widowed)? (INCLUDE COMMON LAW MARRIAGES UNDER MARRIED) INTERVIEWER: ENTER "0" IF LESS THAN ONE YEAR.

Value	Label	Unweighted Frequency	%
0	-	11	2.3 %
1	-	10	2.1 %
2	-	10	2.1 %
3	-	11	2.3 %
4	-	8	1.7 %
5	-	14	2.9 %
6	-	9	1.9 %
7	-	11	2.3 %
8	-	8	1.7 %
9	-	11	2.3 %
10	-	19	4.0 %
11	-	7	1.5 %
12	-	13	2.7 %
13	-	5	1.0 %
14	-	8	1.7 %
15	-	8	1.7 %
16	-	7	1.5 %
17	-	8	1.7 %
18	-	8	1.7 %
19	-	7	1.5 %
20	-	14	2.9 %
21	-	3	0.6 %
22	-	6	1.2 %
23	-	10	2.1 %
24	-	5	1.0 %
25	-	6	1.2 %
26	-	6	1.2 %
27	-	2	0.4 %
28	-	8	1.7 %
29	-	3	0.6 %
30	-	9	1.9 %

Value	Label	Unweighted Frequency	%
31	-	3	0.6 %
32	-	4	0.8 %
33	-	1	0.2 %
35	-	7	1.5 %
36	-	3	0.6 %
37	-	2	0.4 %
38	-	4	0.8 %
39	-	2	0.4 %
40	-	7	1.5 %
42	-	1	0.2 %
43	-	1	0.2 %
44	-	1	0.2 %
46	-	3	0.6 %
48	-	5	1.0 %
50	-	9	1.9 %
51	-	4	0.8 %
52	-	2	0.4 %
53	-	1	0.2 %
54	-	6	1.2 %
	Missing Data		
.	-	56	11.7 %
	Total	480	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 424 valid cases out of 480 total cases.

- Mean: 29.21
- Median: 22.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 79.00
- Standard Deviation: 23.27

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

NHOUSE9: How Many People Reside in Your Household?

B1.P How many people live in this household?

Value	Label	Unweighted Frequency	%
1	-	146	30.4 %

Value	Label	Unweighted Frequency	%
2	-	168	35.0 %
3	-	84	17.5 %
4	-	36	7.5 %
5	-	20	4.2 %
6	-	13	2.7 %
7	-	6	1.2 %
8	-	1	0.2 %
9	-	1	0.2 %
13	-	1	0.2 %
	Missing Data		
.	-	4	0.8 %
	Total	480	100%

Based upon 476 valid cases out of 480 total cases.

- Mean: 2.37
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 13.00
- Standard Deviation: 1.49

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

HOUSIZ9: Categorized Nhouse9 1,2,3+

Created variable categorizes NHOUSE9

Value	Label	Unweighted Frequency	%
1	1	146	30.4 %
2	2	168	35.0 %
3	3+	162	33.8 %
	Missing Data		
.	-	4	0.8 %
	Total	480	100%

Based upon 476 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 29-29 (width: 1; decimal: 0)

Variable Type: numeric

LIVALON9: Lives Alone = 1

Created variable: (from nhouse8, if nhouse8=1 then livalon8=1)

Value	Label	Unweighted Frequency	%
0	No	330	68.8 %
1	Yes	146	30.4 %
	Missing Data		
.	-	4	0.8 %
	Total	480	100%

Based upon 476 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 30-30 (width: 1; decimal: 0)

Variable Type: numeric

HHREL9: Relationship to the Head of Household

B2.P Who is the head of this household, what is their relationship to you/to the respondent?

Value	Label	Unweighted Frequency	%
1	Respondent is head	331	69.0 %
2	Spouse	40	8.3 %
3	Son/daughter	67	14.0 %
4	Son/daughter-in-law	27	5.6 %
5	Grandchild	5	1.0 %
6	Parent	2	0.4 %
7	Brother/sister	1	0.2 %
8	Nephew/niece	3	0.6 %
13	Friend	1	0.2 %
15	Paid employee	1	0.2 %
16	All others	2	0.4 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

OREL91: Relationship to 1st Other Person in Household

BASE: MORE THAN 1 PERSON IN HOUSEHOLD B4.P We would like to know how the OTHER people who live here with you are related to you. DO NOT REPEAT THE RESPONDENT'S NAME OR HEAD OF HOUSEHOLD. Relationship of first person

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	103	21.5 %
3	Son/daughter (including stepchildren)	162	33.8 %
4	Son/daughter-in-law	19	4.0 %
5	Grandchild	17	3.5 %
6	Parent	3	0.6 %
7	Brother/sister	3	0.6 %
8	Nephew/niece	7	1.5 %
11	Great grandchild	2	0.4 %
12	Other	2	0.4 %
13	Friend	4	0.8 %
14	Boarder/roomer	1	0.2 %
15	Paid employee	5	1.0 %
16	All others	1	0.2 %
17	Sister/brother-in-law	1	0.2 %
	Missing Data		
888	Don't know	1	0.2 %
.	-	149	31.0 %
	Total	480	100%

Based upon 330 valid cases out of 480 total cases.

- Minimum: 2.00
- Maximum: 17.00

Location: 33-35 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 888 , .

OREL92: Relationship to 2nd Other Person in Household

Relationship of second person

Value	Label	Unweighted Frequency	%
2	Spouse	11	2.3 %
3	Son/daughter (including stepchildren)	66	13.8 %
4	Son/daughter-in-law	24	5.0 %
5	Grandchild	41	8.5 %
6	Parent	0	0.0 %
7	Brother/sister	1	0.2 %

Value	Label	Unweighted Frequency	%
8	Nephew/niece	3	0.6 %
11	Great grandchild	4	0.8 %
12	Other	2	0.4 %
13	Friend	1	0.2 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	1	0.2 %
16	All others	4	0.8 %
17	Sister/brother-in-law	1	0.2 %
	Missing Data		
888	Don't know	4	0.8 %
999	Refused	1	0.2 %
.	-	316	65.8 %
	Total	480	100%

Based upon 159 valid cases out of 480 total cases.

- Minimum: 2.00
- Maximum: 17.00

Location: 36-38 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 888 , 999 , .

OREL93: Relationship to 3rd Other Person in Household

Relationship of third person

Value	Label	Unweighted Frequency	%
2	Spouse	4	0.8 %
3	Son/daughter (including stepchildren)	20	4.2 %
4	Son/daughter-in-law	3	0.6 %
5	Grandchild	39	8.1 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	0	0.0 %
11	Great grandchild	7	1.5 %
12	Other	2	0.4 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	1	0.2 %
16	All others	1	0.2 %
17	Sister/brother-in-law	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999	Refused	3	0.6 %
.	-	400	83.3 %
	Total	480	100%

Based upon 77 valid cases out of 480 total cases.

- Minimum: 2.00
- Maximum: 16.00

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 888 , 999 , .

OREL94: Relationship to 4th Other Person in Household

Relationship of fourth person

Value	Label	Unweighted Frequency	%
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	6	1.2 %
4	Son/daughter-in-law	4	0.8 %
5	Grandchild	23	4.8 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	0	0.0 %
11	Great grandchild	5	1.0 %
12	Other	3	0.6 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	1	0.2 %
16	All others	0	0.0 %
17	Sister/brother-in-law	0	0.0 %
	Missing Data		
999	Refused	2	0.4 %
.	-	436	90.8 %
	Total	480	100%

Based upon 42 valid cases out of 480 total cases.

- Minimum: 3.00
- Maximum: 15.00

Location: 42-44 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 888 , 999 , .

OREL95: Relationship to 5th Other Person in Household

Relationship of fifth person

Value	Label	Unweighted Frequency	%
2	Spouse	1	0.2 %
3	Son/daughter (including stepchildren)	1	0.2 %
4	Son/daughter-in-law	1	0.2 %
5	Grandchild	13	2.7 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	0	0.0 %
11	Great grandchild	5	1.0 %
12	Other	1	0.2 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	1	0.2 %
16	All others	0	0.0 %
17	Sister/brother-in-law	0	0.0 %
	Missing Data		
999	Refused	1	0.2 %
.	-	456	95.0 %
	Total	480	100%

Based upon 23 valid cases out of 480 total cases.

- Minimum: 2.00
- Maximum: 15.00

Location: 45-47 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 888 , 999 , .

OREL96: Relationship to 6th Other Person in Household

Relationship of sixth person

Value	Label	Unweighted Frequency	%
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	1	0.2 %
4	Son/daughter-in-law	0	0.0 %
5	Grandchild	5	1.0 %
6	Parent	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Brother/sister	0	0.0 %
8	Nephew/niece	0	0.0 %
11	Great grandchild	3	0.6 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	1	0.2 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother-in-law	0	0.0 %
	Missing Data		
999	Refused	1	0.2 %
.	-	469	97.7 %
	Total	480	100%

Based upon 10 valid cases out of 480 total cases.

- Minimum: 3.00
- Maximum: 14.00

Location: 48-50 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 888 , 999 , .

HEALTH9: How Would You Rate Your Overall Health?

G1.P Now I would like to ask you some questions about your health. Overall, how would you rate your health: excellent, good, fair, or poor?

Value	Label	Unweighted Frequency	%
1	Excellent	19	4.0 %
2	Good	140	29.2 %
3	Fair	227	47.3 %
4	Poor	92	19.2 %
	Missing Data		
8	Do not know	2	0.4 %
	Total	480	100%

Based upon 478 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 51-51 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

MDIAB91: Have You Been Told by a Doctor You Have Diabetes

M1.P Have you ever been told by a doctor that you have diabetes, sugar in your urine, or high blood sugar? (no longer have a borderline category) If yes (n=248) continue, otherwise skip to last question in section

Value	Label	Unweighted Frequency	%
1	Yes	162	33.8 %
2	No	315	65.6 %
	Missing Data		
8	Do not know	3	0.6 %
	Total	480	100%

Based upon 477 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 52-52 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

MDIAB93: Are You Taking Medication for Diabetes?

M3.P Are you taking any medicine for diabetes now?

Value	Label	Unweighted Frequency	%
1	Yes	134	27.9 %
2	No	24	5.0 %
	Missing Data		
8	Do not know	4	0.8 %
.	-	318	66.2 %
	Total	480	100%

Based upon 158 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 53-53 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

MDIAB96A: Are You Now Taking Insulin Shots T9

M6.P Are you now taking insulin shots?

Value	Label	Unweighted Frequency	%
1	Yes	44	9.2 %

Value	Label	Unweighted Frequency	%
2	No	89	18.5 %
	Missing Data		
8	Do not know	1	0.2 %
.	-	346	72.1 %
	Total	480	100%

Based upon 133 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 54-54 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

MDIAB96B: Are You Taking Diabetes Pills

Are You Taking Diabetes Pills

Value	Label	Unweighted Frequency	%
1	Yes	114	23.8 %
2	No	19	4.0 %
	Missing Data		
8	Do not know	1	0.2 %
.	-	346	72.1 %
	Total	480	100%

Based upon 133 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 55-55 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

MDIAB98A: Diabetes Caused Problems with Kidneys

BASE: IF EVER TOLD HAD DIABETES in M1. M8a.P As a result of your diabetes, have you ever had any problems with your kidneys?

Value	Label	Unweighted Frequency	%
1	Yes	26	5.4 %
2	No	132	27.5 %
	Missing Data		
8	Do not know	4	0.8 %

Value	Label	Unweighted Frequency	%
.	-	318	66.2 %
	Total	480	100%

Based upon 158 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 56-56 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

MDIAB98D: Diabetes Caused Problems with Eyes

M8d.P As a result of your diabetes, have you ever had any problems with your eyes?

Value	Label	Unweighted Frequency	%
1	Yes	48	10.0 %
2	No	111	23.1 %
	Missing Data		
8	Do not know	3	0.6 %
.	-	318	66.2 %
	Total	480	100%

Based upon 159 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 57-57 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

MDIAB98F: Circulation Problems Due to Diabetes?

M8f.P As a result of your diabetes, have you ever had any problems with the circulation in your legs or arms, or not?

Value	Label	Unweighted Frequency	%
1	Yes	58	12.1 %
2	No	99	20.6 %
	Missing Data		
8	Do not know	5	1.0 %
.	-	318	66.2 %
	Total	480	100%

Based upon 157 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 58-58 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

MDIAB98G: Ever Had Amputation-What Part? T9

M8g.P As a result of your diabetes, have you ever had any part of your body amputated as a result of your diabetes, or not?

Value	Label	Unweighted Frequency	%
1	Yes	7	1.5 %
2	No	154	32.1 %
	Missing Data		
8	Do not know	1	0.2 %
.	-	318	66.2 %
	Total	480	100%

Based upon 161 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

P8FALLS9: How Often Have You Fallen in Last Year?

P8. During the past 12 months, how many times do you fall and land on the floor or ground.

Value	Label	Unweighted Frequency	%
1	None	277	57.7 %
2	1 time	99	20.6 %
3	2 times	37	7.7 %
4	3+ times	64	13.3 %
	Missing Data		
8	Do not know	3	0.6 %
	Total	480	100%

Based upon 477 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 60-60 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

P9FALLS9: Went to Hospital/ER Because of Falling?

P9.P As a result of (this fall/any of these falls) did you have to go to the hospital or emergency room?

Value	Label	Unweighted Frequency	%
1	Yes	75	15.6 %
2	No	123	25.6 %
	Missing Data		
8	Do not know	2	0.4 %
.	-	280	58.3 %
	Total	480	100%

Based upon 198 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 61-61 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

P9AFALLS9: As a result of these falls did you have an injury?

P9a.P As a result of (this fall/any of these falls) did you have an injury?

Value	Label	Unweighted Frequency	%
1	Yes	55	11.5 %
2	No	144	30.0 %
	Missing Data		
8	Do not know	1	0.2 %
.	-	280	58.3 %
	Total	480	100%

Based upon 199 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 62-62 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

P10FALLS9: How Afraid Are You of Falling?

P10. How Afraid Are You of Falling?

Value	Label	Unweighted Frequency	%
1	Not at all afraid	118	24.6 %
2	Somewhat afraid	88	18.3 %
3	Fairly afraid	53	11.0 %
4	Very afraid	131	27.3 %
	Missing Data		
7	N/A Proxy	89	18.5 %
8	Do not know	1	0.2 %
	Total	480	100%

Based upon 390 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 63-63 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8

PARTH95: Pain in Last Month when Standing/Walking

P5. In the past month, did you notice any pain or discomfort when you stood or walked?

Value	Label	Unweighted Frequency	%
1	Yes	207	43.1 %
2	No	166	34.6 %
	Missing Data		
7	N/A Proxy	105	21.9 %
8	Do not know	2	0.4 %
	Total	480	100%

Based upon 373 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 64-64 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8

P5BACK9: Pain: Back

P5a. (Experienced pain in the past month) Where was this pain? Back

Value	Label	Unweighted Frequency	%
1	Yes	102	21.2 %
2	No	104	21.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8	Do not know	1	0.2 %
.	-	273	56.9 %
	Total	480	100%

Based upon 206 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 65-65 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , .

P5HIPS9: Pain: Hips

P5a. (Experienced pain in the past month) Where was this pain? Hips

Value	Label	Unweighted Frequency	%
1	Yes	106	22.1 %
2	No	101	21.0 %
	Missing Data		
.	-	273	56.9 %
	Total	480	100%

Based upon 207 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 66-66 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

P5KNEES9: Pain: Knees

P5a. (Experienced pain in the past month) Where was this pain? Knees

Value	Label	Unweighted Frequency	%
1	Yes	142	29.6 %
2	No	65	13.5 %
	Missing Data		
.	-	273	56.9 %
	Total	480	100%

Based upon 207 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 67-67 (width: 1; decimal: 0)

Variable Type: numeric

P5AFEET9: Pain: Ankles/Feet

P5a. (Experienced pain in the past month) Where was this pain? Ankles/Feet

Value	Label	Unweighted Frequency	%
1	Yes	107	22.3 %
2	No	100	20.8 %
	Missing Data		
.	-	273	56.9 %
	Total	480	100%

Based upon 207 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 68-68 (width: 1; decimal: 0)

Variable Type: numeric

P5LEGS9: Pain: Legs

P5a. (Experienced pain in the past month) Where was this pain? Legs

Value	Label	Unweighted Frequency	%
1	Yes	138	28.8 %
2	No	69	14.4 %
	Missing Data		
.	-	273	56.9 %
	Total	480	100%

Based upon 207 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 69-69 (width: 1; decimal: 0)

Variable Type: numeric

P5BODY9: Pain: Entire Body

P5a. (Experienced pain in the past month) Where was this pain? Entire Body

Value	Label	Unweighted Frequency	%
1	Yes	63	13.1 %
2	No	143	29.8 %
	Missing Data		
8	Do not know	1	0.2 %
.	-	273	56.9 %
	Total	480	100%

Based upon 206 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 70-70 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

P5OTH9: Pain: Somewhere (Text)

P5a. (Experienced pain in the past month) Where was this pain? Somewhere else

Value	Label	Unweighted Frequency	%
1	Yes	19	4.0 %
2	No	188	39.2 %
	Missing Data		
.	-	273	56.9 %
	Total	480	100%

Based upon 207 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 71-71 (width: 1; decimal: 0)

Variable Type: numeric

PAIN5C9: Past Mo., Bodily Pain Kept from Daily Activity

P5c. In the past month, how much has this pain or discomfort restricted your daily activities?

Value	Label	Unweighted Frequency	%
1	A lot	78	16.2 %
2	Some	91	19.0 %
3	Not at all	37	7.7 %
	Missing Data		
7	N/A Proxy	1	0.2 %

Value	Label	Unweighted Frequency	%
.	-	273	56.9 %
	Total	480	100%

Based upon 206 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

PAIN5D9: Past Mo., Bodily Pain Kept from Sleeping

P5d. In the past month, how much has this pain or discomfort kept you from getting a good night's sleep - a lot, some or not at all?

Value	Label	Unweighted Frequency	%
1	A lot	33	6.9 %
2	Some	82	17.1 %
3	Not at all	92	19.2 %
	Missing Data		
.	-	273	56.9 %
	Total	480	100%

Based upon 207 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

PAIN6A9: Have ever Seen a Doctor About Bodily Pain

P6a. Have you seen a doctor about your pain?

Value	Label	Unweighted Frequency	%
1	Yes	168	35.0 %
2	No	38	7.9 %
	Missing Data		
7	N/A Proxy	1	0.2 %
.	-	273	56.9 %
	Total	480	100%

Based upon 206 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , .

PAIN6B9: Take RX for Bodily Pain

P6b. Do you take any medication for your pain?

Value	Label	Unweighted Frequency	%
1	Yes	140	29.2 %
2	No	63	13.1 %
	Missing Data		
7	N/A Proxy	1	0.2 %
8	Do not know	3	0.6 %
.	-	273	56.9 %
	Total	480	100%

Based upon 203 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 75-75 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , .

QINCON91: How Often Do You Have Trouble Holding Urine?

Q1a. In the past month, how often have you had difficulty holding your urine until you can get to a toilet - never, hardly ever, some of the time, most of the time, or all of the time?

Value	Label	Unweighted Frequency	%
1	Never	176	36.7 %
2	Hardly ever	61	12.7 %
3	Some of the time	77	16.0 %
4	Most of the time	26	5.4 %
5	All of the time	35	7.3 %
6	All the time (catheter or cancer)	1	0.2 %
	Missing Data		
7	N/A Proxy	102	21.2 %
8	Do not know	2	0.4 %
	Total	480	100%

Based upon 376 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 76-76 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8

QINCON912: How Often Do You Have Lost Control of Bowels?

Q12. In the past month, how often have you lost control of your bowels (when you didn't want to) - never, hardly ever, some of the time, most of the time, or all of the time?

Value	Label	Unweighted Frequency	%
1	Never	272	56.7 %
2	Hardly ever	51	10.6 %
3	Some of the time	33	6.9 %
4	Most of the time	4	0.8 %
5	All of the time	15	3.1 %
6	All the time (catheter or cancer)	1	0.2 %
	Missing Data		
7	N/A Proxy	102	21.2 %
8	Do not know	2	0.4 %
	Total	480	100%

Based upon 376 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 77-77 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8

RSLEEP9A: How Often Do You Have Trouble Falling Asleep?

Now we would like to get some information on how well you sleep. R1. How often in the past month did you? a. Have trouble falling asleep

Value	Label	Unweighted Frequency	%
0	Not at all	208	43.3 %
1	1-3 days	33	6.9 %
2	4-7 days	24	5.0 %
3	8-14 days	34	7.1 %
4	15+ days	72	15.0 %
	Missing Data		
7	N/A Proxy	108	22.5 %
8	Do not know	1	0.2 %

Value	Label	Unweighted Frequency	%
	Total	480	100%

Based upon 371 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 78-78 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8

RSLEEP9B: Wake Up Several Times/Night

R1. How often in the past month did you? b. Wake up several times per night

Value	Label	Unweighted Frequency	%
0	Not at all	114	23.8 %
1	1-3 days	48	10.0 %
2	4-7 days	26	5.4 %
3	8-14 days	43	9.0 %
4	15+ days	136	28.3 %
	Missing Data		
7	N/A Proxy	109	22.7 %
8	Do not know	4	0.8 %
	Total	480	100%

Based upon 367 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 79-79 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8

RSLEEP9C: How Often Do You Have Trouble Staying Asleep?

R1. How often in the past month did you? c. Have trouble staying asleep (including waking far too early)

Value	Label	Unweighted Frequency	%
0	Not at all	209	43.5 %
1	1-3 days	29	6.0 %
2	4-7 days	22	4.6 %
3	8-14 days	40	8.3 %
4	15+ days	69	14.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
7	N/A Proxy	111	23.1 %
	Total	480	100%

Based upon 369 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 80-80 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8

RSLEEP9D: How Often Do You Wake Feeling Tired/Worn Out?

R1. How often in the past month did you? d. Wake up after your usual amount of sleep feeling tired and worn out

Value	Label	Unweighted Frequency	%
0	Not at all	199	41.5 %
1	1-3 days	39	8.1 %
2	4-7 days	23	4.8 %
3	8-14 days	30	6.2 %
4	15+ days	75	15.6 %
	Missing Data		
7	N/A Proxy	113	23.5 %
8	Do not know	1	0.2 %
	Total	480	100%

Based upon 366 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 81-81 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8

RSLPQUAL9: Rate Your Quality of Sleep

R2. During the past month, how would you rate your sleep quality overall?

Value	Label	Unweighted Frequency	%
1	Very good	84	17.5 %
2	Fairly good	216	45.0 %
3	Fairly bad	54	11.2 %
4	Very bad	13	2.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
7	N/A Proxy	112	23.3 %
8	Do not know	1	0.2 %
	Total	480	100%

Based upon 367 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 82-82 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8

RSLPAVG9: What is your Average Number of Hours of Sleep Per Night?

R3. On average, over a 24 hour period, do you sleep, including napping?

Value	Label	Unweighted Frequency	%
1	< 5 hours	4	0.8 %
2	5 hours	15	3.1 %
3	6 hours	28	5.8 %
4	7 hours	66	13.8 %
5	8 hours	93	19.4 %
6	9 hours	92	19.2 %
7	10+ hours	172	35.8 %
	Missing Data		
8	Do not know	8	1.7 %
9	Refused	2	0.4 %
	Total	480	100%

Based upon 470 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 83-83 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

SHEAR9: Do you have hearing problems?

S51.P Do you have hearing problems?

Value	Label	Unweighted Frequency	%
1	Yes	251	52.3 %
2	No	229	47.7 %

Value	Label	Unweighted Frequency	%
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 84-84 (width: 1; decimal: 0)

Variable Type: numeric

SHEARID9: Are You Wearing a Hearing Aid

S5.P Are you wearing a hearing aid?

Value	Label	Unweighted Frequency	%
1	Yes	64	13.3 %
2	No	416	86.7 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 85-85 (width: 1; decimal: 0)

Variable Type: numeric

SHEAR95: Able to Hear/Understand What a Person Says?

S5a.P (With/Without a hearing aid) can you usually hear and understand what a person says without seeing his face if that person talks in a normal voice to you in a quiet room?

Value	Label	Unweighted Frequency	%
1	Yes (no hearing aid)	310	64.6 %
2	Yes (with hearing aid)	46	9.6 %
3	No	117	24.4 %
4	Respondent is deaf	4	0.8 %
	Missing Data		
8	Do not know	3	0.6 %
	Total	480	100%

Based upon 477 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 86-86 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

SHEAR95B: When Was Last Hearing Test or Exam

S5b.P When was your last hearing test or exam?

Value	Label	Unweighted Frequency	%
1	Within past years	149	31.0 %
2	> 1 years ago	237	49.4 %
3	Never	70	14.6 %
	Missing Data		
8	Do not know	24	5.0 %
	Total	480	100%

Based upon 456 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 87-87 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

VVIS9A: Able to Recognize a Friend Across the Street?

V6.P Can you see well enough to recognize a friend or a family member (when wearing glasses/contacts if applicable)? Across the street

Value	Label	Unweighted Frequency	%
1	Yes	334	69.6 %
2	No	132	27.5 %
3	Blind	6	1.2 %
	Missing Data		
8	Do not know	8	1.7 %
	Total	480	100%

Based upon 472 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 88-88 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

VVIS9B: Able to Recognize a Friend Across the Room?

V6.P Can you see well enough to recognize a friend or a family member (when wearing glasses/contacts if applicable)? Across the room

Value	Label	Unweighted Frequency	%
1	Yes	424	88.3 %
2	No	46	9.6 %
3	Blind	6	1.2 %
	Missing Data		
8	Do not know	4	0.8 %
	Total	480	100%

Based upon 476 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 89-89 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

VVIS9C: Able to Recognize a Friend at Arms-Length Away?

V6.P Can you see well enough to recognize a friend or a family member (when wearing glasses/contacts if applicable)? Who is at arm's length away

Value	Label	Unweighted Frequency	%
1	Yes	449	93.5 %
2	No	23	4.8 %
3	Blind	6	1.2 %
	Missing Data		
8	Do not know	2	0.4 %
	Total	480	100%

Based upon 478 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 90-90 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

VVIS96A: When Was Last Vision Exam

V6a.P When was your last vision exam?

Value	Label	Unweighted Frequency	%
1	Within past years	241	50.2 %

Value	Label	Unweighted Frequency	%
2	> 1 years ago	221	46.0 %
3	Never	1	0.2 %
	Missing Data		
8	Do not know	17	3.5 %
	Total	480	100%

Based upon 463 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 91-91 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

KHYPER91: Told by a Doctor You Have High Blood Pressure?

K1.P Has a doctor ever told you that you have high blood pressure?

Value	Label	Unweighted Frequency	%
1	Yes	345	71.9 %
2	Suspect or possible	9	1.9 %
3	No	122	25.4 %
	Missing Data		
8	Do not know	4	0.8 %
	Total	480	100%

Based upon 476 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 92-92 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

KHYPER94: Currently Taking Medication for High Blood Pressure?

K4.P Are you currently taking any medication for high blood pressure?

Value	Label	Unweighted Frequency	%
1	Yes	329	68.5 %
2	No	17	3.5 %
	Missing Data		
8	Do not know	8	1.7 %
.	-	126	26.2 %

Value	Label	Unweighted Frequency	%
	Total	480	100%

Based upon 346 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 93-93 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , .

GGB9: Agreed to take Blood Pressure Reading

Agreed to take blood pressure reading

Value	Label	Unweighted Frequency	%
1	Agreed	401	83.5 %
777	Proxy	36	7.5 %
	Missing Data		
999	Refused	43	9.0 %
	Total	480	100%

Based upon 437 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 777.00

Location: 94-96 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999

GG4SYS9: First Seated Systolic Blood Pressure Reading

Now I would like to take your pulse and three blood pressure readings (two seated and one standing). GG4.P-R First seated blood pressure reading? Systolic

Value	Label	Unweighted Frequency	%
68	-	1	0.2 %
78	-	1	0.2 %
79	-	1	0.2 %
89	-	1	0.2 %
91	-	2	0.4 %
93	-	2	0.4 %
94	-	4	0.8 %
95	-	2	0.4 %
97	-	1	0.2 %

Value	Label	Unweighted Frequency	%
98	-	1	0.2 %
99	-	2	0.4 %
101	-	4	0.8 %
103	-	3	0.6 %
104	-	3	0.6 %
105	-	1	0.2 %
106	-	1	0.2 %
107	-	3	0.6 %
108	-	2	0.4 %
109	-	3	0.6 %
110	-	6	1.2 %
111	-	3	0.6 %
112	-	7	1.5 %
113	-	6	1.2 %
114	-	3	0.6 %
115	-	2	0.4 %
116	-	4	0.8 %
117	-	4	0.8 %
118	-	6	1.2 %
119	-	3	0.6 %
120	-	7	1.5 %
121	-	4	0.8 %
122	-	6	1.2 %
123	-	4	0.8 %
124	-	9	1.9 %
125	-	5	1.0 %
126	-	7	1.5 %
127	-	3	0.6 %
128	-	11	2.3 %
129	-	7	1.5 %
130	-	9	1.9 %
131	-	9	1.9 %
132	-	9	1.9 %
133	-	7	1.5 %
134	-	11	2.3 %
135	-	7	1.5 %
136	-	11	2.3 %
137	-	11	2.3 %
138	-	5	1.0 %

Value	Label	Unweighted Frequency	%
139	-	2	0.4 %
140	-	9	1.9 %
	Missing Data		
.	-	79	16.5 %
	Total	480	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 401 valid cases out of 480 total cases.

- Mean: 137.59
- Median: 136.00
- Mode: 145.00
- Minimum: 68.00
- Maximum: 207.00
- Standard Deviation: 23.25

Location: 97-99 (width: 3; decimal: 0)

Variable Type: numeric

GG4DIA9: First Seated Diastolic Blood Pressure Reading

GG4.P-R First seated blood pressure reading? Diastolic

Value	Label	Unweighted Frequency	%
41	-	1	0.2 %
42	-	1	0.2 %
47	-	1	0.2 %
48	-	1	0.2 %
49	-	3	0.6 %
50	-	2	0.4 %
51	-	1	0.2 %
52	-	4	0.8 %
53	-	3	0.6 %
54	-	2	0.4 %
55	-	3	0.6 %
56	-	2	0.4 %
57	-	4	0.8 %
58	-	8	1.7 %
59	-	14	2.9 %
60	-	9	1.9 %
61	-	7	1.5 %
62	-	14	2.9 %

Value	Label	Unweighted Frequency	%
63	-	5	1.0 %
64	-	11	2.3 %
65	-	13	2.7 %
66	-	14	2.9 %
67	-	11	2.3 %
68	-	16	3.3 %
69	-	12	2.5 %
70	-	21	4.4 %
71	-	9	1.9 %
72	-	17	3.5 %
73	-	9	1.9 %
74	-	6	1.2 %
75	-	6	1.2 %
76	-	14	2.9 %
77	-	11	2.3 %
78	-	14	2.9 %
79	-	15	3.1 %
80	-	15	3.1 %
81	-	9	1.9 %
82	-	10	2.1 %
83	-	4	0.8 %
84	-	5	1.0 %
85	-	5	1.0 %
86	-	11	2.3 %
87	-	4	0.8 %
88	-	5	1.0 %
89	-	5	1.0 %
90	-	7	1.5 %
91	-	3	0.6 %
92	-	5	1.0 %
93	-	4	0.8 %
94	-	7	1.5 %
	Missing Data		
.	-	79	16.5 %
	Total	480	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 401 valid cases out of 480 total cases.

- Mean: 73.39
- Median: 72.00
- Mode: 70.00
- Minimum: 41.00
- Maximum: 136.00
- Standard Deviation: 12.46

Location: 100-102 (width: 3; decimal: 0)

Variable Type: numeric

GG4PUL9: First Seated Pulse Reading

GG4.P-R First seated blood pressure reading? Pulse

Value	Label	Unweighted Frequency	%
35	-	1	0.2 %
47	-	2	0.4 %
48	-	1	0.2 %
49	-	1	0.2 %
50	-	2	0.4 %
51	-	6	1.2 %
52	-	3	0.6 %
53	-	3	0.6 %
54	-	3	0.6 %
55	-	3	0.6 %
56	-	6	1.2 %
57	-	11	2.3 %
58	-	3	0.6 %
59	-	14	2.9 %
60	-	20	4.2 %
61	-	13	2.7 %
62	-	10	2.1 %
63	-	7	1.5 %
64	-	12	2.5 %
65	-	17	3.5 %
66	-	13	2.7 %
67	-	13	2.7 %
68	-	16	3.3 %
69	-	20	4.2 %
70	-	23	4.8 %
71	-	10	2.1 %
72	-	10	2.1 %
73	-	10	2.1 %
74	-	8	1.7 %

Value	Label	Unweighted Frequency	%
75	-	12	2.5 %
76	-	9	1.9 %
77	-	14	2.9 %
78	-	8	1.7 %
79	-	8	1.7 %
80	-	12	2.5 %
81	-	11	2.3 %
82	-	5	1.0 %
83	-	6	1.2 %
84	-	10	2.1 %
85	-	9	1.9 %
86	-	8	1.7 %
87	-	2	0.4 %
88	-	6	1.2 %
89	-	5	1.0 %
90	-	1	0.2 %
91	-	3	0.6 %
92	-	3	0.6 %
93	-	2	0.4 %
94	-	2	0.4 %
95	-	1	0.2 %
	Missing Data		
.	-	79	16.5 %
	Total	480	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 401 valid cases out of 480 total cases.

- Mean: 70.45
- Median: 70.00
- Mode: 70.00
- Minimum: 35.00
- Maximum: 107.00
- Standard Deviation: 10.73

Location: 103-105 (width: 3; decimal: 0)

Variable Type: numeric

GG5SYS9: Second Seated Systolic Blood Pressure Reading

GG5.P-R Second seated blood pressure reading? Systolic

Value	Label	Unweighted Frequency	%
84	-	1	0.2 %
87	-	1	0.2 %
96	-	1	0.2 %
98	-	3	0.6 %
99	-	2	0.4 %
100	-	2	0.4 %
101	-	3	0.6 %
102	-	1	0.2 %
103	-	1	0.2 %
104	-	4	0.8 %
105	-	3	0.6 %
106	-	1	0.2 %
107	-	4	0.8 %
108	-	4	0.8 %
109	-	4	0.8 %
110	-	3	0.6 %
111	-	4	0.8 %
112	-	8	1.7 %
113	-	4	0.8 %
114	-	2	0.4 %
115	-	6	1.2 %
116	-	3	0.6 %
117	-	4	0.8 %
118	-	5	1.0 %
119	-	2	0.4 %
120	-	5	1.0 %
121	-	6	1.2 %
122	-	8	1.7 %
123	-	1	0.2 %
124	-	9	1.9 %
125	-	9	1.9 %
126	-	4	0.8 %
127	-	8	1.7 %
128	-	5	1.0 %
129	-	8	1.7 %
130	-	15	3.1 %
131	-	5	1.0 %
132	-	14	2.9 %
133	-	7	1.5 %

Value	Label	Unweighted Frequency	%
134	-	13	2.7 %
135	-	6	1.2 %
136	-	8	1.7 %
137	-	7	1.5 %
138	-	12	2.5 %
139	-	5	1.0 %
140	-	14	2.9 %
141	-	4	0.8 %
142	-	8	1.7 %
143	-	6	1.2 %
144	-	11	2.3 %
	Missing Data		
.	-	81	16.9 %
	Total	480	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 399 valid cases out of 480 total cases.

- Mean: 137.48
- Median: 136.00
- Mode: 130.00
- Minimum: 84.00
- Maximum: 203.00
- Standard Deviation: 21.40

Location: 106-108 (width: 3; decimal: 0)

Variable Type: numeric

GG5DIA9: Second Seated Diastolic Blood Pressure Reading

GG5.P-R Second seated blood pressure reading? Diastolic

Value	Label	Unweighted Frequency	%
45	-	1	0.2 %
49	-	2	0.4 %
50	-	3	0.6 %
51	-	2	0.4 %
52	-	3	0.6 %
53	-	3	0.6 %
55	-	4	0.8 %
56	-	9	1.9 %
57	-	5	1.0 %

Value	Label	Unweighted Frequency	%
58	-	6	1.2 %
59	-	3	0.6 %
60	-	19	4.0 %
61	-	6	1.2 %
62	-	17	3.5 %
63	-	6	1.2 %
64	-	14	2.9 %
65	-	14	2.9 %
66	-	20	4.2 %
67	-	12	2.5 %
68	-	12	2.5 %
69	-	7	1.5 %
70	-	28	5.8 %
71	-	8	1.7 %
72	-	13	2.7 %
73	-	9	1.9 %
74	-	11	2.3 %
75	-	12	2.5 %
76	-	13	2.7 %
77	-	11	2.3 %
78	-	11	2.3 %
79	-	7	1.5 %
80	-	25	5.2 %
81	-	11	2.3 %
82	-	9	1.9 %
83	-	4	0.8 %
84	-	5	1.0 %
85	-	5	1.0 %
86	-	3	0.6 %
87	-	3	0.6 %
88	-	9	1.9 %
89	-	2	0.4 %
90	-	11	2.3 %
91	-	3	0.6 %
92	-	2	0.4 %
93	-	2	0.4 %
94	-	3	0.6 %
95	-	3	0.6 %
96	-	3	0.6 %

Value	Label	Unweighted Frequency	%
97	-	2	0.4 %
99	-	1	0.2 %
	Missing Data		
.	-	81	16.9 %
	Total	480	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 399 valid cases out of 480 total cases.

- Mean: 72.11
- Median: 71.00
- Mode: 70.00
- Minimum: 45.00
- Maximum: 103.00
- Standard Deviation: 10.89

Location: 109-111 (width: 3; decimal: 0)

Variable Type: numeric

GG5PUL9: Second Seated Pulse Reading

GG5.P-R Second seated blood pressure reading? Pulse

Value	Label	Unweighted Frequency	%
40	-	1	0.2 %
44	-	1	0.2 %
49	-	2	0.4 %
50	-	2	0.4 %
51	-	2	0.4 %
52	-	4	0.8 %
53	-	2	0.4 %
54	-	5	1.0 %
55	-	5	1.0 %
56	-	10	2.1 %
57	-	2	0.4 %
58	-	10	2.1 %
59	-	7	1.5 %
60	-	21	4.4 %
61	-	12	2.5 %
62	-	10	2.1 %
63	-	12	2.5 %
64	-	13	2.7 %

Value	Label	Unweighted Frequency	%
65	-	11	2.3 %
66	-	15	3.1 %
67	-	11	2.3 %
68	-	17	3.5 %
69	-	12	2.5 %
70	-	16	3.3 %
71	-	7	1.5 %
72	-	27	5.6 %
73	-	9	1.9 %
74	-	11	2.3 %
75	-	14	2.9 %
76	-	16	3.3 %
77	-	16	3.3 %
78	-	7	1.5 %
79	-	8	1.7 %
80	-	15	3.1 %
81	-	5	1.0 %
82	-	4	0.8 %
83	-	5	1.0 %
84	-	6	1.2 %
85	-	10	2.1 %
86	-	8	1.7 %
87	-	3	0.6 %
88	-	9	1.9 %
89	-	3	0.6 %
90	-	4	0.8 %
91	-	2	0.4 %
92	-	2	0.4 %
94	-	2	0.4 %
95	-	2	0.4 %
104	-	1	0.2 %
	Missing Data		
.	-	81	16.9 %
	Total	480	100%

Based upon 399 valid cases out of 480 total cases.

- Mean: 70.58
- Median: 70.00
- Mode: 72.00

- Minimum: 40.00
- Maximum: 104.00
- Standard Deviation: 10.30

Location: 112-114 (width: 3; decimal: 0)

Variable Type: numeric

U93A: Told by a Doctor You Have Kidney Disease?

U3.P Has a doctor or other health care professional ever told you that you had any of the following conditions: a. Kidney Disease

Value	Label	Unweighted Frequency	%
1	Yes	62	12.9 %
2	No	413	86.0 %
	Missing Data		
8	Do not know	3	0.6 %
9	Refused	2	0.4 %
	Total	480	100%

Based upon 475 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 115-115 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U93B: Told by a Doctor You Have Stomach Ulcers?

U3.P Has a doctor or other health care professional ever told you that you had any of the following conditions: b. Stomach ulcers

Value	Label	Unweighted Frequency	%
1	Yes	36	7.5 %
2	No	437	91.0 %
	Missing Data		
8	Do not know	7	1.5 %
	Total	480	100%

Based upon 473 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 116-116 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U93D: Told by a Doctor You Have Liver Disease?

U3.P Has a doctor or other health care professional ever told you that you had any of the following conditions: Liver Disease

Value	Label	Unweighted Frequency	%
1	Yes	8	1.7 %
2	No	470	97.9 %
	Missing Data		
8	Do not know	2	0.4 %
	Total	480	100%

Based upon 478 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 117-117 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U93F: Told by a Doctor You Have Osteoporosis?

U3.P Has a doctor or other health care professional ever told you that you had any of the following conditions: Osteoporosis

Value	Label	Unweighted Frequency	%
1	Yes	132	27.5 %
2	No	339	70.6 %
	Missing Data		
8	Do not know	9	1.9 %
	Total	480	100%

Based upon 471 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 118-118 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U93G: Told by a Doctor You Have Emphysema?

U3.P Has a doctor or other health care professional ever told you that you had any of the following conditions: Emphysema or chronic bronchitis (COPD)

Value	Label	Unweighted Frequency	%
1	Yes	47	9.8 %
2	No	426	88.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Do not know	7	1.5 %
	Total	480	100%

Based upon 473 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 119-119 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U93H: Told by a Doctor You Have Parkinson's Disease?

U3.P Has a doctor or other health care professional ever told you that you had any of the following conditions: Parkinson's Disease

Value	Label	Unweighted Frequency	%
1	Yes	29	6.0 %
2	No	443	92.3 %
	Missing Data		
8	Do not know	8	1.7 %
	Total	480	100%

Based upon 472 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 120-120 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U93J: Male: Prostate problems

U3.P Has a doctor or other health care professional ever told you that you had any of the following conditions: (MALES) Prostate Problems

Value	Label	Unweighted Frequency	%
1	Yes	65	13.5 %
2	No	97	20.2 %
	Missing Data		
8	Do not know	7	1.5 %
.	-	311	64.8 %
	Total	480	100%

Based upon 162 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 121-121 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

U93K: Told by a Doctor You Have Thyroid/Glandular Problems?

U3.P Has a doctor or other health care professional ever told you that you had any of the following conditions: Thyroid or glandular problems

Value	Label	Unweighted Frequency	%
1	Yes	92	19.2 %
2	No	379	79.0 %
	Missing Data		
8	Do not know	9	1.9 %
	Total	480	100%

Based upon 471 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 122-122 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U93M: Told by a Doctor You Have Anemia/Low Blood Count?

U3.P Has a doctor or other health care professional ever told you that you had any of the following conditions: Anemia or low blood count.

Value	Label	Unweighted Frequency	%
1	Yes	104	21.7 %
2	No	369	76.9 %
	Missing Data		
8	Do not know	7	1.5 %
	Total	480	100%

Based upon 473 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 123-123 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U93N: Told by a Doctor You Have Eye Problems?

U3.P Has a doctor or other health care professional ever told you that you had any of the following conditions: Eye problems (cataracts, glaucoma, macular degeneration)

Value	Label	Unweighted Frequency	%
1	Yes	334	69.6 %
2	No	143	29.8 %
	Missing Data		
8	Do not know	3	0.6 %
	Total	480	100%

Based upon 477 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 124-124 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U93Q: Told by a Doctor You Have Heart Failure/Heart Disease?

U3.P Has a doctor or other health care professional ever told you that you had any of the following conditions: Heart Failure or Heart Disease

Value	Label	Unweighted Frequency	%
1	Yes	124	25.8 %
2	No	352	73.3 %
	Missing Data		
8	Do not know	4	0.8 %
	Total	480	100%

Based upon 476 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 125-125 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U93U: Told by a Doctor You Have Alzheimer's Disease/Dementia?

U3.P Has a doctor or other health care professional ever told you that you had any of the following conditions: Alzheimer's Disease or other memory problems

Value	Label	Unweighted Frequency	%
1	Yes	69	14.4 %
2	No	404	84.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8	Do not know	7	1.5 %
	Total	480	100%

Based upon 473 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 126-126 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U93W: Told by a Doctor You Have Memory Problems

U3.P Has a doctor or other health care professional ever told you that you had any of the following conditions: Memory problems?

Value	Label	Unweighted Frequency	%
1	Yes	207	43.1 %
2	No	264	55.0 %
	Missing Data		
8	Do not know	9	1.9 %
	Total	480	100%

Based upon 471 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 127-127 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U93X: Told by a Doctor You Have Arthritis?

U3.P Has a doctor or other health care professional ever told you that you had any of the following conditions: Arthritis or rheumatism

Value	Label	Unweighted Frequency	%
1	Yes	295	61.5 %
2	No	181	37.7 %
	Missing Data		
8	Do not know	3	0.6 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 476 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 128-128 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

LCANCER91: Told by a Doctor You Have Cancer?

U3.P Has a doctor or other health care professional ever told you that you had any of the following conditions: Cancer or malignant tumor

Value	Label	Unweighted Frequency	%
1	Yes	55	11.5 %
2	No	421	87.7 %
	Missing Data		
8	Do not know	4	0.8 %
	Total	480	100%

Based upon 476 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 129-129 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U93Z: Told by a Doctor You Have Pneumonia?

U3.P Has a doctor or other health care professional ever told you that you had any of the following conditions: Pneumonia

Value	Label	Unweighted Frequency	%
1	Yes	76	15.8 %
2	No	400	83.3 %
	Missing Data		
8	Do not know	4	0.8 %
	Total	480	100%

Based upon 476 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 130-130 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

ICARDI91: Has a History of Heart Attacks

I1.P Had a heart attack, or coronary, or myocardial infarction, or coronary thrombosis

Value	Label	Unweighted Frequency	%
1	Yes	49	10.2 %
2	No	426	88.8 %
	Missing Data		
8	Do not know	5	1.0 %
	Total	480	100%

Based upon 475 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 131-131 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

ICARDI95: Been Hospitalized for a Heart Attack?

I5.P If "Yes", were you hospitalized overnight for this?

Value	Label	Unweighted Frequency	%
1	Yes	44	9.2 %
2	No	5	1.0 %
	Missing Data		
.	-	431	89.8 %
	Total	480	100%

Based upon 49 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 132-132 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

JSTROK91: History of Stroke or Brain Hemorrhage?

J1.P Had/suspect a stroke, blood clot in the brain, or brain hemorrhage

Value	Label	Unweighted Frequency	%
1	Yes	47	9.8 %
2	No	430	89.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8	Do not know	3	0.6 %
	Total	480	100%

Based upon 477 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 133-133 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

JSTROK95: Been Hospitalized for a Stroke?

J5.P If "Yes", were you hospitalized overnight for this?

Value	Label	Unweighted Frequency	%
1	Yes	42	8.8 %
2	No	5	1.0 %
	Missing Data		
.	-	433	90.2 %
	Total	480	100%

Based upon 47 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 134-134 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

NFRAC91: Have You Ever Broken Your Hip?

N1.P Had broken or fractured your hip?

Value	Label	Unweighted Frequency	%
1	Yes	43	9.0 %
2	No	433	90.2 %
	Missing Data		
8	Do not know	4	0.8 %
	Total	480	100%

Based upon 476 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 135-135 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

NFRAC95: Been Hospitalized for a Broken Hip?

N5.P If "Yes", were you hospitalized overnight for this?

Value	Label	Unweighted Frequency	%
1	Yes	40	8.3 %
2	No	3	0.6 %
	Missing Data		
.	-	437	91.0 %
	Total	480	100%

Based upon 43 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 136-136 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

NFRAC93: Have You Ever Broken Bone Other Than Hip?

N3.P Had broken or fractured any other bone?

Value	Label	Unweighted Frequency	%
1	Yes	111	23.1 %
2	No	363	75.6 %
	Missing Data		
8	Do not know	6	1.2 %
	Total	480	100%

Based upon 474 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 137-137 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

JOINT9: Had a joint replacement?

JJ9. Had a joint replacement?

Value	Label	Unweighted Frequency	%
1	Yes	38	7.9 %
2	No	438	91.2 %
	Missing Data		
8	Do not know	4	0.8 %
	Total	480	100%

Based upon 476 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 138-138 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

JOINT9B: Was replacement due to fracture?

JJ9b. Was replacement necessary because of Fracture?

Value	Label	Unweighted Frequency	%
1	Yes	15	3.1 %
2	No	22	4.6 %
	Missing Data		
8	Do not know	1	0.2 %
.	-	442	92.1 %
	Total	480	100%

Based upon 37 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 139-139 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

JOINT9C: Was replacement due to Arthritis?

JJ9c. Was replacement necessary because of Arthritis?

Value	Label	Unweighted Frequency	%
1	Yes	12	2.5 %
2	No	23	4.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Do not know	3	0.6 %
.	-	442	92.1 %
	Total	480	100%

Based upon 35 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 140-140 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

WCORR91: MMSE: What Year is it?

W1.P-R What is the year?

Value	Label	Unweighted Frequency	%
0	Incorrect	152	31.7 %
1	Correct	246	51.2 %
	Missing Data		
.	-	82	17.1 %
	Total	480	100%

Based upon 398 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 141-141 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WCORR92: MMSE: What Season is it?

W2.P-R What is the season?

Value	Label	Unweighted Frequency	%
0	Incorrect	209	43.5 %
1	Correct	194	40.4 %
	Missing Data		
.	-	77	16.0 %
	Total	480	100%

Based upon 403 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 142-142 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WCORR93: MMSE: What Month is it?

W3.P-R What is the month?

Value	Label	Unweighted Frequency	%
0	Incorrect	109	22.7 %
1	Correct	291	60.6 %
	Missing Data		
.	-	80	16.7 %
	Total	480	100%

Based upon 400 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 143-143 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WCORR94: MMSE: What is the Date?

W4.P-R What is the day of the month?

Value	Label	Unweighted Frequency	%
0	Incorrect	199	41.5 %
1	Correct	200	41.7 %
	Missing Data		
.	-	81	16.9 %
	Total	480	100%

Based upon 399 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 144-144 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WCORR95: MMSE: What Day of the Week is it?

W5.P-R What is the day of the week?

Value	Label	Unweighted Frequency	%
0	Incorrect	117	24.4 %
1	Correct	283	59.0 %
	Missing Data		
.	-	80	16.7 %
	Total	480	100%

Based upon 400 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 145-145 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WCORR96: MMSE: What State Are We Currently in?

W6.P-R Can you tell me where we are right now? For instance, what state are we in?

Value	Label	Unweighted Frequency	%
0	Incorrect	59	12.3 %
1	Correct	341	71.0 %
	Missing Data		
.	-	80	16.7 %
	Total	480	100%

Based upon 400 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 146-146 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WCORR97: MMSE: What County Are We Currently in?

W7.P-R What county are we in?

Value	Label	Unweighted Frequency	%
0	Incorrect	144	30.0 %
1	Correct	258	53.8 %
	Missing Data		
.	-	78	16.2 %

Value	Label	Unweighted Frequency	%
	Total	480	100%

Based upon 402 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 147-147 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WCORR98: MMSE: What City Are We Currently in?

W8.P-R What (city/town) are we in?

Value	Label	Unweighted Frequency	%
0	Incorrect	46	9.6 %
1	Correct	355	74.0 %
	Missing Data		
.	-	79	16.5 %
	Total	480	100%

Based upon 401 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 148-148 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WCORR99: MMSE: What floor of the Building Are We On?

W9.P-R What floor of the building are we on?

Value	Label	Unweighted Frequency	%
0	Incorrect	63	13.1 %
1	Correct	337	70.2 %
	Missing Data		
.	-	80	16.7 %
	Total	480	100%

Based upon 400 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 149-149 (width: 1; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 7 , .

WCORR910: MMSE: What is the Address?

W10.P-R What is this address?

Value	Label	Unweighted Frequency	%
0	Incorrect	109	22.7 %
1	Correct	292	60.8 %
	Missing Data		
.	-	79	16.5 %
	Total	480	100%

Based upon 401 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 150-150 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 7 , .

WMMS911A: MMSE: Able to Repeat the Word Apple

W11.P-R I'm going to name three objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. Apple

Value	Label	Unweighted Frequency	%
0	Incorrect	36	7.5 %
1	Correct	361	75.2 %
	Missing Data		
.	-	83	17.3 %
	Total	480	100%

Based upon 397 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 151-151 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 7 , .

WMMS911B: MMSE: Able to Repeat the Word Table

W11.P-R I'm going to name three objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. Table

Value	Label	Unweighted Frequency	%
0	Incorrect	43	9.0 %
1	Correct	354	73.8 %
	Missing Data		
.	-	83	17.3 %
	Total	480	100%

Based upon 397 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 152-152 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WMMS911C: MMSE: Able to Repeat the Word Penny

W11.P-R I'm going to name three objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. Penny

Value	Label	Unweighted Frequency	%
0	Incorrect	54	11.2 %
1	Correct	343	71.5 %
	Missing Data		
.	-	83	17.3 %
	Total	480	100%

Based upon 397 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 153-153 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WMMSE912: MMSE: Letters correct All=5, less than 5=0

W12.P-R Now I'd like you to spell the word "world" backwards. All 5 letters correct?

Value	Label	Unweighted Frequency	%
0	Less than 5 Correct	316	65.8 %
5	All 5 Correct	82	17.1 %
	Missing Data		
.	-	82	17.1 %
	Total	480	100%

Based upon 398 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 154-154 (width: 1; decimal: 0)

Variable Type: numeric

WMMS913A: MMSE: Able to Recall the Word Apple

W13.P-R Now what are the objects I asked you to remember? Apple

Value	Label	Unweighted Frequency	%
0	Incorrect	145	30.2 %
1	Correct	253	52.7 %
	Missing Data		
.	-	82	17.1 %
	Total	480	100%

Based upon 398 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 155-155 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WMMS913B: MMSE: Able to Recall the Word Table

W13.P-R Now what are the objects I asked you to remember? Table

Value	Label	Unweighted Frequency	%
0	Incorrect	195	40.6 %
1	Correct	204	42.5 %
	Missing Data		
.	-	81	16.9 %
	Total	480	100%

Based upon 399 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 156-156 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WMMS913C: MMSE: Able to Recall the Word Penny

W13.P-R Now what are the objects I asked you to remember? Penny

Value	Label	Unweighted Frequency	%
0	Incorrect	236	49.2 %
1	Correct	163	34.0 %
	Missing Data		
.	-	81	16.9 %
	Total	480	100%

Based upon 399 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 157-157 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WMMSE914: MMSE: Able to Recognize/Name a Watch

W14.P-R What is this called? (watch)

Value	Label	Unweighted Frequency	%
0	Incorrect	23	4.8 %
1	Correct	368	76.7 %
	Missing Data		
7	N/A Proxy	8	1.7 %
.	-	81	16.9 %
	Total	480	100%

Based upon 391 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 158-158 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WMMSE915: MMSE: Able to Recognize/Name a Pencil

W15.P-R What is this called? (pencil)

Value	Label	Unweighted Frequency	%
0	Incorrect	14	2.9 %
1	Correct	378	78.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
7	N/A Proxy	7	1.5 %
.	-	81	16.9 %
	Total	480	100%

Based upon 392 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 159-159 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WMMSE916: MMSE: Able to Repeat a Phrase After Interviewer

W16.P-R I'd like you to repeat a phrase after me.

Value	Label	Unweighted Frequency	%
0	Incorrect	95	19.8 %
1	Correct	304	63.3 %
	Missing Data		
.	-	81	16.9 %
	Total	480	100%

Based upon 399 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 160-160 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WMMSE917: MMSE: Able to Follow Directions and Read on Card

W17.P-R Please read the words on this card and then do what it says. W18.P-R I'm going to give you a piece of paper. When I do, take the paper in your right hand, fold it in half with both hands, and put it on the floor.

Value	Label	Unweighted Frequency	%
0	Incorrect	68	14.2 %
1	Correct	266	55.4 %
	Missing Data		
7	N/A Proxy	64	13.3 %
.	-	82	17.1 %
	Total	480	100%

Based upon 334 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 161-161 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WMMS918A: MMSE: Takes Paper in Right Hand

Takes paper in right hand

Value	Label	Unweighted Frequency	%
0	Incorrect	72	15.0 %
1	Correct	298	62.1 %
	Missing Data		
7	N/A Proxy	26	5.4 %
.	-	84	17.5 %
	Total	480	100%

Based upon 370 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 162-162 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WMMS918B: MMSE: Folds Paper in Half

Folds paper in half

Value	Label	Unweighted Frequency	%
0	Incorrect	48	10.0 %
1	Correct	326	67.9 %
	Missing Data		
7	N/A Proxy	24	5.0 %
.	-	82	17.1 %
	Total	480	100%

Based upon 374 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 163-163 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WMMS918C: MMSE: Puts Paper Down on Floor

Puts paper down on the floor

Value	Label	Unweighted Frequency	%
0	Incorrect	58	12.1 %
1	Correct	309	64.4 %
	Missing Data		
7	N/A Proxy	31	6.5 %
.	-	82	17.1 %
	Total	480	100%

Based upon 367 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 164-164 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WMMSE919: MMSE: Able to Write a Complete Sentence

W19.P-R Please write a complete sentence on the piece of paper

Value	Label	Unweighted Frequency	%
0	Incorrect	76	15.8 %
1	Correct	223	46.5 %
	Missing Data		
7	N/A Proxy	97	20.2 %
.	-	84	17.5 %
	Total	480	100%

Based upon 299 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 165-165 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

WMMSE920: MMSE: Able to Copy Drawing Exactly

W20.P-R Here is a drawing. Please copy it exactly on this sheet of paper.

Value	Label	Unweighted Frequency	%
0	Incorrect	176	36.7 %
1	Correct	140	29.2 %
	Missing Data		
7	N/A Proxy	78	16.2 %
.	-	86	17.9 %
	Total	480	100%

Based upon 316 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 166-166 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

TOTMMSE9: MMSE: Created Variable of Total MMSE Score

Created Variable "Total MMSE score" (Note: if a proxy had mental problems/dementia/Alzheimer's disease as the reason for proxy, they were coded as a 0. However, if an assisted proxy attempted to complete the Mini Mental and had an actual score, they retained their score.)

Value	Label	Unweighted Frequency	%
0	-	15	3.1 %
1	-	4	0.8 %
2	-	4	0.8 %
3	-	3	0.6 %
4	-	1	0.2 %
6	-	2	0.4 %
7	-	1	0.2 %
8	-	10	2.1 %
9	-	11	2.3 %
10	-	7	1.5 %
11	-	9	1.9 %
12	-	11	2.3 %
13	-	6	1.2 %
14	-	17	3.5 %
15	-	12	2.5 %
16	-	12	2.5 %
17	-	13	2.7 %
18	-	30	6.2 %
19	-	28	5.8 %
20	-	27	5.6 %

Value	Label	Unweighted Frequency	%
21	-	30	6.2 %
22	-	30	6.2 %
23	-	26	5.4 %
24	-	15	3.1 %
25	-	14	2.9 %
26	-	3	0.6 %
27	-	15	3.1 %
28	-	12	2.5 %
29	-	15	3.1 %
30	-	20	4.2 %
	Missing Data		
.	-	77	16.0 %
	Total	480	100%

Based upon 403 valid cases out of 480 total cases.

- Mean: 18.60
- Median: 20.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.40

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric

X9CESD1: CESD: Bothered by Things Usually Don't Bother Me

X1. I was bothered by things that usually don't bother me.

Value	Label	Unweighted Frequency	%
0	Rarely/none	265	55.2 %
1	Some/little	68	14.2 %
2	Occasional/moderate	25	5.2 %
3	Most/all	23	4.8 %
	Missing Data		
.	-	99	20.6 %
	Total	480	100%

Based upon 381 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 169-169 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD2: CESD: Had a Poor Appetite

X2. I did not feel like eating: my appetite was poor.

Value	Label	Unweighted Frequency	%
0	Rarely/none	275	57.3 %
1	Some/little	55	11.5 %
2	Occasional/moderate	33	6.9 %
3	Most/all	24	5.0 %
	Missing Data		
.	-	93	19.4 %
	Total	480	100%

Based upon 387 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 170-170 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD3: CESD: Felt That I Could Not Shake Off the Blues

X3. I felt that I could not shake off the blues even with help from my family and friends.

Value	Label	Unweighted Frequency	%
0	Rarely/none	260	54.2 %
1	Some/little	80	16.7 %
2	Occasional/moderate	23	4.8 %
3	Most/all	21	4.4 %
	Missing Data		
.	-	96	20.0 %
	Total	480	100%

Based upon 384 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 171-171 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD4: CESD: Felt That I Was as Good as Others

X4. I felt that I was just as good as other people.

Value	Label	Unweighted Frequency	%
0	Rarely/none	38	7.9 %
1	Some/little	82	17.1 %
2	Occasional/moderate	45	9.4 %
3	Most/all	195	40.6 %
	Missing Data		
.	-	120	25.0 %
	Total	480	100%

Based upon 360 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 172-172 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD5: CESD: Had Trouble Keeping My Mind on What I Was Doing

X5. I had trouble keeping my mind on what I was doing.

Value	Label	Unweighted Frequency	%
0	Rarely/none	194	40.4 %
1	Some/little	115	24.0 %
2	Occasional/moderate	29	6.0 %
3	Most/all	44	9.2 %
	Missing Data		
.	-	98	20.4 %
	Total	480	100%

Based upon 382 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 173-173 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD6: CESD: Felt Depressed

X6. I felt depressed.

Value	Label	Unweighted Frequency	%
0	Rarely/none	210	43.8 %
1	Some/little	109	22.7 %
2	Occasional/moderate	24	5.0 %

Value	Label	Unweighted Frequency	%
3	Most/all	32	6.7 %
	Missing Data		
.	-	105	21.9 %
	Total	480	100%

Based upon 375 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 174-174 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD7: CESD: Felt Like Everything I Did Was an Effort

X7. I felt that everything I did was an effort.

Value	Label	Unweighted Frequency	%
0	Rarely/none	149	31.0 %
1	Some/little	121	25.2 %
2	Occasional/moderate	42	8.8 %
3	Most/all	66	13.8 %
	Missing Data		
.	-	102	21.2 %
	Total	480	100%

Based upon 378 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 175-175 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD8: CESD: Felt Hopeful About the Future

X8. I felt hopeful about the future.

Value	Label	Unweighted Frequency	%
0	Rarely/none	39	8.1 %
1	Some/little	103	21.5 %
2	Occasional/moderate	65	13.5 %
3	Most/all	153	31.9 %
	Missing Data		
.	-	120	25.0 %

Value	Label	Unweighted Frequency	%
	Total	480	100%

Based upon 360 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 176-176 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD9: CESD: Thought My Life Had Been a Failure

X9. I thought my life had been a failure.

Value	Label	Unweighted Frequency	%
0	Rarely/none	319	66.5 %
1	Some/little	23	4.8 %
2	Occasional/moderate	9	1.9 %
3	Most/all	8	1.7 %
	Missing Data		
.	-	121	25.2 %
	Total	480	100%

Based upon 359 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 177-177 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD10: CESD: I Felt Fearful

X10. I felt fearful.

Value	Label	Unweighted Frequency	%
0	Rarely/none	288	60.0 %
1	Some/little	61	12.7 %
2	Occasional/moderate	18	3.8 %
3	Most/all	12	2.5 %
	Missing Data		
.	-	101	21.0 %
	Total	480	100%

Based upon 379 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 178-178 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD11: CESD: My Sleep Was Restless

X11. My sleep was restless.

Value	Label	Unweighted Frequency	%
0	Rarely/none	219	45.6 %
1	Some/little	81	16.9 %
2	Occasional/moderate	36	7.5 %
3	Most/all	46	9.6 %
	Missing Data		
.	-	98	20.4 %
	Total	480	100%

Based upon 382 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 179-179 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD12: CESD: I Was Happy

X12. I was happy.

Value	Label	Unweighted Frequency	%
0	Rarely/none	15	3.1 %
1	Some/little	80	16.7 %
2	Occasional/moderate	64	13.3 %
3	Most/all	218	45.4 %
	Missing Data		
.	-	103	21.5 %
	Total	480	100%

Based upon 377 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 180-180 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD13: CESD: I Talked Less Than Usual

X13. It seemed that I talked less than usual.

Value	Label	Unweighted Frequency	%
0	Rarely/none	305	63.5 %
1	Some/little	45	9.4 %
2	Occasional/moderate	18	3.8 %
3	Most/all	15	3.1 %
	Missing Data		
.	-	97	20.2 %
	Total	480	100%

Based upon 383 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 181-181 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD14: CESD: I Felt Lonely

X14. I felt lonely.

Value	Label	Unweighted Frequency	%
0	Rarely/none	241	50.2 %
1	Some/little	83	17.3 %
2	Occasional/moderate	24	5.0 %
3	Most/all	27	5.6 %
	Missing Data		
.	-	105	21.9 %
	Total	480	100%

Based upon 375 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 182-182 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD15: CESD: Felt That People Were Unfriendly

X15. People were unfriendly.

Value	Label	Unweighted Frequency	%
0	Rarely/none	333	69.4 %
1	Some/little	17	3.5 %
2	Occasional/moderate	6	1.2 %
3	Most/all	22	4.6 %
	Missing Data		
.	-	102	21.2 %
	Total	480	100%

Based upon 378 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 183-183 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD16: CESD: Felt That I Enjoyed Life

X16. I enjoyed life.

Value	Label	Unweighted Frequency	%
0	Rarely/none	21	4.4 %
1	Some/little	92	19.2 %
2	Occasional/moderate	58	12.1 %
3	Most/all	207	43.1 %
	Missing Data		
.	-	102	21.2 %
	Total	480	100%

Based upon 378 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 184-184 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD17: CESD: Experienced Crying Spells

X17. I had crying spells.

Value	Label	Unweighted Frequency	%
0	Rarely/none	259	54.0 %
1	Some/little	89	18.5 %
2	Occasional/moderate	17	3.5 %

Value	Label	Unweighted Frequency	%
3	Most/all	17	3.5 %
	Missing Data		
.	-	98	20.4 %
	Total	480	100%

Based upon 382 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 185-185 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD18: CESD: I Felt Sad

X18. I felt sad.

Value	Label	Unweighted Frequency	%
0	Rarely/none	219	45.6 %
1	Some/little	109	22.7 %
2	Occasional/moderate	31	6.5 %
3	Most/all	26	5.4 %
	Missing Data		
.	-	95	19.8 %
	Total	480	100%

Based upon 385 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 186-186 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD19: CESD: I Felt That People Disliked Me

X19. I felt that people disliked me.

Value	Label	Unweighted Frequency	%
0	Rarely/none	338	70.4 %
1	Some/little	18	3.8 %
2	Occasional/moderate	8	1.7 %
3	Most/all	6	1.2 %
	Missing Data		
.	-	110	22.9 %

Value	Label	Unweighted Frequency	%
	Total	480	100%

Based upon 370 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 187-187 (width: 1; decimal: 0)

Variable Type: numeric

X9CESD20: CESD: Felt That I Couldn't Get Going

X20. I could not get going.

Value	Label	Unweighted Frequency	%
0	Rarely/none	198	41.2 %
1	Some/little	106	22.1 %
2	Occasional/moderate	33	6.9 %
3	Most/all	45	9.4 %
	Missing Data		
.	-	98	20.4 %
	Total	480	100%

Based upon 382 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 188-188 (width: 1; decimal: 0)

Variable Type: numeric

CESDTOT9: CESD: Total CES-D Score

Created Variable "Total CESD score"

Value	Label	Unweighted Frequency	%
0	-	26	5.4 %
1	-	19	4.0 %
2	-	11	2.3 %
3	-	28	5.8 %
4	-	12	2.5 %
5	-	20	4.2 %
6	-	22	4.6 %
7	-	20	4.2 %
8	-	12	2.5 %

Value	Label	Unweighted Frequency	%
9	-	19	4.0 %
10	-	22	4.6 %
11	-	12	2.5 %
12	-	11	2.3 %
13	-	11	2.3 %
14	-	17	3.5 %
15	-	17	3.5 %
16	-	16	3.3 %
17	-	9	1.9 %
18	-	11	2.3 %
19	-	12	2.5 %
20	-	6	1.2 %
21	-	6	1.2 %
22	-	6	1.2 %
23	-	5	1.0 %
24	-	3	0.6 %
25	-	4	0.8 %
26	-	4	0.8 %
27	-	6	1.2 %
28	-	4	0.8 %
29	-	2	0.4 %
31	-	2	0.4 %
32	-	3	0.6 %
33	-	3	0.6 %
34	-	2	0.4 %
36	-	2	0.4 %
37	-	1	0.2 %
38	-	2	0.4 %
45	-	1	0.2 %
48	-	2	0.4 %
	Missing Data		
.	-	89	18.5 %
	Total	480	100%

Based upon 391 valid cases out of 480 total cases.

- Mean: 11.56
- Median: 10.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 48.00

- Standard Deviation: 9.13

Location: 189-190 (width: 2; decimal: 0)

Variable Type: numeric

CASE9: CESD: Total CES-D Score >= 16

Created Variable "CESDTOT8 = 16"

Value	Label	Unweighted Frequency	%
0	No	279	58.1 %
1	Yes	112	23.3 %
	Missing Data		
.	-	89	18.5 %
	Total	480	100%

Based upon 391 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 191-191 (width: 1; decimal: 0)

Variable Type: numeric

BB1A9: IADL: Able to Use Telephone Without Help

BB1.P I would like to know if you can do these activities by yourself, without any help from anyone else. a. Can you use the telephone without help (including looking up numbers and dialing)?

Value	Label	Unweighted Frequency	%
1	Yes	302	62.9 %
2	No	176	36.7 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 478 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 192-192 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB1B9: IADL: Able to Drive Own Car or Travel Alone

Can you drive your own car or travel alone on buses or taxis?

Value	Label	Unweighted Frequency	%
1	Yes	116	24.2 %
2	No	362	75.4 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 478 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 193-193 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB1C9: IADL: Able to Shop for Groceries/Clothes Alone

Can you go shopping for groceries or clothes without help (taking care of all shopping needs yourself, assuming you had transportation)?

Value	Label	Unweighted Frequency	%
1	Yes	162	33.8 %
2	No	316	65.8 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 478 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 194-194 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB1D9: IADL: Able to Prepare Own Meal Without Help

Can you prepare your own meals without help (plan and cook full meals yourself)?

Value	Label	Unweighted Frequency	%
1	Yes	214	44.6 %
2	No	264	55.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Do not know	1	0.2 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 478 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 195-195 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB1E9: IADL: Able to Do Light Housework Without Help

Can you do light housework without help (dishwashing and bed making, etc)?

Value	Label	Unweighted Frequency	%
1	Yes	218	45.4 %
2	No	261	54.4 %
	Missing Data		
8	Do not know	1	0.2 %
	Total	480	100%

Based upon 479 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 196-196 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB1F9: IADL: Able to Take Medication Without Help

Can you take you medicine without help (in the right doses at the right time)?

Value	Label	Unweighted Frequency	%
1	Yes	243	50.6 %
2	No	231	48.1 %
	Missing Data		
8	Do not know	5	1.0 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 474 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 197-197 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB1G9: IADL: Able to Manage Finances Alone

Can you handle your money without help (write checks, pay bills, etc)?

Value	Label	Unweighted Frequency	%
1	Yes	227	47.3 %
2	No	249	51.9 %
	Missing Data		
8	Do not know	4	0.8 %
	Total	480	100%

Based upon 476 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 198-198 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB1H9: IADL: Able to do Heavy Housework Without Help

Can you do heavy work around the house like washing windows, walls and floors without help?

Value	Label	Unweighted Frequency	%
1	Yes	51	10.6 %
2	No	427	89.0 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 478 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 199-199 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB1I9: IADL: Able to Climb Stairs Without Help

Can you walk up and down stairs to the second floor without help?

Value	Label	Unweighted Frequency	%
1	Yes	114	23.8 %
2	No	361	75.2 %
	Missing Data		
8	Do not know	4	0.8 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 475 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 200-200 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB1J9: IADL: Able to Walk Half a Mile Without Help

Can you walk half a mile without help?

Value	Label	Unweighted Frequency	%
1	Yes	92	19.2 %
2	No	368	76.7 %
	Missing Data		
8	Do not know	19	4.0 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 460 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 201-201 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

TOTIADL9: IADL: Sum of IADLS

Created Variable "Total IADL"

Value	Label	Unweighted Frequency	%
0	-	24	5.0 %
1	-	32	6.7 %

Value	Label	Unweighted Frequency	%
2	-	38	7.9 %
3	-	33	6.9 %
4	-	26	5.4 %
5	-	45	9.4 %
6	-	32	6.7 %
7	-	25	5.2 %
8	-	40	8.3 %
9	-	58	12.1 %
10	-	127	26.5 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Mean: 6.28
- Median: 7.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 3.36

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

ANYIADL9: IADL: Total IADL >=1

Created Variable "Reporting one/more or none"

Value	Label	Unweighted Frequency	%
0	No Help Needed	24	5.0 %
1	Help with 1 or More	456	95.0 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 204-204 (width: 1; decimal: 0)

Variable Type: numeric

BB2A9: ADL: Able to Walk Across a Small Room

BB2.P At the present time, do you need help from another person or special equipment or a device for? Walking across a small room

Value	Label	Unweighted Frequency	%
1	Needs Help	220	45.8 %
2	Does not need help	209	43.5 %
3	Unable to do	50	10.4 %
	Missing Data		
9	Refused	1	0.2 %
	Total	480	100%

Based upon 479 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 205-205 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB2B9: ADL: Able to Bath Without Help

BB2.P At the present time, do you need help from another person or special equipment or a device for? Bathing (either a sponge bath, tub bath, or shower)

Value	Label	Unweighted Frequency	%
1	Needs Help	219	45.6 %
2	Does not need help	248	51.7 %
3	Unable to do	10	2.1 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 477 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 206-206 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB2C9: ADL: Able to Complete Personal Grooming Without Help

BB2.P At the present time, do you need help from another person or special equipment or a device for? Personal grooming like brushing hair, brushing teeth, or washing face

Value	Label	Unweighted Frequency	%
1	Needs Help	154	32.1 %

Value	Label	Unweighted Frequency	%
2	Does not need help	314	65.4 %
3	Unable to do	11	2.3 %
	Missing Data		
9	Refused	1	0.2 %
	Total	480	100%

Based upon 479 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 207-207 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB2D9: ADL: Able to Get Dressed Without Help

Dressing (like putting on a shirt, buttoning and zipping, or putting on shoes)

Value	Label	Unweighted Frequency	%
1	Needs Help	172	35.8 %
2	Does not need help	297	61.9 %
3	Unable to do	10	2.1 %
	Missing Data		
8	Do not know	1	0.2 %
	Total	480	100%

Based upon 479 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 208-208 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB2E9: ADL: Able to Eat and Drink Without Help

BB2.P At the present time, do you need help from another person or special equipment or a device for? Eating (like holding a fork, cutting food, or drinking from a glass)

Value	Label	Unweighted Frequency	%
1	Needs Help	66	13.8 %
2	Does not need help	406	84.6 %
3	Unable to do	7	1.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
9	Refused	1	0.2 %
	Total	480	100%

Based upon 479 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 209-209 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB2F9: ADL: Able to Get from a Bed to a Chair Without Help

BB2.P At the present time, do you need help from another person or special equipment or a device for? Getting from a bed to a chair

Value	Label	Unweighted Frequency	%
1	Needs Help	191	39.8 %
2	Does not need help	270	56.2 %
3	Unable to do	17	3.5 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 478 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 210-210 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB2G9: ADL: Able to Use the Toilet Without Help

BB2.P At the present time, do you need help from another person or special equipment or a device for? Using the toilet

Value	Label	Unweighted Frequency	%
1	Needs Help	115	24.0 %
2	Does not need help	337	70.2 %
3	Unable to do	26	5.4 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	1	0.2 %

Value	Label	Unweighted Frequency	%
	Total	480	100%

Based upon 478 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 211-211 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

TOTADL9: ADL: Sum of ADLs

Created Variable "Total ADL"

Value	Label	Unweighted Frequency	%
0	-	167	34.8 %
1	-	64	13.3 %
2	-	51	10.6 %
3	-	22	4.6 %
4	-	25	5.2 %
5	-	35	7.3 %
6	-	51	10.6 %
7	-	65	13.5 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Mean: 2.64
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.67

Location: 212-212 (width: 1; decimal: 0)

Variable Type: numeric

ANYADL9: ADL: Total ADL >=1

Created Variable "Reporting one/more or none"

Value	Label	Unweighted Frequency	%
0	No Help Needed	167	34.8 %
1	Help with 1 or More	313	65.2 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 213-213 (width: 1; decimal: 0)

Variable Type: numeric

EE29: How Often Do You Attend a Religious Service

EE2.P How often do you go to church or religious services?

Value	Label	Unweighted Frequency	%
1	Never/Almost Never	213	44.4 %
2	Several times a year	74	15.4 %
3	Once or twice a month	40	8.3 %
4	Almost every week	120	25.0 %
5	More than once a week	31	6.5 %
	Missing Data		
8	Do not know	2	0.4 %
	Total	480	100%

Based upon 478 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 214-214 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

LSL911: Life Space: Other Rooms of Home

During the past four weeks, have you been to... 1.P Other rooms of your home besides the room where you sleep?

Value	Label	Unweighted Frequency	%
0	No	38	7.9 %
1	Yes	442	92.1 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 215-215 (width: 1; decimal: 0)

Variable Type: numeric

LSL912: Life Space: Frequency on Other Rooms of Home

1.P How often did you get there?

Value	Label	Unweighted Frequency	%
1	< 1 time/week	11	2.3 %
2	1-3 times/week	30	6.2 %
3	4-6 times/week	31	6.5 %
4	Daily	370	77.1 %
	Missing Data		
.	-	38	7.9 %
	Total	480	100%

Based upon 442 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 216-216 (width: 1; decimal: 0)

Variable Type: numeric

LSLIND913: Life Space: Aids Other Rooms of Home (Combine LSL913 And LSL913_2)

1.P Did you use aids or equipment? Did you need help from another person?

Value	Label	Unweighted Frequency	%
1.0	Personal assistance	29	6.0 %
1.5	Equipment only	160	33.3 %
2.0	No assistance	181	37.7 %
3.0	Both personal and equipment	72	15.0 %
	Missing Data		
.	-	38	7.9 %
	Total	480	100%

Based upon 442 valid cases out of 480 total cases.

- Mean: 1.92
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.56

Location: 217-219 (width: 3; decimal: 1)

Variable Type: numeric

LSL921: Life Space: Outside Home-Porch

During the past four weeks, have you been to... 2.P An area outside your home such as your porch, dock or patio, hallway (of an apartment building) or garage, in your own yard or driveway?

Value	Label	Unweighted Frequency	%
0	No	107	22.3 %
2	Yes	373	77.7 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 220-220 (width: 1; decimal: 0)

Variable Type: numeric

LSL922: Life Space: Frequency on Outside Home-Porch

2.P How often did you get there?

Value	Label	Unweighted Frequency	%
1	< 1 time/week	24	5.0 %
2	1-3 times/week	107	22.3 %
3	4-6 times/week	71	14.8 %
4	Daily	171	35.6 %
	Missing Data		
.	-	107	22.3 %
	Total	480	100%

Based upon 373 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 221-221 (width: 1; decimal: 0)

Variable Type: numeric

LSLIND923: Life Space: Aids Outside Home-Porch (Combine LSL923 And LSL923_2)

2.P Did you use aids or equipment? Did you need help from another person?

Value	Label	Unweighted Frequency	%
1.0	Personal assistance	26	5.4 %
1.5	Equipment only	131	27.3 %
2.0	No assistance	149	31.0 %
3.0	Both personal and equipment	67	14.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	107	22.3 %
	Total	480	100%

Based upon 373 valid cases out of 480 total cases.

- Mean: 1.93
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.58

Location: 222-224 (width: 3; decimal: 1)

Variable Type: numeric

LSL931: Life Space: Neighborhood Beyond Yard

During the past four weeks, have you been to... 3.P Places in your neighborhood, other than your own yard or building?

Value	Label	Unweighted Frequency	%
0	No	254	52.9 %
3	Yes	226	47.1 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 225-225 (width: 1; decimal: 0)

Variable Type: numeric

LSL932: Life Space: Frequency on Neighborhood Beyond Yard

3.P How often did you get there?

Value	Label	Unweighted Frequency	%
1	< 1 time/week	61	12.7 %
2	1-3 times/week	88	18.3 %
3	4-6 times/week	47	9.8 %
4	Daily	30	6.2 %
	Missing Data		
.	-	254	52.9 %
	Total	480	100%

Based upon 226 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 226-226 (width: 1; decimal: 0)

Variable Type: numeric

LSLIND933: Life Space: Aids Neighborhood Beyond Yard (Combine LSL933 And LSL933_2)

3.P Did you use aids or equipment? Did you need help from another person?

Value	Label	Unweighted Frequency	%
1.0	Personal assistance	22	4.6 %
1.5	Equipment only	63	13.1 %
2.0	No assistance	95	19.8 %
3.0	Both personal and equipment	46	9.6 %
	Missing Data		
.	-	254	52.9 %
	Total	480	100%

Based upon 226 valid cases out of 480 total cases.

- Mean: 1.97
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.61

Location: 227-229 (width: 3; decimal: 1)

Variable Type: numeric

LSL941: Life Space: Outside Neighborhood Same Town

During the past four weeks, have you been to... 4.P Places outside your neighborhood, but within your town?

Value	Label	Unweighted Frequency	%
0	No	190	39.6 %
4	Yes	290	60.4 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 230-230 (width: 1; decimal: 0)

Variable Type: numeric

LSL942: Life Space: Frequency on Outside Neighborhood Same Town

4.P How often did you get there?

Value	Label	Unweighted Frequency	%
1	< 1 time/week	89	18.5 %
2	1-3 times/week	141	29.4 %
3	4-6 times/week	40	8.3 %
4	Daily	20	4.2 %
	Missing Data		
.	-	190	39.6 %
	Total	480	100%

Based upon 290 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 231-231 (width: 1; decimal: 0)

Variable Type: numeric

LSLIND943: Life Space: Aids Outside Neighborhood Same Town (Combine LSL943 And LSL943_2)

4.P Did you use aids or equipment? Did you need help from another person?

Value	Label	Unweighted Frequency	%
1.0	Personal assistance	33	6.9 %
1.5	Equipment only	87	18.1 %
2.0	No assistance	98	20.4 %
3.0	Both personal and equipment	72	15.0 %
	Missing Data		
.	-	190	39.6 %
	Total	480	100%

Based upon 290 valid cases out of 480 total cases.

- Mean: 1.98
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.66

Location: 232-234 (width: 3; decimal: 1)

Variable Type: numeric

LSL951: Life Space: Outside Your Town

5.P Places outside your town?

Value	Label	Unweighted Frequency	%
0	No	395	82.3 %
5	Yes	85	17.7 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 235-235 (width: 1; decimal: 0)

Variable Type: numeric

LSL952: Life Space: Frequency on Outside Your Town

5.P How often did you get there?

Value	Label	Unweighted Frequency	%
1	< 1 time/week	46	9.6 %
2	1-3 times/week	32	6.7 %
3	4-6 times/week	5	1.0 %
4	Daily	2	0.4 %
	Missing Data		
.	-	395	82.3 %
	Total	480	100%

Based upon 85 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 236-236 (width: 1; decimal: 0)

Variable Type: numeric

LSLIND953: Life Space: Aids Outside Your Town (Combine LSL953 And LSL953_2)

5.P Did you use aids or equipment? Did you need help from another person?

Value	Label	Unweighted Frequency	%
1.0	Personal assistance	17	3.5 %
1.5	Equipment only	16	3.3 %
2.0	No assistance	33	6.9 %
3.0	Both personal and equipment	19	4.0 %
	Missing Data		
.	-	395	82.3 %
	Total	480	100%

Based upon 85 valid cases out of 480 total cases.

- Mean: 1.93
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.69

Location: 237-239 (width: 3; decimal: 1)

Variable Type: numeric

TOTLFS9: Life Space: Total Score of Life Space

Created Variable "Total Life Space Score" (Note: The total score is based on adjusted and imputed status of independence across levels from UAB study of aging life-space assessment.)

Value	Label	Unweighted Frequency	%
0.0	-	30	6.2 %
1.0	-	2	0.4 %
2.0	-	4	0.8 %
3.0	-	6	1.2 %
4.0	-	22	4.6 %
5.0	-	2	0.4 %
6.0	-	14	2.9 %
6.5	-	1	0.2 %
7.0	-	6	1.2 %
8.0	-	13	2.7 %
9.0	-	7	1.5 %
10.0	-	10	2.1 %
10.5	-	1	0.2 %
11.0	-	5	1.0 %
12.0	-	19	4.0 %
13.0	-	2	0.4 %
14.0	-	12	2.5 %
14.5	-	1	0.2 %
15.0	-	10	2.1 %
15.5	-	1	0.2 %
16.0	-	6	1.2 %
16.5	-	5	1.0 %
17.0	-	5	1.0 %
18.0	-	14	2.9 %
18.5	-	2	0.4 %
19.0	-	7	1.5 %
20.0	-	7	1.5 %

Value	Label	Unweighted Frequency	%
20.5	-	1	0.2 %
21.0	-	5	1.0 %
21.5	-	1	0.2 %
22.0	-	9	1.9 %
22.5	-	3	0.6 %
23.0	-	3	0.6 %
24.0	-	17	3.5 %
25.0	-	3	0.6 %
26.0	-	6	1.2 %
27.0	-	7	1.5 %
28.0	-	8	1.7 %
28.5	-	2	0.4 %
29.0	-	7	1.5 %
30.0	-	17	3.5 %
30.5	-	1	0.2 %
31.0	-	1	0.2 %
31.5	-	4	0.8 %
32.0	-	15	3.1 %
33.0	-	4	0.8 %
34.0	-	5	1.0 %
34.5	-	3	0.6 %
36.0	-	6	1.2 %
37.0	-	1	0.2 %
	Total	480	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 480 valid cases out of 480 total cases.

- Mean: 27.76
- Median: 24.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 21.51

Location: 240-244 (width: 5; decimal: 1)

Variable Type: numeric

QQ19: Did You Walk in Past 14 Days for Exercise

QQ1.P In the past 14 days, have you done any walking for exercise?

Value	Label	Unweighted Frequency	%
0	Unable to walk	46	9.6 %
1	Yes	111	23.1 %
2	No	321	66.9 %
	Missing Data		
8	Do not know	2	0.4 %
	Total	480	100%

Based upon 478 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 245-245 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

QQ1A9: Times in Past 14 Days Walked for Exercise

QQ1a.P On the average, how many times in the past 14 days did you go walking for exercise?

Value	Label	Unweighted Frequency	%
1	-	8	1.7 %
2	-	12	2.5 %
3	-	9	1.9 %
4	-	18	3.8 %
5	-	14	2.9 %
6	-	9	1.9 %
7	-	16	3.3 %
8	-	2	0.4 %
9	-	1	0.2 %
10	-	8	1.7 %
11	-	1	0.2 %
14	-	12	2.5 %
30	-	1	0.2 %
	Missing Data		
.	-	369	76.9 %
	Total	480	100%

Based upon 111 valid cases out of 480 total cases.

- Mean: 6.14
- Median: 5.00
- Mode: 4.00
- Minimum: 1.00

- Maximum: 30.00
- Standard Deviation: 4.36

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

QQ1B9: Minutes Spent Walking for Exercise

QQ2b. About how many minutes did you actually spend on each occasion?

Value	Label	Unweighted Frequency	%
1	-	8	1.7 %
2	-	2	0.4 %
3	-	1	0.2 %
5	-	6	1.2 %
10	-	13	2.7 %
14	-	1	0.2 %
15	-	15	3.1 %
20	-	11	2.3 %
25	-	1	0.2 %
30	-	28	5.8 %
40	-	2	0.4 %
45	-	1	0.2 %
50	-	1	0.2 %
60	-	16	3.3 %
120	-	2	0.4 %
150	-	1	0.2 %
180	-	2	0.4 %
	Missing Data		
.	-	369	76.9 %
	Total	480	100%

Based upon 111 valid cases out of 480 total cases.

- Mean: 30.49
- Median: 20.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 180.00
- Standard Deviation: 32.13

Location: 248-250 (width: 3; decimal: 0)

Variable Type: numeric

QQ29: Did You Walk in Past 14 Days Other Than Exercise

QQ2.P In the past 14 days, have you done any other walking, for example, to go to the store, to visit someone in the neighborhood, or to go to church?

Value	Label	Unweighted Frequency	%
0	Unable to walk	0	0.0 %
1	Yes	196	40.8 %
2	No	235	49.0 %
	Missing Data		
8	Do not know	3	0.6 %
.	-	46	9.6 %
	Total	480	100%

Based upon 431 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 251-251 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

QQ2A9: How Many Times in Past 14 Days Walked for Other Reasons

QQ2a.P On the average, how many times in the past 14 days did you go walking like that?

Value	Label	Unweighted Frequency	%
1	-	18	3.8 %
2	-	33	6.9 %
3	-	13	2.7 %
4	-	33	6.9 %
5	-	10	2.1 %
6	-	34	7.1 %
7	-	8	1.7 %
8	-	8	1.7 %
9	-	1	0.2 %
10	-	11	2.3 %
12	-	6	1.2 %
14	-	21	4.4 %
	Missing Data		
.	-	284	59.2 %
	Total	480	100%

Based upon 196 valid cases out of 480 total cases.

- Mean: 5.68

- Median: 5.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 14.00
- Standard Deviation: 3.92

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

QQ2B9: Minutes Spent Walking for Other Reasons

QQ2b.P About how many minutes did you actually spend on each occasion? Answer must be in the range from 1 up to 300:

Value	Label	Unweighted Frequency	%
1	-	6	1.2 %
2	-	8	1.7 %
3	-	10	2.1 %
5	-	25	5.2 %
6	-	1	0.2 %
8	-	1	0.2 %
10	-	26	5.4 %
14	-	1	0.2 %
15	-	22	4.6 %
20	-	6	1.2 %
25	-	2	0.4 %
30	-	38	7.9 %
35	-	2	0.4 %
40	-	3	0.6 %
45	-	3	0.6 %
50	-	1	0.2 %
60	-	25	5.2 %
90	-	4	0.8 %
120	-	11	2.3 %
180	-	1	0.2 %
	Missing Data		
.	-	284	59.2 %
	Total	480	100%

Based upon 196 valid cases out of 480 total cases.

- Mean: 29.80
- Median: 15.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 180.00

- Standard Deviation: 32.14

Location: 254-256 (width: 3; decimal: 0)

Variable Type: numeric

CC93: How Satisfied Are You with Life as a Whole

CC3. Please think about your life as a whole. How satisfied are you with it?

Value	Label	Unweighted Frequency	%
1	Completely satisfied	129	26.9 %
2	Very satisfied	177	36.9 %
3	Somewhat satisfied	47	9.8 %
4	Not at all satisfied	4	0.8 %
	Missing Data		
7	N/A Proxy	113	23.5 %
8	Do not know	7	1.5 %
9	Refused	3	0.6 %
	Total	480	100%

Based upon 357 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 257-257 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

CC4A9: Loneliness: Feel Lack Companionship

The next questions are about how you feel about different aspects of your life. For each one, please say how often you feel that way. CC4a. How often do you feel you lack companionship?

Value	Label	Unweighted Frequency	%
1	Often	26	5.4 %
2	Some of the time	109	22.7 %
3	Hardly ever	220	45.8 %
	Missing Data		
7	N/A Proxy	114	23.8 %
8	Do not know	8	1.7 %
9	Refused	3	0.6 %
	Total	480	100%

Based upon 355 valid cases out of 480 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 258-258 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

CC4B9: Loneliness: Feel Left Out

CC4b. How often do you feel left out?

Value	Label	Unweighted Frequency	%
1	Often	14	2.9 %
2	Some of the time	55	11.5 %
3	Hardly ever	280	58.3 %
	Missing Data		
7	N/A Proxy	118	24.6 %
8	Do not know	9	1.9 %
9	Refused	4	0.8 %
	Total	480	100%

Based upon 349 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 259-259 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

CC4C9: Loneliness: Feel Isolated from Others

CC4c. How often do you feel isolated from others?

Value	Label	Unweighted Frequency	%
1	Often	10	2.1 %
2	Some of the time	51	10.6 %
3	Hardly ever	289	60.2 %
	Missing Data		
7	N/A Proxy	118	24.6 %
8	Do not know	8	1.7 %
9	Refused	4	0.8 %
	Total	480	100%

Based upon 350 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 260-260 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

LL95A: Difficulty in Meeting Monthly Bills

LL5a.P How much difficulty do you have in meeting monthly payments on your bills - a great deal, some, a little, or none?

Value	Label	Unweighted Frequency	%
1	A great deal	27	5.6 %
2	Some	110	22.9 %
3	A little	113	23.5 %
4	None	194	40.4 %
	Missing Data		
8	Do not know	34	7.1 %
9	Refused	2	0.4 %
	Total	480	100%

Based upon 444 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 261-261 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

LL95B: At The End of The Month End Up with Some Money Left Over

LL5b.P At the end of the month, do you usually end up with some money left over, just enough to make ends meet, or not enough money to make ends meet?

Value	Label	Unweighted Frequency	%
1	Some money left	134	27.9 %
2	Just enough	247	51.5 %
3	Not enough	61	12.7 %
	Missing Data		
8	Do not know	37	7.7 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 442 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 262-262 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

LL96: Own Your Own Home

LL6.P Do you own your own home?

Value	Label	Unweighted Frequency	%
1	Yes	282	58.8 %
2	No	194	40.4 %
	Missing Data		
8	Do not know	3	0.6 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 476 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 263-263 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

CC91B: Did You Experience Illness/Injury Kept from Usual Activities?

CC1.P Here is a list of things which sometimes happen to people and might have an effect on their health. As I read the list, stop me whenever I mention something that happened to you in the past three months.

CC1b. Experience an illness or injury (get sick or hurt) that kept you from your usual activities (work, housework) for a week or more

Value	Label	Unweighted Frequency	%
1	Yes	114	23.8 %
2	No	361	75.2 %
	Missing Data		
8	Do not know	4	0.8 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 475 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 264-264 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

CC91C: Did Anyone Close to You Die?

CC1c. Did anyone close to you die?

Value	Label	Unweighted Frequency	%
1	Yes	102	21.2 %
2	No	356	74.2 %
	Missing Data		
8	Do not know	21	4.4 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 458 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 265-265 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

CC91O: Have You Eaten Less Than Normal?

CC1o. Have you eaten less than normal?

Value	Label	Unweighted Frequency	%
1	Yes	124	25.8 %
2	No	351	73.1 %
	Missing Data		
8	Do not know	4	0.8 %
9	Refused	1	0.2 %
	Total	480	100%

Based upon 475 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 266-266 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

CC91O1: Ate Less Than Normal because Lack of Appetite

Is this because of lack of appetite?

Value	Label	Unweighted Frequency	%
1	Yes	93	19.4 %
2	No	27	5.6 %
	Missing Data		
8	Do not know	4	0.8 %
.	-	356	74.2 %
	Total	480	100%

Based upon 120 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 267-267 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

CC9102: Ate Less Than Normal because Chewing Difficulty

Is this because of chewing difficulties?

Value	Label	Unweighted Frequency	%
1	Yes	28	5.8 %
2	No	93	19.4 %
	Missing Data		
8	Do not know	3	0.6 %
.	-	356	74.2 %
	Total	480	100%

Based upon 121 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 268-268 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

CC9103: Ate Less Than Normal because Swallowing Difficulty

Is this because of swallowing difficulties?

Value	Label	Unweighted Frequency	%
1	Yes	24	5.0 %
2	No	96	20.0 %
	Missing Data		
8	Do not know	4	0.8 %

Value	Label	Unweighted Frequency	%
.	-	356	74.2 %
	Total	480	100%

Based upon 120 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 269-269 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

CC9104: Ate Less Than Normal because Having Pain

Is this because you have a lot of pain?

Value	Label	Unweighted Frequency	%
1	Yes	11	2.3 %
2	No	107	22.3 %
	Missing Data		
8	Do not know	6	1.2 %
.	-	356	74.2 %
	Total	480	100%

Based upon 118 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 270-270 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

KK92: Past Year, # Times Visited Doctor

KK2.P Not including any overnight stays in a nursing home or hospital, how many times in the past 12 months.

Value	Label	Unweighted Frequency	%
0	-	22	4.6 %
1	-	22	4.6 %
2	-	60	12.5 %
3	-	46	9.6 %
4	-	105	21.9 %
5	-	28	5.8 %
6	-	41	8.5 %
7	-	6	1.2 %

Value	Label	Unweighted Frequency	%
8	-	14	2.9 %
9	-	1	0.2 %
10	-	15	3.1 %
11	-	1	0.2 %
12	-	49	10.2 %
13	-	2	0.4 %
14	-	3	0.6 %
15	-	10	2.1 %
16	-	5	1.0 %
18	-	2	0.4 %
20	-	7	1.5 %
24	-	8	1.7 %
25	-	2	0.4 %
30	-	1	0.2 %
36	-	2	0.4 %
46	-	1	0.2 %
48	-	4	0.8 %
52	-	1	0.2 %
	Missing Data		
.	-	22	4.6 %
	Total	480	100%

Based upon 458 valid cases out of 480 total cases.

- Mean: 6.78
- Median: 4.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 52.00
- Standard Deviation: 7.35

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

VISITMD9: Created Variable: At Least 1 MD Visit

Created Variable "at least 1 visit"

Value	Label	Unweighted Frequency	%
0	No	22	4.6 %
1	Yes	436	90.8 %
	Missing Data		
.	-	22	4.6 %

Value	Label	Unweighted Frequency	%
	Total	480	100%

Based upon 458 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 273-273 (width: 1; decimal: 0)

Variable Type: numeric

CC91A: Past Year, Stayed Overnight in Hospital

CC1a.P Since (DATE ONE YEAR AGO) did you experience an illness or injury (get sick or get hurt) that required staying overnight or longer in a hospital (not a nursing home)?

Value	Label	Unweighted Frequency	%
1	Yes	122	25.4 %
2	No	356	74.2 %
	Missing Data		
8	Do not know	2	0.4 %
	Total	480	100%

Based upon 478 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 274-274 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

HHA9: Is the Respondent Bedridden

HHA. Is Respondent bedridden?

Value	Label	Unweighted Frequency	%
1	Yes	9	1.9 %
2	No	394	82.1 %
	Missing Data		
.	-	77	16.0 %
	Total	480	100%

Based upon 403 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 275-275 (width: 1; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

HHB9: Is the Respondent Unable to Stand Even with Support

HHB. Is Respondent unable to stand with support?

Value	Label	Unweighted Frequency	%
1	Yes	70	14.6 %
2	No	324	67.5 %
	Missing Data		
.	-	86	17.9 %
	Total	480	100%

Based upon 394 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 276-276 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

HHC9: Is the Respondent Only Able to Stand with Support

HHC. Is Respondent only able to stand with support?

Value	Label	Unweighted Frequency	%
1	Yes	112	23.3 %
2	No	212	44.2 %
	Missing Data		
.	-	156	32.5 %
	Total	480	100%

Based upon 324 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 277-277 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

HHD9: Does the Respondent Use a Wheelchair?

HHD. Does Respondent use a wheel chair?

Value	Label	Unweighted Frequency	%
1	Yes	3	0.6 %
2	No	209	43.5 %
	Missing Data		
.	-	268	55.8 %
	Total	480	100%

Based upon 212 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 278-278 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

HHDX9: Can the respondent walk with a Wheelchair?

HHDX. Can the respondent walk with the aid of a wheel chair?

Value	Label	Unweighted Frequency	%
1	Yes	2	0.4 %
2	No	1	0.2 %
	Missing Data		
.	-	477	99.4 %
	Total	480	100%

Based upon 3 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 279-279 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

HH91: # Seconds Able to Stand Arms Side by Side

Side-By-Side Stand (Eyes Open) IF RESPONDENT IS UNABLE TO STAND UNASSISTED, SKIP TO REPEATED CHAIR STANDS. HH1.P-R I would like you to try to stand with your feet together, side-by-side, for about ten seconds. Number of seconds held:

Value	Label	Unweighted Frequency	%
2.0	-	1	0.2 %
3.0	-	2	0.4 %
4.0	-	1	0.2 %
5.0	-	1	0.2 %

Value	Label	Unweighted Frequency	%
7.0	-	1	0.2 %
7.5	-	1	0.2 %
8.0	-	2	0.4 %
10.0	-	158	32.9 %
	Missing Data		
.	-	313	65.2 %
	Total	480	100%

Based upon 167 valid cases out of 480 total cases.

- Mean: 9.75
- Median: 10.00
- Mode: 10.00
- Minimum: 2.00
- Maximum: 10.00
- Standard Deviation: 1.19

Location: 280-283 (width: 4; decimal: 1)

Variable Type: numeric

NOHH91: Unable/Refused to do Side by Side Stands

(IF UNABLE TO HOLD PREVIOUS STAND FOR 10 SECONDS OR IF INTERVIEWER OR RESPONDENT THOUGHT ACTIVITY WAS UNSAFE, SKIP TO REPEATED CHAIR STANDS)

Value	Label	Unweighted Frequency	%
111	Tried but unable	0	0.0 %
222	Interviewer felt unsafe	20	4.2 %
333	Respondent felt unsafe	11	2.3 %
	Missing Data		
999	Refused	11	2.3 %
.	-	438	91.2 %
	Total	480	100%

Based upon 31 valid cases out of 480 total cases.

- Minimum: 222.00
- Maximum: 333.00

Location: 284-286 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999 , .

HH92: # Seconds Able to Stand Semi-Tandem

Semi-Tandem Stand (Eyes Open) HH2.P-R Now I would like you to try to stand with the side of the heel of one foot touching the big toe of the other foot for about ten seconds. You may use either foot, whichever is more comfortable for you. Number of seconds held:

Value	Label	Unweighted Frequency	%
1.0	-	2	0.4 %
1.9	-	1	0.2 %
2.0	-	3	0.6 %
2.2	-	1	0.2 %
3.0	-	4	0.8 %
4.0	-	3	0.6 %
5.0	-	4	0.8 %
5.2	-	3	0.6 %
6.0	-	2	0.4 %
8.0	-	3	0.6 %
10.0	-	95	19.8 %
	Missing Data		
.	-	359	74.8 %
	Total	480	100%

Based upon 121 valid cases out of 480 total cases.

- Mean: 8.74
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.59

Location: 287-290 (width: 4; decimal: 1)

Variable Type: numeric

NOHH92: Unable/Refused to do Semi-Tandem Stand

(IF UNABLE TO HOLD PREVIOUS STAND FOR 10 SECONDS OR IF INTERVIEWER OR RESPONDENT THOUGHT ACTIVITY WAS UNSAFE, SKIP TO REPEATED CHAIR STANDS)

Value	Label	Unweighted Frequency	%
111	Tried but unable	21	4.4 %
222	Interviewer felt unsafe	5	1.0 %
333	Respondent felt unsafe	9	1.9 %
	Missing Data		
999	Refused	2	0.4 %
.	-	443	92.3 %
	Total	480	100%

Based upon 35 valid cases out of 480 total cases.

- Minimum: 111.00
- Maximum: 333.00

Location: 291-293 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999 , .

HH93: # Seconds Able to Stand Tandem

Tandem stands (eyes open) HH3.P-R Now I would like you to try to stand with the heel of one foot in front of and touching the toes of the other foot for about ten seconds. Number of seconds held:

Value	Label	Unweighted Frequency	%
1.0	-	2	0.4 %
2.0	-	4	0.8 %
2.6	-	1	0.2 %
3.0	-	3	0.6 %
3.4	-	1	0.2 %
4.0	-	4	0.8 %
4.9	-	1	0.2 %
5.0	-	6	1.2 %
5.8	-	1	0.2 %
7.0	-	3	0.6 %
8.0	-	4	0.8 %
8.5	-	1	0.2 %
9.0	-	1	0.2 %
9.9	-	1	0.2 %
10.0	-	40	8.3 %
	Missing Data		
.	-	407	84.8 %
	Total	480	100%

Based upon 73 valid cases out of 480 total cases.

- Mean: 7.70
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.03

Location: 294-297 (width: 4; decimal: 1)

Variable Type: numeric

NOHH93: Unable/Refused to do Tandem Stand

Tandem stands (eyes open)

Value	Label	Unweighted Frequency	%
111	Tried but unable	14	2.9 %
222	Interviewer felt unsafe	5	1.0 %
333	Respondent felt unsafe	3	0.6 %
	Missing Data		
.	-	458	95.4 %
	Total	480	100%

Based upon 22 valid cases out of 480 total cases.

- Minimum: 111.00
- Maximum: 333.00

Location: 298-300 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999 , .

HH5A9: Respondent Feels Safe to Do Chair Stands

HH5a. P-R Now I want to ask you to try to stand and sit in a chair five times. Do you think it would be safe for you to try to stand up from a chair without using your arms five times quickly?

Value	Label	Unweighted Frequency	%
1	Yes	106	22.1 %
2	No	86	17.9 %
	Missing Data		
8	Do not know	3	0.6 %
9	Refused	14	2.9 %
.	-	271	56.5 %
	Total	480	100%

Based upon 192 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 301-301 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

UNSFSTN9: Unsafe Chair Stand: Can't Stand on Own

HH5b. P-R Why do you think it would be unsafe? (Select as many as apply) Can't stand on own

Value	Label	Unweighted Frequency	%
0	No	50	10.4 %

Value	Label	Unweighted Frequency	%
1	Yes	36	7.5 %
	Missing Data		
.	-	394	82.1 %
	Total	480	100%

Based upon 86 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 302-302 (width: 1; decimal: 0)

Variable Type: numeric

UNSFAC9: Unsafe Chair Stand: Back Problems

HH5b. P-R Why do you think it would be unsafe? (Select as many as apply) Back Problems

Value	Label	Unweighted Frequency	%
0	No	68	14.2 %
1	Yes	18	3.8 %
	Missing Data		
.	-	394	82.1 %
	Total	480	100%

Based upon 86 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 303-303 (width: 1; decimal: 0)

Variable Type: numeric

UNSFLEG9: Unsafe Chair Stand: Leg Problems

HH5b. P-R Why do you think it would be unsafe? (Select as many as apply) Leg Problems

Value	Label	Unweighted Frequency	%
0	No	54	11.2 %
1	Yes	32	6.7 %
	Missing Data		
.	-	394	82.1 %
	Total	480	100%

Based upon 86 valid cases out of 480 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 304-304 (width: 1; decimal: 0)

Variable Type: numeric

UNSFKNEE9: Unsafe Chair Stand: Knee Problems

HH5b. P-R Why do you think it would be unsafe? (Select as many as apply) Knee Problems

Value	Label	Unweighted Frequency	%
0	No	47	9.8 %
1	Yes	39	8.1 %
	Missing Data		
.	-	394	82.1 %
	Total	480	100%

Based upon 86 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 305-305 (width: 1; decimal: 0)

Variable Type: numeric

UNSF Diz9: Unsafe Chair Stand: Dizzy Spells

HH5b. P-R Why do you think it would be unsafe? (Select as many as apply) Dizzy Spells

Value	Label	Unweighted Frequency	%
0	No	85	17.7 %
1	Yes	1	0.2 %
	Missing Data		
.	-	394	82.1 %
	Total	480	100%

Based upon 86 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 306-306 (width: 1; decimal: 0)

Variable Type: numeric

UNSF FEAR9: Unsafe Chair Stand: Fear

HH5b. P-R Why do you think it would be unsafe? (Select as many as apply) Fear

Value	Label	Unweighted Frequency	%
0	No	77	16.0 %
1	Yes	9	1.9 %
	Missing Data		
.	-	394	82.1 %
	Total	480	100%

Based upon 86 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 307-307 (width: 1; decimal: 0)

Variable Type: numeric

UNSFARTH9: Unsafe Chair Stand: Arthritis

HH5b. P-R Why do you think it would be unsafe? (Select as many as apply) Arthritis

Value	Label	Unweighted Frequency	%
0	No	72	15.0 %
1	Yes	14	2.9 %
	Missing Data		
.	-	394	82.1 %
	Total	480	100%

Based upon 86 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 308-308 (width: 1; decimal: 0)

Variable Type: numeric

UNSFOTH9: Unsafe Chair Stand: Other Reasons

HH5b. P-R Why do you think it would be unsafe? (Select as many as apply) Other Reasons

Value	Label	Unweighted Frequency	%
0	No	79	16.5 %
1	Yes	7	1.5 %
	Missing Data		
.	-	394	82.1 %
	Total	480	100%

Based upon 86 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 309-309 (width: 1; decimal: 0)

Variable Type: numeric

UNSFDK9: Unsafe Chair Stand: Don't Know

HH5b. P-R Why do you think it would be unsafe? (Select as many as apply) Don't Know

Value	Label	Unweighted Frequency	%
0	No	85	17.7 %
1	Yes	1	0.2 %
	Missing Data		
.	-	394	82.1 %
	Total	480	100%

Based upon 86 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 310-310 (width: 1; decimal: 0)

Variable Type: numeric

UNSFREF9: Unsafe Chair Stand: Refused

HH5b. P-R Why do you think it would be unsafe? (Select as many as apply) Refused

Value	Label	Unweighted Frequency	%
0	No	84	17.5 %
1	Yes	2	0.4 %
	Missing Data		
.	-	394	82.1 %
	Total	480	100%

Based upon 86 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 311-311 (width: 1; decimal: 0)

Variable Type: numeric

HH5D9: Able to Complete Repeated Chair Stands

Keep your arms folded across your chest. Please stand up straight as quickly as you can five times without stopping in between. After standing up each time, sit down and then stand again. I'll be timing you with a stop-watch. Please begin when I say "ready, stand." Chair stands completed?

Value	Label	Unweighted Frequency	%
0	No	16	3.3 %
1	Yes	93	19.4 %
	Missing Data		
.	-	371	77.3 %
	Total	480	100%

Based upon 109 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 312-312 (width: 1; decimal: 0)

Variable Type: numeric

HH5C9: Reason for the Chair Stands Not Completed

HH5c.P-R Reason not completed five chair stands.

Value	Label	Unweighted Frequency	%
1	Tried but unable	30	6.2 %
2	Not attempted, Safety	57	11.9 %
4	Not attempted, other	4	0.8 %
	Missing Data		
9	Refused	1	0.2 %
.	-	388	80.8 %
	Total	480	100%

Based upon 91 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 313-313 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

HH5F9: Time to Complete Chair Stands

HH5f.P-R Time to complete all 5 chair stands?

Value	Label	Unweighted Frequency	%
7.00	-	2	0.4 %
7.50	-	1	0.2 %
8.00	-	3	0.6 %
10.00	-	6	1.2 %

Value	Label	Unweighted Frequency	%
10.10	-	1	0.2 %
10.20	-	1	0.2 %
11.00	-	1	0.2 %
11.20	-	1	0.2 %
11.70	-	1	0.2 %
12.00	-	2	0.4 %
12.60	-	1	0.2 %
12.70	-	2	0.4 %
12.80	-	1	0.2 %
13.00	-	5	1.0 %
13.50	-	1	0.2 %
13.80	-	1	0.2 %
14.00	-	2	0.4 %
14.10	-	1	0.2 %
14.20	-	1	0.2 %
14.40	-	2	0.4 %
15.00	-	6	1.2 %
15.10	-	1	0.2 %
15.16	-	1	0.2 %
15.20	-	1	0.2 %
15.50	-	1	0.2 %
15.60	-	1	0.2 %
15.70	-	1	0.2 %
16.00	-	5	1.0 %
16.70	-	1	0.2 %
17.00	-	2	0.4 %
17.40	-	1	0.2 %
17.70	-	1	0.2 %
17.80	-	1	0.2 %
18.00	-	4	0.8 %
18.20	-	1	0.2 %
19.00	-	2	0.4 %
19.50	-	1	0.2 %
19.90	-	1	0.2 %
20.00	-	1	0.2 %
20.30	-	1	0.2 %
20.80	-	1	0.2 %
20.90	-	1	0.2 %
21.00	-	2	0.4 %

Value	Label	Unweighted Frequency	%
22.00	-	2	0.4 %
22.50	-	1	0.2 %
22.60	-	1	0.2 %
22.90	-	1	0.2 %
23.00	-	1	0.2 %
23.40	-	1	0.2 %
24.00	-	2	0.4 %
	Missing Data		
.	-	387	80.6 %
	Total	480	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 93 valid cases out of 480 total cases.

- Mean: 17.14
- Median: 15.60
- Minimum: 7.00
- Maximum: 53.00
- Standard Deviation: 7.06

Location: 314-318 (width: 5; decimal: 2)

Variable Type: numeric

HH5G9: Height of Chair

HH5g.P-R Chair height (inches from floor to lowest point of chair)

Value	Label	Unweighted Frequency	%
12.00	-	2	0.4 %
14.50	-	1	0.2 %
15.00	-	2	0.4 %
15.35	-	1	0.2 %
16.00	-	5	1.0 %
16.50	-	2	0.4 %
17.00	-	45	9.4 %
17.25	-	2	0.4 %
17.50	-	3	0.6 %
17.75	-	1	0.2 %
18.00	-	15	3.1 %
18.50	-	3	0.6 %
19.00	-	5	1.0 %
19.50	-	1	0.2 %

Value	Label	Unweighted Frequency	%
20.00	-	1	0.2 %
21.00	-	4	0.8 %
	Missing Data		
.	-	387	80.6 %
	Total	480	100%

Based upon 93 valid cases out of 480 total cases.

- Mean: 17.32
- Median: 17.00
- Mode: 17.00
- Minimum: 12.00
- Maximum: 21.00
- Standard Deviation: 1.42

Location: 319-323 (width: 5; decimal: 2)

Variable Type: numeric

HH10A9: Able to Complete Normal Walk

HH10.P-R Now we are going to observe how you normally walk. If you use a cane or other walking aid and would feel more comfortable with it, then you may use it. (Excludes proxies & exclusions). Completed?

Value	Label	Unweighted Frequency	%
1	Yes	198	41.2 %
2	No	98	20.4 %
	Missing Data		
9	Refused	27	5.6 %
.	-	157	32.7 %
	Total	480	100%

Based upon 296 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 324-324 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

HH10B9: # Seconds to Complete Normal Walk

Seconds to complete?

Value	Label	Unweighted Frequency	%
3.00	-	1	0.2 %
3.30	-	2	0.4 %

Value	Label	Unweighted Frequency	%
3.50	-	2	0.4 %
3.94	-	1	0.2 %
4.00	-	8	1.7 %
4.19	-	1	0.2 %
4.20	-	1	0.2 %
4.30	-	5	1.0 %
4.40	-	1	0.2 %
4.80	-	1	0.2 %
4.90	-	2	0.4 %
5.00	-	14	2.9 %
5.10	-	1	0.2 %
5.20	-	1	0.2 %
5.30	-	1	0.2 %
5.40	-	1	0.2 %
5.50	-	1	0.2 %
5.60	-	1	0.2 %
5.80	-	2	0.4 %
5.90	-	2	0.4 %
6.00	-	12	2.5 %
6.10	-	1	0.2 %
6.20	-	1	0.2 %
6.30	-	2	0.4 %
6.40	-	2	0.4 %
6.50	-	3	0.6 %
6.70	-	1	0.2 %
6.80	-	1	0.2 %
7.00	-	10	2.1 %
7.10	-	1	0.2 %
7.20	-	2	0.4 %
7.40	-	1	0.2 %
7.50	-	1	0.2 %
7.70	-	2	0.4 %
8.00	-	14	2.9 %
8.30	-	1	0.2 %
8.50	-	1	0.2 %
8.80	-	1	0.2 %
9.00	-	9	1.9 %
10.00	-	16	3.3 %
10.40	-	1	0.2 %

Value	Label	Unweighted Frequency	%
10.60	-	1	0.2 %
10.70	-	1	0.2 %
10.80	-	1	0.2 %
10.90	-	1	0.2 %
11.00	-	7	1.5 %
11.80	-	1	0.2 %
12.00	-	9	1.9 %
12.20	-	1	0.2 %
12.50	-	1	0.2 %
	Missing Data		
.	-	282	58.8 %
	Total	480	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 198 valid cases out of 480 total cases.

- Mean: 9.96
- Median: 8.00
- Mode: 10.00
- Minimum: 3.00
- Maximum: 45.00
- Standard Deviation: 6.17

Location: 325-329 (width: 5; decimal: 2)

Variable Type: numeric

HH10C9: # of Steps Taken in Normal Walk

Number of steps?

Value	Label	Unweighted Frequency	%
4	-	1	0.2 %
5	-	16	3.3 %
6	-	23	4.8 %
7	-	23	4.8 %
8	-	34	7.1 %
9	-	21	4.4 %
10	-	26	5.4 %
11	-	6	1.2 %
12	-	11	2.3 %
13	-	7	1.5 %
14	-	2	0.4 %

Value	Label	Unweighted Frequency	%
15	-	11	2.3 %
17	-	1	0.2 %
18	-	1	0.2 %
19	-	2	0.4 %
20	-	4	0.8 %
22	-	2	0.4 %
23	-	2	0.4 %
25	-	2	0.4 %
26	-	2	0.4 %
35	-	1	0.2 %
	Missing Data		
.	-	282	58.8 %
	Total	480	100%

Based upon 198 valid cases out of 480 total cases.

- Mean: 9.93
- Median: 9.00
- Mode: 8.00
- Minimum: 4.00
- Maximum: 35.00
- Standard Deviation: 4.77

Location: 330-331 (width: 2; decimal: 0)

Variable Type: numeric

HH10D9: Reason for Walk Not Completed

Reason walk not completed?

Value	Label	Unweighted Frequency	%
1	Tried but unable	4	0.8 %
2	Not attempted, Safety	30	6.2 %
3	Not attempted, Chairbound	72	15.0 %
4	Not attempted, other	4	0.8 %
	Missing Data		
9	Refused	15	3.1 %
.	-	355	74.0 %
	Total	480	100%

Based upon 110 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 332-332 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

HH10E9: Aid Needed for Walk?

Aids for first walk?

Value	Label	Unweighted Frequency	%
1	No aid	146	30.4 %
2	Wheelchair	1	0.2 %
3	Walker	36	7.5 %
4	Quad cane	3	0.6 %
5	Other cane	10	2.1 %
6	Other	2	0.4 %
	Missing Data		
.	-	282	58.8 %
	Total	480	100%

Based upon 198 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 333-333 (width: 1; decimal: 0)

Variable Type: numeric

HH12A9: Any Difficulty Finding 12-ft Walking Space?

HH12a.P-R. Any difficulty finding 12 foot space for walking?

Value	Label	Unweighted Frequency	%
1	Yes	13	2.7 %
2	No	185	38.5 %
	Missing Data		
.	-	282	58.8 %
	Total	480	100%

Based upon 198 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 334-334 (width: 1; decimal: 0)

Variable Type: numeric

HH12B9: Type of Walking Surface Present

HH12b.P-R. Type of walking surface?

Value	Label	Unweighted Frequency	%
1	Uncarpeted	161	33.5 %
2	Low Carpet	37	7.7 %
	Missing Data		
.	-	282	58.8 %
	Total	480	100%

Based upon 198 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 335-335 (width: 1; decimal: 0)

Variable Type: numeric

HH7A9: Any Recent Arm or Hand Surgery?

HH7a.P-R. Now, I am going to use this instrument called a Dynamometer to test the strength in the hand you feel is stronger. However, if you have had any surgery on your arm in the last three months, you should not do this exercise. Have you had any recent surgery?

Value	Label	Unweighted Frequency	%
1	Yes	5	1.0 %
2	No	380	79.2 %
	Missing Data		
8	Do not know	5	1.0 %
9	Refused	13	2.7 %
.	-	77	16.0 %
	Total	480	100%

Based upon 385 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 336-336 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

HH7B91: Kilograms on Trial 1 Grip Strength

HH7b.P-R. I'd like you to place the arm that you think is the stronger on the table with your palm facing up. Grab the handles using an underhand grip. Let me know if the grip needs to be adjusted. When I say squeeze, squeeze as hard as you can. The handles will not move, but I will be able to read the force of your grip on the dial. I will ask you to do this two times. If you feel any pain or discomfort, tell me and we will stop. Record to nearest half kilogram.

Value	Label	Unweighted Frequency	%
0.0	-	1	0.2 %
1.0	-	6	1.2 %
2.0	-	12	2.5 %
3.0	-	3	0.6 %
4.0	-	6	1.2 %
5.0	-	8	1.7 %
6.0	-	7	1.5 %
7.0	-	1	0.2 %
7.5	-	1	0.2 %
8.0	-	19	4.0 %
8.4	-	1	0.2 %
9.0	-	11	2.3 %
9.5	-	2	0.4 %
10.0	-	30	6.2 %
10.5	-	2	0.4 %
11.0	-	13	2.7 %
12.0	-	26	5.4 %
12.5	-	1	0.2 %
13.0	-	8	1.7 %
14.0	-	22	4.6 %
15.0	-	17	3.5 %
16.0	-	16	3.3 %
16.5	-	1	0.2 %
17.0	-	5	1.0 %
18.0	-	19	4.0 %
18.5	-	1	0.2 %
19.0	-	6	1.2 %
20.0	-	24	5.0 %
21.0	-	5	1.0 %
22.0	-	11	2.3 %
23.0	-	4	0.8 %
24.0	-	8	1.7 %
24.5	-	2	0.4 %
25.0	-	6	1.2 %
26.0	-	8	1.7 %
27.0	-	3	0.6 %
28.0	-	11	2.3 %
29.0	-	3	0.6 %
30.0	-	12	2.5 %

Value	Label	Unweighted Frequency	%
30.2	-	1	0.2 %
32.0	-	2	0.4 %
33.0	-	2	0.4 %
34.0	-	1	0.2 %
35.0	-	3	0.6 %
37.0	-	1	0.2 %
39.0	-	1	0.2 %
40.0	-	1	0.2 %
	Missing Data		
.	-	126	26.2 %
	Total	480	100%

Based upon 354 valid cases out of 480 total cases.

- Mean: 15.52
- Median: 14.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 8.12

Location: 337-340 (width: 4; decimal: 1)

Variable Type: numeric

NOHH7B91: Unable/Refused Trial 1 Grip Strength

Reason unable to complete trial 1

Value	Label	Unweighted Frequency	%
666	Unable	10	2.1 %
777	Not preformed/Safety	16	3.3 %
	Missing Data		
999	Refused	18	3.8 %
.	-	436	90.8 %
	Total	480	100%

Based upon 26 valid cases out of 480 total cases.

- Minimum: 666.00
- Maximum: 777.00

Location: 341-343 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999 , .

HH7B92: Kilograms on Trial 2 Grip Strength

Kilograms on Trial 2 grip strength

Value	Label	Unweighted Frequency	%
0.0	-	3	0.6 %
1.0	-	2	0.4 %
2.0	-	8	1.7 %
3.0	-	6	1.2 %
3.5	-	1	0.2 %
4.0	-	8	1.7 %
4.5	-	1	0.2 %
5.0	-	3	0.6 %
6.0	-	4	0.8 %
7.0	-	4	0.8 %
8.0	-	21	4.4 %
9.0	-	9	1.9 %
9.5	-	1	0.2 %
10.0	-	25	5.2 %
10.5	-	1	0.2 %
11.0	-	18	3.8 %
11.5	-	1	0.2 %
12.0	-	27	5.6 %
13.0	-	15	3.1 %
13.5	-	1	0.2 %
14.0	-	14	2.9 %
14.5	-	1	0.2 %
15.0	-	18	3.8 %
15.5	-	1	0.2 %
16.0	-	14	2.9 %
16.5	-	1	0.2 %
17.0	-	9	1.9 %
18.0	-	15	3.1 %
18.5	-	1	0.2 %
19.0	-	7	1.5 %
20.0	-	24	5.0 %
20.5	-	1	0.2 %
21.0	-	7	1.5 %
22.0	-	13	2.7 %
23.0	-	3	0.6 %
24.0	-	10	2.1 %
25.0	-	8	1.7 %

Value	Label	Unweighted Frequency	%
26.0	-	6	1.2 %
27.0	-	3	0.6 %
28.0	-	5	1.0 %
29.0	-	4	0.8 %
29.5	-	1	0.2 %
30.0	-	12	2.5 %
31.0	-	4	0.8 %
32.0	-	3	0.6 %
34.0	-	2	0.4 %
35.0	-	2	0.4 %
36.0	-	1	0.2 %
37.0	-	1	0.2 %
38.0	-	2	0.4 %
	Missing Data		
.	-	127	26.5 %
	Total	480	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 353 valid cases out of 480 total cases.

- Mean: 15.83
- Median: 15.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 42.00
- Standard Deviation: 8.12

Location: 344-347 (width: 4; decimal: 1)

Variable Type: numeric

NOHH7B92: Unable/Refused Trial 2 Grip Strength

Reason unable to complete trial 2

Value	Label	Unweighted Frequency	%
666	Unable	11	2.3 %
777	Not preformed/Safety	16	3.3 %
	Missing Data		
999	Refused	18	3.8 %
.	-	435	90.6 %
	Total	480	100%

Based upon 27 valid cases out of 480 total cases.

- Minimum: 666.00
- Maximum: 777.00

Location: 348-350 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999 , .

HH7C9: Which Hand Was Tested for Grip Strength

HH7c.P-R Hand tested?

Value	Label	Unweighted Frequency	%
1	Right	323	67.3 %
2	Left	31	6.5 %
3	N/A	44	9.2 %
	Missing Data		
.	-	82	17.1 %
	Total	480	100%

Based upon 398 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 351-351 (width: 1; decimal: 0)

Variable Type: numeric

GRIPSC9: Grip Scale from the Handle

INTERVIEWER: RECORD GRIP SCALE FROM THE HANDLE Created variables from the Performance Oriented Mobility Assessment (POMA) NOTE: If a subject was UNABLE to do the POMAs, we gave them a code of can't understand what to do, needs support to stand (only eligible to do walk and hand grip), or if they were dizzy. This included proxies due to the above reasons. Therefore, the number in this items.

Value	Label	Unweighted Frequency	%
1	1 (INSIDE)	109	22.7 %
2	2	265	55.2 %
3	3	19	4.0 %
4	4	1	0.2 %
5	5 (OUTSIDE)	4	0.8 %
	Missing Data		
.	-	82	17.1 %
	Total	480	100%

Based upon 398 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 352-352 (width: 1; decimal: 0)

Variable Type: numeric

BAL9: Categorized Stands Combined

Categorized stands (side-by-side, semi, and tandem) combined

Value	Label	Unweighted Frequency	%
0	Unable to do	288	60.0 %
1	Side-by-side	63	13.1 %
2	Semi-tandem	28	5.8 %
3	Tandem	27	5.6 %
4	Full Tandem	40	8.3 %
	Missing Data		
.	-	34	7.1 %
	Total	480	100%

Based upon 446 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 353-353 (width: 1; decimal: 0)

Variable Type: numeric

DOBAL9: Dichotomized Score for Stands

Dichotomized Score for Stands

Value	Label	Unweighted Frequency	%
0	Unable to do	288	60.0 %
1	Completed	158	32.9 %
	Missing Data		
.	-	34	7.1 %
	Total	480	100%

Based upon 446 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 354-354 (width: 1; decimal: 0)

Variable Type: numeric

SIT9: Categorized Chair Stands

Categorized Chair Stands

Value	Label	Unweighted Frequency	%
0	Unable to do	277	57.7 %
1	Poor	40	8.3 %
2	Moderate	24	5.0 %
3	Good	15	3.1 %
4	Best	105	21.9 %
	Missing Data		
.	-	19	4.0 %
	Total	480	100%

Based upon 461 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 355-355 (width: 1; decimal: 0)

Variable Type: numeric

DOSIT9: Dichotomized Score for Chair Stands

Dichotomized score for chair stands

Value	Label	Unweighted Frequency	%
0	Unable to do	277	57.7 %
1	Completed	184	38.3 %
	Missing Data		
.	-	19	4.0 %
	Total	480	100%

Based upon 461 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 356-356 (width: 1; decimal: 0)

Variable Type: numeric

WALK9: Categorized Walking at Normal Pace Time

Categorized walking at normal pace time

Value	Label	Unweighted Frequency	%
0	Unable to do	262	54.6 %
1	Poor	92	19.2 %

Value	Label	Unweighted Frequency	%
2	Moderate	57	11.9 %
3	Good	43	9.0 %
4	Best	6	1.2 %
	Missing Data		
.	-	20	4.2 %
	Total	480	100%

Based upon 460 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 357-357 (width: 1; decimal: 0)

Variable Type: numeric

DOWALK9: Dichotomized Score for Walking Normal Pace Time

Dichotomized score for walking at normal pace

Value	Label	Unweighted Frequency	%
0	Unable to do	262	54.6 %
1	Completed	198	41.2 %
	Missing Data		
.	-	20	4.2 %
	Total	480	100%

Based upon 460 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 358-358 (width: 1; decimal: 0)

Variable Type: numeric

TOTPOMA9: Total Summary Score of POMA

Total Summary Score

Value	Label	Unweighted Frequency	%
0	-	239	49.8 %
1	-	33	6.9 %
2	-	6	1.2 %
3	-	6	1.2 %
4	-	36	7.5 %
5	-	22	4.6 %

Value	Label	Unweighted Frequency	%
6	-	45	9.4 %
7	-	26	5.4 %
8	-	27	5.6 %
9	-	16	3.3 %
10	-	11	2.3 %
11	-	3	0.6 %
	Missing Data		
.	-	10	2.1 %
	Total	480	100%

Based upon 470 valid cases out of 480 total cases.

- Mean: 2.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.32

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

POMACAT9: Categorized Summary Score on POMA

Categorized Summary Score

Value	Label	Unweighted Frequency	%
0	Unable to do	239	49.8 %
1	1-4	81	16.9 %
2	5-8	120	25.0 %
3	9-12	30	6.2 %
	Missing Data		
.	-	10	2.1 %
	Total	480	100%

Based upon 470 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 361-361 (width: 1; decimal: 0)

Variable Type: numeric

II1B9: Weight to Nearest Pound

II1a.P-R Now let's measure your height

Value	Label	Unweighted Frequency	%
65	-	1	0.2 %
80	-	2	0.4 %
85	-	2	0.4 %
86	-	1	0.2 %
87	-	2	0.4 %
90	-	3	0.6 %
93	-	2	0.4 %
95	-	1	0.2 %
96	-	3	0.6 %
98	-	5	1.0 %
100	-	4	0.8 %
101	-	2	0.4 %
104	-	2	0.4 %
105	-	6	1.2 %
106	-	2	0.4 %
107	-	2	0.4 %
108	-	3	0.6 %
109	-	2	0.4 %
110	-	5	1.0 %
111	-	1	0.2 %
112	-	1	0.2 %
113	-	1	0.2 %
114	-	1	0.2 %
115	-	5	1.0 %
116	-	2	0.4 %
117	-	2	0.4 %
118	-	2	0.4 %
119	-	4	0.8 %
120	-	14	2.9 %
121	-	1	0.2 %
122	-	5	1.0 %
123	-	4	0.8 %
124	-	1	0.2 %
125	-	12	2.5 %
126	-	1	0.2 %
127	-	3	0.6 %
128	-	4	0.8 %
129	-	3	0.6 %
130	-	13	2.7 %

Value	Label	Unweighted Frequency	%
132	-	2	0.4 %
133	-	2	0.4 %
134	-	2	0.4 %
135	-	9	1.9 %
136	-	2	0.4 %
137	-	2	0.4 %
138	-	2	0.4 %
139	-	3	0.6 %
140	-	14	2.9 %
141	-	1	0.2 %
142	-	1	0.2 %
	Missing Data		
.	-	158	32.9 %
	Total	480	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 322 valid cases out of 480 total cases.

- Mean: 140.81
- Median: 140.00
- Mode: 160.00
- Minimum: 65.00
- Maximum: 242.00
- Standard Deviation: 27.72

Location: 362-364 (width: 3; decimal: 0)

Variable Type: numeric

II1D9: Reported Weight to Nearest Pound

II1aa. We would like to measure the distance between the middle of your chest and the tips of your finger. This is called the demi-span, a simple way to calculate your height. Demi-span (to the nearest centimeter)

Value	Label	Unweighted Frequency	%
80	-	2	0.4 %
83	-	1	0.2 %
84	-	1	0.2 %
86	-	1	0.2 %
88	-	1	0.2 %
90	-	3	0.6 %
93	-	1	0.2 %
95	-	1	0.2 %

Value	Label	Unweighted Frequency	%
98	-	1	0.2 %
100	-	5	1.0 %
101	-	2	0.4 %
103	-	2	0.4 %
105	-	3	0.6 %
107	-	1	0.2 %
108	-	1	0.2 %
110	-	4	0.8 %
112	-	1	0.2 %
113	-	1	0.2 %
114	-	1	0.2 %
115	-	1	0.2 %
116	-	2	0.4 %
117	-	1	0.2 %
118	-	1	0.2 %
119	-	1	0.2 %
120	-	4	0.8 %
122	-	2	0.4 %
123	-	2	0.4 %
124	-	2	0.4 %
125	-	3	0.6 %
126	-	2	0.4 %
127	-	2	0.4 %
129	-	2	0.4 %
130	-	7	1.5 %
131	-	2	0.4 %
133	-	1	0.2 %
134	-	2	0.4 %
135	-	3	0.6 %
137	-	1	0.2 %
138	-	1	0.2 %
140	-	5	1.0 %
142	-	1	0.2 %
143	-	1	0.2 %
144	-	1	0.2 %
145	-	5	1.0 %
147	-	1	0.2 %
148	-	1	0.2 %
150	-	8	1.7 %

Value	Label	Unweighted Frequency	%
152	-	1	0.2 %
154	-	1	0.2 %
155	-	1	0.2 %
	Missing Data		
.	-	330	68.8 %
	Total	480	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 150 valid cases out of 480 total cases.

- Mean: 139.39
- Median: 139.00
- Mode: 160.00
- Minimum: 80.00
- Maximum: 232.00
- Standard Deviation: 30.08

Location: 365-367 (width: 3; decimal: 0)

Variable Type: numeric

II1C9: Type of Surface During Weighing

II1c. Interviewer: type of surface during weighing

Value	Label	Unweighted Frequency	%
1	Single-family house	242	50.4 %
2	Multi-family house	35	7.3 %
3	Apartment	7	1.5 %
4	Assisted living	196	40.8 %
7	Other	0	0.0 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 368-368 (width: 1; decimal: 0)

Variable Type: numeric

JJ19: 1st Waist Circumference Measure

Now I would like to measure your waist circumference. Measure 1

Value	Label	Unweighted Frequency	%
24.0	-	1	0.2 %
28.0	-	2	0.4 %
30.0	-	1	0.2 %
32.0	-	2	0.4 %
34.0	-	2	0.4 %
35.0	-	2	0.4 %
38.0	-	2	0.4 %
39.0	-	1	0.2 %
42.0	-	1	0.2 %
43.0	-	1	0.2 %
44.0	-	1	0.2 %
46.0	-	1	0.2 %
48.5	-	1	0.2 %
50.0	-	1	0.2 %
56.0	-	1	0.2 %
61.0	-	1	0.2 %
63.0	-	1	0.2 %
65.0	-	2	0.4 %
66.0	-	1	0.2 %
67.0	-	1	0.2 %
69.0	-	1	0.2 %
71.0	-	1	0.2 %
72.0	-	1	0.2 %
75.0	-	1	0.2 %
76.0	-	8	1.7 %
76.5	-	1	0.2 %
77.0	-	4	0.8 %
78.0	-	1	0.2 %
79.0	-	3	0.6 %
80.0	-	1	0.2 %
81.0	-	3	0.6 %
82.0	-	2	0.4 %
84.0	-	5	1.0 %
85.0	-	2	0.4 %
86.0	-	6	1.2 %
87.0	-	6	1.2 %
87.5	-	2	0.4 %
88.0	-	3	0.6 %
88.9	-	1	0.2 %

Value	Label	Unweighted Frequency	%
89.0	-	9	1.9 %
89.2	-	1	0.2 %
90.0	-	2	0.4 %
90.5	-	1	0.2 %
91.0	-	10	2.1 %
91.4	-	1	0.2 %
91.5	-	1	0.2 %
91.6	-	1	0.2 %
92.0	-	10	2.1 %
93.0	-	5	1.0 %
93.5	-	2	0.4 %
	Missing Data		
.	-	122	25.4 %
	Total	480	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 358 valid cases out of 480 total cases.

- Mean: 97.08
- Median: 99.80
- Minimum: 24.00
- Maximum: 200.00
- Standard Deviation: 20.96

Location: 369-373 (width: 5; decimal: 1)

Variable Type: numeric

JJ29: 2nd Waist Circumference Measure

Measure 2

Value	Label	Unweighted Frequency	%
26.0	-	1	0.2 %
30.0	-	1	0.2 %
31.0	-	1	0.2 %
32.0	-	2	0.4 %
33.0	-	1	0.2 %
34.0	-	1	0.2 %
35.0	-	2	0.4 %
37.0	-	1	0.2 %
38.0	-	1	0.2 %
39.0	-	1	0.2 %

Value	Label	Unweighted Frequency	%
42.0	-	1	0.2 %
43.0	-	1	0.2 %
44.0	-	1	0.2 %
46.0	-	1	0.2 %
48.0	-	1	0.2 %
50.0	-	1	0.2 %
57.0	-	1	0.2 %
62.0	-	1	0.2 %
63.0	-	1	0.2 %
65.0	-	3	0.6 %
67.0	-	1	0.2 %
69.0	-	1	0.2 %
71.0	-	2	0.4 %
72.0	-	1	0.2 %
74.0	-	1	0.2 %
75.0	-	1	0.2 %
76.0	-	2	0.4 %
76.3	-	1	0.2 %
76.5	-	2	0.4 %
77.0	-	4	0.8 %
77.5	-	1	0.2 %
78.0	-	2	0.4 %
79.0	-	1	0.2 %
80.0	-	1	0.2 %
81.0	-	1	0.2 %
82.0	-	3	0.6 %
83.0	-	1	0.2 %
84.0	-	4	0.8 %
84.3	-	1	0.2 %
85.0	-	3	0.6 %
86.0	-	5	1.0 %
86.5	-	1	0.2 %
87.0	-	5	1.0 %
87.3	-	1	0.2 %
88.0	-	7	1.5 %
88.9	-	1	0.2 %
89.0	-	6	1.2 %
89.1	-	1	0.2 %
89.3	-	1	0.2 %

Value	Label	Unweighted Frequency	%
90.0	-	4	0.8 %
	Missing Data		
.	-	119	24.8 %
	Total	480	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 361 valid cases out of 480 total cases.

- Mean: 97.71
- Median: 100.00
- Mode: 107.00
- Minimum: 26.00
- Maximum: 198.00
- Standard Deviation: 21.06

Location: 374-378 (width: 5; decimal: 1)

Variable Type: numeric

KK96: Has Ever Stayed in a Nursing Home

KK6.P Have you/has respondent (name) ever been in a nursing home or rest home or an assisted living facility in which you/s/he received some help with daily activities like preparing meals, bathing or getting dressed, or going to the bathroom?

Value	Label	Unweighted Frequency	%
1	Yes	64	13.3 %
2	No	415	86.5 %
	Missing Data		
8	Do not know	1	0.2 %
	Total	480	100%

Based upon 479 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 379-379 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

KK96A: Year When First Entered Nursing Home

KK6a.P When did you/he/she enter the facility?

Value	Label	Unweighted Frequency	%
2003	-	1	0.2 %
2005	-	1	0.2 %

Value	Label	Unweighted Frequency	%
2006	-	1	0.2 %
2008	-	1	0.2 %
2010	-	3	0.6 %
2011	-	3	0.6 %
2012	-	3	0.6 %
2013	-	6	1.2 %
2014	-	13	2.7 %
2015	-	22	4.6 %
2016	-	8	1.7 %
	Missing Data		
.	-	418	87.1 %
	Total	480	100%

Based upon 62 valid cases out of 480 total cases.

- Mean: 2013.53
- Median: 2014.00
- Mode: 2015.00
- Minimum: 2003.00
- Maximum: 2016.00
- Standard Deviation: 2.67

Location: 380-383 (width: 4; decimal: 0)

Variable Type: numeric

KK96B1: Know how long in Nursing Home?

KK6b.P How long were you/was he/she in this facility?

Value	Label	Unweighted Frequency	%
1	Yes	53	11.0 %
2	No	0	0.0 %
	Missing Data		
8	Do not know	11	2.3 %
.	-	416	86.7 %
	Total	480	100%

Based upon 53 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 384-384 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

KK96BD: Length of Stay: Days

KK6b.P How long were you/was he/she in this facility? Number of days

Value	Label	Unweighted Frequency	%
4	-	1	0.2 %
7	-	1	0.2 %
10	-	1	0.2 %
14	-	5	1.0 %
15	-	2	0.4 %
20	-	1	0.2 %
21	-	2	0.4 %
25	-	1	0.2 %
27	-	1	0.2 %
29	-	1	0.2 %
30	-	2	0.4 %
31	-	1	0.2 %
44	-	1	0.2 %
46	-	1	0.2 %
51	-	1	0.2 %
58	-	1	0.2 %
100	-	1	0.2 %
	Missing Data		
.	-	456	95.0 %
	Total	480	100%

Based upon 24 valid cases out of 480 total cases.

- Mean: 27.25
- Median: 21.00
- Mode: 14.00
- Minimum: 4.00
- Maximum: 100.00
- Standard Deviation: 20.88

Location: 385-387 (width: 3; decimal: 0)

Variable Type: numeric

KK96BY: Length of Stay: Years

KK6b.P How long were you/was he/she in this facility? Number of years

Value	Label	Unweighted Frequency	%
1	-	1	0.2 %
2	-	3	0.6 %

Value	Label	Unweighted Frequency	%
3	-	1	0.2 %
4	-	1	0.2 %
5	-	1	0.2 %
	Missing Data		
.	-	473	98.5 %
	Total	480	100%

Based upon 7 valid cases out of 480 total cases.

- Mean: 2.71
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.38

Location: 388-388 (width: 1; decimal: 0)

Variable Type: numeric

KK96BM: Length of Stay: Months

KK6b.P How long were you/was he/she in this facility? Number of months

Value	Label	Unweighted Frequency	%
1	-	5	1.0 %
2	-	6	1.2 %
3	-	1	0.2 %
4	-	2	0.4 %
5	-	2	0.4 %
6	-	2	0.4 %
9	-	2	0.4 %
10	-	2	0.4 %
40	-	1	0.2 %
	Missing Data		
.	-	457	95.2 %
	Total	480	100%

Based upon 23 valid cases out of 480 total cases.

- Mean: 5.57
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 8.10

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

MOVSOON9: Plan on Moving in Next Few Years?

NN3a.P Do you plan to move in the next few years?

Value	Label	Unweighted Frequency	%
1	Yes	5	1.0 %
2	No	463	96.5 %
	Missing Data		
8	Do not know	12	2.5 %
	Total	480	100%

Based upon 468 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 391-391 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

OO912: Type of Housing

OO12. Type of housing

Value	Label	Unweighted Frequency	%
1	Single-family house	376	78.3 %
2	Multi-family house	12	2.5 %
3	Apartment	63	13.1 %
4	Assisted living	25	5.2 %
7	Other	4	0.8 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 392-392 (width: 1; decimal: 0)

Variable Type: numeric

OO92: Was Someone Else Present During Interview?

OO2. Was someone else present during the interview?

Value	Label	Unweighted Frequency	%
1	Yes	341	71.0 %
2	No	139	29.0 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 393-393 (width: 1; decimal: 0)

Variable Type: numeric

OO98A: Was the Respondent Bedridden?

OO8. Why were some or all of the physical measures not attempted? Respondent is bedridden

Value	Label	Unweighted Frequency	%
1	Yes	50	10.4 %
2	No	413	86.0 %
	Missing Data		
6	N/A	17	3.5 %
	Total	480	100%

Based upon 463 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 394-394 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6

OO98B: Respondent Unable to Stand Even with Support

OO8. Why were some or all of the physical measures not attempted? Respondent cannot stand even with support

Value	Label	Unweighted Frequency	%
1	Yes	123	25.6 %
2	No	340	70.8 %
	Missing Data		
6	N/A	17	3.5 %
	Total	480	100%

Based upon 463 valid cases out of 480 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 395-395 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6

OO98C: Respondent Uses Support to Stand

OO8. Why were some or all of the physical measures not attempted? Respondent needs support when standing (walker, crutch)

Value	Label	Unweighted Frequency	%
1	Yes	247	51.5 %
2	No	198	41.2 %
	Missing Data		
6	N/A	35	7.3 %
	Total	480	100%

Based upon 445 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 396-396 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6

OO98D: Respondent Cannot Understand Instruction

OO8. Why were some or all of the physical measures not attempted? Respondent cannot understand what to do, even when demonstrated

Value	Label	Unweighted Frequency	%
1	Yes	94	19.6 %
2	No	359	74.8 %
	Missing Data		
6	N/A	27	5.6 %
	Total	480	100%

Based upon 453 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 397-397 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6

OO98E: Respondent is Blind

OO8. Why were some or all of the physical measures not attempted? Respondent is completely blind

Value	Label	Unweighted Frequency	%
1	Yes	22	4.6 %
2	No	437	91.0 %
	Missing Data		
6	N/A	21	4.4 %
	Total	480	100%

Based upon 459 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 398-398 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6

OO98F: Respondent is Dizzy

OO8. Why were some or all of the physical measures not attempted? Respondent was dizzy

Value	Label	Unweighted Frequency	%
1	Yes	41	8.5 %
2	No	416	86.7 %
	Missing Data		
6	N/A	23	4.8 %
	Total	480	100%

Based upon 457 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 399-399 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6

OO98H: Respondent is Paralyzed

OO8. Why were some or all of the physical measures not attempted? Respondent is paralyzed

Value	Label	Unweighted Frequency	%
1	Yes	16	3.3 %
2	No	446	92.9 %
	Missing Data		
6	N/A	18	3.8 %

Value	Label	Unweighted Frequency	%
	Total	480	100%

Based upon 462 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 400-400 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6

OO98I: Respondent is Deaf

OO8. Why were some or all of the physical measures not attempted? Respondent is deaf

Value	Label	Unweighted Frequency	%
1	Yes	35	7.3 %
2	No	430	89.6 %
	Missing Data		
6	N/A	15	3.1 %
	Total	480	100%

Based upon 465 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 401-401 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6

OO98G: Other Issue Present with Respondent

OO8. Why were some or all of the physical measures not attempted? Other (not specified)

Value	Label	Unweighted Frequency	%
1	Yes	223	46.5 %
2	No	240	50.0 %
	Missing Data		
6	N/A	17	3.5 %
	Total	480	100%

Based upon 463 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 402-402 (width: 1; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 6

OO99A: Interview Completed By

OO9a. Completed:

Value	Label	Unweighted Frequency	%
1	Respondent Only	316	65.8 %
2	Proxy Only	77	16.0 %
3	Both(long proxy version)	87	18.1 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 403-403 (width: 1; decimal: 0)
Variable Type: numeric

PRXRILL9: Reason for Proxy: Subject Physically Ill

REASON FOR PROXY: Answers not mutually exclusive Subject physically ill; recovering from hospital

Value	Label	Unweighted Frequency	%
0	No	438	91.2 %
1	Yes	42	8.8 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 404-404 (width: 1; decimal: 0)
Variable Type: numeric

PRXDEAF9: Reason for Proxy: Subject was Deaf/Blind

REASON FOR PROXY: Answers not mutually exclusive Subject was deaf

Value	Label	Unweighted Frequency	%
0	No	460	95.8 %
1	Yes	20	4.2 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 405-405 (width: 1; decimal: 0)

Variable Type: numeric

PRXAWAY9: Reason for Proxy: Subject Away Indefinitely

REASON FOR PROXY: Answers not mutually exclusive Subject away indefinitely

Value	Label	Unweighted Frequency	%
0	No	476	99.2 %
1	Yes	4	0.8 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 406-406 (width: 1; decimal: 0)

Variable Type: numeric

PRXMENT9: Reason for Proxy: Subject is Mentally Incapacitated

REASON FOR PROXY: Answers not mutually exclusive Subject is mentally incapacitated (dementia, Alzheimer's)

Value	Label	Unweighted Frequency	%
0	No	377	78.5 %
1	Yes	103	21.5 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 407-407 (width: 1; decimal: 0)

Variable Type: numeric

PRXNONH9: Reason for Proxy: Denied Access to Subject

REASON FOR PROXY: Answers not mutually exclusive Denied access

Value	Label	Unweighted Frequency	%
0	No	475	99.0 %
1	Yes	5	1.0 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 408-408 (width: 1; decimal: 0)

Variable Type: numeric

PRXOTH9: Reason for Proxy: Other Reason

REASON FOR PROXY: Answers not mutually exclusive Other reason

Value	Label	Unweighted Frequency	%
0	No	411	85.6 %
1	Yes	69	14.4 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 409-409 (width: 1; decimal: 0)

Variable Type: numeric

OO9D9: Is the Proxy a Caregiver of the Respondent?

OO9d. Is the Proxy a caregiver of the respondent?

Value	Label	Unweighted Frequency	%
1	Yes	147	30.6 %
2	No	17	3.5 %
	Missing Data		
.	-	316	65.8 %
	Total	480	100%

Based upon 164 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 410-410 (width: 1; decimal: 0)

Variable Type: numeric

OO99LANG: Language Interview Completed In

OO9b. Completed:

Value	Label	Unweighted Frequency	%
1	English	102	21.2 %
2	Spanish	378	78.8 %
	Total	480	100%

Based upon 480 valid cases out of 480 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 411-411 (width: 1; decimal: 0)

Variable Type: numeric