

ICPSR 29654

**Hispanic Established Populations  
for the Epidemiologic Study of the  
Elderly (HEPESE) Wave 6,  
2006-2007 [Arizona, California,  
Colorado, New Mexico, and Texas]**

Kyriakos S. Markides  
*University of Texas-Medical Branch*

Laura A. Ray  
*University of Texas-Medical Branch*

Ronald Angel  
*University of Texas-Austin*

David V. Espino  
*University of Texas-San Antonio, Health  
Science Center*

Codebook

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/29654/terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

Variable to denote original or new subjects:

(0) ORIGINAL	921
(1) NEW	621

**NEW**

Interviewer: Is this the same address as before?

(0) No	148
(1) Yes	1394

**SAMEADDR6**

Age: in Years Range (77-111), Mean 83.5, Std. 4.8 N= 1542

**AGE6**

**S5.P** Relationship of Proxy to Respondent (N=267)

**PROXREL6**

(02) Spouse	76
(03) Son/Daughter	179
(04) Son/Daughter-in-law	11
(05) Grandchild	9
(07) Brother/Sister	8
(08) Nephew/Niece	5
(09) Cousin	1
(12) Other Relative	1
(13) Friend	6
(15) Paid Employee	7
(16) Other non-relative	2
(17) Sister/ Brother In-Law	2
(.) Frequency Missing	1235

**S5. P** Respondent Gender

**SEX6**

Male (1)	577
Female (2)	965

## Section A. BACKGROUND QUESTIONS FROM PRIOR WAVES

**A1.P.** Nativity Status

(1) US Born	679
(0) Mexico Born	863

**NATIVITY**

Updated Created Variable is years in the USA for Mexico born  
(2007-AGE\_ARR\_US)

**YRS\_IN\_USA6**

Range (3-100), Mean 49.33 std. 19.6 n=675, missing=4

**A9.P** What is the highest grade or year of regular school that you have completed?

Range (0-20), Mean 5.0 std. 4.05 n=1539, missing=3

**YRSEDUC**

Frequencies of years of education -**YRSEDUC**

(00) None	263
(01)	82
(02)	123
(03)	188
(04)	148
(05)	111

(06)	176
(07)	56
(08)	90
(09)	56
(10)	51
(11)	17
(12) High School Graduate/GED equivalent	131
(13)	9
(14)	11
(15)	4
(16) College Graduate - 4 Year	13
(17, 20) Any Graduate Education	10

**A10.P** Are you married, separated, divorced, widowed, or never married?  
(INCLUDE COMMON LAW MARRIAGES UNDER MARRIED)

**MARSTAT6**

(1) Married	590
(2) Separated	31
(3) Divorced	55
(4) Widowed	796
(5) Never married	69
(9) Refused	1

**A11.P** How long have you been (married/separated/divorced/widowed)? INTERVIEWER:

Range (1-99), Mean 34.09 std. 25.6 n=1472, missing=70

**MARLEN6**

## **Section B. LIVING ARRANGEMENTS**

**B1.P** How many people live in this household?

**NHOUSE6**

Range (1-10), Mean 2.32 std. 1.45 n=1533, missing=9

**B2.P** Who is the head of this household, what is their relationship to you/to the respondent?

(01) Respondent is head of household	1058	<b>HHREL6</b>
(02) Spouse	210	
(03) Son/Daughter	186	
(04) Son/Daughter-in-law	45	
(05) Grandchild	8	
(07) Brother/Sister	15	
(08) Nephew/Niece	8	
(12) Other Relative	2	
(13) Friend	1	
(15) Paid Employee	1	
(16) Other non-relative	2	
(17) Sister/Brother in-law	2	
(97) In Nursing Home	4	

**BASE: MORE THAN 1 PERSON IN HOUSEHOLD**

**B4.P** We would like to know how the **OTHER** people who live here with you are related to you.  
**DO NOT REPEAT THE RESPONDENT'S NAME OR THE HEAD OF HOUSEHOLD.**

**Relationship of first person.****OREL61**

(02) Spouse	346
(03) Son/Daughter	327
(04) Son/Daughter-in-law	53
(05) Grandchild	65
(06) Parent	2
(07) Brother/Sister	21
(08) Nephew/Niece	12
(11) Great Grandchild	2
(12) Other Relative	6
(13) Friend	3
(14) Boarder/roomer	4
(15) Paid Employee	11
(16) Other non-relative	1
(17) Sister/Brother In-Law	1
(.) Frequency Missing	688

**Relationship of second person.****OREL62**

(02) Spouse	13
(03) Son/Daughter	134
(04) Son/Daughter-in-law	38
(05) Grandchild	123
(06) Parent	1
(07) Brother/Sister	1
(08) Nephew/Niece	12
(11) Great Grandchild	13
(12) Other Relative	6
(13) Friend	1
(14) Boarder/roomer	2
(15) Paid Employee	2
(16) Other non-relative	2
(.) Frequency Missing	1194

**Relationship of third person.****OREL63**

(02) Spouse	5
(03) Son/Daughter	30
(04) Son/Daughter-in-law	6
(05) Grandchild	111
(08) Nephew/Niece	5
(11) Great Grandchild	19
(12) Other Relative	4
(14) Boarder/ Roomer	2
(15) Paid Employee	1
(16) Other non-relative	4
(.) Frequency Missing	1355

<b>Relationship of fourth person.</b>		<b>OREL64</b>
(02) Spouse	3	
(03) Son/Daughter	5	
(05) Grandchild	70	
(11) Great Grandchild	16	
(12) Other Relative	2	
(13) Friend	2	
(14) Boarder/Roomer	1	
(16) Other non-relative	1	
(.) Frequency Missing	1142	

<b>Relationship of fifth person.</b>		<b>OREL65</b>
(02) Spouse	1	
(03) Son/Daughter	3	
(04) Son/Daughter-in-law	1	
(05) Grandchild	31	
(11) Great Grandchild	11	
(12) Other Relative	2	
(14) Boarder/ Roomer	1	
(.) Frequency Missing	1492	

<b>Relationship of sixth person.</b>		<b>OREL66</b>
(03) Son/Daughter	3	
(04) Son/Daughter-in-law	1	
(05) Grandchild	11	
(11) Great Grandchild	3	
(12) Other Relative	2	
(14) Boarder/Roomer	1	
(.) Frequency Missing	1521	

<b>B6.P. Have you moved since the last time we talked to you?</b>		<b>MOVED6</b>
(1) Yes	157	
(2) No	1384	
(8) Don't Know	1	

<b>B6a.P. Why did you move? (of 157 )</b>		<b>ASSTLIV6</b>
I needed to move into an assisted living facility		
(1) Yes	39	
(0) No	118	

To be closer to my children		<b>CLOSKIDS6</b>
(0) No	122	
(1) Yes	35	

Other reasons		<b>MOVOTH6</b>
(1) Yes	90	
(0) No	67	

Other specify_____	88	<b>MOVOTHSPE6</b>
(Responses included in data file, but not listed here)		

<b>CREATED/COLLAPSED VARIABLE FROM MOVOTHSPE6</b>	<b>RMOVE6</b>
---	---------------

(1) Needed to go to nursing home or care center	9
(2) Needed to be close to friends	1
(3) Moved for monetary reasons, rent high	8
(4) Moved for housing reasons – demolished, remodel, repaint	34
(5) Wanted to live with family members, not alone	19
(6) Wanted to live alone	11
(7) Needed to be closer to doctors/ hospitals	6

**B7.P.** Has anyone moved in with you since we last talked?

**MOVEIN6**

(1) Yes	139
(2) No	1401
(8) Don't Know	1
(.) Frequency Missing	1

**B7a.P.** Who moved in with you? (Relationship of up to 4 people) (of 138)

**Relationship of first person.**

**WHOMOV61**

(03) Son/daughter	80
(04) Son/daughter-in-law	11
(05) Grandchild	22
(07) Brother/sister	3
(08) Nephew/Niece	5
(12) Other Relative	1
(13) Friend	1
(14) Boarder/roomer	2
(15) Paid employee	7
(16) Other non-relatives	3
(17) Sister/Brother In-Law	1

**Relationship of second person.**

**WHOMOV62**

(02) Spouse	1
(03) Son/daughter	7
(04) Son/daughter-in-law	7
(05) Grandchild	16
(08) Nephew/Niece	2
(11) Great Grandchild	2
(12) Other Relative	2
(14) Boarder/Roomer	1
(16) Other non-relatives	1

**Relationship of third person.**

**WHOMOV63**

(05) Grandchild	17
(08) Nephew/Niece	1
(11) Great Grandchild	3
(12) Other relatives	1
(16) Other non-relatives	1

**Relationship of fourth person.**

**WHOMOV64**

(05) Grandchild	9
(11) Great Grandchild	3
(12) Other non-relatives	1

**B7b.P.** Why did \_\_\_\_\_ move in with you? (of 138)

I needed help taking care of myself or the house		<b>TAKECARE6</b>
(0) No	79	
(1) Yes	59	
(Person who moved in) needed a place to stay		<b>PLASTAY6</b>
(0) No	80	
(1) Yes	58	
Other reason, not specified		<b>YOUOTH6</b>
(0) No	113	
(1) Yes	25	
Other specify_____ (of 25) 24 responses, 1 missing (Responses not listed, reasons mostly due to family situations.)		<b>YOUOTHSPE6</b>

#### Section D. INSTRUMENTAL SOCIAL SUPPORT/FAMILY CONTACTS

##### ASKED OF ALL SUBJECTS:

**D1.P** Now, I would like to know how many living children (including adopted, foster or step-children) you have? (Note: 107 Had 0 children)

Range (0-17), Mean 4.61, Std. 3.00 n=1529

(8) Don't know	4
(9) Refused	11

**NKIDS6**  
**DKNKIDS6**

**D2.P** How many of your children do you see at least once a month?

(of 1422 with kids) Range (0-12), Mean 3.26, Std. 2.27 n=1417

(8) Don't know	4
(9) Refused	1

**SEEMON6**  
**DKSEE6**

**D5.** How many relatives do you have that you feel close to--that you feel at ease with, can talk to about private matters, or can call (INCLUDE siblings and in-laws, EXCLUDE spouse and children.)

Range (0-30), Mean 1.68 std. 2.57 n=1536

(8) Don't know	4
(9) Refused	2

**CLOSREL6**  
**DKCLOS6**

**IF THE SUBJECT SAID THEY HAD 0 CLOSE RELATIVES (n=612), SKIP TO D6.**

**D5a.** How many of these relatives (#RELATIVES IN D5) do you see at least once a month?

Range (0-20), Mean 2.01 std. 2.14 n= 924

(8) Don't know	0
(9) Refused	0

**RSEEMON6**  
**DKRSEE6**

**D6.** Other than members of your family, how many close friends do you have--people that you feel at ease with, can talk to about private matters, or can call on for help?

Range (0-50), Mean 1.54 std. 3.25 n=1531

(8) Don't know	9
(9) Refused	2

**CLSFRN6**  
**DKCLOS6**

**IF THE SUBJECT SAID THEY HAD 0 CLOSE FRIENDS (N=710), SKIP TO D3.**

**D6a.** How many close friends (#FRIENDS IN D6) do you see at least once a month?



Range (0-25), Mean 2.32 std. 2.42 n=821

(8) Don't know	0
(9) Refused	0

**FSEEMON6**  
**DKFSEE6**

**D3.** In times of trouble; can you count on at least some of your family or friends most of the time, some of the time, or hardly ever?

(1) Most of the time	1054	<b>COUNTON6</b>
(2) Some of the time	218	
(3) Hardly ever	73	
(8) Don't know	11	
(.) Frequency Missing	186	

**D4.** Can you talk about your deepest problems with at least some of your family or friends most of the time, some of the time, or hardly ever?

(1) Most of the time	909	<b>TALK6</b>
(2) Some of the time	300	
(3) Hardly ever	130	
(8) Don't know	12	
(.) Frequency Missing	191	

### Section G. GLOBAL HEALTH RATING

G1.P Now I would like to ask you some questions about your health. Overall, how would you rate your health: excellent, good, fair, or poor?

(1) Excellent	92	<b>HEALTH6</b>
(2) Good	430	
(3) Fair	698	
(4) Poor	321	
(8) Don't Know	1	

### Section M. DIABETES

#### ASK EVERYONE

**M1.P** Have you ever been told by a doctor that you have diabetes, sugar in your urine, or high blood sugar? (no longer have a borderline category)

(1) Yes, definitely	533	<b>MDIAB61</b>
(2) No	1004	
(8) Don't know	5	

**If yes (n=369) continue, otherwise skip to last question in section**

**M2.P** At what age did a doctor first tell you that you have diabetes?

Range (1-95), Mean 65.0 std. 15.9 n=476, missing=1

**MDIAB62**

**M3.P** Are you taking any medicine for diabetes now?

(1) Yes	479	<b>MDIAB63</b>
(2) No	54	

**M6.P** Are you now taking insulin shots? (of 479) **MDIAB66A**

(1) Yes	135
(2) No	342
(8) Don't Know	2

**BASE: TAKING MEDICINE FOR DIABETES in M1.**

**M6b.P** Are you now taking diabetes pills? **MDIAB66B**

(1) Yes	394
(2) No	81
(8) Don't Know	4

**M7.P** For how many years altogether (have you taken/did you take) insulin shots? Note: could have answered combinations so the n's might not add up exactly.

Months- Range (1-30) Mean 7.3 std. 7.4 (n=19)

**MDIAB67b**

Years- Range (1-44) Mean 10.4 std. 9.1 (n= 96)

**MDIAB67a**

**M10.P** Did the doctor ever ask you to follow a special diet for your diabetes? **MDIAB610**

(1) Yes	351
(2) No	175
(8) Don't know	7

**M10a.P** Are you following that diet now? (of 351) **MDIAB610a**

(1) Yes	271
(2) No	77
(8) Don't know	3

**M8a.P** As a result of your diabetes, have you ever had any problems with your kidneys?

(1) Yes	64	<b>ASK M8b.</b>	<b>MDIAB68A</b>
(2) No	460	<b><u>SKIP TO M8D</u></b>	
(8) Don't know	9	<b><u>SKIP TO M8D</u></b>	

**M8b.P** Are you currently receiving kidney dialysis or artificial kidney treatments? **MDIAB68B**

	(of 64)
(1) Yes	13
(2) No	46
(8) Don't Know	5

**M8d.P** As a result of your diabetes, have you ever had any problems with your eyes?

(1) Yes	181	<b>MDIAB68D</b>
(2) No	337	
(8) Don't know	15	

**M8f.P** As a result of your diabetes, have you ever had any problems with the circulation in your legs or arms, or not?

(1) Yes	213	<b>MDIAB68F</b>
(2) No	297	
(8) Don't know	20	

**M12.P.** About how often do you check your blood for glucose or sugar? (excludes times checked by doctor)

(1) Never or almost never	54	<b>MDGLUC6</b>
(2) Several times a year	41	
(3) Once or twice a month	44	
(4) Almost every week	53	
(5) More than once a week	62	
(6) Every day	267	
(8) Don't know	9	
(9) Refused	3	

N= 533 Mean: 4.67 Range: (1-9) St.dev: 1.84

**M13.P.** About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for hemoglobin "A one C"?

(0) No	58	<b>NOA1C6</b>
(7) Never heard of hemoglobin A1c	217	
(8) Don't know	115	
(9) Refused	1	
(.) Frequency Missing	1151	

## Section P. FALLS and PAIN

<b>P8.</b> During the past 12 months, how many times do you fall and land on the floor or ground.		
(1) None	1005	(SKIP TO P10.) <b>P8FALLS6</b>
(2) 1 time	278	(ASK P9.)
(3) 2 times	102	(ASK P9.)
(4) 3 or more times	153	(ASK P9.)
(8) DK	4	(SKIP TO P10.)

<b>P9.</b> Went to hospital/ ER due to fall (of 553 who fell)		<b>P9FALLS6</b>
(1) Yes	191	
(2) No	342	

<b>P10.</b> How afraid are you of falling		<b>P10FALLS6</b>
(1) Not afraid	429	
(2) Somewhat afraid	305	
(3) Fairly afraid	208	
(4) Very afraid	408	
(8) DK	3	
(.) Missing/Proxies	189	

## ASK P5 of EVERYONE

**P5.** In the past month, did you notice any pain or discomfort when you stood or walked?

(1) Yes	823	<b>PARTH65</b>
---------	-----	----------------

(2) No	692
(8) Don't know	23
(.) Missing	4

**ASK Q1 of EVERYONE**

**Section Q. INCONTINENCE**

Now I have some brief questions about your urine.

**Q1.** How often do you have difficulty holding your urine until you can get to a toilet – never, hardly ever, some of the time, most of the time, or all of the time? **QINCON61**

(0) Never	778
(1) Hardly ever	139
(2) Some of the time	281
(3) Most of the time	65
(4) All of the time	78
(5) All the time (catheter or cancer)	10
(8) Don't know	3
(9) Refused	1
(.) Frequency Missing	187

**Section R. SLEEP PROBLEMS**

Now we would like to get some information on how well you sleep.

**R1.** How often in the past month did you

a. Have trouble falling asleep **RSLEEP6a**

(0) Not at All	977
(1) 1-3 Days	133
(2) 4-7 Days	111
(3) 8-14 Days	76
(4) 15+ Days	182
(8) Don't Know	1
(9) Refused	1
(.) Frequency Missing	61

b. Wake up several times per night **RSLEEP6b**

(0) Not at All	684
(1) 1-3 Days	179
(2) 4-7 Days	122
(3) 8-14 Days	99
(4) 15+ Days	396
(9) Refused	1
(.) Frequency Missing	61

c. Have trouble staying asleep (including waking far too early) **RSLEEP6c**

(0) Not at All	993
(1) 1-3 Days	122
(2) 4-7 Days	113
(3) 8-14 Days	86
(4) 15+ Days	164
(8) Don't Know	2
(9) Refused	1
(.) Frequency Missing	61

d. Wake up after your usual amount of sleep feeling tired and worn out **RSLEEP6d**

(0) Not at All	1018
(1) 1-3 Days	132
(2) 4-7 Days	100
(3) 8-14 Days	89
(4) 15+ Days	138
(8) Don't Know	3
(9) Refused	1
(.) Frequency Missing	61

**R2. Quality of Sleep**

**RSLPQUAL6**

(1) Very Good	351
(2) Good	760
(3) Bad	192
(4) Very Bad	36
(8) Don't Know	142
(.) Frequency Missing	61

**R.3 Average # of Hours of Sleep per Night**

**RSLPAVG6**

(1) Less than 5 hours	47	53
(2) 5 hours		166
(3) 6 hours		237
(4) 7 hours		393
(5) 8 hours		292
(6) 9 hours		330
(7) Greater than 10 hours		17
(8) Don't Know		5
(9) Refused	5	

**ASK EVERYONE**

**Section S. HEARING**

**S5. P.** (With/Without a hearing aid) can you usually hear and understand what a person says without seeing his face if that person talks in a normal voice to you in a quiet room? **SHEAR65**

(1) Yes, without a hearing aid	1122
(2) Yes, with a hearing aid	89
(3) No	307
(8) Don't know	18
(9) Refused	5
(.) Frequency Missing	1

**Section V. VISION**

**V6. P** Can you see well enough to recognize a friend or a family member (when wearing glasses/contacts if applicable)?

a. Across the street

**VVIS66A**

(1) Yes	1281
(2) No	222
(3) Blind	20

(8) Don't Know	18	
(.) Frequency Missing	1	
b. Across the room		<b>VVIS66B</b>
(1) Yes	1413	
(2) No	95	
(3) Blind	20	
(8) Don't Know	13	
(.) Frequency Missing	1	
c. Who is at arm's length away		<b>VVIS66C</b>
(1) Yes	1425	
(2) No	82	
(3) Blind	21	
(8) Don't Know	13	
(.) Frequency Missing	1	
Created variable 'Difficulty with distant vision' (if vvis66a=2 or vvis66b=2)		<b>DVISION6</b>
(0) No	1303	
(1) Yes	225	
Created variable 'Difficulty with near vision' (if vvis56c=2)		<b>NVISION6</b>
(0) No	1446	
(1) Yes	82	
Created from "blind" responses -Subject is blind .....		<b>Blind6</b>
(0) No	1518	
(1) Yes	24	

# ASK EVERYONE

## Section GG. BLOOD PRESSURE

**GG1.P-R** Now I would like to take your pulse and two blood pressure readings. PULSE FOR 30 SECONDS? (excludes True Proxies n=153)

(13-90) Range, Mean 35.0, Std. 6.1 n=1318, missing=224		<b>GG61</b>
(0) Unsuccessful	21	<b>NOGG61</b>
(9) Refused	50	
Range: (10-200) Mean: 130.8 Std.: 21.0 N=1303, missing=239		<b>GG62</b>
(0) Unsuccessful	35	<b>NOGG62</b>
(9) Refused	51	
Range: (64-230), Mean: 161.0 Std.: 20.1 N=1308, missing=234		<b>GG63</b>
(0) Unsuccessful	30	<b>NOGG63</b>
(9) Refused	51	

## SEATED BLOOD PRESSURE READINGS:

<b>GG4. P-R</b> First seated blood pressure reading?		
<b>Systolic</b>		<b>GG4SYS6</b>
Range: (82-200) Mean: 127.3 Std.: 15.65 N= 1266, missing=276		
(0) Unsuccessful	12	<b>NOGG4SYS6</b>
(9) Refused	111	
<b>Diastolic</b>		<b>GG4DIA6</b>

Range: (40-110) Mean: 72.84 Std.: 9.31 N= 1266, missing=276  
(0) Unsuccessful 12

**NOGG4DIA6**

**GG5. P-R** Second seated blood pressure reading?

**Systolic**

**GG5SYS6**

Range: (80-200) Mean: 126.97 Std.: 15.19 N= 1265, missing=277

(0) Unsuccessful 13

**NOGG5SYS6**

(9) Refused 111

**Diastolic**

**GG5DIA6**

Range: (42-114) Mean: 72.99 Std.: 8.79 N= 1263, missing=279

(0) Unsuccessful 15

**NOGG5DIA6**

Number of systolic readings

**NSBP6**

(0) No readings 269

(1) One reading 11

(2) Both readings 1260

(.) Missing 2

**Created Variable:** Average systolic blood pressure

Range (82-200), Mean 127.05 std. 15.32 n= 1272

**SBP\_AVG6**

Number of diastolic readings

**NDBP6**

(0) No readings 270

(1) One reading 11

(2) Both readings 1259

(.) Missing 2

**Created Variable:** Average diastolic blood pressure

Range (41-112), Mean 72.9 std. 8.9 n= 127

**DBP\_AVG6**

**Note: There are a few subjects that had an unsuccessful first reading, but a successful second reading and vice-versa. That is why the N's for the averages are slightly higher.**

**STANDING BLOOD PRESSURE READING: (Not included in averages)**

**Systolic**

Range (80-220), Mean 127.67 std. 15.79 n= 1184, missing=358

**GG7SYS6**

(0) Unsuccessful 13

**NOGG7SYS6**

(9) Refused 247

(.) Missing 1282

Diastolic blood pressure

Range (40-122), Mean 73.95 std. 8.73 n= 1182, missing=360

**GG7DIA6**

(0) Unsuccessful 15

**NOGG7DIA6**

(.) Missing 15 (probably could not remain standing)

**P-R** Cuff size?

**GG66**

(1) Regular 1253

(2) Pediatric 9

(3) Large arm 16

(7) Not performed 264

**GG. BLOOD PRESSURE REPORTING CATEGORIES**

**GGCAT6**

(1) Category 1 338

(2) Category 2	544
(3) Category 3	357
(4) Category 4	32
(5) Category 5	0

## Section K. HYPERTENSION (ASK EVERYONE)

**K1.P** Has a doctor ever told you that you have high blood pressure?

**KHYPER61**

(1) Yes	1026
(2) Suspect/possible	9
(3) No	491
(8) Don't know	16

YES (1026) OR SUSPECT(9) (K1) N= 1035

**K2.P** How many years ago were you told you that you have high blood pressure?

Range (1-65), Mean 12.8 std. 11.9 (n= 869)

**KHYPER62**

**K4.P** Are you currently taking any medication for high blood pressure? (of 1035)

(1) Yes	966
(2) No	65
(8) Don't know	4

**KHYPER64**

## Section U – OTHER HEALTH PROBLEMS (ASK EVERYONE)

**U3.P** Has a doctor or other health care professional ever told you that you had any of the following conditions:

**U3a.** Kidney Disease

**U63A**

(1) Yes	178
(2) No	1350
(8) Don't know	13
(9) Refused	1

**U3d.** Liver Disease

**U63D**

(1) Yes	129
(2) No	1400
(8) Don't know	12
(9) Refused	1

**U3f.** Osteoporosis

**U63F**

(1) Yes	347
(2) No	1155
(8) Don't know	39
(9) Refused	1

**U3g.** Emphysema

**U63G**

(1) Yes	138
(2) No	1390
(8) Don't know	13



**LCANCR61**

- (8) Don't know 7  
(9) Refused 1

Where was the cancer – specify? (of 110)

**LCANCR65**

(Responses included in data file, but not listed here)

**CREATED/COLLAPSED VARIABLE FROM LCANCR65**

**TYPECANCER6**

BREAST	26
COLON	14
FEMALE (CERVICAL, UTERINE)	5
KIDNEY	3
LIVER	1
LUNG	4
NON-HODGKIN'S LYMPHOMA	2
ORAL (MOUTH, THROAT)	2
PANCREAS	1
PROSTATE	33
SKIN	14
SPINE	1
UNSPECIFIED	4
MISSING	16

**I1.P** Had a heart attack, or coronary, or myocardial infarction, or coronary thrombosis?

- (1) Yes 56  
(2) No 1484  
(8) Don't know 2

**ICARDI61**

**I5.P.** If "Yes", were you hospitalized overnight for this?

**ICARDI65**

- (1) Yes 54  
(2) No 2

**J1P.** Had/suspect a stroke, blood clot in the brain, or brain hemorrhage?

**JSTROK61**

- (1) Yes 65  
(2) No 1473  
(8) Don't Know 4

**J5.P.** If "Yes", were you hospitalized overnight for this?

**JSTROK65**

- (1) Yes 51  
(2) No 14

**N.1P.** Had broken or fractured your hip? .....

**NFRAC61**

- (1) Yes 38  
(2) No 1504

**N5.P.** If "Yes", were you hospitalized overnight for this?

**NFRAC65**

- (1) Yes 34  
(2) No 3  
(8) Don't know 1

**N.3P.** Had broken or fractured any other bone?

**NFRAC63**

- (1) Yes 103  
(2) No 1438  
(8) Don't know 1

**N.4P. IF "YES" Where was this other fracture? (of 103)**

**NFRAC64**

Back:	4
Arm:	14
Leg:	22
Foot:	18
Ribs:	9
Hand:	4
Shoulder:	10
Tailbone:	1
Clavicle:	1
Hip:	4
Wrist:	16
Face:	2

**(If FEMALE)**

**U2F. In the past two years have you had a MAMMOGRAM? .....**

**U2FMAMM6**

(1) Yes	380
(2) No	557
(8) Don't know	24
(9) Refused	4

**U2F. In the past two years have you had a PAP SMEAR? .....**

**U2HPAP6**

(1) Yes	251
(2) No	683
(8) Don't know	27
(9) Refused	4

**ASK U3 of EVERYONE**

**U3AMP Have you ever had any part of your body amputated?**

**U3AMP6**

(1) Yes	56
(2) No	1479
(.) Frequency Missing	7

Amputation? FINGERS  
8 out of 56

**FINGERS6**

Amputation? TOES  
13 out of 56

**TOES6**

Amputation? ONE FOOT  
1 of 56

**ONEFOOT6**

Amputation? BOTH FEET  
0 out of 56

**BOTHFEET6**

Amputation? LOWER LEG  
13 out of 56

**LOWERLEG6**

Amputation? BOTH LOWER LEGS  
4 out of 56

**BOTHLOWLEG6**

Amputation? HAND

**AMPHAND6**

0 out of 56

Amputation? BREAST  
14 out of 56

**AMPBREAST6**

Amputation? ARM  
1 out of 56

**AMPARM6**

Amputation? OTHERS

**AMPUTOTHER6**

Testicle 1 of 56

Both Legs Above Knee – 2004: Left Leg, 2007 Right Leg 1 of 56

Halfway up Upper Right Leg 1 of 56

One Hand 1 of 56

(.) Frequency Missing 1538

**BASE: HAVE HAD AMPUTATION**

**U3z.P** What caused you to have or need this/these amputations? .....

**UAMP3Z6**

(1) Diabetes	23
(2) Other Illness	23
(3) Work related accident	6
(4) Auto Accident	1
(5) Accident in the home	2
(6) Other type of accident	1

**W. Mini Mental Status Exam****W1.** What is the year?**WCORR61**

(0) Error/Refused/Don't Know	322
(1) Correct	1053
(.) Frequency Missing	167

**W2.** What is the season?**WCORR62**

(0) Error/Refused/Don't Know	516
(1) Correct	859
(.) Frequency Missing	167

**W3.** What is the month?**WCORR63**

(0) Error/Refused/Don't Know	232
(1) Correct	1143
(.) Frequency Missing	167

**W4.** What is the date?**WCORR64**

(0) Error/Refused/Don't Know	475
(1) Correct	900
(.) Frequency Missing	167

**W5.** What is the day of the week?**WCORR65**

(0) Error/Refused/Don't Know	217
(1) Correct	1158
(.) Frequency Missing	167

**W6.** Can you tell me where we are right now? For instance, what state are we in?**WCORR66**

(0) Error/Refused/Don't Know	157
(1) Correct	1218
(.) Frequency Missing	167

**W7.** What county are we in?**WCORR67**

(0) Error/Refused/Don't Know	363
(1) Correct	1011
(.) Frequency Missing	168

**W8.** What (city/town) are we in?**WCORR68**

(0) Error/Refused/Don't Know	128
(1) Correct	1247
(.) Frequency Missing	167

**W9.** What floor of the building are we on?

**WCORR69**

(0) Error/Refused/Don't Know	161
(1) Correct	1213
(.) Frequency Missing	168

**W10.** What is this address?

**WCORR610**

(0) Error/Refused/Don't Know	258
(1) Correct	1115
(.) Frequency Missing	169

**W11.** I'm going to name three objects. After I have said them, I want you to repeat them.  
Remember what they are because I am going to ask you to name them again in a few minutes

**WMMSE611A**

a. Apple	
(0) Error/Refused/Don't Know	133
(1) Correct	1242
(.) Frequency Missing	167

**WMMSE611B**

b. Table	
(0) Error/Refused/Don't Know	168
(1) Correct	1207
(.) Frequency Missing	167

**WMMSE611C**

c. Penny	
(0) Error/Refused/Don't Know	182
(1) Correct	1193
(.) Frequency Missing	167

**W12.** Now I'd like you to spell the word "world" backwards. All 5 letters correct?

**WCORR612**

(0) Error/Refused/Don't Know	872
(1) Correct	517
(.) Frequency Missing	153

**W13.** Now what are the objects I asked you to remember?

**WMMSE613A**

a. Apple	
(0) Error/Refused/Don't Know	344
(1) Correct	1031
(.) Frequency Missing	167

**WMMSE613B**

b. Table	
(0) Error/Refused/Don't Know	525
(1) Correct	850
(.) Frequency Missing	167

**WMMSE613C**

c. Penny	
(0) Error/Refused/Don't Know	615
(1) Correct	760
(.) Frequency Missing	167

**W14. What is this called? (watch)**

**WMMSE614**

(0) Error/Refused/Don't Know	90
(1) Correct	1266
(7) Unable to do	20
(.) Frequency Missing	166

**W15. What is this called? (pencil)**

**WMMSE615**

(0) Error/Refused/Don't Know	85
(1) Correct	1271
(7) Unable to do	20
(.) Missing & proxies	166

**W16. I'd like you to repeat a phrase after me.**

**WMMSE616**

(0) Error/Refused/Don't Know	282
(1) Correct	1094
(.) Frequency Missing	166

**W17. Please read the words on this card and then do what it says.**

**CLOSE YOUR EYES**

**WMMSE617**

(0) Error/Refused/Don't Know	151
(1) Correct	991
(7) Unable to do	234
(.) Frequency Missing	166

**W18. I'm going to give you a piece of paper. When I do, take the paper in your right hand, fold it in half with both hands, and put it on the floor.**

**a. Takes paper in right hand**

**WMMS618A**

(0) Error/Refused/Don't Know	209
(1) Correct	1116
(7) Unable to do	51
(.) Frequency Missing	166

**b. Folds paper in half**

**WMMS618B**

(0) Error/Refused/Don't Know	167
(1) Correct	1158
(7) Unable to do	51
(.) Frequency Missing	166

c. Puts paper down on the floor

**WMMS618C**

(0) Error/Refused/Don't Know	165
(1) Correct	1149
(7) Unable to do	62
(.) Frequency Missing	166

**W19.** Please write a complete sentence on the piece of paper

**WMMSE619**

(0) Error/Refused/Don't Know	204
(1) Correct	846
(7) Unable to do	326
(.) Frequency Missing	166

**W20.** Here is a drawing. Please copy it exactly on this sheet of paper.

**WMMSE620**

(0) Error/Refused/Don't Know	576
(1) Correct	587
(7) Unable to do	213
(.) Frequency Missing	166

Created Variable

**TOTMMSE6**

Range: (0-30); Mean: 20.03; St. Dev: 9.02 n=1461, missing=81

(note: if a proxy had mental problems/dementia/Alzheimer's disease as the reason for proxy, they were coded as a 0. However, if an assisted proxy attempted to complete the Mini Mental and had an actual score, they retained their score)



## X. CENTER FOR EPIDEMIOLOGIC STUDIES

**X1.** I was bothered by things that usually don't bother me.

**X6CESD1**

(0) Rarely/None	853
(1) Some/Little	260
(2) Occas/Moderate	130
(3) Most/All	96
(.) Frequency Missing	203

**X2.** I did not feel like eating: my appetite was poor/

**X6CESD2**

(0) Rarely/None	1019
(1) Some/Little	177
(2) Occas/Moderate	79
(3) Most/All	75
(.) Frequency Missing	192

**X3.** I felt that I could not shake off the blues even with help from my family and friends.

**X6CESD3**

(0) Rarely/None	970
(1) Some/Little	214
(2) Occas/Moderate	86
(3) Most/All	68
(.) Frequency Missing	204

**X4.** I felt that I was just as good as other people.

**X6CESD4**

(0) Rarely/None	948
(1) Some/Little	130
(2) Occas/Moderate	137
(3) Most/All	62
(.) Frequency Missing	265

(reverse this item when computing scale)

**X5.** I had trouble keeping my mind on what I was doing.

**X6CESD5**

(0) Rarely/None	805
(1) Some/Little	342
(2) Occas/Moderate	111
(3) Most/All	85
(.) Frequency Missing	199

**X6.** I felt depressed.

**X6CESD6**

(0) Rarely/None	837
(1) Some/Little	335
(2) Occas/Moderate	102
(3) Most/All	68
(.) Frequency Missing	200

**X7.** I felt that everything I did was an effort.

**X6CESD7**

(0) Rarely/None	667
(1) Some/Little	309
(2) Occas/Moderate	161
(3) Most/All	203
(.) Frequency Missing	202

**X8.** I felt hopeful about the future.

**X6CESD8**

(reverse this item when computing scale)

(0) Rarely/None	696
(1) Some/Little	257
(2) Occas/Moderate	257
(3) Most/All	76
(.) Frequency Missing	256

**X9.** I thought my life had been a failure.

**X6CESD9**

(0) Rarely/None	1177
(1) Some/Little	73
(2) Occas/Moderate	24
(3) Most/All	32
(.) Frequency Missing	236

**X10.** I felt fearful.

**X6CESD10**

(0) Rarely/None	1055
(1) Some/Little	208
(2) Occas/Moderate	41
(3) Most/All	38
(.) Frequency Missing	200

**X11.** My sleep was restless.

**X6CESD11**

(0) Rarely/None	928
(1) Some/Little	196
(2) Occas/Moderate	97
(3) Most/All	127
(.) Frequency Missing	194

**X12.** I was happy.

**X6CESD12**

(reverse this item when computing scale)

(0) Rarely/None	799
(1) Some/Little	283
(2) Occas/Moderate	217
(3) Most/All	37
(.) Frequency Missing	206

**X13.** It seemed that I talked less than usual.

**X6CESD13**

(0) Rarely/None	1083
(1) Some/Little	160
(2) Occas/Moderate	57
(3) Most/All	48
(.) Frequency Missing	194

**X14.** I felt lonely.

**X6CESD14**

(0) Rarely/None	925
(1) Some/Little	224
(2) Occas/Moderate	92
(3) Most/All	96
(.) Frequency Missing	205

**X15.** People were unfriendly.

**X6CESD15**

(0) Rarely/None	1185
(1) Some/Little	105
(2) Occas/Moderate	24
(3) Most/All	15
(.) Frequency Missing	213

**X16.** I enjoyed life.

**X6CESD16**

(reverse this item when computing scale)

(0) Rarely/None	716
(1) Some/Little	312
(2) Occas/Moderate	264
(3) Most/All	41
(.) Frequency Missing	209

**X17.** I had crying spells.

**X6CESD17**

(0) Rarely/None	940
(1) Some/Little	270
(2) Occas/Moderate	68
(3) Most/All	71
(.) Frequency Missing	193

**X18.** I felt sad.

**X6CESD18**

(0) Rarely/None	773
(1) Some/Little	382
(2) Occas/Moderate	102
(3) Most/All	95
(.) Frequency Missing	190

**X19.** I felt that people disliked me.

**X6CESD19**

(0) Rarely/None	1168
(1) Some/Little	94
(2) Occas/Moderate	22
(3) Most/All	21
(.) Frequency Missing	237

**X20.** I could not get going.

**X6CESD20**

(0) Rarely/None	840
(1) Some/Little	301
(2) Occas/Moderate	88
(3) Most/All	117
(.) Frequency Missing	196

**CESDTOT6**

Range: (0-51); Mean 9.9; St. Dev:9.2 n=1354

**CASE6**

(0) No	1022
(1) Yes	332
(.) Frequency Missing	188

## **Y. SMOKING**

**Y3.** Do you smoke cigarettes now?

**YSMOKE63**

(1) Yes	79
(2) No	1463

## **Z. ALCOHOL CONSUMPTION**

**Z2P.** In the past month, have you had any beer, wine or liquor?

**ZALC62**

(1) Yes	193
(2) No	1346
(8) Don't Know	2
(9) Refused	1

**AA. MEDICATIONS**

**AA1 P.** During the past 2 weeks, did you take or use any medicine prescribed by a doctor (including those mentioned earlier).

**AAMED61**

(1) Yes	1296
(2) No	155
(8) DK	5
(9) REF	2
(.) Frequency Missing	84

**AA2 P.** Did you take or use any drugs prescribed by a doctor that are not to be taken regularly, but only as needed?

**AAMED62**

(1) Yes, past 2 wks	247
(2) Yes, no past 2 wks	79
(3) No	1099
(8) DK	25
(9) REF	4
(.) Frequency Missing	88

**AA2a P.** Did you ever not get prescriptions filled because you do not have enough money to pay for them?

**AAMED62A**

(1) Yes	355
(2) No	1082
(8) DK	10
(9) REF	2
(.) Frequency Missing	93

**AA3 P.** We are also interested in other medicines not prescribed by a doctor, such as aspirin or other pain medications, laxatives, vitamins or medicines for colds. During the past 2 weeks, did you take any medicine not prescribed by a doctor?

**AAMED63**

(1) Yes	924
(2) No	520
(8) DK	7
(9) REF	4
(.) Frequency Missing	87

**AA5 P.** May I please see all these medicines (containers) and vitamins that you have taken or used in the past 2 weeks, and the drugs that you take only as needed?

**AAMED65**

(1) Yes	1293
(2) No	84
(9) REF	35
(.) Frequency Missing	130

**Section BB. IADLs**

- a. Can you use the telephone without help (including looking up numbers and dialing)? **BB1A6**
- |         |      |
|---------|------|
| (1) Yes | 1159 |
| (2) No  | 383  |
- b. Can you drive your own car or travel alone on buses or taxis? **BB1B6**
- |                       |     |
|-----------------------|-----|
| (1) Yes               | 745 |
| (2) No                | 794 |
| (8) Don't know        | 1   |
| (9) Refused           | 1   |
| (.) Frequency Missing | 1   |
- c. Can you go shopping for groceries or clothes without help (taking care of all shopping needs yourself, assuming you had transportation)? **BB1C6**
- |                       |     |
|-----------------------|-----|
| (1) Yes               | 827 |
| (2) No                | 714 |
| (.) Frequency Missing | 1   |
- d. Can you prepare your own meals without help (plan and cook full meals yourself)? **BB1D6**
- |         |      |
|---------|------|
| (1) Yes | 1057 |
| (2) No  | 485  |
- e. Can you do light housework without help (dishwashing and bed making, etc)? **BB1E6**
- |         |      |
|---------|------|
| (1) Yes | 1079 |
| (2) No  | 463  |
- f. Can you take you medicine without help (in the right doses at the right time)? **BB1F6**
- |                       |      |
|-----------------------|------|
| (1) Yes               | 1126 |
| (2) No                | 410  |
| (8) Don't know        | 3    |
| (9) Refused           | 1    |
| (.) Frequency Missing | 2    |
- g. Can you handle your money without help (write checks, pay bills, etc)? **BB1G6**
- |                |      |
|----------------|------|
| (1) Yes        | 1032 |
| (2) No         | 509  |
| (8) Don't know | 1    |
- h. Can you do heavy work around the house like washing windows, walls and floors without help? **BB1H6**
- |                |      |
|----------------|------|
| (1) Yes        | 517  |
| (2) No         | 1024 |
| (8) Don't know | 1    |
- i. Can you walk up and down stairs to the second floor without help? **BB1I6**
- |                |     |
|----------------|-----|
| (1) Yes        | 704 |
| (2) No         | 827 |
| (8) Don't know | 7   |
| (9) Refused    | 4   |

j. Can you walk half a mile without help?		<b>BB1J6</b>
(1) Yes	675	
(2) No	850	
(8) Don't know	14	
(9) Refused	1	
(.) Frequency Missing	2	

CREATED VARIABLES:

Recode 1 (unable to do), 2 to 0(able), 8 & 9 to missing and sum **TOTIADL6**  
 Range: (0-10); Mean: 4.19; St.dev: 3.62 N=1541, missing=1

(0) No help needed/able to do	368	<b>ANYIADL6</b>
(1) Help with 1 or more	1173	
(.) Frequency Missing	1	

**BASE: NEEDS HELP FROM PERSON FOR AT LEAST ONE ACTIVITY (Q. BB1 AT LEAST ONE ITEM A-J=2)**

\*BB1KP Who is this person and what is their relationship to you?

(02) Spouse	148	<b>HLPREL61</b>
(03) Son/daughter	475	
(04) Son/daughter in-law	23	
(05) Grandchild	25	
(07) Brother/Sister	13	
(08) Nephew/Niece	18	
(09) Cousin	3	
(11) Great Grandchild	1	
(12) Other Relative	2	
(13) Friend	18	
(14) Boarder/Roomer	1	
(15) Paid Employee	361	
(16) Other non-relative	46	
(17) Sis/Bro in-law	2	
(8) Don't know	11	<b>DKHELP61</b>
(9) Refused	3	
(.) Frequency Missing	406	

Anyone else?

(02) Spouse	26	<b>HLPREL62</b>
(03) Son/daughter	175	
(04) Son/daughter in-law	21	
(05) Grandchild	38	
(07) Brother/Sister	10	
(08) Nephew/Niece	7	
(09) Cousin	2	
(11) Great Grandchild	2	
(12) Other Relative	1	
(13) Friend	9	
(14) Boarder/Roomer	1	
(15) Paid Employee	74	
(16) Other non-relative	20	
(8) Don't know	20	<b>DKHELP62</b>
(9) Refused	4	
(.) Frequency Missing	1156	

# **ADLs**

**BB2.P** At the present time, do you need help from another person or special equipment or a device for?

a. Walking across a small room **BB2A6**

(1) Need Help	447
(2) Don't Need Help	1071
(3) Unable to do	78
(.) Frequency Missing	1

b. Bathing (either a sponge bath, tub bath, or shower) **BB2B6**

(1) Need Help	450
(2) Don't Need Help	1071
(3) Unable to do	21

c. Personal grooming like brushing hair, brushing teeth, or washing face **BB2C6**

(1) Need Help	246
(2) Don't Need Help	1281
(3) Unable to do	15

d. Dressing (like putting on a shirt, buttoning and zipping, or putting on shoes) **BB2D6**

(1) Need Help	315
(2) Don't Need Help	1210
(3) Unable to do	17

e. Eating (like holding a fork, cutting food, or drinking from a glass) **BB2E6**

(1) Need Help	139
(2) Don't Need Help	1393
(3) Unable to do	10

f. Getting from a bed to a chair **BB2F6**

(1) Need Help	527
(2) Don't Need Help	961
(3) Unable to do	54

g. Using the toilet **BB2G6**

(1) Need Help	276
(2) Don't Need Help	1241
(3) Unable to do	25

## CREATED VARIABLES:

Recode 1, 3 to 1(help), 2 to 0(no help), 8 & 9 to missing and sum

Range: (0-7); Mean: 1.7; St.dev: 2.34 N=1541, missing=1

**TOTADL6**

(0) No help needed/able to do	756
(1) Help with 1 or more	785
(.) Frequency Missing	1

**ANYADL6**

You said you need help to\_\_\_\_\_.

\*BB2hP Is this help from a person from special equipment, or both?

**TYPEHLP6**

(1) Person	257
(2) Special Equipment	144
(3) Both	387



\*BB2i.P Who is this person, and what is their relationship to you?

**MOSTHLP6**

(02) Spouse	218
(03) Son/daughter	167
(04) Son/daughter in-law	9
(05) Grandchild	6
(06) Parent	1
(07) Brother/Sister	3
(08) Nephew/Niece	8
(09) Cousin	1
(11) Great Grandchild	1
(12) Other Relative	2
(13) Friend	2
(15) Paid Employee	212
(16) Other non-relative	29
(8) Don't know	0
(9) Refused	1

**DKMOST6**

Anyone else?

**ELSEREL61**

(02) Spouse	14
(03) Son/daughter	63
(04) Son/daughter in-law	1
(05) Grandchild	18
(07) Brother/Sister	3
(08) Nephew/Niece	3
(11) Great Grandchild	2
(13) Friend	5
(14) Boarder/Roomer	1
(15) Paid Employee	46
(16) Other non-relative	12
(8) Don't know	11
(9) Refused	1

**DKELSE61**

Anyone else?

**ELSEREL62**

(03) Son/daughter	15
(04) Son/daughter in-law	5
(05) Grandchild	6
(07) Brother/Sister	2
(15) Paid Employee	6
(16) Other non-relative	2
(17) Sis/bro in-law	1
(8) Don't know	16
(9) Refused	1

**DKELSE62**

**QQ. WALKING**

QQ1. In the past 14 days did you go walking for exercise?

**QQ16**

(1)Yes	441
(2)No	881
(8)Don't know	1
(9)Refused	3
(.) Frequency Missing	216

QQ1a. On the average, how many times in the past 14 days did you go walking for exercise?

**QQ1a6**

N=438 Range: (1-60); Mean: 8.31; St.dev: 4.82

QQ1b. About how many minutes did you actually spend on each occasion?

**QQ1b6**

N=436 Range: (2-180); Mean: 37.8; St.dev: 33.1

QQ2. In addition to walking for exercise, in the past 14 days, have you done any other walking, for example, go to the store, to visit someone in the neighborhood, or to go to church.

**QQ26.**

(1)Yes	768
(2)No	554
(8)Don't know	2
(9)Refused	2
(.) Frequency Missing	216

QQ2a. On the average, how many times in the past 14 days did you go walking like that?

**QQ2a6**

N= 763 Range: (1-90); Mean: 7.74; St.dev: 5.77

QQ2b. About how many minutes did you actually spend on each occasion?

**QQ2b6**

N=761 Range: (2-180); Mean: 44.6; St.dev: 40.3

**Section CC. STRESSORS/LIFE EVENTS****CC1.P** As I read the list, stop me whenever I mention something that happened to you in the last year, that is since (DATE ONE YEAR AGO). During the past year:

h. Did you have to assume responsibility for taking regular care of someone else

**CC61H**

(1) Yes	66
(2) No	1470
(8) Don't Know	2
(.) Frequency Missing	4

I. Was your spouse placed in a nursing home or rest home?

**CC61L**

(1) Yes	14
(2) No	1517
(8) Don't Know	3
(9) Refused/NA-never married	1
(.) Frequency Missing	7

**CC3.** Please think about your life as a whole. How satisfied are you with it?

**CC63**

(1) Completely satisfied	435
(2) Very satisfied	637
(3) Somewhat satisfied	220
(4) Not at all satisfied	17
(8) Don't know	28
(9) Refused	2
(0) Frequency Missing	203

**DD. HEALTH LOCUS OF CONTROL**

DD1. How concerned are you about being unable to be independent and take care of yourself and your affairs in the future?

**DD61**

(1)Very concerned	224
(2)Somewhat concerned	537
(3)Not concerned at all	542
(8)Don't know	31
(9)Refused	3
(0) Frequency Missing	205

DD2. To what extent do you feel you can control the general state of your health through your own actions a great deal, somewhat, or not at all?

**DD62**

(1)A great deal	389
(2)Somewhat	765
(3)Not at all	86
(8)Don't know	92
(9)Refused	5
(.)Frequency Missing	205

**Section EE. RELIGION AND SOCIAL INVOLVEMENT**

**EE2.P** About how often do you go to mass or services?

**EE62**

(1) Never or almost never	449
(2) Several times a year	247
(3) Once or twice a month	210
(4) Almost every week	483
(5) More than once a week	133
(8) Don't know	7
(9) Refused	11
(.) Frequency Missing	2

**Section HH. PERFORMANCE ORIENTED MOBILITY ASSESSMENT (POMA) (excludes proxies n=157)**

**Please observe the respondent and record YES or NO:**

**HHA. Is Respondent bedridden?**

**HHA6**

(1) Yes	31
(0) No	1354

**HHB. Is Respondent unable to stand even with support?**

**HHB6**

(1) Yes	74
(0) No	1311

**If YES TO Q.HHA OR Q.HHB, SKIP TO Q.HH7a, Hand Grip**

**HHC. Is Respondent only able to stand with support?**

**HHC6**

(1) Yes	342
(0) No	1043

**IF YES IN Q.HHC, SKIP TO Q.HH10, Gait/Walk**

**HHD. Does Respondent use a wheel chair?**

**HHD6**

(1) Yes	70
(0) No	1315

**IF YES IN Q.HHD, BUT CAN WALK WITH AID OF WHEEL CHAIR SKIP TO Q.HH10, Gait/Walk, OTHERWISE SKIP TO HH7a, Hand Grip.**

**IF NO TO ALL ABOVE ITEMS, ASK Q.HH1**

**STANDS - Side-By-Side Stand (Eyes Open)**

**IF RESPONDENT IS UNABLE TO STAND UNASSISTED, SKIP TO REPEATED CHAIR STANDS.**

**HH1.P-R** I would like you to try to stand with your feet together, side-by-side, for about ten seconds.

Number of seconds held:

**HH61**

N=911      Range: (2.5-10); Mean 9.95, Std. 0.54

**NOHH61**

(5) Tried but unable	17
(6) Not attempted, interviewer felt unsafe	17
(7) Not attempted, respondent felt unsafe	7
(9) Refused	38
(.) Frequency Missing	1463

(IF UNABLE TO HOLD PREVIOUS STAND FOR 10 SECONDS OR IF INTERVIEWER OR RESPONDENT THOUGHT ACTIVITY WAS UNSAFE, SKIP TO REPEATED CHAIR STANDS)

### **Semi-Tandem Stand (Eyes Open)**

**HH2.P-R** Now I would like you to try to stand with the side of the heel of one foot touching the big toe of the other foot for about ten seconds. You may use either foot, whichever is more comfortable for you.

Number of seconds held:

N=849 Range: (1-10); Mean 9.23; Std. 2.03

**HH62**

**NOHH62**

(5) Tried but unable	127
(6) Not attempted, interviewer felt unsafe	18
(7) Not attempted, respondent felt unsafe	13
(9) Refused	12
(.) Frequency Missing	1372

### **Tandem Stands (Eyes Open)**

**HH3.P-R** Now I would like you to try to stand with the heel of one foot in front of and touching the toes of the other foot for about ten seconds.

Number of seconds held:

N=632 Range: (0.60-10); Mean 8.26; Std. 2.90

**HH63**

**NOHH63**

(5) Tried but unable	209
(6) Not attempted, interviewer felt unsafe	26
(7) Not attempted, respondent felt unsafe	17
(9) Refused	11
(.) Frequency Missing	1279

### **REPEATED CHAIR STANDS**

**HH5a.P-R** Now I want to ask you to try to stand and sit in a chair five times. Do you think it would be safe for you to try to stand up from a chair without using your arms five times quickly?

(1) Yes	567
(2) No	322
(9) Refused	27
(8) Don't know	61
(.) Frequency Missing	565

**HH5a6**

*skip to HH5d6*

**ask HH5b6**

*skip to HH10a6*

*skip to HH5d6*

**HH5b.P-R** Why do you think it would be unsafe? (RECORD VERBATIM) Subject could answer more than one reason. (Subject can check multiple reasons.). Checked=1, unchecked=0

	<b>No</b> (0)	<b>Yes</b> (1)	
Can't stand on own	300	22	<b>UNSFSTN6</b>
Back problem	298	24	<b>UNSFBACK6</b>
Leg problems	270	52	<b>UNSFLEG6</b>
Knee problems	254	68	<b>UNSFKNEE6</b>
Dizzy spells	297	25	<b>UNSFDIR6</b>
Fear	306	16	<b>UNSFCEAR6</b>
Arthritis	292	30	<b>UNSFARTH6</b>
Don't know (8)	322	0	<b>UNSFDK6</b>
Refused (9)	317	5	<b>UNSFREF6</b>
Unsafe other reasons	314	8	<b>UNSFOTH6</b>

**HH5d.P-R.** Keep your arms folded across your chest. Please stand up straight as quickly as you can five times without stopping in between. Asked of those who said yes (n=567 don't know (n=61) to hh5a5.

Chair stands completed?

(1) Yes	557
(0) No	71

**HH5D6**  
*Skip to HH5f*

IASK H5C IF REPEATED CHAIR STANDS NOT COMPLETED (n=71)

**HH5C6**

**HH5c.P-R** Reason not completed?

(1) Tried but unable	56
(2) Not attempted, safety reasons	9
(3) Not attempted, chair bound	0
(4) Not attempted, no suitable chair	4
(9) Refused	2

**HH5f.P-R** Time to complete chair stands? (NEAREST 10<sup>th</sup> OF SECOND)  
N=562 Range: (1.5 -48.9); Mean 14.8, Std. 6.9 missing=5

**HH5F6**

**HH5g.P-R** Chair height (inches from floor to lowest point of chair)  
N=564 Range: (10.5-29); Mean 17.2; Std. 1.2 missing=3

**HH5G6**

### **GAIT ASSESSMENT - Walking**

IF RESPONDENT IS UNABLE TO WALK, EVEN WITH AN AID SUCH AS A CANE, WALKER, OR LEANING ON A WHEELCHAIR, SKIP TO Q.HH7a - GRIP STRENGTH

**HH10.P-R** Now we are going to observe how you normally walk. If you use a cane or other walking aid and would feel more comfortable with it, then you may use it. (Excludes proxies & exclusions).

a. Completed:

(1) Yes	969
(2) No	320

**HH10A6**

IF YES, CONTINUE, OTHERWISE SKIP TO HH10D - REASON WALK NOT COMPLETED

Seconds to complete?

N=969 Range: (1.9-48); Mean 7.75, Std. 6.24

**HH10B6**

c. Number of steps?

N=969 Range: (3-32); Mean 7.47, Std. 3.04

**HH10C6**

IF WALK COMPLETED, SKIP TO HH10E - AIDS FOR WALK, OTHERWISE CONTINUE

**b.** Reason walk not completed? (of 320 not completed)

(1) Tried but unable	13
(2) Not attempted, interviewer felt unsafe	100
(3) Not attempted, respondent felt unsafe	47
(4) NA	11
(9) Refused	149

**HH10D6**

d. Aids for first walk?		<b>HH10E6</b>
(1) No aid	851	
(2) Wheelchair	2	
(3) Walker	48	
(4) Quad cane	23	
(5) Other cane	37	
(6) Other walking aid	8	

<b>HH12a.P-R</b> Any difficulty finding 12-foot space for walking?		<b>HH12A6</b>
(1) Yes	207	
(0) No	922	

<b>HH12b.P-R</b> Type of walking surface?		<b>HH12b6</b>
(1) Uncarpeted	808	
(2) Low carpet	283	
(3) Other	24	

### **GRIP STRENGTH**

<b>HH7a.P-R.</b> Have you had any recent arm or hand surgery?		<b>HH7A6</b>
(1) Yes	0 (skip to II1b6 weight)	
(2) No	1364	
(8) Don't know	1	
(9) Refused	1	

**HH7b.P-R** (asked of all but those who said Yes (n=0))

Trial 1	N=1322	Range: ( 1 -43); Mean: 18.28; St. Dev: 7.67	<b>HH7B61</b>
---------	--------	---	---------------

Reason unable to complete trial 1		<b>NOHH7B61</b>
(1)Unable/Discontinued	17	
(2)Not performed for safety reasons	9	
(9)Refused	17	

Trial 2	N=1299	Range: (1.-45); Mean: 18.72; St.dev: 7.72	<b>HH7B62</b>
---------	--------	---	---------------

Reason unable to complete trial 2		<b>NOHH7B62</b>
(1 )Unable/Discontinued	17	
(2) Not performed for safety reasons	8	
(9) Refused	29	
(.) Missing (quit after trial 1)	13	

**Note:** (A subject could perform both Trials 1 & 2, 1 only or 2 only allowing at least n=1322)

<b>HH7c.P-R</b> Hand tested?		<b>HH7c6</b>
(1) Right	1151	
(2) Left	159	
(3) NA	13	

INTERVIEWER: RECORD GRIP SCALE FROM THE HANDLE		<b>GRIPSCL6</b>
(1) Scale size 5	376	
(2) Scale size 6	897	
(3) Scale size 7	33	
(.) Missing	16	

# Created Variables from the Performance Oriented Mobility Assessment (POMA)

**NOTE: If a subject was UNABLE to do the POMAs, we gave them a code of 0 if it was due to bedridden, can't stand even with support, blind, can't understand what to do, needs support to stand (only eligible to do walk and hand grip), or if they were dizzy. This included proxies due to the above reasons. Therefore, the number in this section is higher than the previous section with the individual items.**

Categorized Stands (Side-by-side, Semi, and Tandem) combined		<b>BAL6</b>
(0) Unable to do	564	
(1) Side-by-side	176	
(2) Semi-tandem	244	
(3) Tandem	41	
(4) Full Tandem	435	
Dichotomized Score for Stands		<b>DOBAL6</b>
(0) Unable to do	564	
(1) Completed	896	
Categorized Chair Stands		<b>SIT6</b>
(0) Unable to do	619	
(1) Poor	187	
(2) Moderate	82	
(3) Good	106	
(4) Best	255	
Dichotomized Score for Chair Stands		<b>DOSIT6</b>
(0) Unable to do	619	
(1) Completed	630	
(.) Frequency Missing	293	
Categorized Walking at normal pace time		<b>WALK6</b>
(0) Unable to do	477	
(1) Poor	201	
(2) Moderate	323	
(3) Good	311	
(4) Best	134	
Dichotomized Score for Walking at normal pace		<b>DOWALK6</b>
(0) Unable to do	477	
(1) Completed	969	
Total Summary Score		<b>TOTPOMA6</b>
N=1470 Range: (0-12); Mean: 4.44; St.dev: 3.95		
Categorized Summary Score		<b>POMACAT6</b>
(0) Unable to do	465	
(1) 1-4	288	
(2) 5-8	418	
(3) 9-12	299	

## Citations:

Guralnik, Jack M.; Ferrucci, Luigi; Simonsick, Eleanor M.; Salive, Marcel E. and Wallace, Robert B. "Lower-Extremity Function in Persons over the Age of 70 Years as a Predictor of Subsequent Disability". The New England Journal of Medicine 332(9), pp 556-561. 1995



**Section II. WEIGHT:**

**II1b.P-R** Now let's get your weight. Weight (to nearest pound) **II1b6**

N=1088 Range: (74-295); Mean: 148.49; St.dev: 29.21

**IF REFUSED TO GET ON SCALES, ASK II1d.**

**II1d.P-R** Can you please tell me how much you weigh? **II1d6**

N=287 Range: (65-350); Mean: 150.35; St.dev: 36.23

**II1c.P-R** INTERVIEWER: TYPE OF SURFACE. (for 1375 weight or reported weight)

**II1c6**

(1) Uncarpeted	838
(2) Low carpet	229
(3) Other (SPECIFY):	21
(4) Proxy supplied ht/wt	287

Created variable Body Mass Index (BMI) from height at previous wave of data and current weight measured and self-reported weight

N=1315 Range: (13.6-53); Mean 26.9. St. dev: 5.2

**BMI6**

**JJ. MINIMAL UMBILICUS MEASUREMENTS**

**JJ. P-R** Now I would like to measure your waist circumference. (RESPONDENT SHOULD BE STANDING ERECT WEARING ONLY ONE LAYER OF OUTER CLOTHING—MEASURE IN CENTIMETERS TO NEAREST MILLIMETER.)

Measure 1

**JJ16**

N= 1195 Range: (67-170.5); Mean: 101.54; St.dev: 13.79

Measure 2

**JJ26**

N= 1170 Range: (67-170.5); Mean: 101.4; St.dev: 13.5

**KK. HEALTH CARE SERVICE UTILIZATION**

**KK2.P** Not including any overnight stays in a nursing home or hospital, how many times in the past 12 months.

N= 1440 Range: (0-124); Mean: 7.2; St.dev: 7.8

**KK62**

(8) Don't know	56
(9) Refused	7
(.) Missing	1479

**NOKK62**

Created Variable at least 1 visit=1

**VISITMD6**

(1) Yes	1414
(0) No	26
(.) Missing, DK, Ref	102

**BASE: ALL RESPONDENTS**

**CC1a.P** Since (DATE ONE YEAR AGO) did you experience an illness or injury (get sick or get hurt) that required staying overnight or longer in a hospital (not a nursing home)?

(1) Yes	375
(2) No	1147
(8) Don't know	14
(9) Refused	6

**CC61A**

**ASK EVERYONE  
NURSING HOME**

**KK6.P** Have you/has respondent (name) \_\_\_\_\_ ever been in a nursing home or rest home or an assisted living facility in which you/s/he received some help with daily activities like preparing meals, bathing or getting dressed, or going to the bathroom? **KK66**

(1) Yes	110
(2) No	1430
(8) Don't Know	1
(9) Refused	1

**Ask KK67a**

**SKIP to Q.LL63**

**KK7.P First Episode:**

**KK7a.P** When did you/he/she enter the facility?

**KK67a**

1992	1
1998	1
2000	1
2001	3
2002	3
2003	9
2004	7
2005	16
2006	34
2007	27
2008	1
(8) Don't Know	6
(9) Refused	1

**NOKK67a**

**KK7b.P** How old were you/was he/she when you/he/she entered the facility?

N=103 Range: (65-98) Mean: 83.25; St. Dev: 5.67

(8) Don't Know 5

(9) Refused 2

**KK67b**

**NOKK67b**

**KK7c.P** What type of facility was this?

(1) Nursing Home 52

(2) Assisted Living Facility 32

(3) Other Similar Facility 25

(8) Don't know 1

**KK67c**

**KK7d.P** How long were you/was he/she in this facility?

#days

N= 36 Range: (1-40); Mean: 13.55; St.dev: 9.48

**KK67DD**

#years

N=23 Range: (1-6); Mean: 2.48; St.dev: 1.73

**KK67DY**

#months

N=40 Range: (1-18); Mean: 5.3; St.dev: 4.17

**KK67DM**

Don't know/refused to answer days, years and months

(8) Don't know 12

**NOKK67d**

**KK7e.P** How did you/he/she pay for the care?

(1) Medicaid only 87

(2) Out of pocket 2

(3) Other (not specified) 10

(4) Medicare only 3

(5) Medicare & Medicaid 1

(8) Don't know 6

(9) Refused 1

**KK67e**

**KK8f.P** Were you/was he/she ever in such a facility again?

(1) Yes 20

(2) No 88

(8) Don't Know 1

(9) Refused 1

**KK67f**

**Ask KK68a**

**SKIP to Q.LL63**

**KK8.P Second Episode:**

**KK8a.P** When did you/he/she enter the facility?

1980 1

2000 1

2003 2

2005 5

2006 4

2007 6

(8) Don't Know 1

**KK68A**

**NOKK68a**

**KK8b.P** How old were you/was he/she when you/he/she entered the facility?

N= 19 Range: (63-91); Mean: 82.89; St.dev: 6.27

**KK68B**

(8) Don't Know 1

**NOKK68b**

**KK8c.P** What type of facility was this?

**KK68c**

(1) Nursing Home 10

(2) Assisted Living Facility 7

(3) Other Similar Facility 3

**KK8d.P** How long were you/was he/she in this facility?

#days

N= 8 Range: (3-100); Mean: 28.75; St.dev: 32.12

**KK68DD**

#years

N= 3 Range: (3-6); Mean: 4.33; St.dev: 1.53

**KK68DY**

#months

N= 9 Range: (1-29); Mean: 8.4; St.dev: 10.1

**KK68DM**

Don't know/refused to answer days, years and months

**NOKK68d**

NA, all 20 answered above

**KK8e.P** How did you/he/she pay for the care?

**KK68e**

(1) Medicaid only 15

(2) Out of pocket 1

(3) Other (not specified) 2

(4) Medicare Only 1

(8) Medicare & Medicaid 1

**KK8f.P** Were you/ was he/she ever in such a facility again?

**KK69**

(1) Yes 7

(2) No 13

**LL. INCOME/FINANCIAL STRAIN**

**INTERVIEWER: ASK FOR LAST CALENDAR YEAR**

**LL3.P** About how much is your yearly household income for the past year (2005)?

**LL63**

(1) \$0-\$4,999	49
(2) \$5,000-\$9,999	499
(3) \$10,000-\$14,999	380
(4) \$15,000-\$19,999	194
(5) \$20,000-\$29,999	114
(6) \$30,000-\$39,999	27
(7) \$40,000-\$49,999	14
(8) \$50,000 & Over	18
(88) Don't Know	247

**LL5a.** How much difficulty do you have in meeting monthly payments on your bills?

**LL65A**

(1) A great deal	293
(2) Some	476
(3) A little	328
(4) None	244
(8) Don't know	23
(9) Refused	11
(.) Frequency Missing	167

**LL5b.** At the end of the month, do you usually end up with some money left over, just enough to make ends meet, or not enough money to make ends meet?

(1) Some money left over	349	<b>LL65B</b>
(2) Just enough to make ends meet	693	
(3) Not enough money to make ends meet	291	
(8) Don't know	25	
(9) Refused	14	
(.) Frequency Missing	170	

**Section MM. INSURANCE**

**MM9.P Medicare**

**a.** Are you covered by Medicare?

**MM69A**

(1) Yes	1466
(2) No	48
(8) Don't know	7
(9) Refused	11
(.) Frequency Missing	10

**IF YES, CONTINUE, ASK**

<b>a1.</b> Part A only		<b>MM69A1</b>
(1) Yes	940	
(2) No	499	
(8) Don't know	83	
(9) Refused	10	
(.) Frequency Missing	10	

<b>a2.</b>	Part B only		<b>MM69A2</b>
	(1) Yes	913	
	(2) No	527	
	(8) Don't know	82	
	(9) Refused	10	
	(.) Frequency Missing	10	
<b>a3.</b>	Both Part A & B		<b>MM69A3</b>
	(1) Yes	997	
	(2) No	423	
	(8) Don't know	101	
	(9) Refused	11	
	(.) Frequency Missing	10	
<b>b.</b>	Are you covered by Medicaid?		<b>MM69B</b>
	(1) Yes	759	
	(2) No	734	
	(8) Don't know	29	
	(9) Refused	10	
	(.) Frequency Missing	10	
<b>c.</b>	Are you covered by Private Insurance?		<b>MM69C</b>
	(1) Yes	139	
	(2) No	1353	
	(8) Don't know	29	
	(9) Refused	11	
	(.) Frequency Missing	10	
<b>e.</b>	Are you covered by Other Insurance?		<b>MM69E</b>
	(1) Yes	8	
	(2) No	1510	
	(8) Don't know	4	
	(9) Refused	10	
	(.) Frequency Missing	10	
Created variable which combine some of the above. Type of Insurance			<b>TYPEINS6</b>
	(0) Uninsured	44	
	(1) Any Private	730	
	(2) Medicaid	22	
	(3) Medicare & Medicaid	745	
	(4) VA	1	

**BASE: DIABETIC (n=533)**

If “Yes” to “ever told they had diabetes” – agreed to complete HbA1c finger prick test:

(1) Yes	289	<b>DOHBA1C6</b>
(2) No	232	
(.) Frequency Missing	1021	

Actually completed finger prick test and sent it in to the lab:

		<b>COMPLETEDA1c</b>
(1) Yes	266	

**HbA1c values** **HbA1c6**

N=266 (0-16.1) Range, Mean 7.3, Std. 2.3

Cut points for values:

<b>Excellent control</b>	<b><math>\leq 7\%</math></b>	<b>Target range</b>
<b>Good control</b>	<b><math>&gt;7</math> and <math>\leq 8\%</math></b>	<b>Monitor</b>
<b>Unsatisfactory control</b>	<b><math>&gt;8</math> and <math>\leq 10\%</math></b>	<b>Action Suggested</b>
<b>Poor control</b>	<b><math>&gt;10\%</math></b>	<b>Action Strongly URGED</b>

There were 12 subjects who had a value of 0.

A value of 0 should be thrown out, excluded from means. The subject completed the test but generally did not supply sufficient blood or the sample arrived in the lab too late to be analyzed.

**Section NN. Follow Up**

**NN3A.P** Do you plan to move in the next few years?

**MOVSOON6**

- |         |      |
|---------|------|
| (1) Yes | 43   |
| (2) No  | 1499 |

**Section OO. INTERVIEWER OBSERVATIONS/COMMENTS**

**OO2.** Was someone else present during the interview?

**OO62**

- |         |     |
|---------|-----|
| (1) Yes | 885 |
| (2) No  | 657 |

**OO8.** Why were some or all of the physical measures not attempted? (n=349+177, 282+170)  
(Coded 1 if checked off)

a. Respondent is bedridden

**OO68A**

- |                    |      |
|--------------------|------|
| (1) Yes            | 99   |
| (2) No             | 1377 |
| (6) Not Applicable | 66   |

b. Respondent cannot stand even with support

**OO68B**

- |                    |      |
|--------------------|------|
| (1) Yes            | 137  |
| (2) No             | 1336 |
| (6) Not Applicable | 69   |

c. Respondent needs support when standing (walker, crutch)

**OO68C**

- |                    |      |
|--------------------|------|
| (1) Yes            | 419  |
| (2) No             | 1008 |
| (6) Not Applicable | 115  |

d. Respondent cannot understand what to do, even when demonstrated

**OO68D**

- |                    |      |
|--------------------|------|
| (1) Yes            | 151  |
| (2) No             | 1322 |
| (6) Not Applicable | 69   |

e. Respondent is completely blind

**OO68E**

- |                    |      |
|--------------------|------|
| (1) Yes            | 52   |
| (2) No             | 1419 |
| (6) Not Applicable | 71   |

f. Respondent was dizzy

**OO68F**

- |                    |      |
|--------------------|------|
| (1) Yes            | 191  |
| (2) No             | 1278 |
| (6) Not Applicable | 73   |

h. Respondent is paralyzed

**OO68H**

- |                    |      |
|--------------------|------|
| (1) Yes            | 38   |
| (2) No             | 1434 |
| (6) Not Applicable | 70   |

i. Respondent is deaf

**OO68I**

- |                    |      |
|--------------------|------|
| (1) Yes            | 71   |
| (2) No             | 1401 |
| (6) Not Applicable | 70   |



g. Other (not specified)		<b>OO68G</b>
(1) Yes	742	
(2) No	734	
(6) Not Applicable	66	

<b>OO9a.</b> Completed:		<b>OO69A</b>
(1) Respondent only	1235	
(2) Proxy only <b>P</b>	153	
(3) Both (long proxy version) <b>P-R</b>	154	

<b>OO9b.</b> Completed:		<b>OO69LANG</b>
(1) English	252	
(2) Spanish	1290	

REASON FOR PROXY:      Answers not mutually exclusive      (Coded 1 if checked off)

(1) Subject physically ill; recovering from hospital	99	<b>PRXRILL6</b>
(2) Subject was deaf/blind	58	<b>PRXDEAF6</b>
(3) Subject away indefinitely	28	<b>PRXAWAY6</b>
(4) Subject is mentally incapacitated (dementia, Alzheimer's)	177	<b>PRXMENT6</b>
(5) Denied access	37	<b>PRXNONH6</b>
(6) Other reason	107	<b>PRXOTH6</b>

(Based on interviewer comments and notes, we were able to code most of the other reasons into categories 1-5 above. Reasons included illness, dementia, being in Mexico, moved, or denied access)

The variable **PROXOTH6** contains the verbatim answers.

OO9d. Is the Proxy a caregiver of the respondent?		<b>OO9D6</b>
(1) Yes	162	
(2) No	1	

## **ICPSR 29654**

# **Hispanic Established Populations for the Epidemiologic Study of the Elderly (HEPESE) Wave 6, 2006-2007 [Arizona, California, Colorado, New Mexico, and Texas]**

## **Variable Description and Frequencies**

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

# Hispanic Established Populations for the Epidemiologic Study of the Elderly (HEPESE) Wave 6, 2006-2007 [Arizona, California, Colorado, New Mexico, and Texas]

Q_NO		Respondent Q_NO			
Location:		1-5 (width: 5; decimal: 0)			
Variable Type:		numeric			
NEW		Is This an Original or New Subject			
Location:		6-6 (width: 1; decimal: 0)			
Variable Type:		numeric			
		Value	Label	Unweighted Frequency	%
		0	Original Subject	921	59.7 %
		1	New Subject	621	40.3 %
SAMEADDR6		Same Address as Previous Wave			
Location:		7-7 (width: 1; decimal: 0)			
Variable Type:		numeric			
Question:		Is this the same address as before?			
		Value	Label	Unweighted Frequency	%
		0	No	148	9.6 %
		1	Yes	1394	90.4 %
DATEINT6		Date of the Interview			
Location:		8-18 (width: 11; decimal: 0)			
Variable Type:		character			
		Value		Unweighted Frequency	%
		Apr-2007		120	7.8 %
		Aug-2007		123	8.0 %
		Dec-2007		74	4.8 %
		Feb-2007		125	8.1 %
		Feb-2008		9	0.6 %
		Jan-2008		11	0.7 %
		Jul-2007		167	10.8 %
		Jun-2007		198	12.8 %
		Mar-2007		190	12.3 %
		May-2007		145	9.4 %
		Nov-2007		93	6.0 %
		Oct-2007		118	7.7 %
		Sep-2007		169	11.0 %

- Study 29654 -

DOB6	Date of Birth
------	---------------

Location: 19-29 (width: 11; decimal: 0)

Variable Type: character

AGE6	Age at Time of Interview
------	--------------------------

Location: 30-32 (width: 3; decimal: 0)

Variable Type: numeric

Question: Age in Years.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
77	40	2.6 %
78	121	7.8 %
79	164	10.6 %
80	161	10.4 %
81	167	10.8 %
82	145	9.4 %
83	137	8.9 %
84	95	6.2 %
85	95	6.2 %
86	57	3.7 %
87	77	5.0 %
88	59	3.8 %
89	46	3.0 %
90	43	2.8 %
91	26	1.7 %
92	19	1.2 %
93	19	1.2 %
94	19	1.2 %
95	13	0.8 %
96	13	0.8 %
97	7	0.5 %
98	8	0.5 %
99	5	0.3 %
100	1	0.1 %
101	1	0.1 %
102	1	0.1 %
103	2	0.1 %
111	1	0.1 %

PROXREL6	What is the Relationship of the Proxy to Respondent
----------	---

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Spouse	76	4.9 %
3	Son/daugh	179	11.6 %
4	Son/daug-in-law	11	0.7 %
5	Grandchild	9	0.6 %
7	Brother/Sister	8	0.5 %
8	Newphew/Niece	5	0.3 %
9	Cousin	1	0.1 %
12	Oth Relative	1	0.1 %
13	Friend	6	0.4 %
15	Paid Employee	7	0.5 %
16	Oth non-relate	2	0.1 %
17	Sis/bro-in-law	2	0.1 %
. (M)	-	1235	80.1 %

**SEX6 Gender of the Respondent**

Location: 35-35 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Males	577	37.4 %
2	Females	965	62.6 %

**NATIVITY Respondent born in US or Mexico**

Location: 36-36 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	MX BORN	679	44.0 %
1	US BORN	863	56.0 %

**YRS\_IN\_USA6 Length of time in the US**

Location: 37-41 (width: 5; decimal: 1)

Variable Type: numeric

Question: Updated Created Variable is years in the USA for Mexico born.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.0	2	0.1 %
4.0	3	0.2 %
5.0	1	0.1 %
6.0	2	0.1 %
7.0	3	0.2 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
8.0	1	0.1 %
10.0	1	0.1 %
11.0	1	0.1 %
12.0	2	0.1 %
13.0	4	0.3 %
14.0	4	0.3 %
15.0	4	0.3 %
16.0	7	0.5 %
17.0	7	0.5 %
18.0	3	0.2 %
19.0	2	0.1 %
20.0	4	0.3 %
21.0	3	0.2 %
22.0	4	0.3 %
23.0	6	0.4 %
24.0	3	0.2 %
25.0	9	0.6 %
26.0	7	0.5 %
27.0	8	0.5 %
28.0	14	0.9 %
29.0	8	0.5 %
30.0	12	0.8 %
31.0	8	0.5 %
32.0	11	0.7 %
33.0	9	0.6 %
34.0	8	0.5 %
35.0	9	0.6 %
36.0	13	0.8 %
37.0	8	0.5 %
38.0	9	0.6 %
39.0	14	0.9 %
40.0	8	0.5 %
41.0	11	0.7 %
42.0	6	0.4 %
43.0	11	0.7 %
44.0	14	0.9 %
45.0	13	0.8 %
46.0	14	0.9 %
47.0	9	0.6 %
48.0	13	0.8 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
49.0	10	0.6 %
50.0	11	0.7 %
51.0	25	1.6 %
52.0	17	1.1 %
53.0	20	1.3 %
54.0	13	0.8 %
55.0	18	1.2 %
56.0	11	0.7 %
57.0	17	1.1 %
58.0	11	0.7 %
59.0	8	0.5 %
60.0	17	1.1 %
61.0	16	1.0 %
62.0	13	0.8 %
63.0	14	0.9 %
64.0	12	0.8 %
65.0	7	0.5 %
66.0	8	0.5 %
67.0	13	0.8 %
68.0	6	0.4 %
69.0	4	0.3 %
70.0	2	0.1 %
71.0	6	0.4 %
72.0	4	0.3 %
73.0	3	0.2 %
74.0	3	0.2 %
75.0	1	0.1 %
76.0	3	0.2 %
77.0	2	0.1 %
78.0	3	0.2 %
79.0	3	0.2 %
80.0	8	0.5 %
81.0	3	0.2 %
82.0	3	0.2 %
83.0	6	0.4 %
84.0	4	0.3 %
84.5	1	0.1 %
85.0	4	0.3 %
85.5	1	0.1 %
86.0	4	0.3 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
86.5	1	0.1 %
87.0	3	0.2 %
87.5	1	0.1 %
88.0	3	0.2 %
89.0	2	0.1 %
90.0	6	0.4 %
91.0	3	0.2 %
91.5	1	0.1 %
93.0	2	0.1 %
94.0	3	0.2 %
97.0	1	0.1 %
100.0	1	0.1 %
. (M)	867	56.2 %

**YRSEDUC      Highest School Grade Completed**

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

Question: What is the highest grade or year of regular school that you have completed?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	263	17.1 %
1	-	82	5.3 %
2	-	123	8.0 %
3	-	188	12.2 %
4	-	148	9.6 %
5	-	111	7.2 %
6	-	176	11.4 %
7	-	56	3.6 %
8	-	90	5.8 %
9	-	56	3.6 %
10	-	51	3.3 %
11	-	17	1.1 %
12	High School Graduate/GED equivalent	131	8.5 %
13	-	9	0.6 %
14	-	11	0.7 %
15	-	4	0.3 %
16	College Graduate 4 Year	13	0.8 %
17	Any Graduate Education	9	0.6 %
20	Any Graduate Education	1	0.1 %
. (M)	-	3	0.2 %



- Study 29654 -

**MARSTAT6      What is the Marital Status of Respondent**

Location: 44-44 (width: 1; decimal: 0)

Variable Type: numeric

Question: Are you married, separated, divorced, widowed, or never married? (INCLUDE COMMON LAW MARRIAGES UNDER MARRIED)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	590	38.3 %
2	Separated	31	2.0 %
3	Divorced	55	3.6 %
4	Widowed	796	51.6 %
5	Never marr	69	4.5 %
9	REF	1	0.1 %

**MARLEN6      Length of time Married/Separated/Divorced/Widowed**

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

Question: How long have you been (married/separated/divorced/widowed)?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	56	3.6 %
2	40	2.6 %
3	43	2.8 %
4	26	1.7 %
5	36	2.3 %
6	28	1.8 %
7	43	2.8 %
8	30	1.9 %
9	31	2.0 %
10	43	2.8 %
11	23	1.5 %
12	37	2.4 %
13	20	1.3 %
14	11	0.7 %
15	30	1.9 %
16	22	1.4 %
17	18	1.2 %
18	21	1.4 %
19	13	0.8 %
20	37	2.4 %
21	19	1.2 %
22	14	0.9 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
23	8	0.5 %
24	10	0.6 %
25	26	1.7 %
26	10	0.6 %
27	9	0.6 %
28	9	0.6 %
29	7	0.5 %
30	36	2.3 %
31	7	0.5 %
32	14	0.9 %
33	6	0.4 %
34	10	0.6 %
35	16	1.0 %
36	6	0.4 %
37	8	0.5 %
38	9	0.6 %
39	5	0.3 %
40	24	1.6 %
41	5	0.3 %
42	12	0.8 %
43	6	0.4 %
44	8	0.5 %
45	15	1.0 %
46	7	0.5 %
47	7	0.5 %
48	14	0.9 %
49	12	0.8 %
50	44	2.9 %
51	7	0.5 %
52	10	0.6 %
53	24	1.6 %
54	31	2.0 %
55	25	1.6 %
56	32	2.1 %
57	27	1.8 %
58	35	2.3 %
59	34	2.2 %
60	38	2.5 %
61	34	2.2 %
62	19	1.2 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
63	26	1.7 %
64	17	1.1 %
65	15	1.0 %
66	10	0.6 %
67	9	0.6 %
68	7	0.5 %
69	9	0.6 %
70	6	0.4 %
72	2	0.1 %
74	1	0.1 %
79	2	0.1 %
98	57	3.7 %
99	4	0.3 %
. (M)	70	4.5 %

**NHOUSE6      How Many People Reside in Your Household?**

Location: 47-48 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: How many people live in this household?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	457	29.6 %
2	620	40.2 %
3	228	14.8 %
4	95	6.2 %
5	59	3.8 %
6	39	2.5 %
7	19	1.2 %
8	8	0.5 %
9	5	0.3 %
10	3	0.2 %
. (M)	9	0.6 %

**HHREL6      Relationship to the Head of Household**

Location: 49-50 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: Who is the head of this household, what is their relationship to you/to the respondent?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Resp is hh	1058	68.6 %
2	Spouse	210	13.6 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Son/daugh	186	12.1 %
4	Son/daug-in-law	45	2.9 %
5	Grandchild	8	0.5 %
7	Brother/Sister	15	1.0 %
8	Newpew/Niece	8	0.5 %
12	Oth Relative	2	0.1 %
13	Friend	1	0.1 %
15	Paid Employee	1	0.1 %
16	Oth non-relate	2	0.1 %
17	Sis/bro-in-law	2	0.1 %
97	R is in Nursing Home	4	0.3 %

**OREL61**

**Relationship to 1st Other Person in Household**

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

Question: We would like to know how the OTHER people who live here with you are related to you. DO NOT REPEAT THE RESPONDENT'S NAME OR THE HEAD OF HOUSEHOLD. - Relationship of first person.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Spouse	346	22.4 %
3	Son/daugh	327	21.2 %
4	Son/daug-in-law	53	3.4 %
5	Grandchild	65	4.2 %
6	Parent	2	0.1 %
7	Brother/Sister	21	1.4 %
8	Newpew/Niece	12	0.8 %
11	Great Grandkid	2	0.1 %
12	Oth Relative	6	0.4 %
13	Friend	3	0.2 %
14	Boarder/roomer	4	0.3 %
15	Paid Employee	11	0.7 %
16	Oth non-relate	1	0.1 %
17	Sis/bro-in-law	1	0.1 %
. (M)	-	688	44.6 %

**OREL62**

**Relationship to 2nd Other Person in Household**

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric

Question: We would like to know how the OTHER people who live here with you are related to you. DO NOT REPEAT THE RESPONDENT'S NAME OR THE HEAD OF HOUSEHOLD. - Relationship of second person.

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Spouse	13	0.8 %
3	Son/daugh	134	8.7 %
4	Son/daug-in-law	38	2.5 %
5	Grandchild	123	8.0 %
6	Parent	1	0.1 %
7	Brother/Sister	1	0.1 %
8	Newpew/Niece	12	0.8 %
11	Great Grandkid	13	0.8 %
12	Oth Relative	6	0.4 %
13	Friend	1	0.1 %
14	Boarder/roomer	2	0.1 %
15	Paid Employee	2	0.1 %
16	Oth non-relate	2	0.1 %
. (M)	-	1194	77.4 %

**OREL63 Relationship to 3rd Other Person in Household**

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

Question: We would like to know how the OTHER people who live here with you are related to you. DO NOT REPEAT THE RESPONDENT'S NAME OR THE HEAD OF HOUSEHOLD. - Relationship of third person.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Spouse	5	0.3 %
3	Son/daugh	30	1.9 %
4	Son/daug-in-law	6	0.4 %
5	Grandchild	111	7.2 %
8	Newpew/Niece	5	0.3 %
11	Great Grandkid	19	1.2 %
12	Oth Relative	4	0.3 %
14	Boarder/roomer	2	0.1 %
15	Paid Employee	1	0.1 %
16	Oth non-relate	4	0.3 %
. (M)	-	1355	87.9 %

**OREL64 Relationship to 4th Other Person in Household**

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

Question: We would like to know how the OTHER people who live here with you are related to you. DO NOT REPEAT THE RESPONDENT'S NAME OR THE HEAD OF HOUSEHOLD. - Relationship of fourth person.

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Spouse	3	0.2 %
3	Son/daugh	5	0.3 %
5	Grandchild	70	4.5 %
11	Great Grandkid	16	1.0 %
12	Oth Relative	2	0.1 %
13	Friend	2	0.1 %
14	Boarder/roomer	1	0.1 %
16	Oth non-relate	1	0.1 %
. (M)	-	1442	93.5 %

**OREL65**

**Relationship to 5th Other Person in Household**

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

Question: We would like to know how the OTHER people who live here with you are related to you. DO NOT REPEAT THE RESPONDENT'S NAME OR THE HEAD OF HOUSEHOLD. - Relationship of fifth person.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Spouse	1	0.1 %
3	Son/daugh	3	0.2 %
4	Son/daug-in-law	1	0.1 %
5	Grandchild	31	2.0 %
11	Great Grandkid	11	0.7 %
12	Oth Relative	2	0.1 %
14	Boarder/roomer	1	0.1 %
. (M)	-	1492	96.8 %

**OREL66**

**Relationship to 6th Other Person in Household**

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

Question: We would like to know how the OTHER people who live here with you are related to you. DO NOT REPEAT THE RESPONDENT'S NAME OR THE HEAD OF HOUSEHOLD. - Relationship of sixth person.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Son/daugh	3	0.2 %
4	Son/daug-in-law	1	0.1 %
5	Grandchild	11	0.7 %
11	Great Grandkid	3	0.2 %
12	Oth Relative	2	0.1 %
14	Boarder/roomer	1	0.1 %
. (M)	-	1521	98.6 %

- Study 29654 -

**MOVED6 Have you Moved Since Last Interview?**

Location: 63-63 (width: 1; decimal: 0)

Variable Type: numeric

Question: Have you moved since the last time we talked to you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	157	10.2 %
2	No	1384	89.8 %
8	Don't Know	1	0.1 %

**ASSTLIV6 Reason for Move: Assisted Living Facility**

Location: 64-64 (width: 1; decimal: 0)

Variable Type: numeric

Question: Why did you move? - I needed to move into an assisted living facility.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	118	7.7 %
1	Yes	39	2.5 %
. (M)	-	1385	89.8 %

**CLOSKIDS6 Reason for Move: Closer to their Children**

Location: 65-65 (width: 1; decimal: 0)

Variable Type: numeric

Question: Why did you move? - To be closer to my children.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	122	7.9 %
2	No	35	2.3 %
. (M)	-	1385	89.8 %

**MOVOTH6 MOVED: OTHER REASONS T6**

Location: 66-66 (width: 1; decimal: 0)

Variable Type: numeric

Question: Why did you move? - Other reasons.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	67	4.3 %
1	Yes	90	5.8 %
. (M)	-	1385	89.8 %

**MOVOTHSPE6 Specific Other Reason for Move**

Location: 67-191 (width: 125; decimal: 0)

Variable Type: character

Question: Why did you move? - Other reason (specify.)

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1454	94.3 %
(JUST MOVED)	1	0.1 %
(NEEDED SPECIAL BATH AREA FACILITIES)	1	0.1 %
ALL APARTMENTS ARE BEING REBUILT.	1	0.1 %
ALZHEIMER'S - TAKEN TO NURSING HOME.	1	0.1 %
APARTMENTS BEING RE-BUILT.	1	0.1 %
APT. BLDG. DEMOLISHED.	1	0.1 %
APT. BLDG. IS BEING RE-DONE.	2	0.1 %
Apt. being redone	1	0.1 %
Apt. building torn down	1	0.1 %
BACK HOME	3	0.2 %
BAD HEALTH, NEEDED CARE.	1	0.1 %
BETTER AREA	1	0.1 %
Bought own place	1	0.1 %
CARE CENTER	1	0.1 %
CLOSE TO HER FAMILY	1	0.1 %
Cheaper rent	1	0.1 %
DAUGHTER SOLD THE PREVIOUS HOME WHERE RESP. LIVED.	1	0.1 %
FAMILY DISPUTE OVER R'S CARE AND LAND.	1	0.1 %
FELL IN MALL ESCALATOR, MANY WOUNDS, NEEDS PERMANENT CARE, DECIDED TO GO WITH SON WHILE RECOVERING.	1	0.1 %
FREQUENT HEALTH PROBLEMS. I DIDN'T WANT TO LIVE ALONE ANYMORE.	1	0.1 %
FROM APT. 404B TO 113A	1	0.1 %
GOT A GOOD DEAL	1	0.1 %
HAD A FALLING OUT WITH DAUGHTER.	1	0.1 %
HIS SON CONVINCED HIM TO GET AN APT.	1	0.1 %
HOUSE BURNED.	1	0.1 %
HOUSE WAS SOLD	1	0.1 %
HUD apt. complex is being rebuilt; tenants are relocated to temporary unit	1	0.1 %
I CAN'T BE ALONE ANYMORE - MY HOUSE (NEXT DOOR) IS PRACTICALLY ABANDONED (UNCURED)	1	0.1 %
I HAVE MY OWN LITTLE TRAILER.	1	0.1 %
IN ORDER TO GRIEVE FOR LOSS OF HUSB. - IN A DIFFERENT LIVING ARRANGEMENT (TO AVOID DEPRESSION).	1	0.1 %
JUST MOVED	1	0.1 %
JUST MOVED TO ADULT HOUSING.	1	0.1 %
JUST MOVED TO DIFFERENT APT.	1	0.1 %
JUST TO LIVE ON MY OWN	1	0.1 %
LAST HOME SOLD	1	0.1 %



- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
LOWER RENT	1	0.1 %
Lower rent	1	0.1 %
MEDICAL REASONS - CLOSER TO DOCTOR.	1	0.1 %
MORE ROOM, LARGER PLACE	1	0.1 %
MORE ROOM, LARGER PLACE.	1	0.1 %
MOVED FROM SON'S HOME TO DAUGHTER'S HOME FOR BETTER CARE.	1	0.1 %
MOVED IN WITH DAUGHTER; FELL 3 TIMES AND HAS TERMINAL CANCER.	1	0.1 %
MOVED TO A NEWER APARTMENT, SAME APT. COMPLEX, DIFFERENT BUILDING.	1	0.1 %
MOVED TO BIGGER APARTMENT.	1	0.1 %
MOVED TO BIGGER FRONT HOUSE WITH SON.	1	0.1 %
MOVED TO NURSING HOME	1	0.1 %
MOVING AROUND DIFFERENT CHILDREN'S HOMES.	1	0.1 %
NEEDED TO BE CARED FOR BY DAUGHTER	1	0.1 %
NEEDS DAUGHTER TO TAKE CARE OF HER.	1	0.1 %
NEW APT. COSTS LESS.	1	0.1 %
NO CARPET; NEED TILE FLOOR.	1	0.1 %
NO SERVICE IN DEL RIO FOR HER MENTAL AND OTHER PROBLEMS; ONLY IN SAN ANGELO.	1	0.1 %
NO STAIRS IN NEW PLACE.	1	0.1 %
NURSING HOME	1	0.1 %
OLD APT. BEING PAINTED.	1	0.1 %
OLD APT. WAS DEMOLISHED.	1	0.1 %
OLD HOUSE DEMOLISHED.	1	0.1 %
ORIGINAL HOUSE NEEDED RENOVATING, SO A NEW HOME WAS BUILT ON THE PROPERTY.	1	0.1 %
OTHER HOUSE WAS VERY COLD, SMALL.	1	0.1 %
RECONSTRUCTION WHERE I LIVE	1	0.1 %
RENT TOO HIGH	2	0.1 %
RENTED NEW PLACE	1	0.1 %
REST HOME	1	0.1 %
She felt scared.	1	0.1 %
She needs to be downstairs - surgery on right foot	1	0.1 %
She was at hospital on 1/1/2007, and she came back to live with daughter.	1	0.1 %
TEMPORARY APT. UNTIL OTHER APT. REMODELED.	1	0.1 %
THE OWNERS OF THE PLACE SHE WAS LIVING BEFORE SOLD THE PROPERTY AND SHE HAD TO MOVE.	1	0.1 %
THE PREVIOUS PLACE WAS SOLD. ALSO - RESP. WALKED OUT A COUPLE TIMES AND GOT LOST. HE NEEDED A MORE SECURE PLACE.	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
TO BE CARED FOR BY DAUGHTER.	1	0.1 %
TO BE CLOSE TO FAMILY (NEPHEWS)	1	0.1 %
TO BE CLOSE TO FRIENDS AND TO BE IN A NICER CITY.	1	0.1 %
TO BE CLOSER TO A HOSPITAL THAT SPECIALIZES IN HEART CONDITIONS.	1	0.1 %
TO BE TAKEN CARE OF.	1	0.1 %
TO BE WITH HIS DAUGHTER AND TO HAVE THE CARE OF THE FAMILY.	1	0.1 %
TO BUY A HOUSE.	1	0.1 %
TO CONTINUE LIVING ARRANGEMENTS WITH NIECE.	1	0.1 %
TO HAVE CARE AND HELP FROM DAUGHTER.	1	0.1 %
TO LIVE WITH SISTER	1	0.1 %
TO RECEIVE CARE OF HER FAMILY DUE TO HEALTH PROBLEMS.	1	0.1 %
UNIT AT 1ST FLOOR	1	0.1 %
WANTED A SMALLER HOUSE.	1	0.1 %
moved to lower rent place	1	0.1 %
old apt. being rebuilt	1	0.1 %

**RMOVE6**

**Collapsed Variable from MOVEOTHSPEC6**

Location: 192-192 (width: 1; decimal: 0)  
Variable Type: numeric  
Question: Created/Collapsed Variable from MOVOTHSPE6.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Needed to go to nursing home or care center	9	0.6 %
2	Needed to be close to friends	1	0.1 %
3	Moved for monetary reasons, rent high	8	0.5 %
4	Moved for housing reasons - demolished, remodel, repaint	34	2.2 %
5	Wanted to live with family members, not alone	19	1.2 %
6	Wanted to live alone	11	0.7 %
7	Needed to be closer to doctors/hospitals	6	0.4 %
. (M)	-	1454	94.3 %

**MOVEIN6**

**Has Anyone Moved in With You Since Last Interview**

Location: 193-193 (width: 1; decimal: 0)  
Variable Type: numeric  
Question: Has anyone moved in with you since we last talked?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	139	9.0 %
2	No	1401	90.9 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	DK	1	0.1 %
. (M)	-	1	0.1 %

**WHOMOV61 Relationship to 1st Person Who Moved in**

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

Question: Who moved in with you? - Relationship of first person.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Son/daugh	80	5.2 %
4	Son/daug-in-law	11	0.7 %
5	Grandchild	22	1.4 %
7	Brother/Sister	3	0.2 %
8	Newphew/Niece	5	0.3 %
12	Oth Relative	1	0.1 %
13	Friend	1	0.1 %
14	Boarder/roomer	2	0.1 %
15	Paid Employee	7	0.5 %
16	Oth non-relate	3	0.2 %
17	Sis/bro-in-law	1	0.1 %
. (M)	-	1406	91.2 %

**WHOMOV62 Relationship to 2nd Person Who Moved in**

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

Question: Who moved in with you? - Relationship of second person.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Spouse	1	0.1 %
3	Son/daugh	7	0.5 %
4	Son/daug-in-law	7	0.5 %
5	Grandchild	16	1.0 %
8	Newphew/Niece	2	0.1 %
11	Great Grandkid	2	0.1 %
12	Oth Relative	2	0.1 %
14	Boarder/roomer	1	0.1 %
16	Oth non-relate	1	0.1 %
. (M)	-	1503	97.5 %

**WHOMOV63 Relationship to 3rd Person Who Moved in**

Location: 198-199 (width: 2; decimal: 0)

- Study 29654 -

Variable Type: numeric

Question: Who moved in with you? - Relationship of third person.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Grandchild	17	1.1 %
8	Newphew/Niece	1	0.1 %
11	Great Grandkid	3	0.2 %
12	Oth Relative	1	0.1 %
16	Oth non-relate	1	0.1 %
. (M)	-	1519	98.5 %

**WHOMOV64 Relationship to 4th Person Who Moved in**

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

Question: Who moved in with you? - Relationship of fourth person.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Grandchild	9	0.6 %
11	Great Grandkid	3	0.2 %
16	Oth non-relate	1	0.1 %
. (M)	-	1529	99.2 %

**TAKECARE6 Reason for Move In: Help Taking Care of Self**

Location: 202-202 (width: 1; decimal: 0)

Variable Type: numeric

Question: Why did \_\_\_\_\_ move in with you? - I needed help taking care of myself or the house.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	79	5.1 %
1	Yes	59	3.8 %
. (M)	-	1404	91.1 %

**PLASTAY6 Reason for Move In: Needed a Place to Stay**

Location: 203-203 (width: 1; decimal: 0)

Variable Type: numeric

Question: Why did \_\_\_\_\_ move in with you? - (Person who moved in) needed a place to stay.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	80	5.2 %
1	Yes	58	3.8 %
. (M)	-	1404	91.1 %

**YOUOTH6 Reason for Move In: Other**

Location: 204-204 (width: 1; decimal: 0)

- Study 29654 -

Variable Type:

numeric

Question:

Why did \_\_\_\_\_ move in with you? - Other reason, not specified.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	113	7.3 %
1	Yes	25	1.6 %
. (M)	-	1404	91.1 %

**YOUOTHSPE6**

**Specific Other Reason for Move In**

Location:

205-354 (width: 150; decimal: 0)

Variable Type:

character

Question:

Why did \_\_\_\_\_ move in with you? - Other reason (specify.)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1518	98.4 %
A GRAND-DAUGHTER WAS LIVING AT HOME UNTIL SHE RECENTLY GOT MARRIED AND MOVED OUT OF STATE.	1	0.1 %
A SON HAD AN OPERATION AND STAYED FOR A FEW MO.-- MOVED OUT AFTER RECUPERATING.	1	0.1 %
DAU MARRIED HUSBAND	1	0.1 %
DAUGHTER NEEDS PLACE TO LIVE WITH HER CHILDREN	1	0.1 %
DAUGHTER'S C.L. HUSBAND.	1	0.1 %
Divorced	1	0.1 %
FOR MUTUAL ECONOMIC SUPPORT	1	0.1 %
FOR MUTUAL HELP AND SHE IS THE ONLY CHILD WHO IS SINGLE.	1	0.1 %
GOING TO SCHOOL CLOSE BY.	1	0.1 %
GRAND-DAU'S MOM DIED	1	0.1 %
GRANDCHILDREN MOVED OUT AND DAUGHTER NOW HAS A COMPANION TO LIVE WITH.	1	0.1 %
HIS DAUGHTER HAD WORK AWAITING HER HERE.	1	0.1 %
Help care for my wife	1	0.1 %
IN ORDER TO KEEP THIS PROPERTY IN THE FAMILY.	1	0.1 %
JUST TO VISIT	1	0.1 %
KEEPING HOUSE "HABITABLE" SHOULD SHE WANT TO COME BACK FROM NURSING HOME.	1	0.1 %
MOTHER OF THE GRANDCHILDREN IN JAIL. RESP. AND HUSB. HAVE BECOME PERMANENT GUARDIANS OF THESE 2 GRANDCHILDREN.	1	0.1 %
MY HOUSE IS BURNED.	1	0.1 %
NEEDED CARE	1	0.1 %
THEY (MY CHILDREN) DON'T WANT ME ALONE AFTER RECENT DEATH OF HUSBAND.	1	0.1 %
THEY DON'T WANT ME TO BE ALONE AT NIGHT. DAUGHTERS TAKE TURNS TO STAY OVERNIGHT WITH MOTHER.	1	0.1 %
TO HAVE FAMILY SUPPORT.	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
TO SHARE EXPENSES AND TO PROVIDE SUPPORT INCASE OF EMERGENCY.	1	0.1 %
To accompany sister	1	0.1 %

**NKIDS6                      Number of Living Children**

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

Question: Now, I would like to know how many living children (including adopted, foster or step-children) you have?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	107	6.9 %
1	129	8.4 %
2	180	11.7 %
3	184	11.9 %
4	217	14.1 %
5	179	11.6 %
6	148	9.6 %
7	117	7.6 %
8	108	7.0 %
9	60	3.9 %
10	35	2.3 %
11	28	1.8 %
12	22	1.4 %
13	9	0.6 %
14	2	0.1 %
15	2	0.1 %
16	1	0.1 %
17	1	0.1 %
. (M)	13	0.8 %

**DKNKIDS6                      Unknown/Refused Number of Living Children**

Location: 357-357 (width: 1; decimal: 0)

Variable Type: numeric

Question: Now, I would like to know how many living children (including adopted, foster or step-children) you have? - Don't Know or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	DK	4	0.3 %
9	REF	11	0.7 %
. (M)	-	1527	99.0 %

- Study 29654 -

**SEEMON6 Number of Children Visiting Per Month**

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

Question: How many of your children do you see at least once a month?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	80	5.2 %
1	263	17.1 %
2	295	19.1 %
3	219	14.2 %
4	203	13.2 %
5	129	8.4 %
6	99	6.4 %
7	56	3.6 %
8	31	2.0 %
9	16	1.0 %
10	16	1.0 %
11	7	0.5 %
12	3	0.2 %
. (M)	125	8.1 %

**DKSEE6 Unknown/Refused Number of Children Visiting**

Location: 360-360 (width: 1; decimal: 0)

Variable Type: numeric

Question: How many of your children do you see at least once a month? - Don't Know or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	DK	4	0.3 %
9	REF	1	0.1 %
. (M)	-	1537	99.7 %

**CLOSREL6 Number of Relatives You Can Confide In**

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

Question: How many relatives do you have that you feel close to-that you feel at ease with, can talk to about private matters, or can call (INCLUDE siblings and in-laws. EXCLUDE spouse and children.)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	612	39.7 %
1	319	20.7 %
2	253	16.4 %
3	148	9.6 %
4	65	4.2 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	60	3.9 %
6	17	1.1 %
7	13	0.8 %
8	16	1.0 %
9	5	0.3 %
10	13	0.8 %
12	7	0.5 %
14	1	0.1 %
15	1	0.1 %
20	2	0.1 %
25	2	0.1 %
30	2	0.1 %
. (M)	6	0.4 %

**DKCLOS6**      **Unknown/Refused Number of Relatives to Confide In**

Location: 363-363 (width: 1; decimal: 0)

Variable Type: numeric

Question: How many relatives do you have that you feel close to-that you feel at ease with, can talk to about private matters, or can call (INCLUDE siblings and in-laws. EXCLUDE spouse and children.) - Don't Know or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	DK	4	0.3 %
9	REF	2	0.1 %
. (M)	-	1536	99.6 %

**RSEEMON6**      **How Many Relatives Can Confide in Seen Monthly?**

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

Question: How many of these relatives (#RELATIVES IN D5) do you see at least once a month?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	143	9.3 %
1	334	21.7 %
2	208	13.5 %
3	104	6.7 %
4	49	3.2 %
5	38	2.5 %
6	16	1.0 %
7	6	0.4 %
8	7	0.5 %



- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	3	0.2 %
10	11	0.7 %
12	2	0.1 %
20	3	0.2 %
. (M)	618	40.1 %

**DKRSEE6**      **Unknown/Refused Number of Relatives Confide/Seen Monthly**

Location: 366-366 (width: 1; decimal: 0)

Variable Type: numeric

Question: How many of these relatives (#RELATIVES IN D5) do you see at least once a month? - Don't Known or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1542	100.0 %

**CLSFRN6**      **How Many Close Friends Can You Confide In?**

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

Question: Other than members of your family, how many close friends do you have-people that you feel at ease with, can talk to about private matters, or can call on for help?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	710	46.0 %
1	314	20.4 %
2	232	15.0 %
3	108	7.0 %
4	50	3.2 %
5	59	3.8 %
6	13	0.8 %
7	4	0.3 %
8	6	0.4 %
9	1	0.1 %
10	17	1.1 %
13	1	0.1 %
15	2	0.1 %
19	2	0.1 %
20	5	0.3 %
25	4	0.3 %
40	1	0.1 %
50	2	0.1 %
. (M)	11	0.7 %

- Study 29654 -

**DKCLOSF6 Unknown/Refused Number of Friends Confide In**

Location: 369-369 (width: 1; decimal: 0)

Variable Type: numeric

Question: Other than members of your family, how many close friends do you have-people that you feel at ease with, can talk to about private matters, or can call on for help? - Don't Know or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	DK	9	0.6 %
9	REF	2	0.1 %
. (M)	-	1531	99.3 %

**FSEEMON6 How Many Close Friends Are Seen Monthly?**

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

Question: How many close friends (#FRIENDS IN D6) do you see at least once a month?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	26	1.7 %
1	337	21.9 %
2	229	14.9 %
3	102	6.6 %
4	44	2.9 %
5	44	2.9 %
6	10	0.6 %
7	3	0.2 %
8	5	0.3 %
9	2	0.1 %
10	10	0.6 %
12	1	0.1 %
15	2	0.1 %
17	1	0.1 %
19	2	0.1 %
20	1	0.1 %
25	2	0.1 %
. (M)	721	46.8 %

**DKFSEE6 Unknown/Refused Number of Friends Seen Monthly**

Location: 372-372 (width: 1; decimal: 0)

Variable Type: numeric

Question: How many close friends (#FRIENDS IN D6) do you see at least once a month? - Don't Know or Refused.

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1542	100.0 %

**COUNTON6      Able to Count On Family/Friends in Times of Trouble**

Location: 373-373 (width: 1; decimal: 0)

Variable Type: numeric

Question: In times of trouble, can you count on at least some of your family or friends most of the time, some of the time, or hardly ever?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Most of the time	1054	68.4 %
2	Some of the time	218	14.1 %
3	Hardly ever	73	4.7 %
8	DK	11	0.7 %
. (M)	-	186	12.1 %

**TALK6      Able to Talk to Family/Friends About Problems**

Location: 374-374 (width: 1; decimal: 0)

Variable Type: numeric

Question: Can you talk about your deepest problems with at least some of your family or friends most of the time, some of the time, or hardly ever?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Most of the time	909	58.9 %
2	Some of the time	300	19.5 %
3	Hardly ever	130	8.4 %
8	DK	12	0.8 %
. (M)	-	191	12.4 %

**HEALTH6      How Would You Rate Your Overall Health?**

Location: 375-375 (width: 1; decimal: 0)

Variable Type: numeric

Question: Now I would like to ask you some questions about your health. Overall, how would you rate your health: excellent, good, fair, or poor?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Excellent	92	6.0 %
2	Good	430	27.9 %
3	Fair	698	45.3 %
4	Poor	321	20.8 %
8	DK	1	0.1 %

**MDIAB61      Have You Been Told By a Doctor You Have Diabetes**

Location: 376-376 (width: 1; decimal: 0)

- Study 29654 -

Variable Type: numeric

Question: Have you ever been told by a doctor that you have diabetes, sugar in your urine, or high blood sugar?  
(no longer have a borderline category)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	533	34.6 %
2	No	1004	65.1 %
8	DK	5	0.3 %

**MDIAB62 Age When You Were Told You HAVe Diabetes**

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

Question: At what age did a doctor first tell you that you have diabetes?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1	0.1 %
2	1	0.1 %
5	1	0.1 %
7	1	0.1 %
10	2	0.1 %
12	1	0.1 %
15	1	0.1 %
17	2	0.1 %
20	4	0.3 %
21	1	0.1 %
22	2	0.1 %
25	1	0.1 %
30	3	0.2 %
31	1	0.1 %
33	1	0.1 %
35	2	0.1 %
36	3	0.2 %
39	2	0.1 %
40	6	0.4 %
41	1	0.1 %
42	5	0.3 %
43	4	0.3 %
44	3	0.2 %
45	5	0.3 %
46	1	0.1 %
48	5	0.3 %
49	3	0.2 %
50	14	0.9 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
51	4	0.3 %
52	9	0.6 %
53	3	0.2 %
54	3	0.2 %
55	6	0.4 %
56	4	0.3 %
57	7	0.5 %
58	11	0.7 %
59	3	0.2 %
60	18	1.2 %
61	4	0.3 %
62	13	0.8 %
63	8	0.5 %
64	12	0.8 %
65	20	1.3 %
66	17	1.1 %
67	16	1.0 %
68	10	0.6 %
69	5	0.3 %
70	17	1.1 %
71	13	0.8 %
72	20	1.3 %
73	12	0.8 %
74	17	1.1 %
75	16	1.0 %
76	16	1.0 %
77	19	1.2 %
78	18	1.2 %
79	14	0.9 %
80	19	1.2 %
81	8	0.5 %
82	2	0.1 %
83	6	0.4 %
84	8	0.5 %
85	4	0.3 %
86	5	0.3 %
87	4	0.3 %
88	3	0.2 %
89	2	0.1 %
90	2	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
95	1	0.1 %
. (M)	1066	69.1 %

**MDIAB63 Are You Taking Medication for Diabetes?**

Location: 379-379 (width: 1; decimal: 0)

Variable Type: numeric

Question: Are you taking any medicine for diabetes now?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	479	31.1 %
2	No	54	3.5 %
. (M)	-	1009	65.4 %

**MDIAB66A ARE YOU NOW TAKING INSULIN SHOTS T6**

Location: 380-380 (width: 1; decimal: 0)

Variable Type: numeric

Question: Are you now taking insulin shots?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	135	8.8 %
2	No	342	22.2 %
8	DK	2	0.1 %
. (M)	-	1063	68.9 %

**MDIAB66B Are You Taking Diabetes Pills**

Location: 381-381 (width: 1; decimal: 0)

Variable Type: numeric

Question: Are you now taking diabetes pills?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	394	25.6 %
2	No	81	5.3 %
8	DK	4	0.3 %
. (M)	-	1063	68.9 %

**MDIAB67B How Many Months Have/Did You Take Insulin Shots?**

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

Question: For how many months altogether (have you taken/did you take) insulin shots?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4	0.3 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	2	0.1 %
3	2	0.1 %
5	1	0.1 %
6	4	0.3 %
8	1	0.1 %
12	2	0.1 %
15	1	0.1 %
18	1	0.1 %
30	1	0.1 %
. (M)	1523	98.8 %

**MDIAB67A**

**How Many Years Have/Did You Take Insulin Shots?**

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

Question: For how many years altogether (have you taken/did you take) insulin shots?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	9	0.6 %
2	14	0.9 %
3	10	0.6 %
4	5	0.3 %
5	2	0.1 %
6	3	0.2 %
7	1	0.1 %
8	5	0.3 %
9	1	0.1 %
10	10	0.6 %
11	1	0.1 %
12	3	0.2 %
13	1	0.1 %
15	6	0.4 %
16	3	0.2 %
17	1	0.1 %
18	2	0.1 %
19	1	0.1 %
20	5	0.3 %
21	1	0.1 %
22	1	0.1 %
23	3	0.2 %
25	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
28	1	0.1 %
29	1	0.1 %
30	4	0.3 %
44	1	0.1 %
. (M)	1446	93.8 %

**MDIAB610 Special Diet Followed For Diabetes?**

Location: 386-386 (width: 1; decimal: 0)

Variable Type: numeric

Question: Did the doctor ever ask you to follow a special diet for your diabetes?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	351	22.8 %
2	No	175	11.3 %
8	DK	7	0.5 %
. (M)	-	1009	65.4 %

**MDIA610A Are You on That Diet Currently?**

Location: 387-387 (width: 1; decimal: 0)

Variable Type: numeric

Question: Are you following that diet now?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	271	17.6 %
2	No	77	5.0 %
8	DK	3	0.2 %
. (M)	-	1191	77.2 %

**MDIAB68A DIABETES CAUSED KIDNEY PROBLEMS T6**

Location: 388-388 (width: 1; decimal: 0)

Variable Type: numeric

Question: As a result of your diabetes, have you ever had any problems with your kidneys?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	64	4.2 %
2	No	460	29.8 %
8	DK	9	0.6 %
. (M)	-	1009	65.4 %

**MDIAB68B CURRENTLY RECEIVE KIDNEY DIALYSIS T6**

Location: 389-389 (width: 1; decimal: 0)

Variable Type: numeric



- Study 29654 -

Question:

Are you currently receiving kidney dialysis or artificial kidney treatments?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	13	0.8 %
2	No	46	3.0 %
8	DK	5	0.3 %
. (M)	-	1478	95.8 %

**MDIAB68D**

**DIABETES CAUSED PROBS WITH EYES T6**

Location:

390-390 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

As a result of your diabetes, have you ever had any problems with your eyes?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	181	11.7 %
2	No	337	21.9 %
8	DK	15	1.0 %
. (M)	-	1009	65.4 %

**MDIAB68F**

**Circulation Problems Due to Diabetes?**

Location:

391-391 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

As a result of your diabetes, have you ever had any problems with the circulation in your legs or arms, or not?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	213	13.8 %
2	No	297	19.3 %
8	DK	20	1.3 %
. (M)	-	1012	65.6 %

**MDGLUC6**

**Frequency Checking Glucose/Sugar in Blood**

Location:

392-392 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

About how often do you check your blood for glucose or sugar? (excludes times checked by doctor)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never/almost never	54	3.5 %
2	Several times a year	41	2.7 %
3	Once/twice a month	44	2.9 %
4	Almost every week	53	3.4 %
5	More than once a week	62	4.0 %
6	Every day	267	17.3 %
8	DK	9	0.6 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	REF	3	0.2 %
. (M)	-	1009	65.4 %

**NOA1C6**      **Unknown/Refused # Times Checked for A one C**

Location: 393-393 (width: 1; decimal: 0)

Variable Type: numeric

Question: About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for hemoglobin "A one C"?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	58	3.8 %
7	Never heard A1C	217	14.1 %
8	DK	115	7.5 %
9	Ref	1	0.1 %
. (M)	-	1151	74.6 %

**P8FALLS6**      **How Often Have You Fallen in Last Year?**

Location: 394-394 (width: 1; decimal: 0)

Variable Type: numeric

Question: During the past 12 months, how many times do you fall and land on the floor or ground?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	None	1005	65.2 %
2	1 time	278	18.0 %
3	2 times	102	6.6 %
4	3 or more times	153	9.9 %
8	Dont Know	4	0.3 %

**P9FALLS6**      **Went to Hospital/ER Because of Falling?**

Location: 395-395 (width: 1; decimal: 0)

Variable Type: numeric

Question: Went to hospital/ER due to fall?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	191	12.4 %
2	No	342	22.2 %
. (M)	-	1009	65.4 %

**P10FALLS6**      **How Afraid Are You of Falling?**

Location: 396-396 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not afraid	429	27.8 %
2	Somewhat afraid	305	19.8 %
3	Fairly afraid	208	13.5 %
4	Very Afraid	408	26.5 %
8	Dont know	3	0.2 %
. (M)	-	189	12.3 %

**PARTH65 Pain in Last Month when Standing/Walking**

Location: 397-397 (width: 1; decimal: 0)

Variable Type: numeric

Question: In the past month, did you notice any pain or discomfort when you stood or walked?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	823	53.4 %
2	No	692	44.9 %
8	DK	23	1.5 %
. (M)	-	4	0.3 %

**QINCON61 How Often Do You Have Trouble Holding Urine?**

Location: 398-398 (width: 1; decimal: 0)

Variable Type: numeric

Question: Now I have some brief questions about your urine. How often do you have difficulty holding your urine until you can get to a toilet - never, hardly ever, some of the time, most of the time, or all of the time?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never	778	50.5 %
2	Hardly ever	139	9.0 %
3	Some of the time	281	18.2 %
4	Most of the time	65	4.2 %
5	All of the time	78	5.1 %
6	Catheter/cancer	10	0.6 %
8	DK	3	0.2 %
9	REF	1	0.1 %
. (M)	-	187	12.1 %

**RSLEEP6A How Often Do You Have Trouble Falling Asleep?**

Location: 399-399 (width: 1; decimal: 0)

Variable Type: numeric

Question: Now we would like to get some information on how well you sleep. How often in the past month did you have trouble falling asleep?

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	977	63.4 %
1	1-3 days	133	8.6 %
2	4-7 days	111	7.2 %
3	8-14 days	76	4.9 %
4	15+ days	182	11.8 %
8	DK	1	0.1 %
9	REF	1	0.1 %
. (M)	-	61	4.0 %

**RSLEEP6B WAKE UP SEVERAL TIMES/NIGHT T6**

Location: 400-400 (width: 1; decimal: 0)

Variable Type: numeric

Question: How often in the past month did you wake up several times per night?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	684	44.4 %
1	1-3 days	179	11.6 %
2	4-7 days	122	7.9 %
3	8-14 days	99	6.4 %
4	15+ days	396	25.7 %
9	REF	1	0.1 %
. (M)	-	61	4.0 %

**RSLEEP6C How Often Do You Have Trouble Staying Asleep?**

Location: 401-401 (width: 1; decimal: 0)

Variable Type: numeric

Question: How often in the past month did you have trouble staying asleep (including waking far too early)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	993	64.4 %
1	1-3 days	122	7.9 %
2	4-7 days	113	7.3 %
3	8-14 days	86	5.6 %
4	15+ days	164	10.6 %
8	DK	2	0.1 %
9	REF	1	0.1 %
. (M)	-	61	4.0 %

**RSLEEP6D How Often Do You Wake Feeling Tired/Worn Out?**

Location: 402-402 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29654 -

Question:

How often in the past month did you wake up after your usual amount of sleep feeling tired and worn out?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	1018	66.0 %
1	1-3 days	132	8.6 %
2	4-7 days	100	6.5 %
3	8-14 days	89	5.8 %
4	15+ days	138	8.9 %
8	DK	3	0.2 %
9	REF	1	0.1 %
. (M)	-	61	4.0 %

**RSLPQUAL6**

**Rate Your Quality of Sleep**

Location:

403-403 (width: 1; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very good	351	22.8 %
2	Good	760	49.3 %
3	Bad	192	12.5 %
4	Very Bad	36	2.3 %
8	DK	142	9.2 %
. (M)	-	61	4.0 %

**RSLPAVG6**

**What is the Average Hours of Sleep per Night?**

Location:

404-404 (width: 1; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 5 hours	47	3.0 %
2	5 hours	53	3.4 %
3	6 hours	166	10.8 %
4	7 hours	237	15.4 %
5	8 hours	393	25.5 %
6	9 hours	292	18.9 %
7	Greater Than 10 hours	330	21.4 %
8	DK	17	1.1 %
9	Ref	5	0.3 %
. (M)	-	2	0.1 %

**SHEAR65**

**Able to Hear/Understand What a Person Says?**

Location:

405-405 (width: 1; decimal: 0)

Variable Type:

numeric

- Study 29654 -

Question: (With/Without a hearing aid) can you usually hear and understand what a person says without seeing his face if that person talks in a normal voice to you in a quiet room?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, w/o hearing aid	1122	72.8 %
2	Yes, w/hearing aid	89	5.8 %
3	No	307	19.9 %
4	Respondent is DEAF	18	1.2 %
8	DK	5	0.3 %
. (M)	-	1	0.1 %

**VVIS66A**      **Able to Recognize a Friend Across the Street?**

Location: 406-406 (width: 1; decimal: 0)

Variable Type: numeric

Question: Can you see well enough to recognize a friend or a family member across the street (when wearing glasses/contacts if applicable)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1281	83.1 %
2	No	222	14.4 %
3	Respondent is BLIND	20	1.3 %
8	DK	18	1.2 %
. (M)	-	1	0.1 %

**VVIS66B**      **Able to Recognize a Friend Across the Room?**

Location: 407-407 (width: 1; decimal: 0)

Variable Type: numeric

Question: Can you see well enough to recognize a friend or a family member across the room (when wearing glasses/contacts if applicable)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1413	91.6 %
2	No	95	6.2 %
3	Respondent is BLIND	20	1.3 %
8	DK	13	0.8 %
. (M)	-	1	0.1 %

**VVIS66C**      **Able to Recognize a Friend an Arms Length Away?**

Location: 408-408 (width: 1; decimal: 0)

Variable Type: numeric

Question: Can you see well enough to recognize a friend or a family member who is at arm's length away (when wearing glasses/contacts if applicable)?

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1425	92.4 %
2	No	82	5.3 %
3	Respondent is BLIND	21	1.4 %
8	DK	13	0.8 %
. (M)	-	1	0.1 %

**DVISION6** **Has Difficulty With Distant Vision**

Location: 409-409 (width: 1; decimal: 0)

Variable Type: numeric

Question: Created variable 'Difficulty with distant vision' (if vvis66a=2 or vvis66b=2.)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1303	84.5 %
1	Yes	225	14.6 %
. (M)	-	14	0.9 %

**NVISION6** **Has Difficulty With Near Vision**

Location: 410-410 (width: 1; decimal: 0)

Variable Type: numeric

Question: Created variable 'Difficulty with near vision' (if vvis56c=2.)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1446	93.8 %
1	Yes	82	5.3 %
. (M)	-	14	0.9 %

**BLIND6** **Respondent is Blind**

Location: 411-411 (width: 1; decimal: 0)

Variable Type: numeric

Question: Created from "blind" responses - Subject is blind.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1518	98.4 %
1	Yes	24	1.6 %

**GG61** **Pulse Reading for 30 Seconds**

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

Question: Now I would like to take your pulse and two blood pressure readings. - PULSE FOR 30 SECONDS?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	2	0.1 %
23	4	0.3 %
24	6	0.4 %
25	41	2.7 %
26	15	1.0 %
27	9	0.6 %
28	65	4.2 %
29	14	0.9 %
30	115	7.5 %
31	28	1.8 %
32	158	10.2 %
33	37	2.4 %
34	115	7.5 %
35	46	3.0 %
36	307	19.9 %
37	30	1.9 %
38	94	6.1 %
39	26	1.7 %
40	69	4.5 %
41	11	0.7 %
42	54	3.5 %
43	6	0.4 %
44	12	0.8 %
45	6	0.4 %
46	8	0.5 %
47	2	0.1 %
48	10	0.6 %
49	4	0.3 %
50	5	0.3 %
51	1	0.1 %
52	1	0.1 %
54	2	0.1 %
56	2	0.1 %
60	1	0.1 %
62	1	0.1 %
64	1	0.1 %
66	1	0.1 %
70	1	0.1 %
72	5	0.3 %
84	1	0.1 %



- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
90	1	0.1 %
. (M)	224	14.5 %

**NOGG61 Unsuccessful/Refused 30 Second Pulse Reading**

Location: 414-414 (width: 1; decimal: 0)

Variable Type: numeric

Question: Now I would like to take your pulse and two blood pressure readings. - PULSE FOR 30 SECONDS?  
- Unsuccessful or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unsuccessful	21	1.4 %
9	REF	50	3.2 %
. (M)	-	1471	95.4 %

**GG62 Pulse Obliteration Pressure**

Location: 415-417 (width: 3; decimal: 0)

Variable Type: numeric

Question: Now I would like to take your pulse and two blood pressure readings. - Pulse Obliteration Pressure.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	1	0.1 %
28	4	0.3 %
30	2	0.1 %
84	1	0.1 %
88	2	0.1 %
90	4	0.3 %
92	1	0.1 %
94	2	0.1 %
98	5	0.3 %
100	129	8.4 %
102	1	0.1 %
104	6	0.4 %
105	1	0.1 %
106	2	0.1 %
108	9	0.6 %
110	88	5.7 %
111	1	0.1 %
112	12	0.8 %
114	4	0.3 %
115	1	0.1 %
116	8	0.5 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
118	11	0.7 %
120	166	10.8 %
121	1	0.1 %
122	8	0.5 %
123	1	0.1 %
124	15	1.0 %
125	1	0.1 %
126	21	1.4 %
128	31	2.0 %
130	214	13.9 %
131	1	0.1 %
132	7	0.5 %
133	1	0.1 %
134	7	0.5 %
135	12	0.8 %
136	10	0.6 %
137	1	0.1 %
138	18	1.2 %
139	2	0.1 %
140	155	10.1 %
141	1	0.1 %
142	5	0.3 %
144	2	0.1 %
145	4	0.3 %
146	3	0.2 %
147	1	0.1 %
148	3	0.2 %
149	1	0.1 %
150	138	8.9 %
152	1	0.1 %
160	132	8.6 %
170	34	2.2 %
180	6	0.4 %
190	3	0.2 %
200	2	0.1 %
. (M)	239	15.5 %

**NOGG62**

**Unsuccessful/Refused Pulse Obliteration Pressure**

Location: 418-418 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29654 -

Question:

Now I would like to take your pulse and two blood pressure readings. - Pulse Obliteration Pressure.  
- Unsuccessful or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unsuccessful	35	2.3 %
9	REF	51	3.3 %
. (M)	-	1456	94.4 %

**GG63**

**Maximum Inflation Level?**

Location:

419-421 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Now I would like to take your pulse and two blood pressure readings. - Maximum Inflation Level.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
64	1	0.1 %
74	1	0.1 %
100	3	0.2 %
114	1	0.1 %
118	2	0.1 %
120	5	0.3 %
124	1	0.1 %
128	6	0.4 %
130	131	8.5 %
132	1	0.1 %
134	6	0.4 %
135	1	0.1 %
136	2	0.1 %
138	9	0.6 %
140	92	6.0 %
141	1	0.1 %
142	12	0.8 %
144	4	0.3 %
145	1	0.1 %
146	7	0.5 %
148	11	0.7 %
150	166	10.8 %
151	1	0.1 %
152	10	0.6 %
153	1	0.1 %
154	15	1.0 %
156	22	1.4 %
158	32	2.1 %
160	212	13.7 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
161	1	0.1 %
162	7	0.5 %
163	1	0.1 %
164	6	0.4 %
165	12	0.8 %
166	9	0.6 %
167	1	0.1 %
168	18	1.2 %
169	2	0.1 %
170	158	10.2 %
171	1	0.1 %
172	5	0.3 %
174	1	0.1 %
175	4	0.3 %
176	3	0.2 %
177	1	0.1 %
178	2	0.1 %
179	1	0.1 %
180	139	9.0 %
182	1	0.1 %
190	133	8.6 %
200	34	2.2 %
210	6	0.4 %
220	3	0.2 %
230	2	0.1 %
. (M)	234	15.2 %

**NOGG63                      Unsuccessful/Refused Maximum Inflation Level**

Location: 422-422 (width: 1; decimal: 0)

Variable Type: numeric

Question: Now I would like to take your pulse and two blood pressure readings. - Maximum Inflation Level. - Unsuccessful or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unsuccessful	30	1.9 %
9	REF	51	3.3 %
. (M)	-	1461	94.7 %

**GG4SYS6                      SYSTOLIC: FIRST READING T6**

Location: 423-425 (width: 3; decimal: 0)

Variable Type: numeric

- Study 29654 -

Question:

Now I would like to take your pulse and two blood pressure readings. - First seated blood pressure reading - Systolic?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
82	1	0.1 %
90	2	0.1 %
92	4	0.3 %
93	1	0.1 %
94	2	0.1 %
96	2	0.1 %
98	18	1.2 %
99	1	0.1 %
100	24	1.6 %
102	8	0.5 %
104	5	0.3 %
105	2	0.1 %
106	15	1.0 %
108	29	1.9 %
110	120	7.8 %
111	1	0.1 %
112	24	1.6 %
113	2	0.1 %
114	15	1.0 %
115	2	0.1 %
116	25	1.6 %
117	3	0.2 %
118	57	3.7 %
120	115	7.5 %
121	2	0.1 %
122	40	2.6 %
123	1	0.1 %
124	51	3.3 %
125	3	0.2 %
126	35	2.3 %
128	51	3.3 %
129	3	0.2 %
130	152	9.9 %
131	2	0.1 %
132	39	2.5 %
133	1	0.1 %
134	45	2.9 %
135	11	0.7 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
136	43	2.8 %
137	1	0.1 %
138	51	3.3 %
139	1	0.1 %
140	89	5.8 %
141	2	0.1 %
142	19	1.2 %
143	1	0.1 %
144	12	0.8 %
145	1	0.1 %
146	12	0.8 %
148	21	1.4 %
150	38	2.5 %
152	3	0.2 %
153	2	0.1 %
154	2	0.1 %
155	3	0.2 %
156	4	0.3 %
157	1	0.1 %
158	3	0.2 %
159	1	0.1 %
160	12	0.8 %
162	1	0.1 %
164	1	0.1 %
166	3	0.2 %
167	2	0.1 %
168	2	0.1 %
170	5	0.3 %
174	1	0.1 %
176	2	0.1 %
178	2	0.1 %
180	1	0.1 %
182	1	0.1 %
185	2	0.1 %
186	1	0.1 %
187	2	0.1 %
190	2	0.1 %
193	1	0.1 %
200	1	0.1 %
. (M)	276	17.9 %

- Study 29654 -

**NOGG4SYS6      Unsuccessful/Refused First Systolic**

Location: 426-426 (width: 1; decimal: 0)

Variable Type: numeric

Question: Now I would like to take your pulse and two blood pressure readings. - First seated blood pressure reading - Systolic? - Unsuccessful or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unsuccessful	12	0.8 %
9	REF	111	7.2 %
. (M)	-	1419	92.0 %

**GG4DIA6      First Seated Diastolic Blood Pressure Reading**

Location: 427-429 (width: 3; decimal: 0)

Variable Type: numeric

Question: Now I would like to take your pulse and two blood pressure readings. - First seated blood pressure reading - Diastolic?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	2	0.1 %
43	1	0.1 %
44	2	0.1 %
48	2	0.1 %
50	15	1.0 %
51	2	0.1 %
52	1	0.1 %
53	1	0.1 %
54	4	0.3 %
56	8	0.5 %
58	17	1.1 %
59	3	0.2 %
60	98	6.4 %
61	1	0.1 %
62	24	1.6 %
64	29	1.9 %
65	6	0.4 %
66	43	2.8 %
67	4	0.3 %
68	90	5.8 %
69	3	0.2 %
70	244	15.8 %
72	110	7.1 %
73	2	0.1 %
74	88	5.7 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
75	7	0.5 %
76	49	3.2 %
77	2	0.1 %
78	67	4.3 %
79	2	0.1 %
80	156	10.1 %
81	2	0.1 %
82	35	2.3 %
84	36	2.3 %
85	1	0.1 %
86	21	1.4 %
88	19	1.2 %
90	28	1.8 %
92	4	0.3 %
93	2	0.1 %
94	8	0.5 %
95	2	0.1 %
96	8	0.5 %
97	1	0.1 %
98	8	0.5 %
100	6	0.4 %
102	1	0.1 %
110	1	0.1 %
. (M)	276	17.9 %

**NOGG4DIA6**

**Unsuccessful/Refused Standing Diastolic Reading**

Location: 430-430 (width: 1; decimal: 0)

Variable Type: numeric

Question: Now I would like to take your pulse and two blood pressure readings. - First seated blood pressure reading - Diastolic? - Unsuccessful or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unsuccessful	12	0.8 %
. (M)	-	1530	99.2 %

**GG5SYS6**

**Second Seated Systolic Blood Pressure Reading**

Location: 431-433 (width: 3; decimal: 0)

Variable Type: numeric

Question: Now I would like to take your pulse and two blood pressure readings. - Second seated blood pressure reading - Systolic?



- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
80	1	0.1 %
82	1	0.1 %
90	4	0.3 %
92	3	0.2 %
94	4	0.3 %
96	2	0.1 %
97	2	0.1 %
98	12	0.8 %
99	1	0.1 %
100	17	1.1 %
102	8	0.5 %
104	9	0.6 %
105	2	0.1 %
106	16	1.0 %
107	1	0.1 %
108	30	1.9 %
109	2	0.1 %
110	100	6.5 %
112	33	2.1 %
114	23	1.5 %
115	4	0.3 %
116	34	2.2 %
118	60	3.9 %
119	1	0.1 %
120	101	6.5 %
121	2	0.1 %
122	43	2.8 %
123	1	0.1 %
124	60	3.9 %
125	2	0.1 %
126	45	2.9 %
127	1	0.1 %
128	48	3.1 %
129	1	0.1 %
130	87	5.6 %
131	1	0.1 %
132	83	5.4 %
134	93	6.0 %
135	4	0.3 %
136	34	2.2 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
137	1	0.1 %
138	56	3.6 %
139	1	0.1 %
140	75	4.9 %
142	20	1.3 %
144	14	0.9 %
145	1	0.1 %
146	18	1.2 %
148	26	1.7 %
150	16	1.0 %
152	9	0.6 %
154	3	0.2 %
155	1	0.1 %
156	5	0.3 %
158	5	0.3 %
160	9	0.6 %
162	2	0.1 %
164	3	0.2 %
165	2	0.1 %
166	3	0.2 %
168	2	0.1 %
169	1	0.1 %
170	3	0.2 %
172	1	0.1 %
174	1	0.1 %
178	1	0.1 %
180	1	0.1 %
182	1	0.1 %
184	2	0.1 %
185	1	0.1 %
186	2	0.1 %
192	2	0.1 %
200	1	0.1 %
. (M)	277	18.0 %

**NOGG5SYS6**

**Unsuccessful/Refused Second Systolic**

Location: 434-434 (width: 1; decimal: 0)

Variable Type: numeric

Question: Now I would like to take your pulse and two blood pressure readings. - Second seated blood pressure reading - Systolic? - Unsuccessful or Refused.

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unsuccessful	13	0.8 %
9	REF	111	7.2 %
. (M)	-	1418	92.0 %

**GG5DIA6**

**Second Seated Diastolic Blood Pressure Reading**

Location: 435-437 (width: 3; decimal: 0)

Variable Type: numeric

Question: Now I would like to take your pulse and two blood pressure readings. - Second seated blood pressure reading - Diastolic?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
42	1	0.1 %
43	1	0.1 %
47	1	0.1 %
48	2	0.1 %
50	7	0.5 %
51	1	0.1 %
52	6	0.4 %
54	5	0.3 %
55	2	0.1 %
56	3	0.2 %
58	12	0.8 %
59	1	0.1 %
60	72	4.7 %
61	2	0.1 %
62	47	3.0 %
63	1	0.1 %
64	47	3.0 %
65	5	0.3 %
66	39	2.5 %
68	79	5.1 %
70	224	14.5 %
72	150	9.7 %
73	3	0.2 %
74	86	5.6 %
75	6	0.4 %
76	52	3.4 %
77	4	0.3 %
78	74	4.8 %
80	162	10.5 %
81	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
82	34	2.2 %
84	38	2.5 %
86	14	0.9 %
88	20	1.3 %
90	26	1.7 %
92	10	0.6 %
94	5	0.3 %
95	2	0.1 %
96	3	0.2 %
98	12	0.8 %
108	2	0.1 %
114	1	0.1 %
. (M)	279	18.1 %

**NOGG5DIA6**      **Unsuccessful/Refused Second Diastolic**

Location: 438-438 (width: 1; decimal: 0)

Variable Type: numeric

Question: Now I would like to take your pulse and two blood pressure readings. - Second seated blood pressure reading - Diastolic? - Unsuccessful or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unsuccessful	15	1.0 %
. (M)	-	1527	99.0 %

**NSBP6**      **Total Number of Systolic Readings**

Location: 439-439 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No readings	269	17.4 %
1	One reading	11	0.7 %
2	Both readings	1260	81.7 %
. (M)	-	2	0.1 %

**SBP\_AVG6**      **Average Systolic Blood Pressure Reading**

Location: 440-444 (width: 5; decimal: 1)

Variable Type: numeric

Question: Created Variable: Average systolic blood pressure.

**NDBP6**      **Total Number of Diastolic Readings**

Location: 445-445 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No readings	270	17.5 %
1	One reading	11	0.7 %
2	Both readings	1259	81.6 %
. (M)	-	2	0.1 %

**DBP\_AVG6**

**Average Diastolic Blood Pressure Reading**

Location: 446-450 (width: 5; decimal: 1)

Variable Type: numeric

Question: Created Variable: Average diastolic blood pressure.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
41.0	1	0.1 %
43.0	1	0.1 %
45.0	1	0.1 %
45.5	1	0.1 %
46.0	1	0.1 %
49.0	2	0.1 %
49.5	1	0.1 %
50.0	3	0.2 %
50.5	1	0.1 %
51.0	4	0.3 %
51.5	1	0.1 %
52.0	3	0.2 %
53.0	2	0.1 %
54.0	3	0.2 %
55.0	4	0.3 %
56.0	2	0.1 %
57.0	4	0.3 %
57.5	2	0.1 %
58.0	8	0.5 %
59.0	12	0.8 %
59.5	3	0.2 %
60.0	44	2.9 %
60.5	1	0.1 %
61.0	31	2.0 %
62.0	29	1.9 %
62.5	2	0.1 %
63.0	24	1.6 %
64.0	10	0.6 %
64.5	2	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
65.0	23	1.5 %
65.5	2	0.1 %
66.0	22	1.4 %
66.5	2	0.1 %
67.0	16	1.0 %
67.5	3	0.2 %
68.0	47	3.0 %
68.5	2	0.1 %
69.0	56	3.6 %
69.5	2	0.1 %
70.0	145	9.4 %
71.0	77	5.0 %
72.0	93	6.0 %
72.5	3	0.2 %
73.0	53	3.4 %
73.5	3	0.2 %
74.0	33	2.1 %
74.5	1	0.1 %
75.0	32	2.1 %
75.5	3	0.2 %
76.0	23	1.5 %
76.5	5	0.3 %
77.0	28	1.8 %
77.5	3	0.2 %
78.0	36	2.3 %
78.5	2	0.1 %
79.0	36	2.3 %
79.5	1	0.1 %
80.0	116	7.5 %
80.5	1	0.1 %
81.0	32	2.1 %
81.5	1	0.1 %
82.0	19	1.2 %
83.0	23	1.5 %
84.0	15	1.0 %
84.5	1	0.1 %
85.0	9	0.6 %
86.0	9	0.6 %
87.0	8	0.5 %
88.0	11	0.7 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
89.0	11	0.7 %
90.0	19	1.2 %
91.0	2	0.1 %
91.5	1	0.1 %
92.0	3	0.2 %
92.5	2	0.1 %
93.0	7	0.5 %
93.5	1	0.1 %
94.0	2	0.1 %
95.0	2	0.1 %
96.0	2	0.1 %
96.5	1	0.1 %
97.0	6	0.4 %
98.0	5	0.3 %
99.0	4	0.3 %
105.0	1	0.1 %
112.0	1	0.1 %
. (M)	272	17.6 %

**GG7SYS6**

**Standing Systolic Blood Pressure Reading**

Location: 451-453 (width: 3; decimal: 0)  
Variable Type: numeric  
Question: Standing blood pressure reading - Systolic?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
80	1	0.1 %
82	1	0.1 %
83	1	0.1 %
90	1	0.1 %
92	3	0.2 %
94	3	0.2 %
95	1	0.1 %
96	1	0.1 %
98	7	0.5 %
100	17	1.1 %
102	7	0.5 %
104	3	0.2 %
105	3	0.2 %
106	18	1.2 %
108	23	1.5 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
110	92	6.0 %
112	38	2.5 %
113	3	0.2 %
114	20	1.3 %
115	1	0.1 %
116	31	2.0 %
118	51	3.3 %
119	3	0.2 %
120	98	6.4 %
121	1	0.1 %
122	43	2.8 %
123	1	0.1 %
124	55	3.6 %
125	1	0.1 %
126	38	2.5 %
127	4	0.3 %
128	56	3.6 %
129	1	0.1 %
130	81	5.3 %
131	1	0.1 %
132	96	6.2 %
133	1	0.1 %
134	59	3.8 %
135	4	0.3 %
136	37	2.4 %
138	57	3.7 %
140	67	4.3 %
141	2	0.1 %
142	13	0.8 %
144	13	0.8 %
145	1	0.1 %
146	25	1.6 %
147	2	0.1 %
148	20	1.3 %
150	14	0.9 %
152	5	0.3 %
154	3	0.2 %
155	2	0.1 %
156	6	0.4 %
158	6	0.4 %



- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
160	8	0.5 %
161	1	0.1 %
164	3	0.2 %
165	2	0.1 %
166	4	0.3 %
170	5	0.3 %
172	1	0.1 %
176	1	0.1 %
178	4	0.3 %
180	1	0.1 %
182	1	0.1 %
184	1	0.1 %
185	2	0.1 %
186	1	0.1 %
188	2	0.1 %
194	1	0.1 %
198	1	0.1 %
203	1	0.1 %
210	1	0.1 %
220	1	0.1 %
. (M)	358	23.2 %

**GG7DIA6**

**Standing Diastolic Blood Pressure Reading**

Location: 454-456 (width: 3; decimal: 0)

Variable Type: numeric

Question: Standing blood pressure reading - Diastolic?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	1	0.1 %
44	1	0.1 %
47	1	0.1 %
48	1	0.1 %
49	1	0.1 %
50	2	0.1 %
52	2	0.1 %
53	2	0.1 %
54	4	0.3 %
55	1	0.1 %
56	3	0.2 %
58	8	0.5 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
60	46	3.0 %
62	40	2.6 %
63	1	0.1 %
64	37	2.4 %
65	6	0.4 %
66	28	1.8 %
67	3	0.2 %
68	75	4.9 %
69	1	0.1 %
70	227	14.7 %
71	4	0.3 %
72	131	8.5 %
73	1	0.1 %
74	80	5.2 %
75	2	0.1 %
76	57	3.7 %
77	3	0.2 %
78	61	4.0 %
79	1	0.1 %
80	155	10.1 %
81	1	0.1 %
82	54	3.5 %
83	1	0.1 %
84	31	2.0 %
85	2	0.1 %
86	21	1.4 %
87	2	0.1 %
88	22	1.4 %
90	26	1.7 %
92	3	0.2 %
93	1	0.1 %
94	6	0.4 %
95	1	0.1 %
96	8	0.5 %
97	1	0.1 %
98	10	0.6 %
99	1	0.1 %
100	2	0.1 %
114	2	0.1 %
122	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	360	23.3 %

**NOGG7DIA6** **STANDING DIASTOLIC READING: UNSUCCESSFUL OR REFUSED**

Location: 457-457 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Standing blood pressure reading - Diastolic? - Unsuccessful or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unsuccessful	15	1.0 %
. (M)	-	1527	99.0 %

**GG66** **CUFF SIZE T6**

Location: 458-458 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Blood pressure cuff size?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Regular	1253	81.3 %
2	Pediatric	9	0.6 %
3	Large Arm	16	1.0 %
7	Not Performed	264	17.1 %

**GGCAT6** **Blood Pressure Recording Categories**

Location: 459-459 (width: 1; decimal: 0)  
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sys<140/Dia<90	338	21.9 %
2	Sys<140/Dia<90md	544	35.3 %
3	Sy140-60/Di90-95	357	23.2 %
4	Sy161200/Di96115	32	2.1 %
. (M)	-	271	17.6 %

**KHYPER61** **Told by a Doctor You Have High Blood Pressure?**

Location: 460-460 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Has a doctor ever told you that you have high blood pressure?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	YES	1026	66.5 %
2	Suspect/possible	9	0.6 %
3	NO	491	31.8 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	DK	16	1.0 %

**KHYPER62**

**# YEARS AGO TOLD HAD HIGH BP T6**

Location: 461-462 (width: 2; decimal: 0)

Variable Type: numeric

Question: How many years ago were you told that you have high blood pressure?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	79	5.1 %
2	64	4.2 %
3	71	4.6 %
4	36	2.3 %
5	54	3.5 %
6	39	2.5 %
7	32	2.1 %
8	37	2.4 %
9	15	1.0 %
10	77	5.0 %
11	10	0.6 %
12	26	1.7 %
13	5	0.3 %
14	8	0.5 %
15	60	3.9 %
16	16	1.0 %
17	13	0.8 %
18	5	0.3 %
19	3	0.2 %
20	59	3.8 %
21	8	0.5 %
22	7	0.5 %
23	7	0.5 %
24	3	0.2 %
25	22	1.4 %
26	2	0.1 %
27	5	0.3 %
28	4	0.3 %
29	2	0.1 %
30	27	1.8 %
31	4	0.3 %
32	5	0.3 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
33	1	0.1 %
34	1	0.1 %
35	7	0.5 %
36	5	0.3 %
37	4	0.3 %
38	2	0.1 %
39	1	0.1 %
40	14	0.9 %
42	3	0.2 %
43	1	0.1 %
44	3	0.2 %
45	1	0.1 %
46	2	0.1 %
47	3	0.2 %
50	4	0.3 %
51	1	0.1 %
52	1	0.1 %
53	1	0.1 %
54	1	0.1 %
55	1	0.1 %
56	1	0.1 %
57	2	0.1 %
60	2	0.1 %
64	1	0.1 %
65	1	0.1 %
. (M)	673	43.6 %

**KHYPER64**      **Currently Taking Medication for High Blood Pressure?**

Location: 463-463 (width: 1; decimal: 0)

Variable Type: numeric

Question: Are you currently taking any medication for high blood pressure?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	966	62.6 %
2	No	65	4.2 %
8	DK	4	0.3 %
. (M)	-	507	32.9 %

**U63A**      **Told by a Doctor You Have Kidney Disease?**

Location: 464-464 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29654 -

Question: Has a doctor or other health care professional ever told you that you had any of the following conditions  
- Kidney Disease?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	178	11.5 %
2	No	1350	87.5 %
8	DK	13	0.8 %
9	REF	1	0.1 %

**U63D Told by a Doctor You Have Liver Disease?**

Location: 465-465 (width: 1; decimal: 0)

Variable Type: numeric

Question: Has a doctor or other health care professional ever told you that you had any of the following conditions  
- Liver Disease?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	129	8.4 %
2	No	1400	90.8 %
8	DK	12	0.8 %
9	REF	1	0.1 %

**U63F Told by a Doctor You Have Osteoporosis?**

Location: 466-466 (width: 1; decimal: 0)

Variable Type: numeric

Question: Has a doctor or other health care professional ever told you that you had any of the following conditions  
- Osteoporosis?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	347	22.5 %
2	No	1155	74.9 %
8	DK	39	2.5 %
9	REF	1	0.1 %

**U63G Told by a Doctor You Have Emphysema?**

Location: 467-467 (width: 1; decimal: 0)

Variable Type: numeric

Question: Has a doctor or other health care professional ever told you that you had any of the following conditions  
- Emphysema?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	138	8.9 %
2	No	1390	90.1 %
8	DK	13	0.8 %
9	REF	1	0.1 %

- Study 29654 -

**U63H Told by a Doctor You Have Parkinsons Disease?**

Location: 468-468 (width: 1; decimal: 0)

Variable Type: numeric

Question: Has a doctor or other health care professional ever told you that you had any of the following conditions  
- Parkinson's Disease?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	54	3.5 %
2	No	1471	95.4 %
8	DK	16	1.0 %
9	REF	1	0.1 %

**U63K Told by a Doctor You Have Thyroid/Glandular Problems?**

Location: 469-469 (width: 1; decimal: 0)

Variable Type: numeric

Question: Has a doctor or other health care professional ever told you that you had any of the following conditions  
- Thyroid or glandular problems?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	224	14.5 %
2	No	1293	83.9 %
8	DK	23	1.5 %
9	REF	2	0.1 %

**U63M Told by a Doctor You Have Anemia/Low Blood Count?**

Location: 470-470 (width: 1; decimal: 0)

Variable Type: numeric

Question: Has a doctor or other health care professional ever told you that you had any of the following conditions  
- Anemia or low blood count?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	255	16.5 %
2	No	1271	82.4 %
8	DK	14	0.9 %
9	REF	2	0.1 %

**U63N Told by a Doctor You Have Eye Problems?**

Location: 471-471 (width: 1; decimal: 0)

Variable Type: numeric

Question: Has a doctor or other health care professional ever told you that you had any of the following conditions  
- Eye problems (cataracts, glaucoma, macular degeneration)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1023	66.3 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	510	33.1 %
8	DK	9	0.6 %

**U63Q Told by a Doctor You Have Heart Failure/Heart Disease?**

Location: 472-472 (width: 1; decimal: 0)

Variable Type: numeric

Question: Has a doctor or other health care professional ever told you that you had any of the following conditions  
- Heart Failure or Heart Disease?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	443	28.7 %
2	No	1090	70.7 %
8	DK	8	0.5 %
9	REF	1	0.1 %

**U63U Told by a Doctor You Have Alzheimers Disease/Dementia?**

Location: 473-473 (width: 1; decimal: 0)

Variable Type: numeric

Question: Has a doctor or other health care professional ever told you that you had any of the following conditions  
- Alzheimer's Disease or other dementia?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	194	12.6 %
2	No	1320	85.6 %
8	DK	27	1.8 %
9	REF	1	0.1 %

**U63X Told by a Doctor You Have Arthritis?**

Location: 474-474 (width: 1; decimal: 0)

Variable Type: numeric

Question: Has a doctor or other health care professional ever told you that you had any of the following conditions  
- Arthritis?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	965	62.6 %
2	No	558	36.2 %
8	DK	17	1.1 %
9	REF	2	0.1 %

**LCANCR61 Told by a Doctor You Have Cancer?**

Location: 475-475 (width: 1; decimal: 0)

Variable Type: numeric



- Study 29654 -

Question:

Has a doctor or other health care professional ever told you that you had any of the following conditions  
- Cancer?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	126	8.2 %
2	No	1408	91.3 %
8	DK	7	0.5 %
9	REF	1	0.1 %

**LCANCR65**

**What Type of Cancer Specifically**

Location:

476-625 (width: 150; decimal: 0)

Variable Type:

character

Question:

Where was the cancer - specify?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1432	92.9 %
(BREAST REMOVED - LEFT SIDE)	1	0.1 %
(BREAST X REMISSION 10 YEARS)	1	0.1 %
(PROSTATE)	2	0.1 %
1985 - CANCER	1	0.1 %
2003 X TUMOR X COLON	1	0.1 %
?	3	0.2 %
BREAST	10	0.6 %
BREAST (2005) NECK TUMOR (2004)	1	0.1 %
BREAST (HAD A MASECTOMY IN 1962)	1	0.1 %
BREAST (REMOVED)	1	0.1 %
BREAST (REMOVED) AND UNDERARM	1	0.1 %
BREAST AND CERVICAL	1	0.1 %
BREAST AND STOMACH	1	0.1 %
BREAST CANCER	1	0.1 %
BREAST TUMOR (OK NOW)	1	0.1 %
Breast	1	0.1 %
Breast Cancer	1	0.1 %
CERVICAL	1	0.1 %
CERVICAL (1975)	1	0.1 %
COLITIS	1	0.1 %
COLON	6	0.4 %
COLON AND SKIN	1	0.1 %
COLON YRS AGO OPERATION	1	0.1 %
Colon	1	0.1 %
HYSTERECTOMY 6 YRS AGO	1	0.1 %
KIDNEY	1	0.1 %
KIDNEY (1 REMOVED)	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
LEFT-BREAST	1	0.1 %
LOST ONE KIDNEY (CANCER TUMOR) ALSO BREAST CANCER	1	0.1 %
LUNG	1	0.1 %
LUNGS	2	0.1 %
Liver	1	0.1 %
Lung and possible liver cancer	1	0.1 %
MOUTH (PALATE) TUMOR (WILL NEED METAL PLATE). STILL UNDER TREATMENT - STARTED 3 MONTHS AGO.	1	0.1 %
NON-HODGEKINS LINFOMA	1	0.1 %
NON-HODGKINS - LYMPHOMA 2002 DIAGNOSED AND TREATED WITH CHEMO.	1	0.1 %
NOSE SKIN	1	0.1 %
PROSTATE	19	1.2 %
PROSTATE (9 YEARS AGO, OK NOW)	1	0.1 %
PROSTATE (RADIATION EVERY 4 MOS)	1	0.1 %
PROSTATE CANCER	1	0.1 %
PROSTATE TREATED	1	0.1 %
PROSTATE UNDER TREATMENT	1	0.1 %
PROSTATE, ALSO KIDNEY (REMOVED)	1	0.1 %
Prostate	5	0.3 %
Prostate & Colon	1	0.1 %
R. BREAST	1	0.1 %
R. BREAST (IN REMISSION)	1	0.1 %
SKIN	5	0.3 %
SKIN AT EYE (3 YEARS AGO)	1	0.1 %
SKIN CANCER	1	0.1 %
SKIN CANCER ON FACE NEAR LEFT EYE IN 2006.	1	0.1 %
SKIN CANCER X R-ARM	1	0.1 %
SMALL PIECE NEXT TO HER EYE.	1	0.1 %
SMALL SPOT ON R. SHOULDER	1	0.1 %
SPINE	1	0.1 %
STOMACH AND COLON	1	0.1 %
STOMACH OR COLON	1	0.1 %
Skin	1	0.1 %
THROAT	1	0.1 %
UNDER ARM	1	0.1 %
UTERUS	2	0.1 %
UTERUS (LONG AGO) COLON 2 YEARS AGO	1	0.1 %
breast cancer X breast removed	1	0.1 %
checking pancreas cyst.	1	0.1 %

- Study 29654 -

**TYPECANCER6**      **Collapsed Variable of Specific Cancer Types**

Location: 626-638 (width: 13; decimal: 0)  
 Variable Type: character  
 Question: Created/Collapsed Variable from LCANCR65.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1432	92.9 %
BREAST	26	1.7 %
COLON	14	0.9 %
FEMALE	5	0.3 %
KIDNEY	3	0.2 %
LIVER	1	0.1 %
LUNG	4	0.3 %
NON_HODG_LYMP	2	0.1 %
ORAL	2	0.1 %
PANCREAS	1	0.1 %
PROSTATE	33	2.1 %
SKIN	14	0.9 %
SPINE	1	0.1 %
UNSPECIFIED	4	0.3 %

**ICARDI61**      **Has a History of Heart Attacks**

Location: 639-639 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Had a heart attack, or coronary, or myocardial infarction, or coronary thrombosis?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	56	3.6 %
2	No	1484	96.2 %
8	DK	2	0.1 %

**ICARDI65**      **Been Hospitalized for a Heart Attack?**

Location: 640-640 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: If "Yes", were you hospitalized overnight for this?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	54	3.5 %
2	No	2	0.1 %
. (M)	-	1486	96.4 %

**JSTROK61**      **History of Stroke or Brain Hemorrhage?**

Location: 641-641 (width: 1; decimal: 0)

- Study 29654 -

Variable Type:

numeric

Question:

Had/suspect a stroke, blood clot in the brain, or brain hemorrhage?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	65	4.2 %
2	No	1473	95.5 %
8	DK	4	0.3 %

**JSTROK65**

**Been Hospitalized for a Stroke?**

Location:

642-642 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

If "Yes", were you hospitalized overnight for this?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	51	3.3 %
2	No	14	0.9 %
. (M)	-	1477	95.8 %

**NFRAC61**

**Have You Ever Broken Your Hip?**

Location:

643-643 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

Had broken or fractured your hip?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	38	2.5 %
2	No	1504	97.5 %

**NFRAC65**

**Been Hospitalized for a Broken Hip?**

Location:

644-644 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

If "Yes", were you hospitalized overnight for this?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	34	2.2 %
2	No	3	0.2 %
8	DK	1	0.1 %
. (M)	-	1504	97.5 %

**NFRAC63**

**Have You Ever Broken Bone Other Than Hip?**

Location:

645-645 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

Had broken or fractured any other bone?

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	103	6.7 %
2	No	1438	93.3 %
8	DK	1	0.1 %

**NFRAC64**      **Location of the Other Fracture**

Location: 646-745 (width: 100; decimal: 0)

Variable Type: character

Question: If "Yes", where was this other fracture?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1439	93.3 %
(FRACTURED BACKBONE)	1	0.1 %
(LEFT-FOREARM)	1	0.1 %
2 BREAKS, BROKEN LEFT LEG	1	0.1 %
2 FEET 4-2006	1	0.1 %
2 RIBS	1	0.1 %
2 RIBS 2 TEETH	1	0.1 %
3 RIBS	2	0.1 %
3 YEARS AGO, ACCIDENT, BROKE ARM - REPORTED IN W-5	1	0.1 %
3 YEARS AGO, REPORTED ON W5, ACCIDENT, BROKE ARM.	1	0.1 %
A FINGER	1	0.1 %
ANKLE	4	0.3 %
ARM	3	0.2 %
ARM/ALSO KNEE REPLACEMENT 3 YEARS AGO.	1	0.1 %
Ankle	1	0.1 %
BOTH KNEES - AUTO ACCIDENT	1	0.1 %
BROKE LEFT ARM, 18 MONTHS AGO (1.5 YEARS)	1	0.1 %
BROKE LEFT-HAND WRIST	1	0.1 %
BROKEN RIBS	1	0.1 %
Broke R-rib	1	0.1 %
Broke rib 2 years ago	1	0.1 %
CADERA	1	0.1 %
CHEEK BONE (FALL) ALSO SMALL FRACTURE - VERTEBRAE	1	0.1 %
CLAVICULA - HOMBRO	1	0.1 %
COCCYX	1	0.1 %
Collar Bone	1	0.1 %
ELBOW	1	0.1 %
FINGER (CAR ACCIDENT 3 MONTHS AGO)	1	0.1 %
FOOT	1	0.1 %
FOOT (TOE)	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
FRACTURE OF LEFT FOOT	1	0.1 %
HEEL AND VISIBLE BONE ON LEFT SIDE.	1	0.1 %
HIP HAIRLINE FRACTURES	1	0.1 %
Hand	1	0.1 %
KNEE	4	0.3 %
KNEE AND FRACTURED THE LONG BONE ABOVE - 2006.	1	0.1 %
KNEE L	1	0.1 %
KNEE X LEFT	1	0.1 %
Knee cap	1	0.1 %
Knee needs replacement/doesn't want surgery.	1	0.1 %
L ARM	1	0.1 %
L. WRIST	1	0.1 %
LEFT ANKLE	1	0.1 %
LEFT ARM	1	0.1 %
LEFT ARM, RIGHT LEG	1	0.1 %
LEFT KNEE	1	0.1 %
LEFT SIDE RIB	1	0.1 %
LEFT WRIST	1	0.1 %
LEFT WRIST UP TO ELBOW	1	0.1 %
LEFT-LEG	1	0.1 %
LEG (DUE TO A FALL WHILE WALKING)	1	0.1 %
Left leg	2	0.1 %
Left lower leg	1	0.1 %
Left shoulder	1	0.1 %
Left shoulder - 2 places	1	0.1 %
Left wrist	1	0.1 %
Lower arm	1	0.1 %
NOSE	1	0.1 %
ONE FINGER, BOTH HANDS (THUMB)	1	0.1 %
PELVIS FRACTURE (TWO YEARS AGO)	1	0.1 %
PELVIS/BOTH LEGS	1	0.1 %
Proxy does not know	1	0.1 %
R - ANKLE	1	0.1 %
R-HAND WRIST	1	0.1 %
R-LEG	1	0.1 %
R-WRIST	1	0.1 %
R. WRIST	1	0.1 %
RIGHT FEMUR	1	0.1 %
RIGHT FOOT	1	0.1 %
RIGHT SHOULDER AND RIGHT WRIST	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
Right ankle	1	0.1 %
Right foot (again)	1	0.1 %
Right wrist	1	0.1 %
SCAL	1	0.1 %
SHEEN - FRACTURE	1	0.1 %
SHOULDER	3	0.2 %
SHOULDER - BOTH	1	0.1 %
SHOULDER AND RIBS (I'M STILL HEALING)	1	0.1 %
SHOULDER BLADE	1	0.1 %
SMALL BONE - LOWER BACK IN MAY '07, 8 DAYS IN HOSPITAL	1	0.1 %
SMALL TOE ON R-FOOT	1	0.1 %
Shoulder	1	0.1 %
Side bone in right foot	1	0.1 %
Spine	1	0.1 %
TWO YEARS AGO: ANKLE FRACTURED.	1	0.1 %
UPPER ARM	1	0.1 %
UPPER LEG (2 BONES)	1	0.1 %
VERTEBRAE FRACTURED AND SHOULDER BROKEN	1	0.1 %
WRIST	2	0.1 %
Wrist	1	0.1 %
Wrist (left)	1	0.1 %

**U2FMAMM6** **Has Had a Mammogram in the Past 2 Years?**

Location: 746-746 (width: 1; decimal: 0)

Variable Type: numeric

Question: In the past two years have you had a MAMMOGRAM?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	380	24.6 %
2	No	557	36.1 %
8	DK	24	1.6 %
9	REF	4	0.3 %
. (M)	-	577	37.4 %

**U2HPAP6** **HAD A PAP TEST IN PAST 2 YRS? T6**

Location: 747-747 (width: 1; decimal: 0)

Variable Type: numeric

Question: In the past two years have you had a PAP SMEAR?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	251	16.3 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	683	44.3 %
8	DK	27	1.8 %
9	REF	4	0.3 %
. (M)	-	577	37.4 %

**U3AMP6** **Has Had Any Part of Your Body Amputated**

Location: 748-748 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Have you ever had any part of your body amputated?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	56	3.6 %
2	No	1479	95.9 %
. (M)	-	7	0.5 %

**FINGERS6** **Has Had a Finger Amputated**

Location: 749-749 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Have you ever had any part of your body amputated? - FINGERS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Fingers	8	0.5 %
. (M)	-	1534	99.5 %

**TOES6** **Has Had a Toe Amputated**

Location: 750-750 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Have you ever had any part of your body amputated? - TOES.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Toes	13	0.8 %
. (M)	-	1529	99.2 %

**ONEFOOT6** **Has Had a Foot Amputated**

Location: 751-751 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Have you ever had any part of your body amputated? - ONE FOOT.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	One Foot	1	0.1 %
. (M)	-	1541	99.9 %

**BOTHFEET6** **Has Had Both Feet Amputated**



- Study 29654 -

Location: 752-752 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Have you ever had any part of your body amputated? - BOTH FEET.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1542	100.0 %

**LOWERLEG6 Has Had a Lower Leg Amputated**

Location: 753-753 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Have you ever had any part of your body amputated? - LOWER LEG.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Lower Leg	13	0.8 %
. (M)	-	1529	99.2 %

**BOTHLOWLEG6 Has Had Both Lower Legs Amputated**

Location: 754-754 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Have you ever had any part of your body amputated? - BOTH LOWER LEGS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	Both Lower Legs	4	0.3 %
. (M)	-	1538	99.7 %

**AMPHAND6 Has Had a Hand Amputated**

Location: 755-755 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Have you ever had any part of your body amputated? - HAND.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1542	100.0 %

**AMPBREAST6 Has Had a Breast Amputated**

Location: 756-757 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: Have you ever had any part of your body amputated? - BREAST.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	14	0.9 %
. (M)	-	1528	99.1 %

**AMPARM6 Has Had an Arm Amputated**

Location: 758-759 (width: 2; decimal: 0)

- Study 29654 -

Variable Type: numeric

Question: Have you ever had any part of your body amputated? - ARM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	-	1	0.1 %
. (M)	-	1541	99.9 %

**AMPUTOTHER6**      **Amputation: Other**

Location: 760-834 (width: 75; decimal: 0)

Variable Type: character

Question: Have you ever had any part of your body amputated? - OTHERS.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1538	99.7 %
BOTH LEGS ABOVE KNEE - 2004: LEFT LEG, 2007: RIGHT LEG	1	0.1 %
HALFWAY UP UPPER R LEG	1	0.1 %
ONE HAND	1	0.1 %
TESTICLE	1	0.1 %

**UAMP3Z6**      **What Was the Cause of the Amputations?**

Location: 835-835 (width: 1; decimal: 0)

Variable Type: numeric

Question: What caused you to have or need this/these amputations?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Diabetes	23	1.5 %
2	Other Illness	23	1.5 %
3	Work related accident	6	0.4 %
4	Auto Accident	1	0.1 %
5	Accident in home	2	0.1 %
6	Other type accident	1	0.1 %
. (M)	-	1486	96.4 %

**WCORR61**      **What Year is it?**

Location: 836-836 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	322	20.9 %
1	Correct	1053	68.3 %
. (M)	-	167	10.8 %

**WCORR62**      **What Season is it?**

Location: 837-837 (width: 1; decimal: 0)

- Study 29654 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	516	33.5 %
1	Correct	859	55.7 %
. (M)	-	167	10.8 %

**WCORR63 What Month is it?**

Location: 838-838 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	232	15.0 %
1	Correct	1143	74.1 %
. (M)	-	167	10.8 %

**WCORR64 What is the Date?**

Location: 839-839 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	475	30.8 %
1	Correct	900	58.4 %
. (M)	-	167	10.8 %

**WCORR65 What Day of the Week is it?**

Location: 840-840 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	217	14.1 %
1	Correct	1158	75.1 %
. (M)	-	167	10.8 %

**WCORR66 What State Are We Currently in?**

Location: 841-841 (width: 1; decimal: 0)

Variable Type: numeric

Question: Can you tell me where we are right now? For instance, what state are we in?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	157	10.2 %
1	Correct	1218	79.0 %
. (M)	-	167	10.8 %

- Study 29654 -

**WCORR67 What County Are We Currently in?**

Location: 842-842 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	363	23.5 %
1	Correct	1011	65.6 %
. (M)	-	168	10.9 %

**WCORR68 What City Are We Currently in?**

Location: 843-843 (width: 1; decimal: 0)

Variable Type: numeric

Question: What (city/town) are we in?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	128	8.3 %
1	Correct	1247	80.9 %
. (M)	-	167	10.8 %

**WCORR69 What floor of the Building Are We On?**

Location: 844-844 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	161	10.4 %
1	Correct	1213	78.7 %
. (M)	-	168	10.9 %

**WCORR610 What is the Address?**

Location: 845-845 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	258	16.7 %
1	Correct	1115	72.3 %
. (M)	-	169	11.0 %

**WMMSE611A Able to Repeat the Word Apple**

Location: 846-846 (width: 1; decimal: 0)

Variable Type: numeric

Question: I'm going to name three objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. - Apple?

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	133	8.6 %
1	Correct	1242	80.5 %
. (M)	-	167	10.8 %

**WMMSE611B**      **Able to Repeat the Word Table**

Location: 847-847 (width: 1; decimal: 0)

Variable Type: numeric

Question: I'm going to name three objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. - Table?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	168	10.9 %
1	Correct	1207	78.3 %
. (M)	-	167	10.8 %

**WMMSE611C**      **Able to Repeat the Word Penny**

Location: 848-848 (width: 1; decimal: 0)

Variable Type: numeric

Question: I'm going to name three objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. - Penny?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	182	11.8 %
1	Correct	1193	77.4 %
. (M)	-	167	10.8 %

**WMMSE613A**      **Able to Recall the Word Apple**

Location: 849-849 (width: 1; decimal: 0)

Variable Type: numeric

Question: Now what are the objects I asked you to remember? - Apple?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	344	22.3 %
1	Correct	1031	66.9 %
. (M)	-	167	10.8 %

**WMMSE613B**      **Able to Recall the Word Table**

Location: 850-850 (width: 1; decimal: 0)

Variable Type: numeric

Question: Now what are the objects I asked you to remember? - Table?

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	525	34.0 %
1	Correct	850	55.1 %
. (M)	-	167	10.8 %

**WMMSE613C      Able to Recall the Word Penny**

Location: 851-851 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Now what are the objects I asked you to remember? - Penny?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	615	39.9 %
1	Correct	760	49.3 %
. (M)	-	167	10.8 %

**WMMSE614      Able to Recognize/Name a Watch**

Location: 852-852 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: What is this called? (watch)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	90	5.8 %
1	Correct	1266	82.1 %
7	Unable to do	20	1.3 %
. (M)	-	166	10.8 %

**WMMSE615      Able to Recognize/Name a Pencil**

Location: 853-853 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: What is this called? (pencil)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	85	5.5 %
1	Correct	1271	82.4 %
7	Unable to do	20	1.3 %
. (M)	-	166	10.8 %

**WMMSE616      Able to Repeat a Phrase After Interviewer**

Location: 854-854 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: I'd like you to repeat a phrase after me.

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	282	18.3 %
1	Correct	1094	70.9 %
. (M)	-	166	10.8 %

**WMMSE617      Able to Follow Directions and Read on Card**

Location: 855-855 (width: 1; decimal: 0)

Variable Type: numeric

Question: Please read the words on this card and then do what it says. CLOSE YOUR EYES

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	151	9.8 %
1	Correct	991	64.3 %
7	Unable to do	234	15.2 %
. (M)	-	166	10.8 %

**WMMS618A      TAKES PAPER IN RIGHT HAND T6**

Location: 856-856 (width: 1; decimal: 0)

Variable Type: numeric

Question: I'm going to give you a piece of paper. When I do, take the paper in your right hand, fold it in half with both hands, and put it on the floor. - Takes paper in right hand.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	209	13.6 %
1	Correct	1116	72.4 %
7	Unable to do	51	3.3 %
. (M)	-	166	10.8 %

**WMMS618B      FOLDS PAPER IN HALF T6**

Location: 857-857 (width: 1; decimal: 0)

Variable Type: numeric

Question: I'm going to give you a piece of paper. When I do, take the paper in your right hand, fold it in half with both hands, and put it on the floor. - Folds paper in half.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	167	10.8 %
1	Correct	1158	75.1 %
7	Unable to do	51	3.3 %
. (M)	-	166	10.8 %

**WMMS618C      PUTS PAPER DOWN ON FLOOR T6**

Location: 858-858 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29654 -

Question:

I'm going to give you a piece of paper. When I do, take the paper in your right hand, fold it in half with both hands, and put it on the floor. - Puts paper down on the floor.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	165	10.7 %
1	Correct	1149	74.5 %
7	Unable to do	62	4.0 %
. (M)	-	166	10.8 %

**WMMSE619      Able to Write a Complete Sentence**

Location:

859-859 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

Please write a complete sentence on the piece of paper.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	204	13.2 %
1	Correct	846	54.9 %
7	Unable to do	326	21.1 %
. (M)	-	166	10.8 %

**WMMSE620      Able to Copy Drawing Exactly**

Location:

860-860 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

Here is a drawing. Please copy it exactly on this sheet of paper.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Error/REF/DK	576	37.4 %
1	Correct	587	38.1 %
7	Unable to do	213	13.8 %
. (M)	-	166	10.8 %

**TOTMMSE6      Created Variable of Mean MM Score**

Location:

861-862 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	172	11.2 %
1	3	0.2 %
2	4	0.3 %
3	5	0.3 %
5	2	0.1 %
7	1	0.1 %
8	6	0.4 %
9	4	0.3 %



- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	4	0.3 %
11	10	0.6 %
12	17	1.1 %
13	18	1.2 %
14	31	2.0 %
15	25	1.6 %
16	38	2.5 %
17	42	2.7 %
18	60	3.9 %
19	78	5.1 %
20	73	4.7 %
21	81	5.3 %
22	101	6.5 %
23	115	7.5 %
24	60	3.9 %
25	71	4.6 %
26	30	1.9 %
27	51	3.3 %
28	103	6.7 %
29	109	7.1 %
30	147	9.5 %
. (M)	81	5.3 %

**X6CESD1                      Bothered By Things Usually Dont Bother Me**

Location: 863-863 (width: 1; decimal: 0)

Variable Type: numeric

Question: I was bothered by things that usually don't bother me.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	853	55.3 %
1	Some/Little	260	16.9 %
2	Occass/Moderate	130	8.4 %
3	Most/All	96	6.2 %
. (M)	-	203	13.2 %

**X6CESD2                      Had a Poor Appetite**

Location: 864-864 (width: 1; decimal: 0)

Variable Type: numeric

Question: I did not feel like eating: my appetite was poor.

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	1019	66.1 %
1	Some/Little	177	11.5 %
2	Occass/Moderate	79	5.1 %
3	Most/All	75	4.9 %
. (M)	-	192	12.5 %

**X6CESD3 Felt That I Could Not Shake Off the Blues**

Location: 865-865 (width: 1; decimal: 0)

Variable Type: numeric

Question: I felt that I could not shake off the blues even with help from my family and friends.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	970	62.9 %
1	Some/Little	214	13.9 %
2	Occass/Moderate	86	5.6 %
3	Most/All	68	4.4 %
. (M)	-	204	13.2 %

**X6CESD4 Felt That I Was As Good As Others**

Location: 866-866 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	948	61.5 %
1	Some/Little	130	8.4 %
2	Occass/Moderate	137	8.9 %
3	Most/All	62	4.0 %
. (M)	-	265	17.2 %

**X6CESD5 Had Trouble Keeping My Mind on What I Was Doing**

Location: 867-867 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	805	52.2 %
1	Some/Little	342	22.2 %
2	Occass/Moderate	111	7.2 %
3	Most/All	85	5.5 %
. (M)	-	199	12.9 %

**X6CESD6 Felt Depressed**

Location: 868-868 (width: 1; decimal: 0)

- Study 29654 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	837	54.3 %
1	Some/Little	335	21.7 %
2	Occass/Moderate	102	6.6 %
3	Most/All	68	4.4 %
. (M)	-	200	13.0 %

**X6CESD7 Felt Like Everything I Did Was an Effort**

Location: 869-869 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	667	43.3 %
1	Some/Little	309	20.0 %
2	Occass/Moderate	161	10.4 %
3	Most/All	203	13.2 %
. (M)	-	202	13.1 %

**X6CESD8 Felt Hopeful About the Future**

Location: 870-870 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	696	45.1 %
1	Some/Little	257	16.7 %
2	Occass/Moderate	257	16.7 %
3	Most/All	76	4.9 %
. (M)	-	256	16.6 %

**X6CESD9 Thought My Life Had Been a Failure**

Location: 871-871 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	1177	76.3 %
1	Some/Little	73	4.7 %
2	Occass/Moderate	24	1.6 %
3	Most/All	32	2.1 %
. (M)	-	236	15.3 %

**X6CESD10 I Felt Fearful**

Location: 872-872 (width: 1; decimal: 0)

- Study 29654 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	1055	68.4 %
1	Some/Little	208	13.5 %
2	Occass/Moderate	41	2.7 %
3	Most/All	38	2.5 %
. (M)	-	200	13.0 %

**X6CESD11 My Sleep Was Restless**

Location: 873-873 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	928	60.2 %
1	Some/Little	196	12.7 %
2	Occass/Moderate	97	6.3 %
3	Most/All	127	8.2 %
. (M)	-	194	12.6 %

**X6CESD12 I Was Happy**

Location: 874-874 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	799	51.8 %
1	Some/Little	283	18.4 %
2	Occass/Moderate	217	14.1 %
3	Most/All	37	2.4 %
. (M)	-	206	13.4 %

**X6CESD13 I Talked Less Than Usual**

Location: 875-875 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	1083	70.2 %
1	Some/Little	160	10.4 %
2	Occass/Moderate	57	3.7 %
3	Most/All	48	3.1 %
. (M)	-	194	12.6 %

**X6CESD14 I Felt Lonely**

Location: 876-876 (width: 1; decimal: 0)

- Study 29654 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	925	60.0 %
1	Some/Little	224	14.5 %
2	Occass/Moderate	92	6.0 %
3	Most/All	96	6.2 %
. (M)	-	205	13.3 %

**X6CESD15 Felt That People Were Unfriendly**

Location: 877-877 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	1185	76.8 %
1	Some/Little	105	6.8 %
2	Occass/Moderate	24	1.6 %
3	Most/All	15	1.0 %
. (M)	-	213	13.8 %

**X6CESD16 Felt That I Enjoyed Life**

Location: 878-878 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	716	46.4 %
1	Some/Little	312	20.2 %
2	Occass/Moderate	264	17.1 %
3	Most/All	41	2.7 %
. (M)	-	209	13.6 %

**X6CESD17 Experienced Crying Spells**

Location: 879-879 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	940	61.0 %
1	Some/Little	270	17.5 %
2	Occass/Moderate	68	4.4 %
3	Most/All	71	4.6 %
. (M)	-	193	12.5 %

**X6CESD18 I Felt Sad**

Location: 880-880 (width: 1; decimal: 0)

- Study 29654 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	773	50.1 %
1	Some/Little	382	24.8 %
2	Occass/Moderate	102	6.6 %
3	Most/All	95	6.2 %
. (M)	-	190	12.3 %

**X6CESD19 I Felt That People Disliked Me**

Location: 881-881 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	1168	75.7 %
1	Some/Little	94	6.1 %
2	Occass/Moderate	22	1.4 %
3	Most/All	21	1.4 %
. (M)	-	237	15.4 %

**X6CESD20 Felt That I Couldnt Get Going**

Location: 882-882 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/None	840	54.5 %
1	Some/Little	301	19.5 %
2	Occass/Moderate	88	5.7 %
3	Most/All	117	7.6 %
. (M)	-	196	12.7 %

**CESDTOT6 Total CES-D Score**

Location: 883-887 (width: 5; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	210	13.6 %
1.00	53	3.4 %
1.05	2	0.1 %
2.00	65	4.2 %
3.00	83	5.4 %
3.16	2	0.1 %
4.00	64	4.2 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5.00	55	3.6 %
5.26	2	0.1 %
6.00	69	4.5 %
7.00	70	4.5 %
8.00	59	3.8 %
9.00	39	2.5 %
9.47	3	0.2 %
10.00	57	3.7 %
10.53	1	0.1 %
11.00	47	3.0 %
12.00	36	2.3 %
13.00	46	3.0 %
13.68	2	0.1 %
14.00	20	1.3 %
15.00	37	2.4 %
16.00	35	2.3 %
17.00	30	1.9 %
17.89	1	0.1 %
18.00	42	2.7 %
19.00	25	1.6 %
20.00	24	1.6 %
21.00	22	1.4 %
21.05	1	0.1 %
22.00	20	1.3 %
23.00	16	1.0 %
23.16	1	0.1 %
24.00	14	0.9 %
25.00	11	0.7 %
26.00	8	0.5 %
27.00	6	0.4 %
28.00	6	0.4 %
28.42	1	0.1 %
29.00	12	0.8 %
29.47	1	0.1 %
30.00	10	0.6 %
30.53	1	0.1 %
31.00	9	0.6 %
32.00	2	0.1 %
33.00	4	0.3 %
34.00	3	0.2 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
34.74	1	0.1 %
35.00	2	0.1 %
36.00	4	0.3 %
37.00	5	0.3 %
38.00	1	0.1 %
39.00	3	0.2 %
40.00	2	0.1 %
41.00	1	0.1 %
42.00	1	0.1 %
43.00	2	0.1 %
44.00	1	0.1 %
46.00	1	0.1 %
47.00	1	0.1 %
49.00	1	0.1 %
51.00	1	0.1 %
. (M)	188	12.2 %

**CASE6 CES-D >=16=1 Caseness**

Location: 888-888 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1022	66.3 %
1	Yes	332	21.5 %
. (M)	-	188	12.2 %

**YSMOKE63 Do You Currently Smoke Cigarettes?**

Location: 889-889 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	79	5.1 %
2	No	1463	94.9 %

**ZALC62 Have You Drank Alcohol in Past Month?**

Location: 890-890 (width: 1; decimal: 0)

Variable Type: numeric

Question: In the past month, have you had any beer, wine, or liquor?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	193	12.5 %



- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	1346	87.3 %
8	DK	2	0.1 %
9	REF	1	0.1 %

**AAMED61 Have You Take Rx Medicine in Past 2 Weeks?**

Location: 891-891 (width: 1; decimal: 0)

Variable Type: numeric

Question: During the past 2 weeks, did you take or use any medicine prescribed by a doctor (including those mentioned earlier.)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1296	84.0 %
2	No	155	10.1 %
8	DK	5	0.3 %
9	REF	2	0.1 %
. (M)	-	84	5.4 %

**AAMED62 Have You Taken Rx Medicine Not Regularly Used?**

Location: 892-892 (width: 1; decimal: 0)

Variable Type: numeric

Question: Did you take or use any drugs prescribed by a doctor that are not to be taken regularly, but only as needed?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes,past 2 wk	247	16.0 %
2	Yes,no past 2 wk	79	5.1 %
3	No	1099	71.3 %
8	DK	25	1.6 %
9	Ref	4	0.3 %
. (M)	-	88	5.7 %

**AAMED65 Willing to Show Interviewer Medication Containers**

Location: 893-893 (width: 1; decimal: 0)

Variable Type: numeric

Question: May I please see all these medicines (containers) and vitamins that you have taken or used in the past 2 weeks, and the drugs taht you take only as needed?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1293	83.9 %
2	No	84	5.4 %
9	REF	35	2.3 %
. (M)	-	130	8.4 %

- Study 29654 -

**BB1A6      Able to Use Telephone Without Help**

Location: 894-894 (width: 1; decimal: 0)

Variable Type: numeric

Question: Can you use the telephone without help (including looking up numbers and dialing)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1159	75.2 %
2	No	383	24.8 %

**BB1B6      Able to Drive Own Car or Travel Alone**

Location: 895-895 (width: 1; decimal: 0)

Variable Type: numeric

Question: Can you drive your own car or travel alone on buses or taxis?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	745	48.3 %
2	No	794	51.5 %
8	DK	1	0.1 %
9	REF	1	0.1 %
. (M)	-	1	0.1 %

**BB1C6      Able to Shop For Groceries/Clothes Alone**

Location: 896-896 (width: 1; decimal: 0)

Variable Type: numeric

Question: Can you go shopping for groceries or clothes without help (taking care of all shopping needs yourself, assuming you had transportation)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	827	53.6 %
2	No	714	46.3 %
. (M)	-	1	0.1 %

**BB1D6      Able to Prepare Own Meal Without Help**

Location: 897-897 (width: 1; decimal: 0)

Variable Type: numeric

Question: Can you prepare your own meals without help (plan and cook full meals yourself)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1057	68.5 %
2	No	485	31.5 %

**BB1F6      Able to Take Medication Without Help**

Location: 898-898 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29654 -

Question:

Can you take your medicine without help (in the right doses at the right time)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1126	73.0 %
2	No	410	26.6 %
8	DK	3	0.2 %
9	REF	1	0.1 %
. (M)	-	2	0.1 %

**BB1G6**      **Able to Manage Finances Alone**

Location: 899-899 (width: 1; decimal: 0)

Variable Type: numeric

Question: Can you handle your money without help (write checks, pay bills, etc)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1032	66.9 %
2	No	509	33.0 %
8	DK	1	0.1 %

**BB1H6**      **Able to do Heavy Housework Without Help**

Location: 900-900 (width: 1; decimal: 0)

Variable Type: numeric

Question: Can you do heavy work around the house like washing windows, walls and floors without help?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	517	33.5 %
2	No	1024	66.4 %
8	DK	1	0.1 %

**BB1I6**      **Able to Climb Stairs Without Help**

Location: 901-901 (width: 1; decimal: 0)

Variable Type: numeric

Question: Can you walk up and down stairs to the second floor without help?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	704	45.7 %
2	No	827	53.6 %
8	DK	7	0.5 %
9	REF	4	0.3 %

**BB1J6**      **Able to Walk Half a Mile Without Help**

Location: 902-902 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	675	43.8 %
2	No	850	55.1 %
8	DK	14	0.9 %
9	REF	1	0.1 %
. (M)	-	2	0.1 %

**TOTIADL6**      **Sum of IADLS**

Location: 903-904 (width: 2; decimal: 0)

Variable Type: numeric

Question: Created Variables: Recode 1 (unable to do), 2 to 0 (able), 8 & 9 to missing and sum.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	368	23.9 %
1	147	9.5 %
2	124	8.0 %
3	140	9.1 %
4	90	5.8 %
5	116	7.5 %
6	87	5.6 %
7	91	5.9 %
8	67	4.3 %
9	101	6.5 %
10	210	13.6 %
. (M)	1	0.1 %

**ANYIADL6**      **Total IADL >=1**

Location: 905-905 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No help needed/able to do	368	23.9 %
1	Help with 1 or more	1173	76.1 %
. (M)	-	1	0.1 %

**HLPREL61**      **Relationship of 1st Helper of ADL Activities**

Location: 906-907 (width: 2; decimal: 0)

Variable Type: numeric

Question: Needs help from person for at least one activity. - Who is this person and what is their relationship to you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Spouse	148	9.6 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Son/daugh	475	30.8 %
4	Son/daug-in-law	23	1.5 %
5	Grandchild	25	1.6 %
7	Brother/Sister	13	0.8 %
8	Newphew/Niece	18	1.2 %
9	Cousin	3	0.2 %
11	Great Grandkid	1	0.1 %
12	Oth Relative	2	0.1 %
13	Friend	18	1.2 %
14	Boarder/roomer	1	0.1 %
15	Paid Employee	361	23.4 %
16	Oth non-relate	46	3.0 %
17	Sis/bro-in-law	2	0.1 %
. (M)	-	406	26.3 %

**DKHELP61**

**Unknown/Refused Relation of 1st Helper of ADL**

Location: 908-908 (width: 1; decimal: 0)

Variable Type: numeric

Question: Needs help from person for at least one activity. - Who is this person and what is their relationship to you? - Don't know or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	Don't know	11	0.7 %
9	REF	3	0.2 %
. (M)	-	1528	99.1 %

**HLPREL62**

**Relationship of 2nd Helper of ADL Activities**

Location: 909-910 (width: 2; decimal: 0)

Variable Type: numeric

Question: Needs help from person for at least one activity. - Anyone else?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Spouse	26	1.7 %
3	Son/daugh	175	11.3 %
4	Son/daug-in-law	21	1.4 %
5	Grandchild	38	2.5 %
7	Brother/Sister	10	0.6 %
8	Newphew/Niece	7	0.5 %
9	Cousin	2	0.1 %
11	Great Grandkid	2	0.1 %
12	Oth Relative	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	Friend	9	0.6 %
14	Boarder/roomer	1	0.1 %
15	Paid Employee	74	4.8 %
16	Oth non-relate	20	1.3 %
. (M)	-	1156	75.0 %

**DKHELP62**      **Unknown/Refused Relation of 2nd Helper of ADL**

Location: 911-911 (width: 1; decimal: 0)

Variable Type: numeric

Question: Needs help from person for at least one activity. - Anyone else? - Don't know or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	Don't know	20	1.3 %
9	REF	4	0.3 %
. (M)	-	1518	98.4 %

**BB2A6**      **Able to Walk Across a Small Room**

Location: 912-912 (width: 1; decimal: 0)

Variable Type: numeric

Question: At the present time, do you need help from another person or special equipment or a device for walking across a small room?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Need Help	447	29.0 %
2	Dont Need Help	1016	65.9 %
3	Unable to do	78	5.1 %
. (M)	-	1	0.1 %

**BB2B6**      **Able to Bath Without Help**

Location: 913-913 (width: 1; decimal: 0)

Variable Type: numeric

Question: At the present time, do you need help from another person or special equipment or a device for bathing (either a sponge bath, tub bath, or shower)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Need Help	450	29.2 %
2	Dont Need Help	1071	69.5 %
3	Unable to do	21	1.4 %

**BB2C6**      **Able to Complete Personal Grooming Without Help**

Location: 914-914 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29654 -

Question:

At the present time, do you need help from another person or special equipment or a device for personal grooming like brushing hair, brushing teeth, or washing face?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Need Help	246	16.0 %
2	Dont Need Help	1281	83.1 %
3	Unable to do	15	1.0 %

**BB2D6      Able to Get Dressed Without Help**

Location:

915-915 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

At the present time, do you need help from another person or special equipment or a device for dressing (like putting on a shirt, buttoning and zipping, or putting on shoes)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Need Help	315	20.4 %
2	Dont Need Help	1210	78.5 %
3	Unable to do	17	1.1 %

**BB2E6      Able to Eat and Drink Without Help**

Location:

916-916 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

At the present time, do you need help from another person or special equipment or a device for eating (like holding a fork, cutting food, or drinking from a glass)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Need Help	139	9.0 %
2	Dont Need Help	1393	90.3 %
3	Unable to do	10	0.6 %

**BB2F6      Able to Get From a Bed to a Chair Without Help**

Location:

917-917 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

At the present time, do you need help from another person or special equipment or a device for getting from a bed to a chair?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Need Help	527	34.2 %
2	Dont Need Help	961	62.3 %
3	Unable to do	54	3.5 %

**BB2G6      Able to Use the Toliet Without Help**

Location:

918-918 (width: 1; decimal: 0)

Variable Type:

numeric

- Study 29654 -

Question:

At the present time, do you need help from another person or special equipment or a device for using the toilet?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Need Help	276	17.9 %
2	Dont Need Help	1241	80.5 %
3	Unable to do	25	1.6 %

**TOTADL6**

**Sum of ADLs**

Location:

919-919 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

Created Variables: Recode 1, 3 to 1 (help), 2 to 0 (no help), 8 & 9 to missing and sum.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	756	49.0 %
1	262	17.0 %
2	135	8.8 %
3	63	4.1 %
4	62	4.0 %
5	56	3.6 %
6	78	5.1 %
7	129	8.4 %
. (M)	1	0.1 %

**ANYADL6**

**Total ADL >=1**

Location:

920-920 (width: 1; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No help needed/able to do	756	49.0 %
1	Help with 1 or more	785	50.9 %
. (M)	-	1	0.1 %

**TYPEHLP6**

**Type of ADL Needed Help**

Location:

921-921 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

You said you need help to \_\_\_\_\_. - Is this help from a person from special equipment, or both?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Person	257	16.7 %
2	Special Equipmnt	144	9.3 %
3	Person and Sp Equip	387	25.1 %
. (M)	-	754	48.9 %



- Study 29654 -

**MOSTHLP6 Relationship of Who Helps the Most to You**

Location: 922-923 (width: 2; decimal: 0)

Variable Type: numeric

Question: Who is this person, and what is their relationship to you?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Spouse	218	14.1 %
3	Son/daugh	167	10.8 %
4	Son/daug-in-law	9	0.6 %
5	Grandchild	6	0.4 %
6	Parent	1	0.1 %
7	Brother/Sister	3	0.2 %
8	Newpew/Niece	8	0.5 %
9	Cousin	1	0.1 %
11	Great Grandkid	1	0.1 %
12	Oth Relative	2	0.1 %
13	Friend	2	0.1 %
15	Paid Employee	212	13.7 %
16	Oth non-relate	29	1.9 %
. (M)	-	883	57.3 %

**DKMOST6 Unknown/Refused Relationship of ADL Helper**

Location: 924-924 (width: 1; decimal: 0)

Variable Type: numeric

Question: Who is this person, and what is their relationship to you? - Don't know or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	REF	1	0.1 %
. (M)	-	1541	99.9 %

**ELSEREL61 Relationship of 2nd ADL Helper**

Location: 925-926 (width: 2; decimal: 0)

Variable Type: numeric

Question: Anyone else?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Spouse	14	0.9 %
3	Son/daugh	63	4.1 %
4	Son/daug-in-law	1	0.1 %
5	Grandchild	18	1.2 %
7	Brother/Sister	3	0.2 %
8	Newpew/Niece	3	0.2 %
11	Great Grandkid	2	0.1 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	Friend	5	0.3 %
14	Boarder/roomer	1	0.1 %
15	Paid Employee	46	3.0 %
16	Oth non-relate	12	0.8 %
. (M)	-	1374	89.1 %

**DKELSE61**      **Unknown/Refused Relationship of 2nd ADL Helper**

Location: 927-927 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Anyone else? - Don't know or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	DK	11	0.7 %
9	REF	1	0.1 %
. (M)	-	1530	99.2 %

**ELSEREL62**      **Relationship of 3rd ADL Helper**

Location: 928-929 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: Anyone else?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Son/daugh	15	1.0 %
4	Son/daug-in-law	5	0.3 %
5	Grandchild	6	0.4 %
7	Brother/Sister	2	0.1 %
15	Paid Employee	6	0.4 %
16	Oth non-relate	2	0.1 %
17	Sis/bro-in-law	1	0.1 %
. (M)	-	1505	97.6 %

**DKELSE62**      **Unkown/Refused Relationship of 3rd ADL Helper**

Location: 930-930 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Anyone else? - Don't know or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	DK	16	1.0 %
9	REF	1	0.1 %
. (M)	-	1525	98.9 %

**QQ16**      **Did You Walk in Past 14 Days for Exercise**

- Study 29654 -

Location: 931-931 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: In the past 14 days did you go walking for exercise?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	441	28.6 %
2	No	881	57.1 %
8	DK	1	0.1 %
9	REF	3	0.2 %
. (M)	-	216	14.0 %

**QQ1A6 Times in Past 14 Days Walked for Exercise**

Location: 932-933 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: On the average, how many times in the past 14 days did you go walking for exercise?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4	0.3 %
2	29	1.9 %
3	36	2.3 %
4	36	2.3 %
5	25	1.6 %
6	62	4.0 %
7	30	1.9 %
8	13	0.8 %
9	4	0.3 %
10	78	5.1 %
12	24	1.6 %
13	3	0.2 %
14	88	5.7 %
15	4	0.3 %
20	1	0.1 %
60	1	0.1 %
. (M)	1104	71.6 %

**QQ1B6 Minutes Spent Walking for Exercise**

Location: 934-936 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: About how many minutes did you actually spend on each occasion?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	1	0.1 %
3	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	13	0.8 %
6	1	0.1 %
10	36	2.3 %
15	45	2.9 %
20	68	4.4 %
21	1	0.1 %
25	10	0.6 %
30	119	7.7 %
35	4	0.3 %
40	7	0.5 %
45	36	2.3 %
50	3	0.2 %
60	54	3.5 %
80	3	0.2 %
90	9	0.6 %
100	1	0.1 %
120	11	0.7 %
150	3	0.2 %
180	10	0.6 %
. (M)	1106	71.7 %

**QQ26**

**Did You Walk in Past 14 Days Other Than Exercise**

Location: 937-937 (width: 1; decimal: 0)

Variable Type: numeric

Question: In addition to walking for exercise, in the past 14 days, have you done any other walking, for example, go to the store, to visit someone in the neighborhood, or to go to church.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	768	49.8 %
2	No	554	35.9 %
8	DK	2	0.1 %
9	REF	2	0.1 %
. (M)	-	216	14.0 %

**QQ2A6**

**How Many Times in Past 14 Days Walked for Other Reasons**

Location: 938-939 (width: 2; decimal: 0)

Variable Type: numeric

Question: On the average, how many times in the past 14 days did you go walking like that?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	39	2.5 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	123	8.0 %
3	35	2.3 %
4	98	6.4 %
5	25	1.6 %
6	83	5.4 %
7	21	1.4 %
8	18	1.2 %
9	3	0.2 %
10	95	6.2 %
12	7	0.5 %
14	205	13.3 %
15	5	0.3 %
16	1	0.1 %
20	2	0.1 %
28	1	0.1 %
30	1	0.1 %
90	1	0.1 %
. (M)	779	50.5 %

**QQ2B6**

**Minutes Spent Walking for Other Reasons**

Location: 940-942 (width: 3; decimal: 0)

Variable Type: numeric

Question: About how many minutes did you actually spend on each occasion?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	3	0.2 %
3	5	0.3 %
5	26	1.7 %
6	1	0.1 %
8	1	0.1 %
10	84	5.4 %
15	85	5.5 %
20	76	4.9 %
25	10	0.6 %
30	175	11.3 %
35	2	0.1 %
40	12	0.8 %
45	29	1.9 %
50	1	0.1 %
60	130	8.4 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
70	1	0.1 %
75	1	0.1 %
80	1	0.1 %
90	36	2.3 %
120	53	3.4 %
150	3	0.2 %
160	1	0.1 %
180	25	1.6 %
. (M)	781	50.6 %

**CC61H In Past Year Did You Have to Care For Someone**

Location: 943-943 (width: 1; decimal: 0)

Variable Type: numeric

Question: As I read the list, stop me whenever I mention something that happened to you in the last year, that is since (DATE ONE YEAR AGO). During the past year did you have to assume responsibility for taking regular care of someone else?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	66	4.3 %
2	No	1470	95.3 %
8	DK	2	0.1 %
. (M)	-	4	0.3 %

**CC61L In Past Year Was Spouse Placed in a Nursing Home**

Location: 944-944 (width: 1; decimal: 0)

Variable Type: numeric

Question: During the past year was your spouse placed in a nursing home or rest home?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	14	0.9 %
2	No	1517	98.4 %
8	DK	3	0.2 %
9	REF	1	0.1 %
. (M)	-	7	0.5 %

**CC63 How Satisfied With Life as a Whole Are You**

Location: 945-945 (width: 1; decimal: 0)

Variable Type: numeric

Question: Please think about your life as a whole. How satisfied are you with it?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Completely satisfied	435	28.2 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Very satisfied	637	41.3 %
3	Somewhat satisfied	220	14.3 %
4	Not at all satisfied	17	1.1 %
8	DK	28	1.8 %
9	REF	2	0.1 %
. (M)	-	203	13.2 %

**DD61** **How Concerned About Remaining Independent Are You**

Location: 946-946 (width: 1; decimal: 0)

Variable Type: numeric

Question: How concerned are you about being unable to be independent and take care of yourself and your affairs in the future?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very concerned	224	14.5 %
2	Somewhat concerned	537	34.8 %
3	Not concerned	542	35.1 %
8	DK	31	2.0 %
9	REF	3	0.2 %
. (M)	-	205	13.3 %

**DD62** **Extent You Feel You Can Control State of Your Health**

Location: 947-947 (width: 1; decimal: 0)

Variable Type: numeric

Question: To what extent do you feel you can control the general state of your health through your own actions a great deal, somewhat, or not at all?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	A great deal	389	25.2 %
2	Somewhat	765	49.6 %
3	Not at all	86	5.6 %
8	DK	92	6.0 %
9	REF	5	0.3 %
. (M)	-	205	13.3 %

**EE62** **How Often Do You Attend a Religious Service**

Location: 948-948 (width: 1; decimal: 0)

Variable Type: numeric

Question: About how often do you go to mass or services?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never/almost never	449	29.1 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Several times/yr	247	16.0 %
3	1-2 times/mo	210	13.6 %
4	Almost every wk	483	31.3 %
5	> once/wk	133	8.6 %
8	DK	7	0.5 %
9	REF	11	0.7 %
. (M)	-	2	0.1 %

**HHA6 Is the Respondent Bedridden**

Location: 949-949 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1354	87.8 %
1	Yes	31	2.0 %
. (M)	-	157	10.2 %

**HHB6 Is the Respondent Unable to Stand Even With Support**

Location: 950-950 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1311	85.0 %
1	Yes	74	4.8 %
. (M)	-	157	10.2 %

**HHC6 Is the Respondent Only Able to Stand With Support**

Location: 951-951 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1043	67.6 %
1	Yes	342	22.2 %
. (M)	-	157	10.2 %

**HHD6 Does the Respondent Use a Wheel Chair?**

Location: 952-952 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1315	85.3 %
1	Yes	70	4.5 %



- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	157	10.2 %

**HH61 # Seconds Able to Stand Arms Side by Side**

Location: 953-957 (width: 5; decimal: 2)

Variable Type: numeric

Question: I would like you to try to stand with your feet together, side-by-side, for about ten seconds. - Number of seconds held.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.5	1	0.1 %
3.5	2	0.1 %
4.6	1	0.1 %
4.8	2	0.1 %
4.9	1	0.1 %
8.0	3	0.2 %
9.0	2	0.1 %
9.1	1	0.1 %
10.0	898	58.2 %
. (M)	631	40.9 %

**NOHH61 Unable/Refused to do Side by Side Stands**

Location: 958-958 (width: 1; decimal: 0)

Variable Type: numeric

Question: I would like you to try to stand with your feet together, side-by-side, for about ten seconds. - Number of seconds held. - Unable or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Tried/Unable	17	1.1 %
6	Not att/I unsafe	17	1.1 %
7	Not att/R unsafe	7	0.5 %
9	REF	38	2.5 %
. (M)	-	1463	94.9 %

**HH62 # Seconds Able to Stand Semi-Tandem**

Location: 959-963 (width: 5; decimal: 2)

Variable Type: numeric

Question: Now I would like you to try to stand with the side of the heel of one foot touching the big toe of the other foot for about ten seconds. You may use either foot, whichever is more comfortable for you. - Number of seconds held.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.00	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.10	1	0.1 %
1.12	1	0.1 %
1.30	1	0.1 %
1.38	1	0.1 %
1.50	2	0.1 %
1.68	1	0.1 %
1.80	1	0.1 %
1.90	1	0.1 %
2.00	4	0.3 %
2.03	1	0.1 %
2.10	2	0.1 %
2.16	1	0.1 %
2.20	2	0.1 %
2.31	1	0.1 %
2.50	2	0.1 %
2.80	1	0.1 %
3.00	7	0.5 %
3.02	1	0.1 %
3.07	1	0.1 %
3.09	1	0.1 %
3.10	3	0.2 %
3.21	1	0.1 %
3.25	1	0.1 %
3.27	1	0.1 %
3.29	1	0.1 %
3.40	1	0.1 %
3.50	2	0.1 %
3.61	1	0.1 %
3.68	1	0.1 %
3.80	4	0.3 %
4.00	8	0.5 %
4.25	1	0.1 %
4.26	1	0.1 %
4.36	1	0.1 %
4.51	1	0.1 %
4.69	1	0.1 %
4.70	1	0.1 %
5.00	6	0.4 %
5.07	1	0.1 %
5.10	3	0.2 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5.17	1	0.1 %
5.20	1	0.1 %
5.21	1	0.1 %
5.30	1	0.1 %
5.47	1	0.1 %
5.57	1	0.1 %
6.00	4	0.3 %
6.20	2	0.1 %
6.37	1	0.1 %
6.40	1	0.1 %
6.51	1	0.1 %
6.53	2	0.1 %
6.54	1	0.1 %
6.66	1	0.1 %
6.80	1	0.1 %
7.00	7	0.5 %
7.10	1	0.1 %
7.20	2	0.1 %
7.23	1	0.1 %
7.30	1	0.1 %
7.42	1	0.1 %
7.44	1	0.1 %
7.49	1	0.1 %
7.59	1	0.1 %
7.60	1	0.1 %
7.64	1	0.1 %
7.69	1	0.1 %
8.00	5	0.3 %
8.10	2	0.1 %
8.17	1	0.1 %
8.20	1	0.1 %
8.50	1	0.1 %
8.53	1	0.1 %
8.61	2	0.1 %
8.80	1	0.1 %
9.80	1	0.1 %
10.00	721	46.8 %
. (M)	693	44.9 %

NOHH62

Unable/Refused to do Semi-Tandem Stand

- Study 29654 -

Location: 964-964 (width: 1; decimal: 0)

Variable Type: numeric

Question: Now I would like you to try to stand with the side of the heel of one foot touching the big toe of the other foot for about ten seconds. You may use either foot, whichever is more comfortable for you. - Number of seconds held. - Unable or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Tried/Unable	127	8.2 %
6	Not att/I unsafe	18	1.2 %
7	Not att/R unsafe	13	0.8 %
9	REF	12	0.8 %
. (M)	-	1372	89.0 %

**HH63 # Seconds Able to Stand Tandem**

Location: 965-969 (width: 5; decimal: 2)

Variable Type: numeric

Question: Now I would like you to try to stand with the heel of one foot in front of and touching the toes of the other foot for about ten seconds. - Number of seconds held.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.60	1	0.1 %
0.80	2	0.1 %
1.00	6	0.4 %
1.10	6	0.4 %
1.20	3	0.2 %
1.28	1	0.1 %
1.30	2	0.1 %
1.40	2	0.1 %
1.50	1	0.1 %
1.60	1	0.1 %
1.70	3	0.2 %
1.80	3	0.2 %
1.90	2	0.1 %
2.00	10	0.6 %
2.10	4	0.3 %
2.20	3	0.2 %
2.30	3	0.2 %
2.40	1	0.1 %
2.50	2	0.1 %
2.60	1	0.1 %
2.80	1	0.1 %
2.90	2	0.1 %
3.00	9	0.6 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.10	4	0.3 %
3.20	1	0.1 %
3.40	3	0.2 %
3.50	2	0.1 %
3.51	1	0.1 %
3.60	1	0.1 %
3.62	1	0.1 %
3.80	2	0.1 %
3.90	1	0.1 %
4.00	12	0.8 %
4.09	1	0.1 %
4.20	1	0.1 %
4.30	2	0.1 %
4.40	1	0.1 %
4.47	1	0.1 %
4.50	3	0.2 %
4.60	2	0.1 %
4.65	1	0.1 %
4.70	1	0.1 %
4.80	2	0.1 %
5.00	13	0.8 %
5.07	1	0.1 %
5.30	2	0.1 %
5.40	2	0.1 %
5.50	1	0.1 %
5.60	2	0.1 %
5.80	1	0.1 %
6.00	12	0.8 %
6.07	1	0.1 %
6.08	1	0.1 %
6.20	1	0.1 %
6.30	1	0.1 %
6.40	1	0.1 %
6.70	1	0.1 %
6.80	1	0.1 %
6.81	1	0.1 %
6.90	1	0.1 %
7.00	13	0.8 %
7.06	1	0.1 %
7.10	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7.11	1	0.1 %
7.20	1	0.1 %
7.21	1	0.1 %
7.30	1	0.1 %
7.50	1	0.1 %
7.53	1	0.1 %
7.71	1	0.1 %
7.78	1	0.1 %
7.80	1	0.1 %
7.90	2	0.1 %
8.00	4	0.3 %
8.05	1	0.1 %
8.17	1	0.1 %
8.20	1	0.1 %
8.40	2	0.1 %
8.70	1	0.1 %
9.10	2	0.1 %
9.20	1	0.1 %
9.30	1	0.1 %
9.34	1	0.1 %
9.50	1	0.1 %
9.70	1	0.1 %
10.00	434	28.1 %
. (M)	910	59.0 %

**NOHH63      Unable/Refused to do Tandem Stand**

Location: 970-970 (width: 1; decimal: 0)

Variable Type: numeric

Question: Now I would like you to try to stand with the heel of one foot in front of and touching the toes of the other foot for about ten seconds. - Number of seconds held. - Unable or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Tried/Unable	209	13.6 %
6	Not att/I unsafe	26	1.7 %
7	Not att/R unsafe	17	1.1 %
9	REF	11	0.7 %
. (M)	-	1279	82.9 %

**HH5A6      Respondent Feels Safe to Do Chair Stands**

Location: 971-971 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29654 -

Question:

Now I want to ask you to try to stand and sit in a chair five times. Do you think it would be safe for you to try to stand up from a chair without using your arms five times quickly?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	567	36.8 %
2	No	322	20.9 %
8	Don't know	61	4.0 %
9	REF	27	1.8 %
. (M)	-	565	36.6 %

**UNSFSTN6**

**Unsafe Chair Stand: Cant Stand on Own**

Location:

972-972 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

Why do you think it would be unsafe? - Can't stand on own.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	300	19.5 %
1	Yes	22	1.4 %
. (M)	-	1220	79.1 %

**UNSFBC6**

**Unsafe Chair Stand: Back Problems**

Location:

973-973 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

Why do you think it would be unsafe? - Back problem.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	298	19.3 %
1	Yes	24	1.6 %
. (M)	-	1220	79.1 %

**UNSFLEG6**

**Unsafe Chair Stand: Leg Problems**

Location:

974-974 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

Why do you think it would be unsafe? - Leg problems.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	270	17.5 %
1	Yes	52	3.4 %
. (M)	-	1220	79.1 %

**UNSFKNEE6**

**Unsafe Chair Stand: Knee Problems**

Location:

975-975 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

Why do you think it would be unsafe? - Knee problems.

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	254	16.5 %
1	Yes	68	4.4 %
. (M)	-	1220	79.1 %

**UNSFDIR6 Unsafe Chair Stand: Dizzy Spells**

Location: 976-976 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Why do you think it would be unsafe? - Dizzy spells.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	297	19.3 %
1	Yes	25	1.6 %
. (M)	-	1220	79.1 %

**UNSFDIR6 Unsafe Chair Stand: Fear**

Location: 977-977 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Why do you think it would be unsafe? - Fear.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	306	19.8 %
1	Yes	16	1.0 %
. (M)	-	1220	79.1 %

**UNSFDIR6 Unsafe Chair Stand: Arthritis**

Location: 978-978 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Why do you think it would be unsafe? - Arthritis.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	292	18.9 %
1	Yes	30	1.9 %
. (M)	-	1220	79.1 %

**UNSFDIR6 Unsafe Chair Stand: Dont Know**

Location: 979-979 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Why do you think it would be unsafe? - Don't know.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	322	20.9 %
. (M)	-	1220	79.1 %



**UNSFREF6 Unsafe Chair Stand: Refused**

Location: 980-980 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Why do you think it would be unsafe? - Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	317	20.6 %
9	REF	5	0.3 %
. (M)	-	1220	79.1 %

**UNSFOTH6 Unsafe Chair Stand: Other Reasons**

Location: 981-981 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Why do you think it would be unsafe? - Other reasons.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	314	20.4 %
1	Yes	8	0.5 %
. (M)	-	1220	79.1 %

**HH5D6 Able to Complete Repeated Chair Stands**

Location: 982-982 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Keep your arms folded across your chest. Please stand up straight as quickly as you can five times without stopping in between. - Chair stands completed?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	71	4.6 %
1	Yes	557	36.1 %
. (M)	-	914	59.3 %

**HH5C6 Reason for the Chair Stands Not Completed**

Location: 983-983 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Keep your arms folded across your chest. Please stand up straight as quickly as you can five times without stopping in between. - Chair stands completed? - Reason not completed?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Tried/Unable	56	3.6 %
2	No-safety reason	9	0.6 %
4	No suitable chair	4	0.3 %
9	REF	2	0.1 %
. (M)	-	1471	95.4 %

- Study 29654 -

**HH5F6 Time to Complete Chair Stands**

Location: 984-988 (width: 5; decimal: 2)

Variable Type: numeric

**HH5G6 Height of Chair**

Location: 989-993 (width: 5; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
10.50	1	0.1 %
14.00	1	0.1 %
14.75	1	0.1 %
15.00	3	0.2 %
15.05	2	0.1 %
15.50	18	1.2 %
15.75	40	2.6 %
16.00	72	4.7 %
16.05	7	0.5 %
16.25	1	0.1 %
16.50	30	1.9 %
16.75	4	0.3 %
17.00	129	8.4 %
17.02	1	0.1 %
17.05	7	0.5 %
17.25	2	0.1 %
17.50	43	2.8 %
18.00	150	9.7 %
18.01	1	0.1 %
18.05	11	0.7 %
18.21	1	0.1 %
18.50	8	0.5 %
19.00	17	1.1 %
19.05	5	0.3 %
19.50	3	0.2 %
20.00	2	0.1 %
20.05	2	0.1 %
29.00	2	0.1 %
. (M)	978	63.4 %

**HH10A6 Able to Complete Normal Walk**

Location: 994-994 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29654 -

Question:

Now we are going to observe how you normally walk. If you use a cane or other walking aid and would feel more comfortable with it, they you may use it. - Completed?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	969	62.8 %
2	No	320	20.8 %
. (M)	-	253	16.4 %

**HH10B6 # Seconds to Complete Normal Walk**

Location: 995-999 (width: 5; decimal: 2)

Variable Type: numeric

**HH10C6 # of Steps Taken in Normal Walk**

Location: 1000-1001 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	2	0.1 %
4	55	3.6 %
5	149	9.7 %
6	222	14.4 %
7	180	11.7 %
8	136	8.8 %
9	61	4.0 %
10	62	4.0 %
11	26	1.7 %
12	36	2.3 %
13	7	0.5 %
14	8	0.5 %
15	7	0.5 %
16	3	0.2 %
17	2	0.1 %
18	3	0.2 %
20	1	0.1 %
23	2	0.1 %
24	1	0.1 %
25	1	0.1 %
26	2	0.1 %
29	1	0.1 %
30	1	0.1 %
32	1	0.1 %
. (M)	573	37.2 %

**HH10D6 Reason for Walk Not Completed**

- Study 29654 -

Location: 1002-1002 (width: 1; decimal: 0)  
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Tried/Unable	13	0.8 %
2	Not att/I unsafe	100	6.5 %
3	Not att/R unsafe	47	3.0 %
4	Not applicable	11	0.7 %
9	REF	149	9.7 %
. (M)	-	1222	79.2 %

**HH10E6 Aid Needed For Walk?**

Location: 1003-1003 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Aids for first walk?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No Aid	851	55.2 %
2	Wheelchair-walk	2	0.1 %
3	Walker	48	3.1 %
4	Quad Cane	23	1.5 %
5	Other cane	37	2.4 %
6	Oth walking aid	8	0.5 %
. (M)	-	573	37.2 %

**HH12A6 Any Difficulty Finding 12-ft Walking Space?**

Location: 1004-1004 (width: 1; decimal: 0)  
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	922	59.8 %
1	Yes	207	13.4 %
. (M)	-	413	26.8 %

**HH12B6 Type of Walking Surface Present**

Location: 1005-1005 (width: 1; decimal: 0)  
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Uncarpeted	808	52.4 %
2	Low carpet	283	18.4 %
3	Other	24	1.6 %
. (M)	-	427	27.7 %

- Study 29654 -

**HH7A6 Any Recent Arm or Hand Surgery?**

Location: 1006-1006 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	1364	88.5 %
8	DK	1	0.1 %
9	REF	1	0.1 %
. (M)	-	176	11.4 %

**HH7B61 Kilograms on Trial 1 Grip Strength**

Location: 1007-1011 (width: 5; decimal: 2)

Variable Type: numeric

**NOHH7B61 Unable/Refused Trial 1 Grip Strength**

Location: 1012-1012 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Unable/Discontin	17	1.1 %
2	No-safety reason	9	0.6 %
9	REF	17	1.1 %
. (M)	-	1499	97.2 %

**HH7B62 Kilograms on Trial 2 Grip Strength**

Location: 1013-1017 (width: 5; decimal: 2)

Variable Type: numeric

**NOHH7B62 Unable/Refused Trial 2 Grip Strength**

Location: 1018-1018 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Unable/Discontin	17	1.1 %
2	No-safety reason	8	0.5 %
9	REF	29	1.9 %
. (M)	-	1488	96.5 %

**HH7C6 Which Hand Was Tested for Grip Strength**

Location: 1019-1019 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Right	1151	74.6 %
2	Left	159	10.3 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	NA	13	0.8 %
. (M)	-	219	14.2 %

**GRIPSCL6**      **Grip Scale from the Handle**

Location: 1020-1020 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	5 on gripscale	376	24.4 %
2	6 on gripscale	897	58.2 %
3	7 on gripscale	33	2.1 %
. (M)	-	236	15.3 %

**BAL6**      **Categorized Stands Combined**

Location: 1021-1021 (width: 1; decimal: 0)

Variable Type: numeric

Question: Created Variables from the Performance Oriented Mobility Assessment (POMA) - Categorized Stands (Side-by-side, Semi, and Tandem) combined.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unable to do	564	36.6 %
1	Side-by-Side	176	11.4 %
2	Semi-tandem	244	15.8 %
3	Tandem	41	2.7 %
4	Full Tandem	435	28.2 %
. (M)	-	82	5.3 %

**DOBAL6**      **Dichotomized Score for Stands**

Location: 1022-1022 (width: 1; decimal: 0)

Variable Type: numeric

Question: Created Variables from the Performance Oriented Mobility Assessment (POMA) - Dichotomized Score for Stands.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unable to do	564	36.6 %
1	Completed	896	58.1 %
. (M)	-	82	5.3 %

**SIT6**      **Categorized Chair Stands**

Location: 1023-1023 (width: 1; decimal: 0)

Variable Type: numeric

Question: Created Variables from the Performance Oriented Mobility Assessment (POMA) - Categorized Chair Stands.

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unable to do	619	40.1 %
1	Poor	187	12.1 %
2	Moderate	82	5.3 %
3	Good	106	6.9 %
4	Best	255	16.5 %
. (M)	-	293	19.0 %

**DOSIT6** **Dichotomized Score for Chair Stands**

Location: 1024-1024 (width: 1; decimal: 0)

Variable Type: numeric

Question: Created Variables from the Performance Oriented Mobility Assessment (POMA) - Dichotomized Score for Chair Stands.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unable to do	619	40.1 %
1	Completed	630	40.9 %
. (M)	-	293	19.0 %

**WALK6** **Categorized Walking at Normal Pace Time**

Location: 1025-1025 (width: 1; decimal: 0)

Variable Type: numeric

Question: Created Variables from the Performance Oriented Mobility Assessment (POMA) - Categorized Walking at normal pace time.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unable to do	477	30.9 %
1	Poor	201	13.0 %
2	Moderate	323	20.9 %
3	Good	311	20.2 %
4	Best	134	8.7 %
. (M)	-	96	6.2 %

**DOWALK6** **Dichotomized Score for Walking Normal Pace Time**

Location: 1026-1026 (width: 1; decimal: 0)

Variable Type: numeric

Question: Created Variables from the Performance Oriented Mobility Assessment (POMA) - Dichotomized Score for Walking at normal pace.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unable to do	477	30.9 %
1	Completed	969	62.8 %
. (M)	-	96	6.2 %

- Study 29654 -

**TOTPOMA6 Total Summary Score**

Location: 1027-1028 (width: 2; decimal: 0)

Variable Type: numeric

Question: Created Variables from the Performance Oriented Mobility Assessment (POMA) - Total Summary Score.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	465	30.2 %
1	50	3.2 %
2	87	5.6 %
3	62	4.0 %
4	89	5.8 %
5	98	6.4 %
6	113	7.3 %
7	108	7.0 %
8	99	6.4 %
9	90	5.8 %
10	85	5.5 %
11	98	6.4 %
12	26	1.7 %
. (M)	72	4.7 %

**POMACAT6 Categorized Summary Score**

Location: 1029-1029 (width: 1; decimal: 0)

Variable Type: numeric

Question: Created Variables from the Performance Oriented Mobility Assessment (POMA) - Categorized Summary Score.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unable to do	465	30.2 %
1	1-4	288	18.7 %
2	5-8	418	27.1 %
3	9-12	299	19.4 %
. (M)	-	72	4.7 %

**II1B6 Weight to Nearest Pound**

Location: 1030-1032 (width: 3; decimal: 0)

Variable Type: numeric

**II1D6 REPORTED WEIGHT TO NEAREST POUND T6**

Location: 1033-1035 (width: 3; decimal: 0)

Variable Type: numeric

Question: Can you please tell me how much you weigh?

**II1C6 Type of Surface During Weighing**



- Study 29654 -

Location: 1036-1036 (width: 1; decimal: 0)  
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Uncarpeted	838	54.3 %
2	Low carpet	229	14.9 %
3	Other	21	1.4 %
4	Proxy supplied reply	287	18.6 %
. (M)	-	167	10.8 %

**BMI6 Created Variable: BMI**

Location: 1037-1040 (width: 4; decimal: 1)  
Variable Type: numeric  
Question: Created variable Body Mass Index (BMI) from height at previous wave of data and current weight measured and self-reported weight.

**JJ16 1st Waist Circumference Measure**

Location: 1041-1046 (width: 6; decimal: 2)  
Variable Type: numeric  
Question: Now I would like to measure your waist circumference. - Measure 1.

**JJ26 2nd Waist Circumference Measure**

Location: 1047-1052 (width: 6; decimal: 2)  
Variable Type: numeric  
Question: Now I would like to measure your waist circumference. - Measure 2.

**KK62 Past Year, # Times Visited Doctor**

Location: 1053-1055 (width: 3; decimal: 0)  
Variable Type: numeric  
Question: Not including any overnight stays in a nursing home or hospital, how many times in the past 12 months.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	26	1.7 %
1	130	8.4 %
2	129	8.4 %
3	140	9.1 %
4	304	19.7 %
5	80	5.2 %
6	128	8.3 %
7	27	1.8 %
8	52	3.4 %
9	7	0.5 %
10	58	3.8 %
11	4	0.3 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	213	13.8 %
13	4	0.3 %
14	4	0.3 %
15	26	1.7 %
16	8	0.5 %
17	2	0.1 %
18	1	0.1 %
20	33	2.1 %
21	1	0.1 %
22	1	0.1 %
23	1	0.1 %
24	28	1.8 %
25	3	0.2 %
26	2	0.1 %
27	1	0.1 %
28	1	0.1 %
30	9	0.6 %
35	3	0.2 %
36	4	0.3 %
40	2	0.1 %
48	4	0.3 %
50	1	0.1 %
60	1	0.1 %
104	1	0.1 %
124	1	0.1 %
. (M)	102	6.6 %

**NOKK62**      **Unknown/Refused # Times Visted Doctor**

Location: 1056-1056 (width: 1; decimal: 0)

Variable Type: numeric

Question: Not including any overnight stays in a nursing home or hospital, how many times in the past 12 months. - Don't know or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	DK	56	3.6 %
9	REF	7	0.5 %
. (M)	-	1479	95.9 %

**VISITMD6**      **Created Variable: at least 1 MD Visit**

Location: 1057-1057 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29654 -

Question:

Created Variable at least 1 visit=1.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	26	1.7 %
1	Yes	1414	91.7 %
. (M)	-	102	6.6 %

**CC61A**

**Past Year, Stayed Overnight in Hospital**

Location:

1058-1058 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

Since (DATE ONE YEAR AGO) did you experience an illness or injury (get sick or get hurt) that required staying overnight or longer in a hospital (not a nursing home)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	375	24.3 %
2	No	1147	74.4 %
8	DK	14	0.9 %
9	REF	6	0.4 %

**KK66**

**Has Ever Stayed in a Nursing Home**

Location:

1059-1059 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

Have you/has respondent (name) ever been in a nursing home or rest home or an assisted living facility in which you/s/he received some help with daily activities like preparing meals, bathing or getting dressed, or going to the bathroom?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	110	7.1 %
2	No	1430	92.7 %
8	DK	1	0.1 %
9	REF	1	0.1 %

**KK67A**

**Year When First Entered Nursing Home**

Location:

1060-1063 (width: 4; decimal: 0)

Variable Type:

numeric

Question:

When did you/he/she enter the facility? - First Episode.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1992	1	0.1 %
1998	1	0.1 %
2000	1	0.1 %
2001	3	0.2 %
2002	3	0.2 %
2003	9	0.6 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2004	7	0.5 %
2005	16	1.0 %
2006	34	2.2 %
2007	27	1.8 %
2008	1	0.1 %
. (M)	1439	93.3 %

**NOKK67A**      **Unknown/Refused Year Entered Nursing Home**

Location: 1064-1064 (width: 1; decimal: 0)

Variable Type: numeric

Question: When did you/he/she enter the facility? - First Episode. - Don't know or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	DK	6	0.4 %
9	REF	1	0.1 %
. (M)	-	1535	99.5 %

**KK67B**      **Age Upon Entering Nursing Home**

Location: 1065-1066 (width: 2; decimal: 0)

Variable Type: numeric

Question: How old were you/was he/she when you/he/she entered the facility?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
65	1	0.1 %
67	1	0.1 %
73	1	0.1 %
75	1	0.1 %
76	2	0.1 %
77	6	0.4 %
78	11	0.7 %
79	6	0.4 %
80	7	0.5 %
81	5	0.3 %
82	6	0.4 %
83	6	0.4 %
84	7	0.5 %
85	5	0.3 %
86	9	0.6 %
87	8	0.5 %
88	3	0.2 %
89	7	0.5 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
90	2	0.1 %
91	2	0.1 %
92	2	0.1 %
93	1	0.1 %
94	1	0.1 %
95	1	0.1 %
98	2	0.1 %
. (M)	1439	93.3 %

**NOKK67B**      **Unknown/Refused Age on Entering Nursing Home**

Location: 1067-1067 (width: 1; decimal: 0)

Variable Type: numeric

Question: How old were you/was he/she when you/he/she entered the facility? - Don't know or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	DK	5	0.3 %
9	REF	2	0.1 %
. (M)	-	1535	99.5 %

**KK67C**      **Type of Assisted Facility Entered**

Location: 1068-1068 (width: 1; decimal: 0)

Variable Type: numeric

Question: What type of facility was this?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Nursing home	52	3.4 %
2	Asst living	32	2.1 %
3	Similar facility	25	1.6 %
9	REF	1	0.1 %
. (M)	-	1432	92.9 %

**KK67DD**      **Length of Stay in Facility: Days**

Location: 1069-1070 (width: 2; decimal: 0)

Variable Type: numeric

Question: How long were you/was he/she in this facility? - Days.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	3	0.2 %
2	2	0.1 %
3	1	0.1 %
4	3	0.2 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	2	0.1 %
6	1	0.1 %
7	2	0.1 %
10	1	0.1 %
14	4	0.3 %
15	3	0.2 %
18	1	0.1 %
20	3	0.2 %
21	5	0.3 %
22	1	0.1 %
25	1	0.1 %
27	1	0.1 %
28	1	0.1 %
40	1	0.1 %
. (M)	1506	97.7 %

**KK67DY**      **Length of Stay in Facility: Years**

Location: 1071-1071 (width: 1; decimal: 0)  
Variable Type: numeric  
Question: How long were you/was he/she in this facility? - Years.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	8	0.5 %
2	8	0.5 %
3	2	0.1 %
4	1	0.1 %
5	1	0.1 %
6	3	0.2 %
. (M)	1519	98.5 %

**KK67DM**      **Length of Stay in Facility: Months**

Location: 1072-1073 (width: 2; decimal: 0)  
Variable Type: numeric  
Question: How long were you/was he/she in this facility? - Months.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	8	0.5 %
2	5	0.3 %
3	4	0.3 %
4	4	0.3 %
5	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	7	0.5 %
7	1	0.1 %
8	2	0.1 %
9	3	0.2 %
11	1	0.1 %
13	2	0.1 %
14	1	0.1 %
18	1	0.1 %
. (M)	1502	97.4 %

**NOKK67D Unknown/Refused Length of Stay in Facility**

Location: 1074-1074 (width: 1; decimal: 0)

Variable Type: numeric

Question: How long were you/was he/she in this facility? - Don't know or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	DK	12	0.8 %
. (M)	-	1530	99.2 %

**KK67E How Did the Respondent Pay for Facility Stay**

Location: 1075-1075 (width: 1; decimal: 0)

Variable Type: numeric

Question: How did you/he/she pay for the care?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Medicaid only	87	5.6 %
2	Out of Pocket	2	0.1 %
3	Other ns	10	0.6 %
4	Medicare Only	3	0.2 %
5	Medicaid & Medicare	1	0.1 %
8	DK	6	0.4 %
9	REF	1	0.1 %
. (M)	-	1432	92.9 %

**KK67F Respondent Stay in a Facility Again?**

Location: 1076-1076 (width: 1; decimal: 0)

Variable Type: numeric

Question: Were you/was he/she ever in such a facility again?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	20	1.3 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	88	5.7 %
8	DK	1	0.1 %
9	REF	1	0.1 %
. (M)	-	1432	92.9 %

**KK68A** **Year Entered on 2nd Facility Stay**

Location: 1077-1080 (width: 4; decimal: 0)

Variable Type: numeric

Question: When did you/he/she enter the facility? - Second Episode.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1980	1	0.1 %
2000	1	0.1 %
2003	2	0.1 %
2005	5	0.3 %
2006	4	0.3 %
2007	6	0.4 %
. (M)	1523	98.8 %

**NOKK68A** **Unknown/Refused Year Entered 2nd Stay in Facility**

Location: 1081-1081 (width: 1; decimal: 0)

Variable Type: numeric

Question: When did you/he/she enter the facility? - Second Episode. - Don't know.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	DK	1	0.1 %
. (M)	-	1541	99.9 %

**KK68B** **Age Upon 2nd Stay in Facility**

Location: 1082-1083 (width: 2; decimal: 0)

Variable Type: numeric

Question: How old were you/was he/she when you/he/she entered the facility?

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
63	1	0.1 %
78	3	0.2 %
81	2	0.1 %
82	2	0.1 %
83	1	0.1 %
84	3	0.2 %
85	1	0.1 %



- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
86	2	0.1 %
89	1	0.1 %
90	2	0.1 %
91	1	0.1 %
. (M)	1523	98.8 %

**NOKK68B**      **Unknown/Refused Age on 2nd Facility Stay**

Location: 1084-1084 (width: 1; decimal: 0)

Variable Type: numeric

Question: How old were you/was he/she when you/he/she entered the facility? - Don't know.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	DK	1	0.1 %
. (M)	-	1541	99.9 %

**KK68C**      **What Type of Facility was 2nd Stay?**

Location: 1085-1085 (width: 1; decimal: 0)

Variable Type: numeric

Question: What type of facility was this?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Nursing home	10	0.6 %
2	Asst living	7	0.5 %
3	Similar facility	3	0.2 %
. (M)	-	1522	98.7 %

**KK68DD**      **Length of 2nd Stay: Days**

Location: 1086-1088 (width: 3; decimal: 0)

Variable Type: numeric

Question: How long were you/was he/she in this facility? - Days.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	1	0.1 %
5	1	0.1 %
7	1	0.1 %
18	1	0.1 %
21	1	0.1 %
31	1	0.1 %
45	1	0.1 %
100	1	0.1 %
. (M)	1534	99.5 %

- Study 29654 -

**KK68DY Length of 2nd Stay: Years**

Location: 1089-1089 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: How long were you/was he/she in this facility? - Years.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	1	0.1 %
4	1	0.1 %
6	1	0.1 %
. (M)	1539	99.8 %

**KK68DM Length of 2nd Stay: Months**

Location: 1090-1091 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: How long were you/was he/she in this facility? - Months.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4	0.3 %
2	1	0.1 %
8	1	0.1 %
16	1	0.1 %
17	1	0.1 %
29	1	0.1 %
. (M)	1533	99.4 %

**NOKK68D Unknown/Refused Length of 2nd Stay in Facility**

Location: 1092-1092 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: How long were you/was he/she in this facility? - Don't know or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1542	100.0 %

**KK68E How Did Respondent Pay for 2nd Facility Stay?**

Location: 1093-1093 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: How did you/he/she pay for the care?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Medicaid only	15	1.0 %
2	Out of Pocket	1	0.1 %
3	Other ns	2	0.1 %
4	Medicare Only	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Medicaid & Medicare	1	0.1 %
. (M)	-	1522	98.7 %

**KK69 Respondent Stay in Facility Additional Time?**

Location: 1094-1094 (width: 1; decimal: 0)

Variable Type: numeric

Question: Were you/was he/she ever in such a facility again?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	7	0.5 %
2	No	13	0.8 %
. (M)	-	1522	98.7 %

**LL63 Household Yearly Income**

Location: 1095-1095 (width: 1; decimal: 0)

Variable Type: numeric

Question: About how much is your yearly household income for the past year (2005)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$0-\$4999	49	3.2 %
2	\$5000-\$9999	499	32.4 %
3	\$10000-\$14999	380	24.6 %
4	\$15000-\$19999	194	12.6 %
5	\$20000-\$29999	114	7.4 %
6	\$30000-\$39999	27	1.8 %
7	\$40000-\$49999	14	0.9 %
8	\$50000 & over	18	1.2 %
9	DK	247	16.0 %

**LL65A Difficulty Paying Monthly Bills?**

Location: 1096-1096 (width: 1; decimal: 0)

Variable Type: numeric

Question: How much difficulty do you have in meeting monthly payments on your bills?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	A great deal	293	19.0 %
2	Some	476	30.9 %
3	A little	328	21.3 %
4	None	244	15.8 %
8	DK	23	1.5 %
9	REF	11	0.7 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	167	10.8 %

**LL65B Money Left Over at the End of the Month?**

Location: 1097-1097 (width: 1; decimal: 0)

Variable Type: numeric

Question: At the end of the month, do you usually end up with some money left over, just enough to make ends meet, or not enough money to make ends meet?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Some left over	349	22.6 %
2	Just enough	693	44.9 %
3	Not enough	291	18.9 %
8	DK	25	1.6 %
9	REF	14	0.9 %
. (M)	-	170	11.0 %

**MM69A Are You Covered by Medicare?**

Location: 1098-1098 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1466	95.1 %
2	No	48	3.1 %
8	DK	7	0.5 %
9	REF	11	0.7 %
. (M)	-	10	0.6 %

**MM69A1 Are You Covered by Medicare Part A Only?**

Location: 1099-1099 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	940	61.0 %
2	No	499	32.4 %
8	DK	83	5.4 %
9	REF	10	0.6 %
. (M)	-	10	0.6 %

**MM69A2 Are You Covered by Medicare Part B Only?**

Location: 1100-1100 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	913	59.2 %
2	No	527	34.2 %
8	DK	82	5.3 %
9	REF	10	0.6 %
. (M)	-	10	0.6 %

**MM69A3**      **Are You Covered by Medicare Both A and B?**

Location: 1101-1101 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	997	64.7 %
2	No	423	27.4 %
8	DK	101	6.5 %
9	REF	11	0.7 %
. (M)	-	10	0.6 %

**MM69B**      **Are You Covered by Medicaid?**

Location: 1102-1102 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	759	49.2 %
2	No	734	47.6 %
8	DK	29	1.9 %
9	REF	10	0.6 %
. (M)	-	10	0.6 %

**MM69C**      **Are You Covered by Private Insurance?**

Location: 1103-1103 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	139	9.0 %
2	No	1353	87.7 %
8	DK	29	1.9 %
9	REF	11	0.7 %
. (M)	-	10	0.6 %

**MM69E**      **Are You Covered by Other Insurance?**

Location: 1104-1104 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	8	0.5 %
2	No	1510	97.9 %
8	DK	4	0.3 %
9	REF	10	0.6 %
. (M)	-	10	0.6 %

**TYPEINS6 Created Variable: Type of Insurance Combined**

Location: 1105-1105 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	44	2.9 %
1	Private,Medicare, HMO	730	47.3 %
2	Medicaid,Medicaid HMO	22	1.4 %
3	Medicare&Medicaid	745	48.3 %
4	VA only	1	0.1 %

**DOHBA1C6 Agreed to Complete HbA1c Finger Prick Test**

Location: 1106-1106 (width: 1; decimal: 0)

Variable Type: numeric

Question: If "Yes" to "ever told they had diabetes" - agreed to complete HbA1c finger prick test.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	289	18.7 %
2	No	232	15.0 %
. (M)	-	1021	66.2 %

**COMPLETEDA1C6 Actually completed A1c test Time 6**

Location: 1107-1107 (width: 1; decimal: 0)

Variable Type: numeric

Question: Actually completed finger prick test and sent it in to the lab.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	266	17.3 %
. (M)	-	1276	82.7 %

**HBA1C6 Hemoglobin A1c Value**

Location: 1108-1111 (width: 4; decimal: 1)

Variable Type: numeric

Question: HbA1c values.

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	12	0.8 %
5.3	1	0.1 %
5.4	2	0.1 %
5.7	3	0.2 %
5.8	3	0.2 %
5.9	3	0.2 %
6.0	3	0.2 %
6.1	8	0.5 %
6.2	8	0.5 %
6.3	9	0.6 %
6.4	12	0.8 %
6.5	11	0.7 %
6.6	9	0.6 %
6.7	7	0.5 %
6.8	12	0.8 %
6.9	5	0.3 %
7.0	9	0.6 %
7.1	12	0.8 %
7.2	12	0.8 %
7.3	8	0.5 %
7.4	10	0.6 %
7.5	14	0.9 %
7.6	7	0.5 %
7.7	3	0.2 %
7.8	11	0.7 %
7.9	6	0.4 %
8.0	6	0.4 %
8.1	2	0.1 %
8.2	5	0.3 %
8.3	4	0.3 %
8.4	4	0.3 %
8.5	5	0.3 %
8.6	2	0.1 %
8.7	3	0.2 %
8.8	2	0.1 %
8.9	1	0.1 %
9.0	3	0.2 %
9.1	1	0.1 %
9.2	1	0.1 %
9.4	2	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
9.5	2	0.1 %
9.7	1	0.1 %
10.0	2	0.1 %
10.2	1	0.1 %
10.3	1	0.1 %
10.4	1	0.1 %
10.7	2	0.1 %
11.0	2	0.1 %
11.1	2	0.1 %
11.2	1	0.1 %
11.3	1	0.1 %
12.4	1	0.1 %
12.5	1	0.1 %
12.7	1	0.1 %
12.8	1	0.1 %
13.7	1	0.1 %
14.0	1	0.1 %
14.5	1	0.1 %
15.3	1	0.1 %
16.1	1	0.1 %
. (M)	1276	82.7 %

**MOVSOON6** **Plan on Moving in Next Few Years?**

Location: 1112-1112 (width: 1; decimal: 0)

Variable Type: numeric

Question: Do you plan to move in the next few years?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	43	2.8 %
2	No	1499	97.2 %

**OO62** **Was Someone Else Present During Interview?**

Location: 1113-1113 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	885	57.4 %
2	No	657	42.6 %

**OO68A** **Was the Respondent Bedridden?**

Location: 1114-1114 (width: 1; decimal: 0)



- Study 29654 -

Variable Type: numeric

Question: Why were some or all of the physical measures not attempted? - Respondent is bedridden.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	99	6.4 %
2	No	1377	89.3 %
6	NA	66	4.3 %

**OO68B Respondent Unable to Stand Even With Support**

Location: 1115-1115 (width: 1; decimal: 0)

Variable Type: numeric

Question: Why were some or all of the physical measures not attempted? - Respondent cannot stand even with support.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	137	8.9 %
2	No	1336	86.6 %
6	NA	69	4.5 %

**OO68C Respondent Uses Support to Stand**

Location: 1116-1116 (width: 1; decimal: 0)

Variable Type: numeric

Question: Why were some or all of the physical measures not attempted? - Respondent needs support when standing (walker, crutch.)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	419	27.2 %
2	No	1008	65.4 %
6	NA	115	7.5 %

**OO68D Respondent Cannot Understand Instruction**

Location: 1117-1117 (width: 1; decimal: 0)

Variable Type: numeric

Question: Why were some or all of the physical measures not attempted? - Respondent cannot understand what to do, even when demonstrated.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	151	9.8 %
2	No	1322	85.7 %
6	NA	69	4.5 %

**OO68E Respondent is Blind**

Location: 1118-1118 (width: 1; decimal: 0)

Variable Type: numeric

Question: Why were some or all of the physical measures not attempted? - Respondent is completely blind.

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	52	3.4 %
2	No	1419	92.0 %
6	NA	71	4.6 %

**OO68F Respondent is Dizzy**

Location: 1119-1119 (width: 1; decimal: 0)

Variable Type: numeric

Question: Why were some or all of the physical measures not attempted? - Respondent was dizzy.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	191	12.4 %
2	No	1278	82.9 %
6	NA	73	4.7 %

**OO68H Respondent is Paralyzed**

Location: 1120-1120 (width: 1; decimal: 0)

Variable Type: numeric

Question: Why were some or all of the physical measures not attempted? - Respondent is paralyzed.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	38	2.5 %
2	No	1434	93.0 %
6	NA	70	4.5 %

**OO68I Respondent is Deaf**

Location: 1121-1121 (width: 1; decimal: 0)

Variable Type: numeric

Question: Why were some or all of the physical measures not attempted? - Respondent is deaf.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	71	4.6 %
2	No	1401	90.9 %
6	NA	70	4.5 %

**OO68G Other Issue Present with Respondent**

Location: 1122-1122 (width: 1; decimal: 0)

Variable Type: numeric

Question: Why were some or all of the physical measures not attempted? - Other (not specified.)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	742	48.1 %
2	No	734	47.6 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	NA	66	4.3 %

**OO69A Interview Completed By**

Location: 1123-1123 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Respondent only	1235	80.1 %
2	Proxy only	153	9.9 %
3	Both-long proxy	154	10.0 %

**OO69LANG Language Interview Completed In**

Location: 1124-1124 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	252	16.3 %
2	Spanish	1290	83.7 %

**PRXRILL6 Reason for Proxy: Subject Physically Ill**

Location: 1125-1125 (width: 1; decimal: 0)

Variable Type: numeric

Question: Reason for Proxy: Subject physically ill; recovering from hospital.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	208	13.5 %
1	Yes	99	6.4 %
. (M)	-	1235	80.1 %

**PRXDEAF6 Reason for Proxy: Subject was Deaf/Blind**

Location: 1126-1126 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	249	16.1 %
1	Yes	58	3.8 %
. (M)	-	1235	80.1 %

**PRXAWAY6 Reason for Proxy: Subject Away Indefinitely**

Location: 1127-1127 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	279	18.1 %
1	Yes	28	1.8 %
. (M)	-	1235	80.1 %

**PRXMENT6 Reason for Proxy: Subject is Mentally Incapacitated**

Location: 1128-1128 (width: 1; decimal: 0)

Variable Type: numeric

Question: Reason for Proxy: Subject is mentally incapacitated (dementia, Alzheimer's)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	130	8.4 %
1	Yes	177	11.5 %
. (M)	-	1235	80.1 %

**PRXNONH6 Reason for Proxy: Denied Access to Subject**

Location: 1129-1129 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	270	17.5 %
1	Yes	37	2.4 %
. (M)	-	1235	80.1 %

**PRXOTH6 Reason for Proxy: Other Reason**

Location: 1130-1130 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	200	13.0 %
1	Yes	107	6.9 %
. (M)	-	1235	80.1 %

**PROXOTH6 PROXY: OTHER REASONS**

Location: 1131-1280 (width: 150; decimal: 0)

Variable Type: character

Question: Reason for Proxy: Other Reasons - Verbatim answers.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1435	93.1 %
"TOO OLD, I DON'T WANT HER DISTURBED."	1	0.1 %
(DEMENTIA)	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
(R SUFFERS FROM DEMENTIA X FORGETS THINGS X MEMORY QUESTIONS)	1	0.1 %
(R SUFFERS FROM DEMENTIA)	2	0.1 %
(UNCOOPERATIVE X WOULD NOT GET OUT OF BED)	1	0.1 %
A LITTLE TROUBLE REMEMBERING	1	0.1 %
ADVANCED ALZHEIMER'S	2	0.1 %
ALZHEIMER'S	2	0.1 %
AWAY, SICK, IN MEXICO, NO RETURN DATE KNOWN.	1	0.1 %
BAD FOOT INFECTION X FEELING GROGGY X IN PAIN.	1	0.1 %
BLIND	4	0.3 %
BLIND X JUST SITS IN COMFORT OF OWN ROOM.	1	0.1 %
BLIND X RESISTANT	1	0.1 %
CAN'T BE DISTURBED, DEPRESSIVE, VERY NERVOUS.	1	0.1 %
CAN'T BE DISTURBED.	1	0.1 %
DEMENTIA	22	1.4 %
DEMENTIA X BEDRIDDEN.	1	0.1 %
DEMENTIA X LEGS AMPUTATED	1	0.1 %
DEMENTIA X NOT AWARE OF SURROUNDINGS.	1	0.1 %
DOES NOT ALWAYS UNDERSTAND	1	0.1 %
DON'T WANT TO DISTURB HER.	1	0.1 %
Dementia	1	0.1 %
Dementia X just old X tired	1	0.1 %
FRUSTRATED/UNCOOPERATIVE	1	0.1 %
HE CAN'T REMEMBER SOME THINGS.	1	0.1 %
HEARING PROBLEMS	1	0.1 %
IN BED, OXYGEN, FIBROSIS AND SCOLIOSIS. CAN'T BE DISTURBED, NO ACCESS.	1	0.1 %
IN HOSPITAL (EYE SURGERY)	1	0.1 %
IN MEXICO, NO DEFINATE DATE OF RETURN. MOVING AROUND CHILDREN'S HOMES - RECOVERING FOR REPLACEMENT OF BOTH KNEES.	1	0.1 %
MEMORY PROBLEMS	1	0.1 %
Memory deteriorating fast. Parkinson's.	1	0.1 %
NO ACCESS - CAN'T BE DISTURBED.	1	0.1 %
NO ACCESS.	1	0.1 %
OLD AGE SENILITY, CAN'T REMEMBER MANY THINGS. ALSO, GLAUCOMA, SEES VERY LITTLE - ALMOST 0.0 NEAR.	1	0.1 %
ON DIALYSIS X CAN'T WALK.	1	0.1 %
Proxy would rather respondent not be bothered at nursing home.	1	0.1 %
R ANXIOUS X FRUSTRATED X UNCOOPERATIVE.	1	0.1 %
R CAN'T TALK, PARALYZED.	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
R DOESN'T REMEMBER SOME THINGS X R ALSO SUFFERS FROM DEPRESSION.	1	0.1 %
R FRUSTRATED AND UNCOOPERATIVE	1	0.1 %
R FRUSTRATED X UNCOOPERATIVE.	1	0.1 %
R HAS DEMENTIA AND IS BLIND	1	0.1 %
R IS BLIND.	1	0.1 %
R IS WEAK AND SUFFERS FROM DEMENTIA.	1	0.1 %
R MOSTLY BEDRIDDEN X WEAK X VERY LITTLE STRENGTH.	1	0.1 %
R SUFFERS FROM DEMENTIA	1	0.1 %
R SUFFERS FROM DEMENTIA AND IS UNCOOPERATIVE.	1	0.1 %
R SUFFERS FROM DEMENTIA AND SISTER DOES NOT WANT R TO BE BOTHERED.	1	0.1 %
R SUFFERS FROM DEMENTIA.	3	0.2 %
R UNCOOPERATIVE X FRUSTRATED DUE TO NOT HEARING.	1	0.1 %
R UNCOOPERATIVE X WOULD NOT TAKE TIME TO COMPLETE IN AS PER PROXY.	1	0.1 %
R WON'T MAKE TIME TO COMPLETE INV.	1	0.1 %
RESP. IN NURSING HOME.	1	0.1 %
RESP. RECOVERING FROM STROKE	1	0.1 %
RESPONDENT IN MEXICO.	1	0.1 %
RESPONDENT IS LIVING IN ANOTHER CITY.	1	0.1 %
RESPONDENT JUST LEFT TO VISIT CHILDREN IN ILLINOIS FOR THE SUMMER. NO RETURN DATE KNOWN NOW.	1	0.1 %
RESPONDENT MOVED TO SAN DIEGO TO LIVE WITH DAUGHTER. NEW ADD. AND PHONE NOT AVAILABLE.	1	0.1 %
RESPONDENT OUT OF TOWN.	1	0.1 %
RESPONDENT SOMETIMES DOESN'T KNOW.	1	0.1 %
RESPONDENT WAS OUT OF TOWN TO TAKE CARE OF BUSINESS.	1	0.1 %
Resp. is 101 yrs old.	1	0.1 %
Respondent gets frustrated due to not hearing/understanding and refuses to be engaged.	1	0.1 %
Respondent has dementia.	1	0.1 %
Respondent is unconscious.	1	0.1 %
Respondent suffers from dementia as per Proxy	1	0.1 %
SEE INTERVIEWER COMMENTS.	2	0.1 %
SHE DOESN'T UNDERSTAND OR RECOGNIZE ANYMORE.	1	0.1 %
SHE HAS SOME HEARING PROBLEM.	1	0.1 %
STROKE IN 1996 LEFT HER WITH PROBLEMS FOR: SPEAKING, WRITING, AND MEMORY LAPSES.	1	0.1 %
SUBJECT CAN'T SPEAK	1	0.1 %
SUBJECT IS HARD OF HEARING AND GOING BLIND.	1	0.1 %
TOO WEAK, CAN'T BE DISTURBED (IN BED ALL THE TIME).	1	0.1 %

- Study 29654 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
VERY DEPRESSED.	1	0.1 %
VERY OLD, SOME MEMORY LAPSES.	1	0.1 %
VERY POOR, SHORT TERM MEMORY (OLD AGE PROBLEM).	1	0.1 %
WIFE DID NOT LET US DO IT ALONE.	1	0.1 %

**OO9D6** **Is the Proxy a Caregiver of the Respondent?**

Location: 1281-1281 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	162	10.5 %
2	No	1	0.1 %
. (M)	-	1379	89.4 %

**WCORR612** **Able to Spell the Word World Backwards**

Location: 1282-1282 (width: 1; decimal: 0)

Variable Type: numeric

Question: Now I'd like you to spell the word "world" backwards. All 5 letters correct?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1542	100.0 %

**NOGG7SYS6** **Unsuccessful/Refused Standing Systolic Reading**

Location: 1283-1283 (width: 1; decimal: 0)

Variable Type: numeric

Question: Standing blood pressure reading - Systolic? - Unsuccessful or Refused.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Unsuccessful	13	0.8 %
9	REF	247	16.0 %
. (M)	-	1282	83.1 %

**AAMED63** **Past 2 Weeks, Taken Any Medication Not Prescribed?**

Location: 1284-1284 (width: 1; decimal: 0)

Variable Type: numeric

Question: We are also interested in other medicines not prescribed by a doctor, such as aspirin or other pain medications, laxatives, vitamins or medicines for colds. During the past 2 weeks, did you take any medicine not prescribed by a doctor?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	924	59.9 %
2	No	520	33.7 %

- Study 29654 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	DK	7	0.5 %
9	REF	4	0.3 %
. (M)	-	87	5.6 %

**AAMED62A**      **Has Money Prevented You From Filling Rx?**

Location: 1285-1285 (width: 1; decimal: 0)

Variable Type: numeric

Question: Did you ever not get prescriptions filled because you do not have enough money to pay for them?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	355	23.0 %
2	No	1082	70.2 %
8	DK	10	0.6 %
9	REF	2	0.1 %
. (M)	-	93	6.0 %

**BB1E6**      **Able to do Light Housework Alone**

Location: 1286-1286 (width: 1; decimal: 0)

Variable Type: numeric

Question: Can you do light housework without help (dishwashing and bed making, etc)?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1079	70.0 %
2	No	463	30.0 %

**U63J**      **Told by a Doctor You Have Prostate Problems?**

Location: 1287-1287 (width: 1; decimal: 0)

Variable Type: numeric

Question: Has a doctor or other health care professional ever told you that you had any of the following conditions  
- (MALES) Prostate Problems?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	246	16.0 %
2	No	318	20.6 %
8	DK	9	0.6 %
. (M)	-	969	62.8 %