

ICPSR 36537

**Hispanic Established Populations
for the Epidemiologic Study of the
Elderly (HEPESE) Wave 7,
2010-2011 [Arizona, California,
Colorado, New Mexico, and Texas]**

Wave 7 Respondent Data Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Hispanic Established Populations for the Epidemiologic Study of the Elderly (HEPESE) Wave 7, 2010-2011 [Arizona, California, Colorado, New Mexico, and Texas]

Kyriakos Markides

UTMB

Nai-Wei Chen

UTMB

Ronald Angel

UT-Austin

Raymond Palmer

UT-San Antonio, Health Science Center

James Graham

UTMB

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36537/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #36537

*Hispanic Established Populations for the Epidemiologic Study of the Elderly (HEPESE)
Wave 7, 2010-2011 [Arizona, California, Colorado, New Mexico, and Texas]
DS1: Wave 7 Respondent Data*

1. **Linking the Datasets:** Data from the informant interviews are linkable to the respondent data in the Hispanic EPESE waves via a unique ID variable (**Q_NO**) shared by each respondent-informant pair.
2. **Stata Limitations:** Due to Stata limitations, the variables **KK76B_M_D_Y**, **LSL713**, **LSL723**, **LSL733**, **LSL743**, and **LSL753** do not contain value labels for non-integer values within the Stata files.

ICPSR 36537

Hispanic Established Populations for the Epidemiologic Study of the Elderly (HEPESE) Wave 7, 2010-2011 [Arizona, California, Colorado, New Mexico, and Texas]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave 7 Respondent Data

Q_NO: Q_NO

Value	Label	Unweighted Frequency	%
10001	-	1	0.1 %
10002	-	1	0.1 %
10009	-	1	0.1 %
10019	-	1	0.1 %
10024	-	1	0.1 %
10025	-	1	0.1 %
10052	-	1	0.1 %
10062	-	1	0.1 %
10064	-	1	0.1 %
10066	-	1	0.1 %
10068	-	1	0.1 %
10084	-	1	0.1 %
10085	-	1	0.1 %
10089	-	1	0.1 %
10090	-	1	0.1 %
10092	-	1	0.1 %
10093	-	1	0.1 %
10095	-	1	0.1 %
10098	-	1	0.1 %
10099	-	1	0.1 %
10102	-	1	0.1 %
10106	-	1	0.1 %
10107	-	1	0.1 %
10109	-	1	0.1 %
10111	-	1	0.1 %
10117	-	1	0.1 %
10127	-	1	0.1 %
10128	-	1	0.1 %
10136	-	1	0.1 %
10139	-	1	0.1 %
10143	-	1	0.1 %
10155	-	1	0.1 %
10161	-	1	0.1 %
10167	-	1	0.1 %
10170	-	1	0.1 %

Value	Label	Unweighted Frequency	%
10182	-	1	0.1 %
10192	-	1	0.1 %
10195	-	1	0.1 %
10198	-	1	0.1 %
10200	-	1	0.1 %
10202	-	1	0.1 %
10207	-	1	0.1 %
10209	-	1	0.1 %
10211	-	1	0.1 %
10213	-	1	0.1 %
10215	-	1	0.1 %
10223	-	1	0.1 %
10230	-	1	0.1 %
10231	-	1	0.1 %
10234	-	1	0.1 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,078 valid cases out of 1,078 total cases.

- Mean: 19365.59
- Minimum: 10001.00
- Maximum: 30916.00
- Standard Deviation: 9082.06

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

SAMEADDR7: Same address as before?

Value	Label	Unweighted Frequency	%
1	Yes	949	88.0 %
2	No	109	10.1 %
	Missing Data		
.	-	20	1.9 %
	Total	1,078	100%

Based upon 1,058 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 6-6 (width: 1; decimal: 0)

Variable Type: numeric

DATEINT7: Date of interview

Value	Label	Unweighted Frequency	%
01-APR-2010	-	1	0.1 %
01-APR-2011	-	1	0.1 %
01-AUG-2010	-	2	0.2 %
01-DEC-2010	-	2	0.2 %
01-JUL-2010	-	7	0.6 %
01-JUL-2011	-	1	0.1 %
01-JUN-2010	-	1	0.1 %
01-MAR-2011	-	1	0.1 %
01-MAY-2010	-	5	0.5 %
01-NOV-2010	-	2	0.2 %
01-OCT-2010	-	4	0.4 %
01-SEP-2010	-	5	0.5 %
01-SEP-2011	-	1	0.1 %
02-APR-2010	-	6	0.6 %
02-APR-2011	-	3	0.3 %
02-AUG-2010	-	3	0.3 %
02-DEC-2010	-	4	0.4 %
02-JAN-2011	-	2	0.2 %
02-JUL-2010	-	4	0.4 %
02-JUL-2011	-	1	0.1 %
02-JUN-2010	-	12	1.1 %
02-MAR-2011	-	4	0.4 %
02-MAY-2010	-	1	0.1 %
02-OCT-2010	-	2	0.2 %
02-SEP-2010	-	4	0.4 %
03-APR-2010	-	5	0.5 %
03-AUG-2010	-	4	0.4 %
03-DEC-2010	-	2	0.2 %
03-JUL-2010	-	5	0.5 %
03-JUN-2010	-	7	0.6 %
03-MAY-2010	-	3	0.3 %
03-NOV-2010	-	1	0.1 %
03-OCT-2010	-	3	0.3 %
03-SEP-2010	-	1	0.1 %
03-SEP-2011	-	1	0.1 %
04-APR-2010	-	1	0.1 %
04-AUG-2010	-	7	0.6 %

Value	Label	Unweighted Frequency	%
04-AUG-2011	-	2	0.2 %
04-DEC-2010	-	1	0.1 %
04-JAN-2011	-	1	0.1 %
04-JUL-2010	-	2	0.2 %
04-JUN-2010	-	2	0.2 %
04-MAR-2011	-	1	0.1 %
04-MAY-2010	-	2	0.2 %
04-NOV-2010	-	2	0.2 %
04-OCT-2010	-	1	0.1 %
04-SEP-2010	-	5	0.5 %
05-APR-2010	-	10	0.9 %
05-APR-2011	-	1	0.1 %
05-AUG-2010	-	4	0.4 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,078 valid cases out of 1,078 total cases.

Location: 7-17 (width: 11; decimal: 0)

Variable Type: character

NEW7: When respondent enrolled

Value	Label	Unweighted Frequency	%
0	Original cohort	659	61.1 %
1	New cohort	419	38.9 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 18-18 (width: 1; decimal: 0)

Variable Type: numeric

USBORN7: Born in US?

Value	Label	Unweighted Frequency	%
0	No	490	45.5 %
1	Yes	588	54.5 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 19-19 (width: 1; decimal: 0)

Variable Type: numeric

AGE7: Age at interview

Value	Label	Unweighted Frequency	%
79	-	2	0.2 %
80	-	27	2.5 %
81	-	65	6.0 %
82	-	122	11.3 %
83	-	126	11.7 %
84	-	135	12.5 %
85	-	108	10.0 %
86	-	101	9.4 %
87	-	79	7.3 %
88	-	64	5.9 %
89	-	51	4.7 %
90	-	56	5.2 %
91	-	35	3.2 %
92	-	21	1.9 %
93	-	36	3.3 %
94	-	15	1.4 %
95	-	6	0.6 %
96	-	11	1.0 %
97	-	5	0.5 %
98	-	3	0.3 %
99	-	5	0.5 %
100	-	4	0.4 %
102	-	1	0.1 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Mean: 85.91
- Median: 85.00
- Mode: 84.00
- Minimum: 79.00
- Maximum: 102.00
- Standard Deviation: 3.97

Location: 20-22 (width: 3; decimal: 0)

Variable Type: numeric

PROXYREL7: Relationship of proxy to respondent

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	22	2.0 %
3	Son/daughter	122	11.3 %
4	Son/daughter in law	8	0.7 %
5	Grandchild	11	1.0 %
6	Parent	0	0.0 %
7	Brother/sister	2	0.2 %
8	Nephew/niece	6	0.6 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	2	0.2 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	6	0.6 %
16	All others	1	0.1 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	898	83.3 %
	Total	1,078	100%

Based upon 180 valid cases out of 1,078 total cases.

- Minimum: 2.00
- Maximum: 16.00

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

SEX7: Respondent's sex

Value	Label	Unweighted Frequency	%
1	Male	376	34.9 %
2	Female	702	65.1 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

MARSTAT7: Respondent's marital status

Value	Label	Unweighted Frequency	%
1	Married	338	31.4 %
2	Separated	24	2.2 %
3	Divorced	28	2.6 %
4	Widowed	645	59.8 %
5	Never married	41	3.8 %
	Missing Data		
.	-	2	0.2 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

MARLEN7: Number of years in marital status category

Value	Label	Unweighted Frequency	%
0	-	19	1.8 %
1	-	28	2.6 %
2	-	33	3.1 %
3	-	27	2.5 %
4	-	15	1.4 %
5	-	30	2.8 %
6	-	18	1.7 %
7	-	29	2.7 %
8	-	23	2.1 %
9	-	17	1.6 %
10	-	29	2.7 %
11	-	17	1.6 %
12	-	23	2.1 %
13	-	26	2.4 %
14	-	20	1.9 %
15	-	21	1.9 %
16	-	10	0.9 %
17	-	11	1.0 %

Value	Label	Unweighted Frequency	%
18	-	17	1.6 %
19	-	15	1.4 %
20	-	38	3.5 %
21	-	8	0.7 %
22	-	12	1.1 %
23	-	6	0.6 %
24	-	9	0.8 %
25	-	21	1.9 %
26	-	7	0.6 %
27	-	13	1.2 %
28	-	13	1.2 %
29	-	4	0.4 %
30	-	21	1.9 %
31	-	4	0.4 %
32	-	8	0.7 %
33	-	6	0.6 %
34	-	2	0.2 %
35	-	20	1.9 %
36	-	5	0.5 %
37	-	4	0.4 %
38	-	6	0.6 %
39	-	4	0.4 %
40	-	15	1.4 %
41	-	6	0.6 %
42	-	9	0.8 %
43	-	3	0.3 %
44	-	3	0.3 %
45	-	6	0.6 %
46	-	3	0.3 %
47	-	4	0.4 %
48	-	5	0.5 %
49	-	6	0.6 %
	Missing Data		
.	-	90	8.3 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 988 valid cases out of 1,078 total cases.

- Mean: 29.81
- Median: 24.00
- Mode: 60.00
- Minimum: 0.00
- Maximum: 74.00
- Standard Deviation: 22.59

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

NHOUSE7: Number of people living in house

Value	Label	Unweighted Frequency	%
1	-	328	30.4 %
2	-	375	34.8 %
3	-	163	15.1 %
4	-	75	7.0 %
5	-	48	4.5 %
6	-	33	3.1 %
7	-	23	2.1 %
8	-	12	1.1 %
9	-	5	0.5 %
11	-	2	0.2 %
	Missing Data		
.	-	14	1.3 %
	Total	1,078	100%

Based upon 1,064 valid cases out of 1,078 total cases.

- Mean: 2.47
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 1.66

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

DKNHSE7: Don't know or refused to give # of people in house

Value	Label	Unweighted Frequency	%
8	Do not know	7	0.6 %
9	Refused	0	0.0 %
	Missing Data		
.	-	1071	99.4 %
	Total	1,078	100%

Based upon 7 valid cases out of 1,078 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 31-31 (width: 1; decimal: 0)

Variable Type: numeric

HHREL7: Relationship to head of household

Value	Label	Unweighted Frequency	%
1	Respondent is head	743	68.9 %
2	Spouse	106	9.8 %
3	Son/daughter	135	12.5 %
4	Son/daughter in law	49	4.5 %
5	Grandchild	9	0.8 %
6	Parent	0	0.0 %
7	Brother/sister	8	0.7 %
8	Nephew/niece	5	0.5 %
9	Cousin	1	0.1 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	2	0.2 %
13	Friend	4	0.4 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	1	0.1 %
16	All others	1	0.1 %
17	Sister/brother in law	2	0.2 %
	Missing Data		
.	-	12	1.1 %
	Total	1,078	100%

Based upon 1,066 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

OREL71: Relationship to other person-1 in household

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	197	18.3 %

Value	Label	Unweighted Frequency	%
3	Son/daughter	261	24.2 %
4	Son/daughter in law	45	4.2 %
5	Grandchild	55	5.1 %
6	Parent	0	0.0 %
7	Brother/sister	8	0.7 %
8	Nephew/niece	12	1.1 %
9	Cousin	1	0.1 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	11	1.0 %
12	Other	2	0.2 %
13	Friend	8	0.7 %
14	Boarder/roomer	1	0.1 %
15	Paid employee	6	0.6 %
16	All others	5	0.5 %
17	Sister/brother in law	2	0.2 %
	Missing Data		
.	-	464	43.0 %
	Total	1,078	100%

Based upon 614 valid cases out of 1,078 total cases.

- Minimum: 2.00
- Maximum: 17.00

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

OREL72: Relationship to other person-2 in household

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	11	1.0 %
3	Son/daughter	109	10.1 %
4	Son/daughter in law	28	2.6 %
5	Grandchild	100	9.3 %
6	Parent	0	0.0 %
7	Brother/sister	3	0.3 %
8	Nephew/niece	7	0.6 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	20	1.9 %

Value	Label	Unweighted Frequency	%
12	Other	5	0.5 %
13	Friend	3	0.3 %
14	Boarder/roomer	2	0.2 %
15	Paid employee	1	0.1 %
16	All others	3	0.3 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	786	72.9 %
	Total	1,078	100%

Based upon 292 valid cases out of 1,078 total cases.

- Minimum: 2.00
- Maximum: 16.00

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

OREL73: Relationship to other person-3 in household

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	6	0.6 %
3	Son/daughter	26	2.4 %
4	Son/daughter in law	9	0.8 %
5	Grandchild	73	6.8 %
6	Parent	1	0.1 %
7	Brother/sister	1	0.1 %
8	Nephew/niece	6	0.6 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	32	3.0 %
12	Other	4	0.4 %
13	Friend	2	0.2 %
14	Boarder/roomer	2	0.2 %
15	Paid employee	0	0.0 %
16	All others	5	0.5 %
17	Sister/brother in law	1	0.1 %
	Missing Data		
.	-	910	84.4 %
	Total	1,078	100%

Based upon 168 valid cases out of 1,078 total cases.

- Minimum: 2.00
- Maximum: 17.00

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

OREL74: Relationship to other person-4 in household

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	3	0.3 %
3	Son/daughter	7	0.6 %
4	Son/daughter in law	5	0.5 %
5	Grandchild	51	4.7 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	1	0.1 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	20	1.9 %
12	Other	2	0.2 %
13	Friend	3	0.3 %
14	Boarder/roomer	2	0.2 %
15	Paid employee	0	0.0 %
16	All others	2	0.2 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	982	91.1 %
	Total	1,078	100%

Based upon 96 valid cases out of 1,078 total cases.

- Minimum: 2.00
- Maximum: 16.00

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

OREL75: Relationship to other person-5 in household

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Spouse	0	0.0 %
3	Son/daughter	1	0.1 %
4	Son/daughter in law	2	0.2 %
5	Grandchild	26	2.4 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	0	0.0 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	21	1.9 %
12	Other	1	0.1 %
13	Friend	0	0.0 %
14	Boarder/roomer	2	0.2 %
15	Paid employee	0	0.0 %
16	All others	2	0.2 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	1023	94.9 %
	Total	1,078	100%

Based upon 55 valid cases out of 1,078 total cases.

- Minimum: 3.00
- Maximum: 16.00

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

OREL76: Relationship to other person-6 in household

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	2	0.2 %
3	Son/daughter	1	0.1 %
4	Son/daughter in law	1	0.1 %
5	Grandchild	8	0.7 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	0	0.0 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Great grandchild	8	0.7 %
12	Other	2	0.2 %
13	Friend	0	0.0 %
14	Boarder/roomer	2	0.2 %
15	Paid employee	0	0.0 %
16	All others	1	0.1 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	1053	97.7 %
	Total	1,078	100%

Based upon 25 valid cases out of 1,078 total cases.

- Minimum: 2.00
- Maximum: 16.00

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

MOVED7: Moved since last contact?

Value	Label	Unweighted Frequency	%
1	Yes	117	10.9 %
2	No	959	89.0 %
	Missing Data		
8	Do not know	2	0.2 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 46-46 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

WHYMOVE7: Why moved?

Value	Label	Unweighted Frequency	%
1	Assisted living	31	2.9 %
2	Close to children	28	2.6 %
3	Other	57	5.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Do not know	1	0.1 %
.	-	961	89.1 %
	Total	1,078	100%

Based upon 116 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 47-47 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

MOVEIN7: Anyone moved in with you since last contact?

Value	Label	Unweighted Frequency	%
1	Yes	150	13.9 %
2	No	924	85.7 %
	Missing Data		
8	Do not know	3	0.3 %
.	-	1	0.1 %
	Total	1,078	100%

Based upon 1,074 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 48-48 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

WHOMOV71: Person-1 who moved in since last contact

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	1	0.1 %
3	Son/daughter	82	7.6 %
4	Son/daughter in law	6	0.6 %
5	Grandchild	30	2.8 %
6	Parent	0	0.0 %
7	Brother/sister	3	0.3 %
8	Nephew/niece	5	0.5 %
9	Cousin	1	0.1 %
10	Aunt/uncle	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Great grandchild	5	0.5 %
12	Other	1	0.1 %
13	Friend	6	0.6 %
14	Boarder/roomer	1	0.1 %
15	Paid employee	5	0.5 %
16	All others	2	0.2 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	930	86.3 %
	Total	1,078	100%

Based upon 148 valid cases out of 1,078 total cases.

- Minimum: 2.00
- Maximum: 16.00

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

WHOMOV72: Person-2 who moved in since last contact

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter	5	0.5 %
4	Son/daughter in law	25	2.3 %
5	Grandchild	12	1.1 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	2	0.2 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	7	0.6 %
12	Other	4	0.4 %
13	Friend	1	0.1 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	1	0.1 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	1021	94.7 %

Value	Label	Unweighted Frequency	%
	Total	1,078	100%

Based upon 57 valid cases out of 1,078 total cases.

- Minimum: 3.00
- Maximum: 15.00

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

WHOMOV73: Person-3 who moved in since last contact

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter	2	0.2 %
4	Son/daughter in law	1	0.1 %
5	Grandchild	12	1.1 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	1	0.1 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	6	0.6 %
12	Other	4	0.4 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	1052	97.6 %
	Total	1,078	100%

Based upon 26 valid cases out of 1,078 total cases.

- Minimum: 3.00
- Maximum: 12.00

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

WHOMOV74: Person-4 who moved in since last contact

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter	1	0.1 %
4	Son/daughter in law	0	0.0 %
5	Grandchild	9	0.8 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	0	0.0 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	6	0.6 %
12	Other	2	0.2 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	1060	98.3 %
	Total	1,078	100%

Based upon 18 valid cases out of 1,078 total cases.

- Minimum: 3.00
- Maximum: 12.00

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

TAKECARE7: Person moved in because I needed help

Value	Label	Unweighted Frequency	%
1	Needed help	75	7.0 %
	Missing Data		
.	-	1003	93.0 %
	Total	1,078	100%

Based upon 75 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 57-57 (width: 1; decimal: 0)

Variable Type: numeric

PLASTAY7: Person moved in because they need a place to stay

Value	Label	Unweighted Frequency	%
2	XX needed place to stay	60	5.6 %
	Missing Data		
.	-	1018	94.4 %
	Total	1,078	100%

Based upon 60 valid cases out of 1,078 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 58-58 (width: 1; decimal: 0)

Variable Type: numeric

YOUOTH7: Person moved in for other specify reason

Value	Label	Unweighted Frequency	%
3	Other	45	4.2 %
	Missing Data		
.	-	1033	95.8 %
	Total	1,078	100%

Based upon 45 valid cases out of 1,078 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

YOUDKREF7: Don't know or refused why person moved in

Value	Label	Unweighted Frequency	%
8	Do not know	0	0.0 %
9	Refused	0	0.0 %
	Missing Data		
.	-	1078	100.0 %
	Total	1,078	100%

Based upon 0 valid cases out of 1,078 total cases.

Location: 60-60 (width: 1; decimal: 0)

Variable Type: numeric

NKIDS7: Number of living children

Value	Label	Unweighted Frequency	%
0	-	70	6.5 %
1	-	96	8.9 %
2	-	119	11.0 %
3	-	135	12.5 %
4	-	143	13.3 %
5	-	129	12.0 %
6	-	93	8.6 %
7	-	96	8.9 %
8	-	74	6.9 %
9	-	42	3.9 %
10	-	28	2.6 %
11	-	25	2.3 %
12	-	14	1.3 %
13	-	4	0.4 %
14	-	4	0.4 %
15	-	1	0.1 %
16	-	1	0.1 %
	Missing Data		
.	-	4	0.4 %
	Total	1,078	100%

Based upon 1,074 valid cases out of 1,078 total cases.

- Mean: 4.67
- Median: 4.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 3.03

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

DKNKIDS7: Don't know or refused to say number of living children

Value	Label	Unweighted Frequency	%
98	Do not know	2	0.2 %
99	Refused	2	0.2 %
	Missing Data		
.	-	1074	99.6 %
	Total	1,078	100%

Based upon 4 valid cases out of 1,078 total cases.

- Minimum: 98.00
- Maximum: 99.00

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

SEXK_1: Child 1 sex

Value	Label	Unweighted Frequency	%
1	Male	495	45.9 %
2	Female	490	45.5 %
	Missing Data		
.	-	93	8.6 %
	Total	1,078	100%

Based upon 985 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 65-65 (width: 1; decimal: 0)

Variable Type: numeric

SEXK_2: Child 2 sex

Value	Label	Unweighted Frequency	%
1	Male	436	40.4 %
2	Female	448	41.6 %
	Missing Data		
.	-	194	18.0 %
	Total	1,078	100%

Based upon 884 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 66-66 (width: 1; decimal: 0)

Variable Type: numeric

SEXK_3: Child 3 sex

Value	Label	Unweighted Frequency	%
1	Male	399	37.0 %
2	Female	360	33.4 %
	Missing Data		
.	-	319	29.6 %
	Total	1,078	100%

Based upon 759 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 67-67 (width: 1; decimal: 0)

Variable Type: numeric

SEXK_4: Child 4 sex

Value	Label	Unweighted Frequency	%
1	Male	298	27.6 %
2	Female	322	29.9 %
	Missing Data		
.	-	458	42.5 %
	Total	1,078	100%

Based upon 620 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 68-68 (width: 1; decimal: 0)

Variable Type: numeric

SEXK_5: Child 5 sex

Value	Label	Unweighted Frequency	%
1	Male	228	21.2 %
2	Female	256	23.7 %
	Missing Data		
.	-	594	55.1 %
	Total	1,078	100%

Based upon 484 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 69-69 (width: 1; decimal: 0)

Variable Type: numeric

SEXK_6: Child 6 sex

Value	Label	Unweighted Frequency	%
1	Male	177	16.4 %
2	Female	183	17.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	718	66.6 %
	Total	1,078	100%

Based upon 360 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 70-70 (width: 1; decimal: 0)

Variable Type: numeric

SEXK_7: Child 7 sex

Value	Label	Unweighted Frequency	%
1	Male	115	10.7 %
2	Female	150	13.9 %
	Missing Data		
.	-	813	75.4 %
	Total	1,078	100%

Based upon 265 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 71-71 (width: 1; decimal: 0)

Variable Type: numeric

SEXK_8: Child 8 sex

Value	Label	Unweighted Frequency	%
1	Male	77	7.1 %
2	Female	98	9.1 %
	Missing Data		
.	-	903	83.8 %
	Total	1,078	100%

Based upon 175 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

SEXK_9: Child 9 sex

Value	Label	Unweighted Frequency	%
1	Male	65	6.0 %
2	Female	43	4.0 %
	Missing Data		
.	-	970	90.0 %
	Total	1,078	100%

Based upon 108 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

SEXK_10: Child 10 sex

Value	Label	Unweighted Frequency	%
1	Male	36	3.3 %
2	Female	32	3.0 %
	Missing Data		
.	-	1010	93.7 %
	Total	1,078	100%

Based upon 68 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

SEXK_11: Child 11 sex

Value	Label	Unweighted Frequency	%
1	Male	13	1.2 %
2	Female	30	2.8 %
	Missing Data		
.	-	1035	96.0 %
	Total	1,078	100%

Based upon 43 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 75-75 (width: 1; decimal: 0)

Variable Type: numeric

SEXK_12: Child 12 sex

Value	Label	Unweighted Frequency	%
1	Male	10	0.9 %
2	Female	12	1.1 %
	Missing Data		
.	-	1056	98.0 %
	Total	1,078	100%

Based upon 22 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 76-76 (width: 1; decimal: 0)

Variable Type: numeric

SEXK_13: Child 13 sex

Value	Label	Unweighted Frequency	%
1	Male	2	0.2 %
2	Female	8	0.7 %
	Missing Data		
.	-	1068	99.1 %
	Total	1,078	100%

Based upon 10 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 77-77 (width: 1; decimal: 0)

Variable Type: numeric

SEXK_14: Child 14 sex

Value	Label	Unweighted Frequency	%
1	Male	4	0.4 %
2	Female	2	0.2 %
	Missing Data		
.	-	1072	99.4 %
	Total	1,078	100%

Based upon 6 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 78-78 (width: 1; decimal: 0)

Variable Type: numeric

SEXK_15: Child 15 sex

Value	Label	Unweighted Frequency	%
1	Male	1	0.1 %
2	Female	1	0.1 %
	Missing Data		
.	-	1076	99.8 %
	Total	1,078	100%

Based upon 2 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 79-79 (width: 1; decimal: 0)

Variable Type: numeric

SEXK_16: Child 16 sex

Value	Label	Unweighted Frequency	%
1	Male	1	0.1 %
2	Female	0	0.0 %
	Missing Data		
.	-	1077	99.9 %
	Total	1,078	100%

Based upon 1 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 80-80 (width: 1; decimal: 0)

Variable Type: numeric

AGEK_1: Child 1 age

Value	Label	Unweighted Frequency	%
14	-	1	0.1 %
17	-	1	0.1 %
20	-	1	0.1 %
23	-	1	0.1 %
25	-	1	0.1 %
28	-	2	0.2 %
30	-	2	0.2 %

Value	Label	Unweighted Frequency	%
32	-	2	0.2 %
33	-	2	0.2 %
34	-	2	0.2 %
35	-	1	0.1 %
36	-	1	0.1 %
37	-	3	0.3 %
38	-	5	0.5 %
39	-	3	0.3 %
40	-	9	0.8 %
41	-	7	0.6 %
42	-	9	0.8 %
43	-	10	0.9 %
44	-	12	1.1 %
45	-	19	1.8 %
46	-	13	1.2 %
47	-	12	1.1 %
48	-	16	1.5 %
49	-	21	1.9 %
50	-	34	3.2 %
51	-	23	2.1 %
52	-	29	2.7 %
53	-	22	2.0 %
54	-	26	2.4 %
55	-	39	3.6 %
56	-	30	2.8 %
57	-	22	2.0 %
58	-	41	3.8 %
59	-	43	4.0 %
60	-	68	6.3 %
61	-	54	5.0 %
62	-	66	6.1 %
63	-	58	5.4 %
64	-	42	3.9 %
65	-	43	4.0 %
66	-	36	3.3 %
67	-	28	2.6 %
68	-	10	0.9 %
69	-	21	1.9 %
70	-	24	2.2 %

Value	Label	Unweighted Frequency	%
71	-	16	1.5 %
72	-	8	0.7 %
73	-	1	0.1 %
74	-	5	0.5 %
	Missing Data		
.	-	122	11.3 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 956 valid cases out of 1,078 total cases.

- Mean: 57.86
- Median: 60.00
- Mode: 60.00
- Minimum: 14.00
- Maximum: 81.00
- Standard Deviation: 8.92

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

AGEK_2: Child 2 age

Value	Label	Unweighted Frequency	%
17	-	1	0.1 %
25	-	1	0.1 %
26	-	3	0.3 %
28	-	2	0.2 %
30	-	1	0.1 %
33	-	1	0.1 %
34	-	1	0.1 %
35	-	3	0.3 %
36	-	2	0.2 %
37	-	1	0.1 %
38	-	7	0.6 %
39	-	2	0.2 %
40	-	10	0.9 %
41	-	4	0.4 %
42	-	8	0.7 %
43	-	8	0.7 %
44	-	5	0.5 %
45	-	8	0.7 %

Value	Label	Unweighted Frequency	%
46	-	8	0.7 %
47	-	10	0.9 %
48	-	16	1.5 %
49	-	17	1.6 %
50	-	36	3.3 %
51	-	21	1.9 %
52	-	39	3.6 %
53	-	23	2.1 %
54	-	31	2.9 %
55	-	32	3.0 %
56	-	31	2.9 %
57	-	53	4.9 %
58	-	47	4.4 %
59	-	52	4.8 %
60	-	53	4.9 %
61	-	53	4.9 %
62	-	52	4.8 %
63	-	37	3.4 %
64	-	46	4.3 %
65	-	36	3.3 %
66	-	26	2.4 %
67	-	13	1.2 %
68	-	18	1.7 %
69	-	10	0.9 %
70	-	7	0.6 %
71	-	5	0.5 %
72	-	3	0.3 %
73	-	5	0.5 %
74	-	2	0.2 %
75	-	4	0.4 %
78	-	4	0.4 %
79	-	1	0.1 %
	Missing Data		
.	-	219	20.3 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 859 valid cases out of 1,078 total cases.

- Mean: 57.29
- Median: 58.00
- Minimum: 17.00
- Maximum: 79.00
- Standard Deviation: 8.14

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

AGEK_3: Child 3 age

Value	Label	Unweighted Frequency	%
16	-	1	0.1 %
21	-	1	0.1 %
27	-	1	0.1 %
28	-	1	0.1 %
30	-	2	0.2 %
32	-	1	0.1 %
34	-	3	0.3 %
35	-	1	0.1 %
36	-	2	0.2 %
37	-	4	0.4 %
38	-	9	0.8 %
39	-	2	0.2 %
40	-	9	0.8 %
41	-	4	0.4 %
42	-	9	0.8 %
43	-	2	0.2 %
44	-	13	1.2 %
45	-	11	1.0 %
46	-	13	1.2 %
47	-	14	1.3 %
48	-	16	1.5 %
49	-	14	1.3 %
50	-	36	3.3 %
51	-	18	1.7 %
52	-	27	2.5 %
53	-	35	3.2 %
54	-	41	3.8 %
55	-	32	3.0 %
56	-	47	4.4 %
57	-	37	3.4 %
58	-	33	3.1 %

Value	Label	Unweighted Frequency	%
59	-	42	3.9 %
60	-	44	4.1 %
61	-	47	4.4 %
62	-	41	3.8 %
63	-	25	2.3 %
64	-	25	2.3 %
65	-	20	1.9 %
66	-	15	1.4 %
67	-	11	1.0 %
68	-	7	0.6 %
69	-	6	0.6 %
70	-	5	0.5 %
71	-	4	0.4 %
72	-	3	0.3 %
76	-	1	0.1 %
	Missing Data		
.	-	343	31.8 %
	Total	1,078	100%

Based upon 735 valid cases out of 1,078 total cases.

- Mean: 55.61
- Median: 56.00
- Minimum: 16.00
- Maximum: 76.00
- Standard Deviation: 7.87

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

AGEK_4: Child 4 age

Value	Label	Unweighted Frequency	%
17	-	1	0.1 %
20	-	1	0.1 %
24	-	1	0.1 %
29	-	3	0.3 %
32	-	1	0.1 %
33	-	1	0.1 %
34	-	2	0.2 %
35	-	4	0.4 %
36	-	3	0.3 %
37	-	6	0.6 %

Value	Label	Unweighted Frequency	%
38	-	5	0.5 %
40	-	5	0.5 %
41	-	2	0.2 %
42	-	10	0.9 %
43	-	8	0.7 %
44	-	9	0.8 %
45	-	8	0.7 %
46	-	11	1.0 %
47	-	13	1.2 %
48	-	28	2.6 %
49	-	13	1.2 %
50	-	44	4.1 %
51	-	33	3.1 %
52	-	31	2.9 %
53	-	23	2.1 %
54	-	44	4.1 %
55	-	31	2.9 %
56	-	25	2.3 %
57	-	39	3.6 %
58	-	37	3.4 %
59	-	27	2.5 %
60	-	37	3.4 %
61	-	20	1.9 %
62	-	23	2.1 %
63	-	12	1.1 %
64	-	17	1.6 %
65	-	4	0.4 %
66	-	6	0.6 %
67	-	5	0.5 %
68	-	3	0.3 %
69	-	1	0.1 %
70	-	1	0.1 %
71	-	2	0.2 %
72	-	1	0.1 %
75	-	2	0.2 %
76	-	1	0.1 %
	Missing Data		
.	-	474	44.0 %
	Total	1,078	100%

Based upon 604 valid cases out of 1,078 total cases.

- Mean: 53.78
- Median: 54.00
- Minimum: 17.00
- Maximum: 76.00
- Standard Deviation: 7.65

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

AGEK_5: Child 5 age

Value	Label	Unweighted Frequency	%
18	-	1	0.1 %
23	-	1	0.1 %
24	-	1	0.1 %
29	-	1	0.1 %
31	-	1	0.1 %
32	-	1	0.1 %
35	-	1	0.1 %
36	-	2	0.2 %
37	-	6	0.6 %
38	-	6	0.6 %
39	-	3	0.3 %
40	-	10	0.9 %
41	-	6	0.6 %
42	-	7	0.6 %
43	-	5	0.5 %
44	-	5	0.5 %
45	-	18	1.7 %
46	-	17	1.6 %
47	-	18	1.7 %
48	-	25	2.3 %
49	-	20	1.9 %
50	-	33	3.1 %
51	-	15	1.4 %
52	-	19	1.8 %
53	-	18	1.7 %
54	-	31	2.9 %
55	-	21	1.9 %
56	-	26	2.4 %
57	-	23	2.1 %
58	-	24	2.2 %

Value	Label	Unweighted Frequency	%
59	-	22	2.0 %
60	-	26	2.4 %
61	-	10	0.9 %
62	-	14	1.3 %
63	-	8	0.7 %
64	-	3	0.3 %
65	-	7	0.6 %
66	-	1	0.1 %
67	-	1	0.1 %
68	-	2	0.2 %
70	-	3	0.3 %
73	-	1	0.1 %
74	-	1	0.1 %
	Missing Data		
.	-	614	57.0 %
	Total	1,078	100%

Based upon 464 valid cases out of 1,078 total cases.

- Mean: 52.33
- Median: 53.00
- Mode: 50.00
- Minimum: 18.00
- Maximum: 74.00
- Standard Deviation: 7.60

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

AGEK_6: Child 6 age

Value	Label	Unweighted Frequency	%
22	-	1	0.1 %
25	-	2	0.2 %
26	-	1	0.1 %
27	-	1	0.1 %
30	-	1	0.1 %
33	-	1	0.1 %
34	-	1	0.1 %
35	-	2	0.2 %
37	-	4	0.4 %
38	-	3	0.3 %
39	-	5	0.5 %

Value	Label	Unweighted Frequency	%
40	-	10	0.9 %
41	-	9	0.8 %
42	-	10	0.9 %
43	-	4	0.4 %
44	-	6	0.6 %
45	-	15	1.4 %
46	-	11	1.0 %
47	-	14	1.3 %
48	-	19	1.8 %
49	-	15	1.4 %
50	-	20	1.9 %
51	-	10	0.9 %
52	-	21	1.9 %
53	-	19	1.8 %
54	-	25	2.3 %
55	-	25	2.3 %
56	-	21	1.9 %
57	-	11	1.0 %
58	-	18	1.7 %
59	-	10	0.9 %
60	-	7	0.6 %
61	-	6	0.6 %
62	-	4	0.4 %
63	-	4	0.4 %
64	-	1	0.1 %
65	-	4	0.4 %
66	-	1	0.1 %
67	-	1	0.1 %
70	-	1	0.1 %
73	-	1	0.1 %
	Missing Data		
.	-	733	68.0 %
	Total	1,078	100%

Based upon 345 valid cases out of 1,078 total cases.

- Mean: 50.77
- Median: 52.00
- Minimum: 22.00
- Maximum: 73.00
- Standard Deviation: 7.51

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

AGEK_7: Child 7 age

Value	Label	Unweighted Frequency	%
22	-	1	0.1 %
25	-	1	0.1 %
27	-	1	0.1 %
29	-	2	0.2 %
30	-	1	0.1 %
32	-	1	0.1 %
34	-	2	0.2 %
36	-	2	0.2 %
37	-	2	0.2 %
38	-	6	0.6 %
39	-	3	0.3 %
40	-	7	0.6 %
41	-	4	0.4 %
42	-	10	0.9 %
43	-	7	0.6 %
44	-	5	0.5 %
45	-	9	0.8 %
46	-	17	1.6 %
47	-	9	0.8 %
48	-	23	2.1 %
49	-	10	0.9 %
50	-	14	1.3 %
51	-	14	1.3 %
52	-	15	1.4 %
53	-	12	1.1 %
54	-	14	1.3 %
55	-	8	0.7 %
56	-	13	1.2 %
57	-	13	1.2 %
58	-	7	0.6 %
59	-	7	0.6 %
61	-	1	0.1 %
62	-	1	0.1 %
63	-	2	0.2 %
64	-	2	0.2 %

Value	Label	Unweighted Frequency	%
65	-	2	0.2 %
66	-	1	0.1 %
68	-	1	0.1 %
69	-	1	0.1 %
	Missing Data		
.	-	827	76.7 %
	Total	1,078	100%

Based upon 251 valid cases out of 1,078 total cases.

- Mean: 49.27
- Median: 50.00
- Mode: 48.00
- Minimum: 22.00
- Maximum: 69.00
- Standard Deviation: 7.45

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

AGEK_8: Child 8 age

Value	Label	Unweighted Frequency	%
20	-	1	0.1 %
22	-	1	0.1 %
23	-	1	0.1 %
33	-	1	0.1 %
34	-	1	0.1 %
35	-	3	0.3 %
36	-	2	0.2 %
37	-	4	0.4 %
38	-	2	0.2 %
40	-	5	0.5 %
41	-	7	0.6 %
42	-	6	0.6 %
43	-	9	0.8 %
44	-	6	0.6 %
45	-	4	0.4 %
46	-	16	1.5 %
47	-	13	1.2 %
48	-	8	0.7 %
49	-	8	0.7 %
50	-	13	1.2 %

Value	Label	Unweighted Frequency	%
51	-	7	0.6 %
52	-	8	0.7 %
53	-	5	0.5 %
54	-	6	0.6 %
55	-	11	1.0 %
56	-	4	0.4 %
57	-	4	0.4 %
58	-	4	0.4 %
59	-	2	0.2 %
60	-	1	0.1 %
61	-	1	0.1 %
62	-	2	0.2 %
66	-	1	0.1 %
67	-	1	0.1 %
	Missing Data		
.	-	910	84.4 %
	Total	1,078	100%

Based upon 168 valid cases out of 1,078 total cases.

- Mean: 47.76
- Median: 48.00
- Mode: 46.00
- Minimum: 20.00
- Maximum: 67.00
- Standard Deviation: 7.35

Location: 95-96 (width: 2; decimal: 0)

Variable Type: numeric

AGEK_9: Child 9 age

Value	Label	Unweighted Frequency	%
25	-	1	0.1 %
29	-	1	0.1 %
30	-	2	0.2 %
32	-	1	0.1 %
33	-	1	0.1 %
34	-	1	0.1 %
35	-	2	0.2 %
36	-	2	0.2 %
37	-	2	0.2 %
38	-	2	0.2 %

Value	Label	Unweighted Frequency	%
39	-	4	0.4 %
40	-	2	0.2 %
41	-	2	0.2 %
42	-	5	0.5 %
43	-	1	0.1 %
44	-	3	0.3 %
45	-	8	0.7 %
46	-	8	0.7 %
47	-	5	0.5 %
48	-	6	0.6 %
49	-	2	0.2 %
50	-	7	0.6 %
51	-	5	0.5 %
52	-	6	0.6 %
53	-	4	0.4 %
54	-	7	0.6 %
55	-	3	0.3 %
56	-	3	0.3 %
59	-	3	0.3 %
60	-	1	0.1 %
63	-	1	0.1 %
64	-	2	0.2 %
65	-	1	0.1 %
67	-	1	0.1 %
	Missing Data		
.	-	973	90.3 %
	Total	1,078	100%

Based upon 105 valid cases out of 1,078 total cases.

- Mean: 47.21
- Median: 47.00
- Minimum: 25.00
- Maximum: 67.00
- Standard Deviation: 8.14

Location: 97-98 (width: 2; decimal: 0)

Variable Type: numeric

AGEK_10: Child 10 age

Value	Label	Unweighted Frequency	%
23	-	1	0.1 %

Value	Label	Unweighted Frequency	%
25	-	1	0.1 %
29	-	1	0.1 %
33	-	1	0.1 %
34	-	1	0.1 %
35	-	1	0.1 %
36	-	1	0.1 %
38	-	3	0.3 %
39	-	1	0.1 %
40	-	3	0.3 %
41	-	2	0.2 %
42	-	4	0.4 %
43	-	6	0.6 %
44	-	3	0.3 %
45	-	2	0.2 %
47	-	3	0.3 %
48	-	4	0.4 %
49	-	7	0.6 %
50	-	1	0.1 %
51	-	3	0.3 %
52	-	2	0.2 %
53	-	3	0.3 %
54	-	2	0.2 %
55	-	2	0.2 %
57	-	4	0.4 %
58	-	1	0.1 %
66	-	2	0.2 %
	Missing Data		
.	-	1013	94.0 %
	Total	1,078	100%

Based upon 65 valid cases out of 1,078 total cases.

- Mean: 46.09
- Median: 47.00
- Mode: 49.00
- Minimum: 23.00
- Maximum: 66.00
- Standard Deviation: 8.32

Location: 99-100 (width: 2; decimal: 0)

Variable Type: numeric

AGEK_11: Child 11 age

Value	Label	Unweighted Frequency	%
34	-	2	0.2 %
35	-	1	0.1 %
36	-	3	0.3 %
39	-	2	0.2 %
40	-	2	0.2 %
41	-	2	0.2 %
42	-	4	0.4 %
43	-	1	0.1 %
46	-	4	0.4 %
47	-	4	0.4 %
48	-	3	0.3 %
50	-	3	0.3 %
51	-	2	0.2 %
53	-	1	0.1 %
54	-	1	0.1 %
56	-	2	0.2 %
65	-	1	0.1 %
66	-	1	0.1 %
70	-	2	0.2 %
	Missing Data		
.	-	1037	96.2 %
	Total	1,078	100%

Based upon 41 valid cases out of 1,078 total cases.

- Mean: 46.83
- Median: 46.00
- Minimum: 34.00
- Maximum: 70.00
- Standard Deviation: 9.10

Location: 101-102 (width: 2; decimal: 0)

Variable Type: numeric

AGEK_12: Child 12 age

Value	Label	Unweighted Frequency	%
32	-	1	0.1 %
33	-	1	0.1 %
38	-	1	0.1 %
39	-	3	0.3 %

Value	Label	Unweighted Frequency	%
40	-	2	0.2 %
44	-	3	0.3 %
45	-	2	0.2 %
46	-	1	0.1 %
49	-	1	0.1 %
50	-	1	0.1 %
53	-	1	0.1 %
59	-	2	0.2 %
60	-	1	0.1 %
	Missing Data		
.	-	1058	98.1 %
	Total	1,078	100%

Based upon 20 valid cases out of 1,078 total cases.

- Mean: 44.90
- Median: 44.00
- Minimum: 32.00
- Maximum: 60.00
- Standard Deviation: 8.10

Location: 103-104 (width: 2; decimal: 0)

Variable Type: numeric

AGEK_13: Child 13 age

Value	Label	Unweighted Frequency	%
26	-	1	0.1 %
38	-	1	0.1 %
42	-	1	0.1 %
45	-	1	0.1 %
47	-	1	0.1 %
48	-	2	0.2 %
49	-	1	0.1 %
	Missing Data		
.	-	1070	99.3 %
	Total	1,078	100%

Based upon 8 valid cases out of 1,078 total cases.

- Mean: 42.88
- Median: 46.00
- Mode: 48.00
- Minimum: 26.00

- Maximum: 49.00
- Standard Deviation: 7.75

Location: 105-106 (width: 2; decimal: 0)

Variable Type: numeric

AGEK_14: Child 14 age

Value	Label	Unweighted Frequency	%
33	-	1	0.1 %
38	-	1	0.1 %
47	-	2	0.2 %
	Missing Data		
.	-	1074	99.6 %
	Total	1,078	100%

Based upon 4 valid cases out of 1,078 total cases.

- Mean: 41.25
- Median: 42.50
- Mode: 47.00
- Minimum: 33.00
- Maximum: 47.00
- Standard Deviation: 6.95

Location: 107-108 (width: 2; decimal: 0)

Variable Type: numeric

AGEK_15: Child 15 age

Value	Label	Unweighted Frequency	%
35	-	1	0.1 %
49	-	1	0.1 %
	Missing Data		
.	-	1076	99.8 %
	Total	1,078	100%

Based upon 2 valid cases out of 1,078 total cases.

- Mean: 42.00
- Median: 42.00
- Minimum: 35.00
- Maximum: 49.00
- Standard Deviation: 9.90

Location: 109-110 (width: 2; decimal: 0)

Variable Type: numeric

AGEK_16: Child 16 age

Value	Label	Unweighted Frequency	%
47	-	1	0.1 %
	Missing Data		
.	-	1077	99.9 %
	Total	1,078	100%

Based upon 1 valid cases out of 1,078 total cases.

- Mean: 47.00
- Median: 47.00
- Mode: 47.00
- Minimum: 47.00
- Maximum: 47.00
- Standard Deviation: 0.00

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

HOUSEK_1: Child 1 lives in same house

Value	Label	Unweighted Frequency	%
1	Yes	233	21.6 %
2	No	751	69.7 %
	Missing Data		
.	-	94	8.7 %
	Total	1,078	100%

Based upon 984 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 113-113 (width: 1; decimal: 0)

Variable Type: numeric

HOUSEK_2: Child 2 lives in same house

Value	Label	Unweighted Frequency	%
1	Yes	82	7.6 %
2	No	802	74.4 %
	Missing Data		
.	-	194	18.0 %
	Total	1,078	100%

Based upon 884 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 114-114 (width: 1; decimal: 0)

Variable Type: numeric

HOUSEK_3: Child 3 lives in same house

Value	Label	Unweighted Frequency	%
1	Yes	53	4.9 %
2	No	701	65.0 %
	Missing Data		
.	-	324	30.1 %
	Total	1,078	100%

Based upon 754 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 115-115 (width: 1; decimal: 0)

Variable Type: numeric

HOUSEK_4: Child 4 lives in same house

Value	Label	Unweighted Frequency	%
1	Yes	38	3.5 %
2	No	583	54.1 %
	Missing Data		
.	-	457	42.4 %
	Total	1,078	100%

Based upon 621 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 116-116 (width: 1; decimal: 0)

Variable Type: numeric

HOUSEK_5: Child 5 lives in same house

Value	Label	Unweighted Frequency	%
1	Yes	22	2.0 %
2	No	460	42.7 %
	Missing Data		
.	-	596	55.3 %
	Total	1,078	100%

Based upon 482 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 117-117 (width: 1; decimal: 0)

Variable Type: numeric

HOUSEK_6: Child 6 lives in same house

Value	Label	Unweighted Frequency	%
1	Yes	31	2.9 %
2	No	331	30.7 %
	Missing Data		
.	-	716	66.4 %
	Total	1,078	100%

Based upon 362 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 118-118 (width: 1; decimal: 0)

Variable Type: numeric

HOUSEK_7: Child 7 lives in same house

Value	Label	Unweighted Frequency	%
1	Yes	24	2.2 %
2	No	239	22.2 %
	Missing Data		
.	-	815	75.6 %
	Total	1,078	100%

Based upon 263 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 119-119 (width: 1; decimal: 0)

Variable Type: numeric

HOUSEK_8: Child 8 lives in same house

Value	Label	Unweighted Frequency	%
1	Yes	15	1.4 %
2	No	160	14.8 %
	Missing Data		
.	-	903	83.8 %
	Total	1,078	100%

Based upon 175 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 120-120 (width: 1; decimal: 0)

Variable Type: numeric

HOUSEK_9: Child 9 lives in same house

Value	Label	Unweighted Frequency	%
1	Yes	6	0.6 %
2	No	103	9.6 %
	Missing Data		
.	-	969	89.9 %
	Total	1,078	100%

Based upon 109 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 121-121 (width: 1; decimal: 0)

Variable Type: numeric

HOUSEK_10: Child 10 lives in same house

Value	Label	Unweighted Frequency	%
1	Yes	10	0.9 %
2	No	59	5.5 %
	Missing Data		
.	-	1009	93.6 %
	Total	1,078	100%

Based upon 69 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 122-122 (width: 1; decimal: 0)

Variable Type: numeric

HOUSEK_11: Child 11 lives in same house

Value	Label	Unweighted Frequency	%
1	Yes	4	0.4 %
2	No	39	3.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1035	96.0 %
	Total	1,078	100%

Based upon 43 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 123-123 (width: 1; decimal: 0)

Variable Type: numeric

HOUSEK_12: Child 12 lives in same house

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	21	1.9 %
	Missing Data		
.	-	1056	98.0 %
	Total	1,078	100%

Based upon 22 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 124-124 (width: 1; decimal: 0)

Variable Type: numeric

HOUSEK_13: Child 13 lives in same house

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	9	0.8 %
	Missing Data		
.	-	1068	99.1 %
	Total	1,078	100%

Based upon 10 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 125-125 (width: 1; decimal: 0)

Variable Type: numeric

HOUSEK_14: Child 14 lives in same house

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	6	0.6 %
	Missing Data		
.	-	1072	99.4 %
	Total	1,078	100%

Based upon 6 valid cases out of 1,078 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 126-126 (width: 1; decimal: 0)

Variable Type: numeric

HOUSEK_15: Child 15 lives in same house

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	2	0.2 %
	Missing Data		
.	-	1076	99.8 %
	Total	1,078	100%

Based upon 2 valid cases out of 1,078 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 127-127 (width: 1; decimal: 0)

Variable Type: numeric

HOUSEK_16: Child 16 lives in same house

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	1	0.1 %
	Missing Data		
.	-	1077	99.9 %
	Total	1,078	100%

Based upon 1 valid cases out of 1,078 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 128-128 (width: 1; decimal: 0)

Variable Type: numeric

NEIGHK_1: Child 1 lives in same neighborhood

Value	Label	Unweighted Frequency	%
1	Yes	396	36.7 %
2	No	572	53.1 %
	Missing Data		
.	-	110	10.2 %
	Total	1,078	100%

Based upon 968 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 129-129 (width: 1; decimal: 0)

Variable Type: numeric

NEIGHK_2: Child 2 lives in same neighborhood

Value	Label	Unweighted Frequency	%
1	Yes	228	21.2 %
2	No	644	59.7 %
	Missing Data		
.	-	206	19.1 %
	Total	1,078	100%

Based upon 872 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 130-130 (width: 1; decimal: 0)

Variable Type: numeric

NEIGHK_3: Child 3 lives in same neighborhood

Value	Label	Unweighted Frequency	%
1	Yes	191	17.7 %
2	No	555	51.5 %
	Missing Data		
.	-	332	30.8 %
	Total	1,078	100%

Based upon 746 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 131-131 (width: 1; decimal: 0)

Variable Type: numeric

NEIGHK_4: Child 4 lives in same neighborhood

Value	Label	Unweighted Frequency	%
1	Yes	143	13.3 %
2	No	471	43.7 %
	Missing Data		
.	-	464	43.0 %
	Total	1,078	100%

Based upon 614 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 132-132 (width: 1; decimal: 0)

Variable Type: numeric

NEIGHK_5: Child 5 lives in same neighborhood

Value	Label	Unweighted Frequency	%
1	Yes	90	8.3 %
2	No	391	36.3 %
	Missing Data		
.	-	597	55.4 %
	Total	1,078	100%

Based upon 481 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 133-133 (width: 1; decimal: 0)

Variable Type: numeric

NEIGHK_6: Child 6 lives in same neighborhood

Value	Label	Unweighted Frequency	%
1	Yes	82	7.6 %
2	No	276	25.6 %
	Missing Data		
.	-	720	66.8 %
	Total	1,078	100%

Based upon 358 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 134-134 (width: 1; decimal: 0)

Variable Type: numeric

NEIGHK_7: Child 7 lives in same neighborhood

Value	Label	Unweighted Frequency	%
1	Yes	73	6.8 %
2	No	188	17.4 %
	Missing Data		
.	-	817	75.8 %
	Total	1,078	100%

Based upon 261 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 135-135 (width: 1; decimal: 0)

Variable Type: numeric

NEIGHK_8: Child 8 lives in same neighborhood

Value	Label	Unweighted Frequency	%
1	Yes	44	4.1 %
2	No	131	12.2 %
	Missing Data		
.	-	903	83.8 %
	Total	1,078	100%

Based upon 175 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 136-136 (width: 1; decimal: 0)

Variable Type: numeric

NEIGHK_9: Child 9 lives in same neighborhood

Value	Label	Unweighted Frequency	%
1	Yes	26	2.4 %
2	No	83	7.7 %
	Missing Data		
.	-	969	89.9 %
	Total	1,078	100%

Based upon 109 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 137-137 (width: 1; decimal: 0)

Variable Type: numeric

NEIGHK_10: Child 10 lives in same neighborhood

Value	Label	Unweighted Frequency	%
1	Yes	21	1.9 %
2	No	48	4.5 %
	Missing Data		
.	-	1009	93.6 %
	Total	1,078	100%

Based upon 69 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 138-138 (width: 1; decimal: 0)

Variable Type: numeric

NEIGHK_11: Child 11 lives in same neighborhood

Value	Label	Unweighted Frequency	%
1	Yes	10	0.9 %
2	No	33	3.1 %
	Missing Data		
.	-	1035	96.0 %
	Total	1,078	100%

Based upon 43 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 139-139 (width: 1; decimal: 0)

Variable Type: numeric

NEIGHK_12: Child 12 lives in same neighborhood

Value	Label	Unweighted Frequency	%
1	Yes	5	0.5 %
2	No	17	1.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1056	98.0 %
	Total	1,078	100%

Based upon 22 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 140-140 (width: 1; decimal: 0)

Variable Type: numeric

NEIGHK_13: Child 13 lives in same neighborhood

Value	Label	Unweighted Frequency	%
1	Yes	2	0.2 %
2	No	8	0.7 %
	Missing Data		
.	-	1068	99.1 %
	Total	1,078	100%

Based upon 10 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 141-141 (width: 1; decimal: 0)

Variable Type: numeric

NEIGHK_14: Child 14 lives in same neighborhood

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	5	0.5 %
	Missing Data		
.	-	1072	99.4 %
	Total	1,078	100%

Based upon 6 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 142-142 (width: 1; decimal: 0)

Variable Type: numeric

NEIGHK_15: Child 15 lives in same neighborhood

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	1	0.1 %
	Missing Data		
.	-	1076	99.8 %
	Total	1,078	100%

Based upon 2 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 143-143 (width: 1; decimal: 0)

Variable Type: numeric

NEIGHK_16: Child 16 lives in same neighborhood

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	0	0.0 %
	Missing Data		
.	-	1077	99.9 %
	Total	1,078	100%

Based upon 1 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 144-144 (width: 1; decimal: 0)

Variable Type: numeric

HOURK_1: Child 1 lives more than an hour away

Value	Label	Unweighted Frequency	%
1	Yes	271	25.1 %
2	No	689	63.9 %
	Missing Data		
.	-	118	10.9 %
	Total	1,078	100%

Based upon 960 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 145-145 (width: 1; decimal: 0)

Variable Type: numeric

HOURLK_2: Child 2 lives more than an hour away

Value	Label	Unweighted Frequency	%
1	Yes	316	29.3 %
2	No	556	51.6 %
	Missing Data		
.	-	206	19.1 %
	Total	1,078	100%

Based upon 872 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 146-146 (width: 1; decimal: 0)

Variable Type: numeric

HOURLK_3: Child 3 lives more than an hour away

Value	Label	Unweighted Frequency	%
1	Yes	301	27.9 %
2	No	446	41.4 %
	Missing Data		
.	-	331	30.7 %
	Total	1,078	100%

Based upon 747 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 147-147 (width: 1; decimal: 0)

Variable Type: numeric

HOURLK_4: Child 4 lives more than an hour away

Value	Label	Unweighted Frequency	%
1	Yes	272	25.2 %
2	No	338	31.4 %
	Missing Data		
.	-	468	43.4 %
	Total	1,078	100%

Based upon 610 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 148-148 (width: 1; decimal: 0)

Variable Type: numeric

HOURL_5: Child 5 lives more than an hour away

Value	Label	Unweighted Frequency	%
1	Yes	219	20.3 %
2	No	256	23.7 %
	Missing Data		
.	-	603	55.9 %
	Total	1,078	100%

Based upon 475 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 149-149 (width: 1; decimal: 0)

Variable Type: numeric

HOURL_6: Child 6 lives more than an hour away

Value	Label	Unweighted Frequency	%
1	Yes	141	13.1 %
2	No	213	19.8 %
	Missing Data		
.	-	724	67.2 %
	Total	1,078	100%

Based upon 354 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 150-150 (width: 1; decimal: 0)

Variable Type: numeric

HOURL_7: Child 7 lives more than an hour away

Value	Label	Unweighted Frequency	%
1	Yes	101	9.4 %
2	No	155	14.4 %
	Missing Data		
.	-	822	76.3 %
	Total	1,078	100%

Based upon 256 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 151-151 (width: 1; decimal: 0)

Variable Type: numeric

HOURL_8: Child 8 lives more than an hour away

Value	Label	Unweighted Frequency	%
1	Yes	78	7.2 %
2	No	94	8.7 %
	Missing Data		
.	-	906	84.0 %
	Total	1,078	100%

Based upon 172 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 152-152 (width: 1; decimal: 0)

Variable Type: numeric

HOURL_9: Child 9 lives more than an hour away

Value	Label	Unweighted Frequency	%
1	Yes	51	4.7 %
2	No	53	4.9 %
	Missing Data		
.	-	974	90.4 %
	Total	1,078	100%

Based upon 104 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 153-153 (width: 1; decimal: 0)

Variable Type: numeric

HOURL_10: Child 10 lives more than an hour away

Value	Label	Unweighted Frequency	%
1	Yes	27	2.5 %
2	No	40	3.7 %
	Missing Data		
.	-	1011	93.8 %
	Total	1,078	100%

Based upon 67 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 154-154 (width: 1; decimal: 0)

Variable Type: numeric

HOURL_11: Child 11 lives more than an hour away

Value	Label	Unweighted Frequency	%
1	Yes	16	1.5 %
2	No	25	2.3 %
	Missing Data		
.	-	1037	96.2 %
	Total	1,078	100%

Based upon 41 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 155-155 (width: 1; decimal: 0)

Variable Type: numeric

HOURL_12: Child 12 lives more than an hour away

Value	Label	Unweighted Frequency	%
1	Yes	9	0.8 %
2	No	13	1.2 %
	Missing Data		
.	-	1056	98.0 %
	Total	1,078	100%

Based upon 22 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 156-156 (width: 1; decimal: 0)

Variable Type: numeric

HOURL_13: Child 13 lives more than an hour away

Value	Label	Unweighted Frequency	%
1	Yes	3	0.3 %
2	No	7	0.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1068	99.1 %
	Total	1,078	100%

Based upon 10 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 157-157 (width: 1; decimal: 0)

Variable Type: numeric

HOURL_14: Child 14 lives more than an hour away

Value	Label	Unweighted Frequency	%
1	Yes	3	0.3 %
2	No	3	0.3 %
	Missing Data		
.	-	1072	99.4 %
	Total	1,078	100%

Based upon 6 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 158-158 (width: 1; decimal: 0)

Variable Type: numeric

HOURL_15: Child 15 lives more than an hour away

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	1	0.1 %
	Missing Data		
.	-	1076	99.8 %
	Total	1,078	100%

Based upon 2 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 159-159 (width: 1; decimal: 0)

Variable Type: numeric

HOURL_16: Child 16 lives more than an hour away

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	1	0.1 %
	Missing Data		
.	-	1077	99.9 %
	Total	1,078	100%

Based upon 1 valid cases out of 1,078 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 160-160 (width: 1; decimal: 0)

Variable Type: numeric

SEEMON7: Number of children seen per month

Value	Label	Unweighted Frequency	%
0	-	52	4.8 %
1	-	205	19.0 %
2	-	221	20.5 %
3	-	160	14.8 %
4	-	121	11.2 %
5	-	90	8.3 %
6	-	52	4.8 %
7	-	38	3.5 %
8	-	30	2.8 %
9	-	22	2.0 %
10	-	9	0.8 %
11	-	3	0.3 %
12	-	7	0.6 %
	Missing Data		
.	-	68	6.3 %
	Total	1,078	100%

Based upon 1,010 valid cases out of 1,078 total cases.

- Mean: 3.25
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.39

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

DKSEE7: Don't know or refused to give number of children seen per month

Value	Label	Unweighted Frequency	%
98	Do not know	1	0.1 %
99	Refused	0	0.0 %
	Missing Data		
.	-	1077	99.9 %
	Total	1,078	100%

Based upon 1 valid cases out of 1,078 total cases.

- Minimum: 98.00
- Maximum: 98.00

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

CLOSREL7: Number of relatives you feel close to

Value	Label	Unweighted Frequency	%
0	-	286	26.5 %
1	-	267	24.8 %
2	-	179	16.6 %
3	-	86	8.0 %
4	-	66	6.1 %
5	-	30	2.8 %
6	-	26	2.4 %
7	-	13	1.2 %
8	-	7	0.6 %
9	-	7	0.6 %
10	-	7	0.6 %
11	-	2	0.2 %
12	-	3	0.3 %
13	-	1	0.1 %
14	-	1	0.1 %
15	-	2	0.2 %
18	-	1	0.1 %
20	-	7	0.6 %
25	-	1	0.1 %
36	-	1	0.1 %
	Missing Data		
.	-	85	7.9 %
	Total	1,078	100%

Based upon 993 valid cases out of 1,078 total cases.

- Mean: 2.08
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36.00
- Standard Deviation: 3.03

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

DKCLOS7: Don't know or refused to give number of relatives you feel close to

Value	Label	Unweighted Frequency	%
98	Do not know	7	0.6 %
99	Refused	1	0.1 %
	Missing Data		
.	-	1070	99.3 %
	Total	1,078	100%

Based upon 8 valid cases out of 1,078 total cases.

- Minimum: 98.00
- Maximum: 99.00

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric

RSEEMON7: Number of relatives seen per month

Value	Label	Unweighted Frequency	%
0	-	115	10.7 %
1	-	276	25.6 %
2	-	156	14.5 %
3	-	60	5.6 %
4	-	46	4.3 %
5	-	25	2.3 %
6	-	9	0.8 %
7	-	7	0.6 %
8	-	6	0.6 %
9	-	4	0.4 %
10	-	5	0.5 %
12	-	3	0.3 %
15	-	2	0.2 %
20	-	2	0.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	362	33.6 %
	Total	1,078	100%

Based upon 716 valid cases out of 1,078 total cases.

- Mean: 1.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.23

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

DKRSEE7: Don't know or refused to give number of relatives seen per month

Value	Label	Unweighted Frequency	%
98	Do not know	1	0.1 %
99	Refused	0	0.0 %
	Missing Data		
.	-	1077	99.9 %
	Total	1,078	100%

Based upon 1 valid cases out of 1,078 total cases.

- Minimum: 98.00
- Maximum: 98.00

Location: 171-172 (width: 2; decimal: 0)

Variable Type: numeric

CAREGCHILD7: Cared for grandchild more than 100 hours in past two years?

Value	Label	Unweighted Frequency	%
1	Yes	109	10.1 %
2	No	919	85.3 %
	Missing Data		
8	Do not know	2	0.2 %
.	-	48	4.5 %
	Total	1,078	100%

Based upon 1,028 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 173-173 (width: 1; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

CLSFRN7: Number of friends you feel close to

Value	Label	Unweighted Frequency	%
0	-	376	34.9 %
1	-	256	23.7 %
2	-	153	14.2 %
3	-	80	7.4 %
4	-	39	3.6 %
5	-	28	2.6 %
6	-	15	1.4 %
7	-	3	0.3 %
8	-	8	0.7 %
10	-	16	1.5 %
12	-	2	0.2 %
13	-	1	0.1 %
15	-	2	0.2 %
16	-	1	0.1 %
17	-	1	0.1 %
20	-	3	0.3 %
30	-	3	0.3 %
35	-	1	0.1 %
40	-	1	0.1 %
50	-	2	0.2 %
60	-	1	0.1 %
	Missing Data		
.	-	86	8.0 %
	Total	1,078	100%

Based upon 992 valid cases out of 1,078 total cases.

- Mean: 1.93
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 4.35

Location: 174-175 (width: 2; decimal: 0)
Variable Type: numeric

DKCLOS7: Don't know or refused to give number of friends they felt close to

Value	Label	Unweighted Frequency	%
98	Do not know	8	0.7 %
99	Refused	1	0.1 %
	Missing Data		
.	-	1069	99.2 %
	Total	1,078	100%

Based upon 9 valid cases out of 1,078 total cases.

- Minimum: 98.00
- Maximum: 99.00

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

FSEEMON7: Number of friends seen per month

Value	Label	Unweighted Frequency	%
0	-	53	4.9 %
1	-	265	24.6 %
2	-	140	13.0 %
3	-	72	6.7 %
4	-	35	3.2 %
5	-	24	2.2 %
6	-	7	0.6 %
7	-	2	0.2 %
8	-	6	0.6 %
10	-	9	0.8 %
12	-	4	0.4 %
15	-	2	0.2 %
20	-	1	0.1 %
25	-	1	0.1 %
30	-	4	0.4 %
40	-	1	0.1 %
	Missing Data		
.	-	452	41.9 %
	Total	1,078	100%

Based upon 626 valid cases out of 1,078 total cases.

- Mean: 2.39
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00

- Maximum: 40.00
- Standard Deviation: 3.56

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

DKFSEE7: Don't know or refused to give number of friends seen per month

Value	Label	Unweighted Frequency	%
98	Do not know	0	0.0 %
99	Refused	0	0.0 %
	Missing Data		
.	-	1078	100.0 %
	Total	1,078	100%

Based upon 0 valid cases out of 1,078 total cases.

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

COUNTON7: How often can you count on a relative(s) or friend(s)?

Value	Label	Unweighted Frequency	%
1	Most of the time	709	65.8 %
2	Some of the time	195	18.1 %
3	Hardly ever	86	8.0 %
	Missing Data		
8	Do not know	9	0.8 %
9	Refused	2	0.2 %
.	-	77	7.1 %
	Total	1,078	100%

Based upon 990 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 182-182 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TALK7: How often can you talk about your problems with your relative(s) or friend(s)

Value	Label	Unweighted Frequency	%
1	Most of the time	661	61.3 %
2	Some of the time	219	20.3 %
3	Hardly ever	106	9.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8	Do not know	11	1.0 %
9	Refused	3	0.3 %
.	-	78	7.2 %
	Total	1,078	100%

Based upon 986 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 183-183 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

HEALTH7: Self rated health

Value	Label	Unweighted Frequency	%
1	Excellent	57	5.3 %
2	Good	289	26.8 %
3	Fair	529	49.1 %
4	Poor	199	18.5 %
	Missing Data		
8	Do not know	4	0.4 %
	Total	1,078	100%

Based upon 1,074 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 184-184 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

MDIAB71: Ever told by doctor you have diabetes?

Value	Label	Unweighted Frequency	%
1	Yes	393	36.5 %
2	No	685	63.5 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 185-185 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

MDIAB72: Age first told had diabetes

Value	Label	Unweighted Frequency	%
3	-	1	0.1 %
5	-	1	0.1 %
8	-	1	0.1 %
15	-	2	0.2 %
17	-	1	0.1 %
20	-	2	0.2 %
26	-	1	0.1 %
30	-	5	0.5 %
32	-	3	0.3 %
33	-	1	0.1 %
40	-	11	1.0 %
41	-	2	0.2 %
42	-	2	0.2 %
43	-	1	0.1 %
44	-	1	0.1 %
45	-	4	0.4 %
47	-	2	0.2 %
48	-	1	0.1 %
49	-	3	0.3 %
50	-	13	1.2 %
51	-	2	0.2 %
52	-	3	0.3 %
53	-	7	0.6 %
54	-	2	0.2 %
55	-	7	0.6 %
56	-	1	0.1 %
57	-	3	0.3 %
58	-	3	0.3 %
59	-	3	0.3 %
60	-	12	1.1 %
61	-	4	0.4 %
62	-	9	0.8 %
63	-	4	0.4 %
64	-	5	0.5 %
65	-	14	1.3 %

Value	Label	Unweighted Frequency	%
66	-	8	0.7 %
67	-	6	0.6 %
68	-	6	0.6 %
69	-	5	0.5 %
70	-	16	1.5 %
71	-	9	0.8 %
72	-	11	1.0 %
73	-	12	1.1 %
74	-	12	1.1 %
75	-	12	1.1 %
76	-	5	0.5 %
77	-	15	1.4 %
78	-	11	1.0 %
79	-	12	1.1 %
80	-	20	1.9 %
	Missing Data		
.	-	726	67.3 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 352 valid cases out of 1,078 total cases.

- Mean: 66.44
- Median: 70.00
- Mode: 80.00
- Minimum: 3.00
- Maximum: 94.00
- Standard Deviation: 15.99

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

DKMDIA72: Don't know or refused to say at what age 1st told had diabetes

Value	Label	Unweighted Frequency	%
8	Do not know	40	3.7 %
9	Refused	0	0.0 %
	Missing Data		
.	-	1038	96.3 %
	Total	1,078	100%

Based upon 40 valid cases out of 1,078 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 188-188 (width: 1; decimal: 0)

Variable Type: numeric

MDIAB73: Taking medicine for diabetes

Value	Label	Unweighted Frequency	%
1	Yes	354	32.8 %
2	No	37	3.4 %
	Missing Data		
8	Do not know	2	0.2 %
.	-	685	63.5 %
	Total	1,078	100%

Based upon 391 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 189-189 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

MDIAB76A: Taking insulin shots

Value	Label	Unweighted Frequency	%
1	Yes	105	9.7 %
2	No	251	23.3 %
	Missing Data		
8	Do not know	3	0.3 %
.	-	719	66.7 %
	Total	1,078	100%

Based upon 356 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 190-190 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

MDIAB76B: Taking diabetes pills

Value	Label	Unweighted Frequency	%
1	Yes	308	28.6 %

Value	Label	Unweighted Frequency	%
2	No	50	4.6 %
	Missing Data		
8	Do not know	1	0.1 %
.	-	719	66.7 %
	Total	1,078	100%

Based upon 358 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 191-191 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

MDIAB78A: Problems with kidneys because of diabetes

Value	Label	Unweighted Frequency	%
1	Yes	45	4.2 %
2	No	338	31.4 %
	Missing Data		
8	Do not know	8	0.7 %
.	-	687	63.7 %
	Total	1,078	100%

Based upon 383 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 192-192 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

MDIAB78D: Problems with eyes because of diabetes

Value	Label	Unweighted Frequency	%
1	Yes	145	13.5 %
2	No	234	21.7 %
	Missing Data		
8	Do not know	13	1.2 %
.	-	686	63.6 %
	Total	1,078	100%

Based upon 379 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 193-193 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

MDIAB78F: Problems with circulation because of diabetes

Value	Label	Unweighted Frequency	%
1	Yes	166	15.4 %
2	No	219	20.3 %
	Missing Data		
8	Do not know	7	0.6 %
.	-	686	63.6 %
	Total	1,078	100%

Based upon 385 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 194-194 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

MDIAB78G: Amputations because of diabetes

Value	Label	Unweighted Frequency	%
1	Yes	13	1.2 %
2	No	379	35.2 %
	Missing Data		
.	-	686	63.6 %
	Total	1,078	100%

Based upon 392 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 195-195 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

P8FALLS7: Times felt to floor in last 12 months

Value	Label	Unweighted Frequency	%
1	None	652	60.5 %
2	1 time	204	18.9 %

Value	Label	Unweighted Frequency	%
3	2 times	108	10.0 %
4	3+ times	109	10.1 %
	Missing Data		
8	Do not know	5	0.5 %
	Total	1,078	100%

Based upon 1,073 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 196-196 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

P9FALLS7: Becuase of fall went to hospital

Value	Label	Unweighted Frequency	%
1	Yes	151	14.0 %
2	No	273	25.3 %
	Missing Data		
.	-	654	60.7 %
	Total	1,078	100%

Based upon 424 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 197-197 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

P10FALLS7: How afraid of falling

Value	Label	Unweighted Frequency	%
1	Not at all afraid	313	29.0 %
2	Somewhat afraid	221	20.5 %
3	Fairly afraid	148	13.7 %
4	Very afraid	313	29.0 %
	Missing Data		
8	Do not know	8	0.7 %
9	Refused	1	0.1 %
.	-	74	6.9 %
	Total	1,078	100%

Based upon 995 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 198-198 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

PARTH75: Pain when walking in last month

Value	Label	Unweighted Frequency	%
1	Yes	527	48.9 %
2	No	476	44.2 %
	Missing Data		
8	Do not know	5	0.5 %
9	Refused	1	0.1 %
.	-	69	6.4 %
	Total	1,078	100%

Based upon 1,003 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 199-199 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

P5BACK7: Pain in last month do to back

Value	Label	Unweighted Frequency	%
1	Yes	181	16.8 %
2	No	308	28.6 %
	Missing Data		
.	-	589	54.6 %
	Total	1,078	100%

Based upon 489 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 200-200 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

P5HIPS7: Pain in last month do to hips

Value	Label	Unweighted Frequency	%
1	Yes	145	13.5 %
2	No	337	31.3 %
	Missing Data		
.	-	596	55.3 %
	Total	1,078	100%

Based upon 482 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 201-201 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

P5KNEES7: Pain in last month do to knees

Value	Label	Unweighted Frequency	%
1	Yes	271	25.1 %
2	No	206	19.1 %
	Missing Data		
.	-	601	55.8 %
	Total	1,078	100%

Based upon 477 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 202-202 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

P5AFEET7: Pain in last month do to feet

Value	Label	Unweighted Frequency	%
1	Yes	196	18.2 %
2	No	287	26.6 %
	Missing Data		
.	-	595	55.2 %
	Total	1,078	100%

Based upon 483 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 203-203 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

P5LEGS7: Pain in last month do to legs

Value	Label	Unweighted Frequency	%
1	Yes	265	24.6 %
2	No	227	21.1 %
	Missing Data		
.	-	586	54.4 %
	Total	1,078	100%

Based upon 492 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 204-204 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

P5BODY7: Pain in last month do to entire body

Value	Label	Unweighted Frequency	%
1	Yes	88	8.2 %
2	No	381	35.3 %
	Missing Data		
.	-	609	56.5 %
	Total	1,078	100%

Based upon 469 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 205-205 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

P5ELSE7: Pain in last month somewhere else

Value	Label	Unweighted Frequency	%
1	Yes	128	11.9 %
2	No	0	0.0 %
	Missing Data		
.	-	950	88.1 %
	Total	1,078	100%

Based upon 128 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 206-206 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

P5DK7: Pain in last month for unkown cause

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	0	0.0 %
	Missing Data		
.	-	1078	100.0 %
	Total	1,078	100%

Based upon 0 valid cases out of 1,078 total cases.

Location: 207-207 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

P5REF7: Refuse to give pain in last month cause

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	0	0.0 %
	Missing Data		
.	-	1078	100.0 %
	Total	1,078	100%

Based upon 0 valid cases out of 1,078 total cases.

Location: 208-208 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

PAIN5B7: Pain last for more than 4 weeks?

Value	Label	Unweighted Frequency	%
1	Yes	422	39.1 %
2	No	108	10.0 %
	Missing Data		
8	Do not know	1	0.1 %
.	-	547	50.7 %
	Total	1,078	100%

Based upon 530 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 209-209 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

PAIN5C7: Pain restricted daily activities in last 12 months

Value	Label	Unweighted Frequency	%
1	A lot	190	17.6 %
2	Some	256	23.7 %
3	Not at all	84	7.8 %
	Missing Data		
.	-	548	50.8 %
	Total	1,078	100%

Based upon 530 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 210-210 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

PAIN5D7: Pain restricted sleep in last 12 months

Value	Label	Unweighted Frequency	%
1	A lot	81	7.5 %
2	Some	188	17.4 %
3	Not at all	259	24.0 %
	Missing Data		
8	Do not know	2	0.2 %
.	-	548	50.8 %
	Total	1,078	100%

Based upon 528 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 211-211 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

PAIN6A7: Seen doctor about pain

Value	Label	Unweighted Frequency	%
1	Yes	456	42.3 %
2	No	72	6.7 %
	Missing Data		
.	-	550	51.0 %
	Total	1,078	100%

Based upon 528 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 212-212 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

PAIN6B7: Taking medication for pain

Value	Label	Unweighted Frequency	%
1	Yes	402	37.3 %
2	No	114	10.6 %
	Missing Data		
8	Do not know	8	0.7 %
.	-	554	51.4 %
	Total	1,078	100%

Based upon 516 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 213-213 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

QINCON71: Urine incontinence in past month

Value	Label	Unweighted Frequency	%
1	Never	558	51.8 %
2	Hardly ever	87	8.1 %
3	Some of the time	224	20.8 %
4	Most of the time	71	6.6 %
5	All of the time	62	5.8 %
6	All the time (catheter or cancer)	8	0.7 %
	Missing Data		
8	Do not know	1	0.1 %

Value	Label	Unweighted Frequency	%
.	-	67	6.2 %
	Total	1,078	100%

Based upon 1,010 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 214-214 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

QINCON712: Bowels incontinence in past month

Value	Label	Unweighted Frequency	%
1	Never	808	75.0 %
2	Hardly ever	73	6.8 %
3	Some of the time	78	7.2 %
4	Most of the time	23	2.1 %
5	All of the time	25	2.3 %
6	All the time (catheter or cancer)	0	0.0 %
	Missing Data		
8	Do not know	3	0.3 %
.	-	68	6.3 %
	Total	1,078	100%

Based upon 1,007 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 215-215 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RSLEEP7A: Trouble falling asleep in past month

Value	Label	Unweighted Frequency	%
0	Not at all	592	54.9 %
1	1-3 days	119	11.0 %
2	4-7 days	104	9.6 %
3	8-14 days	57	5.3 %
4	15+ days	127	11.8 %
	Missing Data		
8	Do not know	1	0.1 %

Value	Label	Unweighted Frequency	%
9	Refused	3	0.3 %
.	-	75	7.0 %
	Total	1,078	100%

Based upon 999 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 216-216 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RSLEEP7B: Waking during night in past month

Value	Label	Unweighted Frequency	%
0	Not at all	331	30.7 %
1	1-3 days	159	14.7 %
2	4-7 days	119	11.0 %
3	8-14 days	79	7.3 %
4	15+ days	311	28.8 %
	Missing Data		
8	Do not know	1	0.1 %
9	Refused	3	0.3 %
.	-	75	7.0 %
	Total	1,078	100%

Based upon 999 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 217-217 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RSLEEP7C: Trouble staying asleep in past month

Value	Label	Unweighted Frequency	%
0	Not at all	601	55.8 %
1	1-3 days	118	10.9 %
2	4-7 days	103	9.6 %
3	8-14 days	75	7.0 %
4	15+ days	101	9.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Do not know	2	0.2 %
9	Refused	3	0.3 %
.	-	75	7.0 %
	Total	1,078	100%

Based upon 998 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 218-218 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RSLEEP7D: Wake up feeling tired in past month

Value	Label	Unweighted Frequency	%
0	Not at all	619	57.4 %
1	1-3 days	111	10.3 %
2	4-7 days	90	8.3 %
3	8-14 days	72	6.7 %
4	15+ days	103	9.6 %
	Missing Data		
8	Do not know	5	0.5 %
9	Refused	3	0.3 %
.	-	75	7.0 %
	Total	1,078	100%

Based upon 995 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 219-219 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RSLPQUAL7: Self rated sleep quality in past month

Value	Label	Unweighted Frequency	%
1	Very good	209	19.4 %
2	Fairly good	627	58.2 %
3	Fairly bad	136	12.6 %
4	Very bad	27	2.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Do not know	5	0.5 %
9	Refused	1	0.1 %
.	-	73	6.8 %
	Total	1,078	100%

Based upon 999 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 220-220 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RSLPAVG7: Average hours of sleep in 24 hour period

Value	Label	Unweighted Frequency	%
1	< 5 hrs	40	3.7 %
2	5 hrs	37	3.4 %
3	6 hrs	110	10.2 %
4	7 hrs	171	15.9 %
5	8 hrs	273	25.3 %
6	9 hrs	159	14.7 %
7	10+ hrs	279	25.9 %
	Missing Data		
8	Do not know	7	0.6 %
.	-	2	0.2 %
	Total	1,078	100%

Based upon 1,069 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 221-221 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

SHEARAI7: Wearing hearing aid

Value	Label	Unweighted Frequency	%
1	Yes	114	10.6 %
2	No	963	89.3 %
	Missing Data		
8	Do not know	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	1,078	100%

Based upon 1,077 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 222-222 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

SHEAR75: Ability to hear normal voice in quiet room

Value	Label	Unweighted Frequency	%
1	Yes (no hearing aid)	807	74.9 %
2	Yes (with hearing aid)	90	8.3 %
3	No	172	16.0 %
4	Respondent is deaf	6	0.6 %
	Missing Data		
8	Do not know	3	0.3 %
	Total	1,078	100%

Based upon 1,075 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 223-223 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

SHEAR75B: Time of last hearing exam

Value	Label	Unweighted Frequency	%
1	Within past yr	339	31.4 %
2	> 1 yr ago	446	41.4 %
3	Never	257	23.8 %
	Missing Data		
8	Do not know	36	3.3 %
	Total	1,078	100%

Based upon 1,042 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 224-224 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

VVIS7A: Able to visually recognize person across the street

Value	Label	Unweighted Frequency	%
1	Yes	871	80.8 %
2	No	186	17.3 %
3	Blind	13	1.2 %
	Missing Data		
8	Do not know	8	0.7 %
	Total	1,078	100%

Based upon 1,070 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 225-225 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

VVIS7B: Able to visually recognize person across the room

Value	Label	Unweighted Frequency	%
1	Yes	978	90.7 %
2	No	85	7.9 %
3	Blind	13	1.2 %
	Missing Data		
8	Do not know	2	0.2 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 226-226 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

VVIS7C: Able to visually recognize person at arm`s lenght

Value	Label	Unweighted Frequency	%
1	Yes	1002	92.9 %
2	No	61	5.7 %
3	Blind	13	1.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Do not know	2	0.2 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 227-227 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

VVIS76A: Time of last vision exam

Value	Label	Unweighted Frequency	%
1	Within past yr	591	54.8 %
2	> 1 yr ago	455	42.2 %
3	Never	9	0.8 %
	Missing Data		
8	Do not know	22	2.0 %
9	Refused	1	0.1 %
	Total	1,078	100%

Based upon 1,055 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 228-228 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

DIVISION7: Respondent has problems with distant vision (blind treated as missing and 0=able to see both across the street and a room)

Value	Label	Unweighted Frequency	%
0	No	868	80.5 %
1	Yes	189	17.5 %
	Missing Data		
.	-	21	1.9 %
	Total	1,078	100%

Based upon 1,057 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 229-229 (width: 1; decimal: 0)

Variable Type: numeric

NVISION7: Respondent has problems with near vision (blind treated as missing)

Value	Label	Unweighted Frequency	%
0	No	1002	92.9 %
1	Yes	61	5.7 %
	Missing Data		
.	-	15	1.4 %
	Total	1,078	100%

Based upon 1,063 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 230-230 (width: 1; decimal: 0)

Variable Type: numeric

BLIND7: Respondent is blind

Value	Label	Unweighted Frequency	%
0	No	1057	98.1 %
1	Yes	13	1.2 %
	Missing Data		
.	-	8	0.7 %
	Total	1,078	100%

Based upon 1,070 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 231-231 (width: 1; decimal: 0)

Variable Type: numeric

KHYPER71: Doctor told has high blood pressure

Value	Label	Unweighted Frequency	%
1	Yes	784	72.7 %
2	Suspect or possible	19	1.8 %
3	No	274	25.4 %
	Missing Data		
8	Do not know	1	0.1 %
	Total	1,078	100%

Based upon 1,077 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 232-232 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

KHYPER74: Taking medication for high blood pressure

Value	Label	Unweighted Frequency	%
1	Yes	749	69.5 %
2	No	50	4.6 %
	Missing Data		
8	Do not know	6	0.6 %
.	-	273	25.3 %
	Total	1,078	100%

Based upon 799 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 233-233 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

GG4SYS7: First seated systolic blood pressure reading

Value	Label	Unweighted Frequency	%
69	-	2	0.2 %
79	-	1	0.1 %
81	-	2	0.2 %
84	-	3	0.3 %
86	-	2	0.2 %
87	-	1	0.1 %
88	-	1	0.1 %
90	-	2	0.2 %
91	-	4	0.4 %
92	-	1	0.1 %
93	-	2	0.2 %
95	-	4	0.4 %
96	-	4	0.4 %
98	-	4	0.4 %
99	-	5	0.5 %

Value	Label	Unweighted Frequency	%
100	-	6	0.6 %
101	-	7	0.6 %
102	-	4	0.4 %
103	-	9	0.8 %
104	-	6	0.6 %
105	-	3	0.3 %
106	-	8	0.7 %
107	-	6	0.6 %
108	-	5	0.5 %
109	-	10	0.9 %
110	-	11	1.0 %
111	-	11	1.0 %
112	-	9	0.8 %
113	-	11	1.0 %
114	-	15	1.4 %
115	-	14	1.3 %
116	-	14	1.3 %
117	-	11	1.0 %
118	-	11	1.0 %
119	-	18	1.7 %
120	-	24	2.2 %
121	-	10	0.9 %
122	-	16	1.5 %
123	-	18	1.7 %
124	-	21	1.9 %
125	-	16	1.5 %
126	-	19	1.8 %
127	-	18	1.7 %
128	-	24	2.2 %
129	-	13	1.2 %
130	-	27	2.5 %
131	-	17	1.6 %
132	-	20	1.9 %
133	-	13	1.2 %
134	-	16	1.5 %
	Missing Data		
.	-	107	9.9 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 971 valid cases out of 1,078 total cases.

- Mean: 135.88
- Median: 134.00
- Mode: 130.00
- Minimum: 69.00
- Maximum: 216.00
- Standard Deviation: 22.85

Location: 234-236 (width: 3; decimal: 0)

Variable Type: numeric

GG4DIA7: First seated diastolic blood pressure reading

Value	Label	Unweighted Frequency	%
43	-	1	0.1 %
44	-	1	0.1 %
45	-	1	0.1 %
46	-	3	0.3 %
47	-	6	0.6 %
48	-	2	0.2 %
49	-	1	0.1 %
50	-	5	0.5 %
51	-	4	0.4 %
52	-	6	0.6 %
53	-	6	0.6 %
54	-	6	0.6 %
55	-	3	0.3 %
56	-	8	0.7 %
57	-	12	1.1 %
58	-	15	1.4 %
59	-	17	1.6 %
60	-	32	3.0 %
61	-	14	1.3 %
62	-	17	1.6 %
63	-	22	2.0 %
64	-	28	2.6 %
65	-	28	2.6 %
66	-	30	2.8 %
67	-	21	1.9 %
68	-	21	1.9 %
69	-	32	3.0 %

Value	Label	Unweighted Frequency	%
70	-	33	3.1 %
71	-	28	2.6 %
72	-	39	3.6 %
73	-	30	2.8 %
74	-	39	3.6 %
75	-	31	2.9 %
76	-	39	3.6 %
77	-	27	2.5 %
78	-	34	3.2 %
79	-	33	3.1 %
80	-	31	2.9 %
81	-	21	1.9 %
82	-	15	1.4 %
83	-	25	2.3 %
84	-	24	2.2 %
85	-	25	2.3 %
86	-	21	1.9 %
87	-	12	1.1 %
88	-	14	1.3 %
89	-	8	0.7 %
90	-	10	0.9 %
91	-	10	0.9 %
92	-	12	1.1 %
	Missing Data		
.	-	107	9.9 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 971 valid cases out of 1,078 total cases.

- Mean: 74.29
- Median: 74.00
- Minimum: 43.00
- Maximum: 160.00
- Standard Deviation: 12.50

Location: 237-239 (width: 3; decimal: 0)

Variable Type: numeric

GG4PUL7: First seated pulse reading

Value	Label	Unweighted Frequency	%
39	-	1	0.1 %
42	-	2	0.2 %
43	-	1	0.1 %
44	-	1	0.1 %
45	-	1	0.1 %
47	-	2	0.2 %
48	-	4	0.4 %
49	-	4	0.4 %
50	-	2	0.2 %
51	-	2	0.2 %
52	-	4	0.4 %
53	-	6	0.6 %
54	-	7	0.6 %
55	-	16	1.5 %
56	-	16	1.5 %
57	-	13	1.2 %
58	-	16	1.5 %
59	-	17	1.6 %
60	-	27	2.5 %
61	-	22	2.0 %
62	-	35	3.2 %
63	-	28	2.6 %
64	-	37	3.4 %
65	-	26	2.4 %
66	-	38	3.5 %
67	-	30	2.8 %
68	-	41	3.8 %
69	-	51	4.7 %
70	-	46	4.3 %
71	-	23	2.1 %
72	-	35	3.2 %
73	-	28	2.6 %
74	-	39	3.6 %
75	-	29	2.7 %
76	-	43	4.0 %
77	-	24	2.2 %
78	-	26	2.4 %
79	-	16	1.5 %
80	-	27	2.5 %

Value	Label	Unweighted Frequency	%
81	-	17	1.6 %
82	-	18	1.7 %
83	-	14	1.3 %
84	-	16	1.5 %
85	-	16	1.5 %
86	-	14	1.3 %
87	-	7	0.6 %
88	-	10	0.9 %
89	-	9	0.8 %
90	-	8	0.7 %
91	-	8	0.7 %
	Missing Data		
.	-	111	10.3 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 967 valid cases out of 1,078 total cases.

- Mean: 71.42
- Median: 70.00
- Mode: 69.00
- Minimum: 39.00
- Maximum: 130.00
- Standard Deviation: 10.95

Location: 240-242 (width: 3; decimal: 0)

Variable Type: numeric

NOGG47: No data of 1st seated blood pressure reading

Value	Label	Unweighted Frequency	%
77	N/A	8	0.7 %
99	Refused	71	6.6 %
	Missing Data		
.	-	999	92.7 %
	Total	1,078	100%

Based upon 79 valid cases out of 1,078 total cases.

- Minimum: 77.00
- Maximum: 99.00

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

GG5SYS7: Second seated systolic blood pressure reading

Value	Label	Unweighted Frequency	%
71	-	1	0.1 %
78	-	1	0.1 %
80	-	2	0.2 %
81	-	2	0.2 %
83	-	1	0.1 %
86	-	1	0.1 %
88	-	4	0.4 %
89	-	1	0.1 %
90	-	2	0.2 %
91	-	3	0.3 %
95	-	2	0.2 %
96	-	2	0.2 %
97	-	1	0.1 %
98	-	7	0.6 %
99	-	3	0.3 %
100	-	9	0.8 %
101	-	1	0.1 %
102	-	6	0.6 %
103	-	2	0.2 %
104	-	5	0.5 %
105	-	4	0.4 %
106	-	4	0.4 %
107	-	4	0.4 %
108	-	9	0.8 %
109	-	6	0.6 %
110	-	17	1.6 %
111	-	5	0.5 %
112	-	7	0.6 %
113	-	8	0.7 %
114	-	14	1.3 %
115	-	10	0.9 %
116	-	15	1.4 %
117	-	8	0.7 %
118	-	12	1.1 %
119	-	9	0.8 %
120	-	25	2.3 %
121	-	16	1.5 %

Value	Label	Unweighted Frequency	%
122	-	24	2.2 %
123	-	17	1.6 %
124	-	22	2.0 %
125	-	10	0.9 %
126	-	24	2.2 %
127	-	10	0.9 %
128	-	25	2.3 %
129	-	20	1.9 %
130	-	25	2.3 %
131	-	17	1.6 %
132	-	30	2.8 %
133	-	18	1.7 %
134	-	20	1.9 %
	Missing Data		
.	-	130	12.1 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 948 valid cases out of 1,078 total cases.

- Mean: 136.01
- Median: 134.00
- Mode: 132.00
- Minimum: 71.00
- Maximum: 213.00
- Standard Deviation: 21.69

Location: 245-247 (width: 3; decimal: 0)

Variable Type: numeric

GG5DIA7: Second seated diastolic blood pressure reading

Value	Label	Unweighted Frequency	%
45	-	3	0.3 %
46	-	2	0.2 %
48	-	5	0.5 %
49	-	2	0.2 %
50	-	4	0.4 %
51	-	2	0.2 %
52	-	4	0.4 %
53	-	4	0.4 %
54	-	7	0.6 %

Value	Label	Unweighted Frequency	%
55	-	7	0.6 %
56	-	11	1.0 %
57	-	17	1.6 %
58	-	22	2.0 %
59	-	12	1.1 %
60	-	28	2.6 %
61	-	11	1.0 %
62	-	25	2.3 %
63	-	18	1.7 %
64	-	32	3.0 %
65	-	24	2.2 %
66	-	29	2.7 %
67	-	27	2.5 %
68	-	32	3.0 %
69	-	20	1.9 %
70	-	68	6.3 %
71	-	20	1.9 %
72	-	45	4.2 %
73	-	27	2.5 %
74	-	36	3.3 %
75	-	23	2.1 %
76	-	34	3.2 %
77	-	23	2.1 %
78	-	32	3.0 %
79	-	26	2.4 %
80	-	50	4.6 %
81	-	15	1.4 %
82	-	25	2.3 %
83	-	12	1.1 %
84	-	20	1.9 %
85	-	7	0.6 %
86	-	22	2.0 %
87	-	12	1.1 %
88	-	13	1.2 %
89	-	4	0.4 %
90	-	18	1.7 %
91	-	5	0.5 %
92	-	9	0.8 %
93	-	7	0.6 %

Value	Label	Unweighted Frequency	%
94	-	4	0.4 %
95	-	5	0.5 %
	Missing Data		
.	-	131	12.2 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 947 valid cases out of 1,078 total cases.

- Mean: 73.40
- Median: 72.00
- Mode: 70.00
- Minimum: 45.00
- Maximum: 131.00
- Standard Deviation: 11.97

Location: 248-250 (width: 3; decimal: 0)

Variable Type: numeric

GG5PUL7: Second seated pulse reading

Value	Label	Unweighted Frequency	%
40	-	1	0.1 %
42	-	1	0.1 %
44	-	1	0.1 %
45	-	1	0.1 %
47	-	2	0.2 %
48	-	2	0.2 %
49	-	3	0.3 %
50	-	1	0.1 %
51	-	3	0.3 %
52	-	5	0.5 %
53	-	2	0.2 %
54	-	6	0.6 %
55	-	3	0.3 %
56	-	17	1.6 %
57	-	17	1.6 %
58	-	24	2.2 %
59	-	17	1.6 %
60	-	34	3.2 %
61	-	13	1.2 %
62	-	40	3.7 %

Value	Label	Unweighted Frequency	%
63	-	43	4.0 %
64	-	31	2.9 %
65	-	22	2.0 %
66	-	39	3.6 %
67	-	18	1.7 %
68	-	43	4.0 %
69	-	33	3.1 %
70	-	60	5.6 %
71	-	29	2.7 %
72	-	48	4.5 %
73	-	11	1.0 %
74	-	35	3.2 %
75	-	29	2.7 %
76	-	31	2.9 %
77	-	31	2.9 %
78	-	38	3.5 %
79	-	10	0.9 %
80	-	36	3.3 %
81	-	17	1.6 %
82	-	17	1.6 %
83	-	9	0.8 %
84	-	15	1.4 %
85	-	14	1.3 %
86	-	18	1.7 %
87	-	9	0.8 %
88	-	13	1.2 %
89	-	3	0.3 %
90	-	8	0.7 %
91	-	3	0.3 %
92	-	6	0.6 %
	Missing Data		
.	-	132	12.2 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 946 valid cases out of 1,078 total cases.

- Mean: 71.39
- Median: 70.00

- Mode: 70.00
- Minimum: 40.00
- Maximum: 130.00
- Standard Deviation: 10.52

Location: 251-253 (width: 3; decimal: 0)

Variable Type: numeric

NOGG57: No data of 2nd seated blood pressure reading

Value	Label	Unweighted Frequency	%
77	N/A	9	0.8 %
99	Refused	92	8.5 %
	Missing Data		
.	-	977	90.6 %
	Total	1,078	100%

Based upon 101 valid cases out of 1,078 total cases.

- Minimum: 77.00
- Maximum: 99.00

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

U73A: Kidney disease as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	118	10.9 %
2	No	953	88.4 %
	Missing Data		
8	Do not know	7	0.6 %
	Total	1,078	100%

Based upon 1,071 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 256-256 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U73B: Stomach ulcers as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	132	12.2 %
2	No	939	87.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Do not know	7	0.6 %
	Total	1,078	100%

Based upon 1,071 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 257-257 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U73D: Liver disease as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	79	7.3 %
2	No	996	92.4 %
	Missing Data		
8	Do not know	3	0.3 %
	Total	1,078	100%

Based upon 1,075 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 258-258 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U73F: Osteoporosis as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	291	27.0 %
2	No	765	71.0 %
	Missing Data		
8	Do not know	22	2.0 %
	Total	1,078	100%

Based upon 1,056 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 259-259 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U73G: Emphysema problems as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	106	9.8 %
2	No	969	89.9 %
	Missing Data		
8	Do not know	3	0.3 %
	Total	1,078	100%

Based upon 1,075 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 260-260 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9

U73H: Parkinson`s disease as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	40	3.7 %
2	No	1032	95.7 %
	Missing Data		
8	Do not know	6	0.6 %
	Total	1,078	100%

Based upon 1,072 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 261-261 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9

U73J: Prostate problems as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	174	16.1 %
2	No	203	18.8 %
	Missing Data		
8	Do not know	6	0.6 %
.	-	695	64.5 %
	Total	1,078	100%

Based upon 377 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 262-262 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

U73K: Thyroid problems as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	203	18.8 %
2	No	863	80.1 %
	Missing Data		
8	Do not know	11	1.0 %
.	-	1	0.1 %
	Total	1,078	100%

Based upon 1,066 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 263-263 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

U73M: Anemia problems as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	226	21.0 %
2	No	842	78.1 %
	Missing Data		
8	Do not know	9	0.8 %
.	-	1	0.1 %
	Total	1,078	100%

Based upon 1,068 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 264-264 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

U73N: Eye problems as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	693	64.3 %

Value	Label	Unweighted Frequency	%
2	No	383	35.5 %
	Missing Data		
8	Do not know	2	0.2 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 265-265 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U73Q: Heart disease as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	312	28.9 %
2	No	762	70.7 %
	Missing Data		
8	Do not know	4	0.4 %
	Total	1,078	100%

Based upon 1,074 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 266-266 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

U73U: Alzheimer`s disease as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	222	20.6 %
2	No	843	78.2 %
	Missing Data		
8	Do not know	7	0.6 %
9	Refused	1	0.1 %
.	-	5	0.5 %
	Total	1,078	100%

Based upon 1,065 valid cases out of 1,078 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 267-267 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

U73X: Arthritis as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	703	65.2 %
2	No	363	33.7 %
	Missing Data		
8	Do not know	12	1.1 %
	Total	1,078	100%

Based upon 1,066 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 268-268 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

LCANCR71: Cancer as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	114	10.6 %
2	No	961	89.1 %
	Missing Data		
.	-	3	0.3 %
	Total	1,078	100%

Based upon 1,075 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 269-269 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

LCANCR75: Cancer specified as per health care professional

Value	Label	Unweighted Frequency	%
.	-	966	89.6 %
BRAIN TUMOR	-	1	0.1 %
BREAST	-	21	1.9 %

Value	Label	Unweighted Frequency	%
BREAST & STOMACH	-	1	0.1 %
BREAST, CERVICAL, GALL-BLADDER, INTESTINES, NAVAL TUMOR	-	1	0.1 %
CERVICAL	-	2	0.2 %
CHEST, UPPER AREA	-	1	0.1 %
COLON	-	8	0.7 %
COLON, PANCREAS, & LUNG	-	1	0.1 %
EAR	-	1	0.1 %
ESOPHOGEAL	-	1	0.1 %
FINGER	-	1	0.1 %
HYSTERECTOMY	-	1	0.1 %
KIDNEY	-	2	0.2 %
KIDNEY & GALL BLADDER	-	1	0.1 %
LIVER	-	1	0.1 %
LUNG	-	4	0.4 %
MELANOMA	-	1	0.1 %
MYCLODYSPLASIA	-	1	0.1 %
NON-HODGKINS LYMPHOMA	-	1	0.1 %
OUTSIDE OF LUNG	-	1	0.1 %
OVARIAN	-	2	0.2 %
PANCREATIC	-	2	0.2 %
PROSTATE	-	29	2.7 %
PROSTATE & KIDNEY	-	1	0.1 %
PROSTATE & SKIN	-	1	0.1 %
SKIN	-	13	1.2 %
SKIN (NOSE)	-	1	0.1 %
STOMACH	-	3	0.3 %
STOMACH & COLON	-	1	0.1 %
THYROID & THROAT CANCER	-	1	0.1 %
UTERINE	-	4	0.4 %
UTERINE & COLON	-	1	0.1 %
UTERUS/CERVICAL	-	1	0.1 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

Location: 270-324 (width: 55; decimal: 0)

Variable Type: character

U73Z: Pneumonia as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	163	15.1 %
2	No	901	83.6 %
	Missing Data		
8	Do not know	3	0.3 %
.	-	11	1.0 %
	Total	1,078	100%

Based upon 1,064 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 325-325 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

ICARDI71: Heart attack as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	107	9.9 %
2	No	967	89.7 %
	Missing Data		
8	Do not know	3	0.3 %
.	-	1	0.1 %
	Total	1,078	100%

Based upon 1,074 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 326-326 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

ICARDI75: Hospitalized overnight as a result of heart attack

Value	Label	Unweighted Frequency	%
1	Yes	98	9.1 %
2	No	6	0.6 %
	Missing Data		
8	Do not know	1	0.1 %
.	-	973	90.3 %
	Total	1,078	100%

Based upon 104 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 327-327 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

JSTROK71: Stroke as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	114	10.6 %
2	No	960	89.1 %
	Missing Data		
8	Do not know	3	0.3 %
9	Refused	1	0.1 %
	Total	1,078	100%

Based upon 1,074 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 328-328 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

JSTROK75: Hospitalized overnight as a result of stroke

Value	Label	Unweighted Frequency	%
1	Yes	89	8.3 %
2	No	25	2.3 %
	Missing Data		
.	-	964	89.4 %
	Total	1,078	100%

Based upon 114 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 329-329 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

NFRAC71: Broken hip as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	77	7.1 %
2	No	1000	92.8 %
	Missing Data		
8	Do not know	1	0.1 %
	Total	1,078	100%

Based upon 1,077 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 330-330 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

NFRAC75: Hospitalized overnight as a result of broken hip

Value	Label	Unweighted Frequency	%
1	Yes	66	6.1 %
2	No	11	1.0 %
	Missing Data		
.	-	1001	92.9 %
	Total	1,078	100%

Based upon 77 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 331-331 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

NFRAC73: Broken other bone as per health care professional

Value	Label	Unweighted Frequency	%
1	Yes	235	21.8 %
2	No	841	78.0 %
	Missing Data		
8	Do not know	1	0.1 %
9	Refused	1	0.1 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 332-332 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

NFRAC74: Specified non-hip broken bone

Value	Label	Unweighted Frequency	%
.	-	844	78.3 %
ANKLE	-	14	1.3 %
ANKLE & HAND	-	1	0.1 %
ANKLE & WRIST	-	1	0.1 %
ARM	-	33	3.1 %
ARM & BOTH LEGS	-	2	0.2 %
ARM & HIP	-	1	0.1 %
ARM & LEG	-	1	0.1 %
ARM & SHOULDER	-	1	0.1 %
ARM & WRIST	-	1	0.1 %
ARMS	-	1	0.1 %
BACK	-	1	0.1 %
BACK & ARM	-	1	0.1 %
BACK, ELBOW, & TOE	-	1	0.1 %
BOTH SHOULDERS & SKULL	-	1	0.1 %
BOTH WRISTS	-	1	0.1 %
CLAVICLE & 3 RIBS	-	1	0.1 %
COLLAR BONE	-	2	0.2 %
ELBOW	-	1	0.1 %
ELBOW & FOOT	-	1	0.1 %
FEMUR	-	4	0.4 %
FEMUR, THIGH, BOTH WRISTS	-	1	0.1 %
FINGER	-	4	0.4 %
FINGER & ARM	-	1	0.1 %
FINGER & FEMUR	-	1	0.1 %
FOOT	-	17	1.6 %
FOOT & BOTH HANDS	-	1	0.1 %
FOOT & TOES IN BOTH FEET	-	1	0.1 %
FOREARM	-	1	0.1 %
HAND	-	5	0.5 %
HAND & ARM	-	1	0.1 %
HAND & WRIST	-	1	0.1 %
HIP	-	1	0.1 %

Value	Label	Unweighted Frequency	%
KNEE	-	13	1.2 %
KNEE & ANKLE	-	1	0.1 %
KNEE & ARM	-	1	0.1 %
KNEE & FOOT	-	2	0.2 %
KNEE & RIB	-	1	0.1 %
KNEE & RIBS	-	1	0.1 %
KNEE & TIBIA	-	1	0.1 %
KNEE & WRISTS	-	1	0.1 %
KNEE CAP	-	2	0.2 %
KNEE CAPS	-	1	0.1 %
KNEE REPLACEMENT	-	1	0.1 %
LEG	-	18	1.7 %
LEG & ARM	-	1	0.1 %
LEG & SHOULDER	-	1	0.1 %
LEGS, SHOULDER, BACK	-	1	0.1 %
LOWER BACK & WRIST	-	1	0.1 %
LOWER LEG	-	2	0.2 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,078 valid cases out of 1,078 total cases.

Location: 333-357 (width: 25; decimal: 0)

Variable Type: character

GG7SYS7: Standing systolic blood pressure

Value	Label	Unweighted Frequency	%
65	-	1	0.1 %
75	-	1	0.1 %
76	-	1	0.1 %
79	-	3	0.3 %
80	-	1	0.1 %
85	-	1	0.1 %
88	-	2	0.2 %
89	-	2	0.2 %
90	-	2	0.2 %
91	-	3	0.3 %
93	-	2	0.2 %
94	-	3	0.3 %

Value	Label	Unweighted Frequency	%
95	-	1	0.1 %
97	-	3	0.3 %
98	-	4	0.4 %
99	-	3	0.3 %
100	-	2	0.2 %
101	-	3	0.3 %
102	-	4	0.4 %
103	-	4	0.4 %
104	-	2	0.2 %
105	-	7	0.6 %
106	-	5	0.5 %
107	-	2	0.2 %
108	-	11	1.0 %
109	-	7	0.6 %
110	-	11	1.0 %
111	-	3	0.3 %
112	-	8	0.7 %
113	-	8	0.7 %
114	-	4	0.4 %
115	-	7	0.6 %
116	-	12	1.1 %
117	-	8	0.7 %
118	-	8	0.7 %
119	-	8	0.7 %
120	-	15	1.4 %
121	-	7	0.6 %
122	-	21	1.9 %
123	-	8	0.7 %
124	-	24	2.2 %
125	-	10	0.9 %
126	-	21	1.9 %
127	-	14	1.3 %
128	-	18	1.7 %
129	-	10	0.9 %
130	-	26	2.4 %
131	-	15	1.4 %
132	-	15	1.4 %
133	-	12	1.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	234	21.7 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 844 valid cases out of 1,078 total cases.

- Mean: 137.43
- Median: 136.00
- Mode: 140.00
- Minimum: 65.00
- Maximum: 217.00
- Standard Deviation: 22.18

Location: 358-360 (width: 3; decimal: 0)

Variable Type: numeric

GG7DIA7: Standing diastolic blood pressure

Value	Label	Unweighted Frequency	%
32	-	1	0.1 %
47	-	2	0.2 %
49	-	1	0.1 %
50	-	1	0.1 %
51	-	1	0.1 %
52	-	2	0.2 %
54	-	7	0.6 %
55	-	9	0.8 %
56	-	9	0.8 %
57	-	6	0.6 %
58	-	8	0.7 %
59	-	8	0.7 %
60	-	18	1.7 %
61	-	9	0.8 %
62	-	17	1.6 %
63	-	19	1.8 %
64	-	16	1.5 %
65	-	13	1.2 %
66	-	25	2.3 %
67	-	22	2.0 %
68	-	42	3.9 %
69	-	19	1.8 %
70	-	42	3.9 %

Value	Label	Unweighted Frequency	%
71	-	22	2.0 %
72	-	43	4.0 %
73	-	17	1.6 %
74	-	26	2.4 %
75	-	27	2.5 %
76	-	26	2.4 %
77	-	18	1.7 %
78	-	24	2.2 %
79	-	24	2.2 %
80	-	50	4.6 %
81	-	28	2.6 %
82	-	34	3.2 %
83	-	17	1.6 %
84	-	19	1.8 %
85	-	19	1.8 %
86	-	17	1.6 %
87	-	16	1.5 %
88	-	20	1.9 %
89	-	7	0.6 %
90	-	12	1.1 %
91	-	4	0.4 %
92	-	8	0.7 %
93	-	7	0.6 %
94	-	12	1.1 %
95	-	5	0.5 %
96	-	2	0.2 %
97	-	9	0.8 %
	Missing Data		
.	-	234	21.7 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 844 valid cases out of 1,078 total cases.

- Mean: 75.86
- Median: 75.00
- Mode: 80.00
- Minimum: 32.00
- Maximum: 130.00
- Standard Deviation: 11.87

Location: 361-363 (width: 3; decimal: 0)

Variable Type: numeric

GG7PUL7: Standing pulse

Value	Label	Unweighted Frequency	%
40	-	1	0.1 %
42	-	1	0.1 %
43	-	1	0.1 %
44	-	1	0.1 %
50	-	2	0.2 %
51	-	2	0.2 %
52	-	1	0.1 %
53	-	3	0.3 %
54	-	7	0.6 %
55	-	2	0.2 %
56	-	8	0.7 %
57	-	5	0.5 %
58	-	17	1.6 %
59	-	10	0.9 %
60	-	24	2.2 %
61	-	6	0.6 %
62	-	21	1.9 %
63	-	20	1.9 %
64	-	25	2.3 %
65	-	21	1.9 %
66	-	25	2.3 %
67	-	18	1.7 %
68	-	46	4.3 %
69	-	29	2.7 %
70	-	48	4.5 %
71	-	17	1.6 %
72	-	35	3.2 %
73	-	19	1.8 %
74	-	37	3.4 %
75	-	20	1.9 %
76	-	30	2.8 %
77	-	25	2.3 %
78	-	31	2.9 %
79	-	23	2.1 %
80	-	41	3.8 %

Value	Label	Unweighted Frequency	%
81	-	9	0.8 %
82	-	23	2.1 %
83	-	12	1.1 %
84	-	15	1.4 %
85	-	14	1.3 %
86	-	17	1.6 %
87	-	9	0.8 %
88	-	18	1.7 %
89	-	11	1.0 %
90	-	18	1.7 %
91	-	10	0.9 %
92	-	11	1.0 %
93	-	9	0.8 %
94	-	6	0.6 %
95	-	5	0.5 %
	Missing Data		
.	-	234	21.7 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 844 valid cases out of 1,078 total cases.

- Mean: 74.56
- Median: 74.00
- Mode: 70.00
- Minimum: 40.00
- Maximum: 132.00
- Standard Deviation: 11.27

Location: 364-366 (width: 3; decimal: 0)

Variable Type: numeric

NOGG97: N/A or refused to participate in standing blood pressure

Value	Label	Unweighted Frequency	%
77	N/A	16	1.5 %
99	Refused	158	14.7 %
	Missing Data		
.	-	904	83.9 %
	Total	1,078	100%

Based upon 174 valid cases out of 1,078 total cases.

- Minimum: 77.00
- Maximum: 99.00

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

WCORR71: Year correct?

Value	Label	Unweighted Frequency	%
0	Error	275	25.5 %
1	Correct	729	67.6 %
	Missing Data		
.	-	74	6.9 %
	Total	1,078	100%

Based upon 1,004 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 369-369 (width: 1; decimal: 0)

Variable Type: numeric

WCORR72: Season correct?

Value	Label	Unweighted Frequency	%
0	Error	382	35.4 %
1	Correct	622	57.7 %
	Missing Data		
.	-	74	6.9 %
	Total	1,078	100%

Based upon 1,004 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 370-370 (width: 1; decimal: 0)

Variable Type: numeric

WCORR73: Month correct?

Value	Label	Unweighted Frequency	%
0	Error	193	17.9 %
1	Correct	811	75.2 %
	Missing Data		
.	-	74	6.9 %
	Total	1,078	100%

Based upon 1,004 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 371-371 (width: 1; decimal: 0)

Variable Type: numeric

WCORR74: Date correct?

Value	Label	Unweighted Frequency	%
0	Error	397	36.8 %
1	Correct	607	56.3 %
	Missing Data		
.	-	74	6.9 %
	Total	1,078	100%

Based upon 1,004 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 372-372 (width: 1; decimal: 0)

Variable Type: numeric

WCORR75: Day of week correct?

Value	Label	Unweighted Frequency	%
0	Error	195	18.1 %
1	Correct	807	74.9 %
	Missing Data		
.	-	76	7.1 %
	Total	1,078	100%

Based upon 1,002 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 373-373 (width: 1; decimal: 0)

Variable Type: numeric

WCORR76: State correct?

Value	Label	Unweighted Frequency	%
0	Error	117	10.9 %
1	Correct	888	82.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	73	6.8 %
	Total	1,078	100%

Based upon 1,005 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 374-374 (width: 1; decimal: 0)

Variable Type: numeric

WCORR77: County correct?

Value	Label	Unweighted Frequency	%
0	Error	266	24.7 %
1	Correct	738	68.5 %
	Missing Data		
.	-	74	6.9 %
	Total	1,078	100%

Based upon 1,004 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 375-375 (width: 1; decimal: 0)

Variable Type: numeric

WCORR78: City correct?

Value	Label	Unweighted Frequency	%
0	Error	99	9.2 %
1	Correct	906	84.0 %
	Missing Data		
.	-	73	6.8 %
	Total	1,078	100%

Based upon 1,005 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 376-376 (width: 1; decimal: 0)

Variable Type: numeric

WCORR79: Floor correct?

Value	Label	Unweighted Frequency	%
0	Error	134	12.4 %
1	Correct	837	77.6 %
	Missing Data		
.	-	107	9.9 %
	Total	1,078	100%

Based upon 971 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 377-377 (width: 1; decimal: 0)

Variable Type: numeric

WCORR710: Address correct?

Value	Label	Unweighted Frequency	%
0	Error	188	17.4 %
1	Correct	815	75.6 %
	Missing Data		
.	-	75	7.0 %
	Total	1,078	100%

Based upon 1,003 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 378-378 (width: 1; decimal: 0)

Variable Type: numeric

WMMS711A: Able to recall apple (1st time)?

Value	Label	Unweighted Frequency	%
0	Error	115	10.7 %
1	Correct	885	82.1 %
	Missing Data		
.	-	78	7.2 %
	Total	1,078	100%

Based upon 1,000 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 379-379 (width: 1; decimal: 0)

Variable Type: numeric

WMMS711B: Able to recall table (1st time)?

Value	Label	Unweighted Frequency	%
0	Error	114	10.6 %
1	Correct	887	82.3 %
	Missing Data		
.	-	77	7.1 %
	Total	1,078	100%

Based upon 1,001 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 380-380 (width: 1; decimal: 0)

Variable Type: numeric

WMMS711C: Able to recall penny (1st time)?

Value	Label	Unweighted Frequency	%
0	Error	129	12.0 %
1	Correct	872	80.9 %
	Missing Data		
.	-	77	7.1 %
	Total	1,078	100%

Based upon 1,001 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 381-381 (width: 1; decimal: 0)

Variable Type: numeric

WCORR712: Number of letters in correct order

Value	Label	Unweighted Frequency	%
0	None	711	66.0 %
1	1	0	0.0 %
2	2	0	0.0 %
3	3	0	0.0 %
4	4	0	0.0 %
5	5	284	26.3 %
6	Illiterate	0	0.0 %
	Missing Data		
.	-	83	7.7 %

Value	Label	Unweighted Frequency	%
	Total	1,078	100%

Based upon 995 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 382-382 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

WMMS713A: Able to recall apple (2nd time)?

Value	Label	Unweighted Frequency	%
0	Error	261	24.2 %
1	Correct	742	68.8 %
	Missing Data		
.	-	75	7.0 %
	Total	1,078	100%

Based upon 1,003 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 383-383 (width: 1; decimal: 0)

Variable Type: numeric

WMMS713B: Able to recall table (2nd time)?

Value	Label	Unweighted Frequency	%
0	Error	363	33.7 %
1	Correct	641	59.5 %
	Missing Data		
.	-	74	6.9 %
	Total	1,078	100%

Based upon 1,004 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 384-384 (width: 1; decimal: 0)

Variable Type: numeric

WMMS713C: Able to recall penny (2nd time)?

Value	Label	Unweighted Frequency	%
0	Error	436	40.4 %
1	Correct	566	52.5 %
	Missing Data		
.	-	76	7.1 %
	Total	1,078	100%

Based upon 1,002 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 385-385 (width: 1; decimal: 0)

Variable Type: numeric

WMMSE714: Able to name watch

Value	Label	Unweighted Frequency	%
0	Error	134	12.4 %
1	Correct	853	79.1 %
7	Unable	0	0.0 %
	Missing Data		
.	-	91	8.4 %
	Total	1,078	100%

Based upon 987 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 386-386 (width: 1; decimal: 0)

Variable Type: numeric

WMMSE715: Able to name pencil

Value	Label	Unweighted Frequency	%
0	Error	50	4.6 %
1	Correct	930	86.3 %
7	Unable	0	0.0 %
	Missing Data		
.	-	98	9.1 %
	Total	1,078	100%

Based upon 980 valid cases out of 1,078 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 387-387 (width: 1; decimal: 0)

Variable Type: numeric

WMMSE716: Able to repeat `no ifs, ands or buts` correctly?

Value	Label	Unweighted Frequency	%
0	Error	176	16.3 %
1	Correct	828	76.8 %
	Missing Data		
.	-	74	6.9 %
	Total	1,078	100%

Based upon 1,004 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 388-388 (width: 1; decimal: 0)

Variable Type: numeric

WMMSE717: Able to read and followed instructions to close eyes?

Value	Label	Unweighted Frequency	%
0	Error	107	9.9 %
1	Correct	763	70.8 %
7	Unable	0	0.0 %
	Missing Data		
.	-	208	19.3 %
	Total	1,078	100%

Based upon 870 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 389-389 (width: 1; decimal: 0)

Variable Type: numeric

WMMS718A: Takes paper in right hand as instructed

Value	Label	Unweighted Frequency	%
0	Error	133	12.3 %
1	Correct	782	72.5 %
7	Unable	0	0.0 %
	Missing Data		
.	-	163	15.1 %

Value	Label	Unweighted Frequency	%
	Total	1,078	100%

Based upon 915 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 390-390 (width: 1; decimal: 0)

Variable Type: numeric

WMMS718B: Folds paper in half as instructed

Value	Label	Unweighted Frequency	%
0	Error	129	12.0 %
1	Correct	815	75.6 %
7	Unable	0	0.0 %
	Missing Data		
.	-	134	12.4 %
	Total	1,078	100%

Based upon 944 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 391-391 (width: 1; decimal: 0)

Variable Type: numeric

WMMS718C: Puts paper down on the floor as instructed

Value	Label	Unweighted Frequency	%
0	Error	127	11.8 %
1	Correct	813	75.4 %
7	Unable	0	0.0 %
	Missing Data		
.	-	138	12.8 %
	Total	1,078	100%

Based upon 940 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 392-392 (width: 1; decimal: 0)

Variable Type: numeric

WMMSE719: Able to write a full sentence correctly

Value	Label	Unweighted Frequency	%
0	Error	162	15.0 %
1	Correct	636	59.0 %
7	Unable	0	0.0 %
	Missing Data		
.	-	280	26.0 %
	Total	1,078	100%

Based upon 798 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 393-393 (width: 1; decimal: 0)

Variable Type: numeric

WMMSE720: Able to copy diagram?

Value	Label	Unweighted Frequency	%
0	Error	319	29.6 %
1	Correct	487	45.2 %
7	Unable	0	0.0 %
	Missing Data		
.	-	272	25.2 %
	Total	1,078	100%

Based upon 806 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 394-394 (width: 1; decimal: 0)

Variable Type: numeric

TOTMMSE7: Classical: Total MMSE score

Value	Label	Unweighted Frequency	%
0	-	52	4.8 %
1	-	3	0.3 %
2	-	3	0.3 %
4	-	3	0.3 %
5	-	4	0.4 %
6	-	2	0.2 %
7	-	5	0.5 %
8	-	4	0.4 %

Value	Label	Unweighted Frequency	%
9	-	9	0.8 %
10	-	7	0.6 %
11	-	9	0.8 %
12	-	12	1.1 %
13	-	27	2.5 %
14	-	30	2.8 %
15	-	29	2.7 %
16	-	21	1.9 %
17	-	47	4.4 %
18	-	41	3.8 %
19	-	52	4.8 %
20	-	56	5.2 %
21	-	53	4.9 %
22	-	76	7.1 %
23	-	74	6.9 %
24	-	74	6.9 %
25	-	66	6.1 %
26	-	13	1.2 %
27	-	34	3.2 %
28	-	49	4.5 %
29	-	62	5.8 %
30	-	88	8.2 %
	Missing Data		
.	-	73	6.8 %
	Total	1,078	100%

Based upon 1,005 valid cases out of 1,078 total cases.

- Mean: 20.58
- Median: 22.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.49

Location: 395-396 (width: 2; decimal: 0)

Variable Type: numeric

X7CESD1: Emotionally bothered during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	636	59.0 %
1	Some / little	221	20.5 %

Value	Label	Unweighted Frequency	%
2	Occassional / moderate	81	7.5 %
3	Most / all	45	4.2 %
	Missing Data		
.	-	95	8.8 %
	Total	1,078	100%

Based upon 983 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 397-397 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD2: Appetite poor during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	723	67.1 %
1	Some / little	158	14.7 %
2	Occassional / moderate	47	4.4 %
3	Most / all	59	5.5 %
	Missing Data		
.	-	91	8.4 %
	Total	1,078	100%

Based upon 987 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 398-398 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD3: Could not shake off blues during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	693	64.3 %
1	Some / little	203	18.8 %
2	Occassional / moderate	55	5.1 %
3	Most / all	34	3.2 %
	Missing Data		
.	-	93	8.6 %
	Total	1,078	100%

Based upon 985 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 399-399 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD4: Felt as good as others during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	65	6.0 %
1	Some / little	162	15.0 %
2	Occassional / moderate	133	12.3 %
3	Most / all	582	54.0 %
	Missing Data		
.	-	136	12.6 %
	Total	1,078	100%

Based upon 942 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 400-400 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD5: Had trouble concentrating during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	552	51.2 %
1	Some / little	284	26.3 %
2	Occassional / moderate	82	7.6 %
3	Most / all	64	5.9 %
	Missing Data		
.	-	96	8.9 %
	Total	1,078	100%

Based upon 982 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 401-401 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD6: Felt depressed during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	603	55.9 %
1	Some / little	269	25.0 %
2	Occassional / moderate	70	6.5 %
3	Most / all	42	3.9 %
	Missing Data		
.	-	94	8.7 %
	Total	1,078	100%

Based upon 984 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 402-402 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD7: Felt everything worth the effort during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	438	40.6 %
1	Some / little	285	26.4 %
2	Occassional / moderate	144	13.4 %
3	Most / all	116	10.8 %
	Missing Data		
.	-	95	8.8 %
	Total	1,078	100%

Based upon 983 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 403-403 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD8: Felt hopeful during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	89	8.3 %
1	Some / little	227	21.1 %
2	Occassional / moderate	238	22.1 %

Value	Label	Unweighted Frequency	%
3	Most / all	410	38.0 %
	Missing Data		
.	-	114	10.6 %
	Total	1,078	100%

Based upon 964 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 404-404 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD9: Thought my life a failure during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	870	80.7 %
1	Some / little	57	5.3 %
2	Occassional / moderate	18	1.7 %
3	Most / all	19	1.8 %
	Missing Data		
.	-	114	10.6 %
	Total	1,078	100%

Based upon 964 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 405-405 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD10: Felt fearful during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	751	69.7 %
1	Some / little	177	16.4 %
2	Occassional / moderate	36	3.3 %
3	Most / all	20	1.9 %
	Missing Data		
.	-	94	8.7 %
	Total	1,078	100%

Based upon 984 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 406-406 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD11: Sleep was restless during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	617	57.2 %
1	Some / little	199	18.5 %
2	Occassional / moderate	94	8.7 %
3	Most / all	77	7.1 %
	Missing Data		
.	-	91	8.4 %
	Total	1,078	100%

Based upon 987 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 407-407 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD12: I was happy during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	31	2.9 %
1	Some / little	191	17.7 %
2	Occassional / moderate	234	21.7 %
3	Most / all	523	48.5 %
	Missing Data		
.	-	99	9.2 %
	Total	1,078	100%

Based upon 979 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 408-408 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD13: Minimal talk during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	770	71.4 %
1	Some / little	134	12.4 %
2	Occassional / moderate	47	4.4 %
3	Most / all	31	2.9 %
	Missing Data		
.	-	96	8.9 %
	Total	1,078	100%

Based upon 982 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 409-409 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD14: Felt lonely during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	633	58.7 %
1	Some / little	217	20.1 %
2	Occassional / moderate	82	7.6 %
3	Most / all	51	4.7 %
	Missing Data		
.	-	95	8.8 %
	Total	1,078	100%

Based upon 983 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 410-410 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD15: Pere were unfriendly during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	870	80.7 %
1	Some / little	65	6.0 %
2	Occassional / moderate	19	1.8 %

Value	Label	Unweighted Frequency	%
3	Most / all	16	1.5 %
	Missing Data		
.	-	108	10.0 %
	Total	1,078	100%

Based upon 970 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 411-411 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD16: Enjoyed life during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	49	4.5 %
1	Some / little	225	20.9 %
2	Occassional / moderate	244	22.6 %
3	Most / all	453	42.0 %
	Missing Data		
.	-	107	9.9 %
	Total	1,078	100%

Based upon 971 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 412-412 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD17: Had crying spells during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	657	60.9 %
1	Some / little	218	20.2 %
2	Occassional / moderate	63	5.8 %
3	Most / all	42	3.9 %
	Missing Data		
.	-	98	9.1 %
	Total	1,078	100%

Based upon 980 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 413-413 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD18: Felt sad during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	523	48.5 %
1	Some / little	311	28.8 %
2	Occassional / moderate	97	9.0 %
3	Most / all	53	4.9 %
	Missing Data		
.	-	94	8.7 %
	Total	1,078	100%

Based upon 984 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 414-414 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD19: Felt people disliked me during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	877	81.4 %
1	Some / little	64	5.9 %
2	Occassional / moderate	12	1.1 %
3	Most / all	13	1.2 %
	Missing Data		
.	-	112	10.4 %
	Total	1,078	100%

Based upon 966 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 415-415 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD20: Could not get going during the past week

Value	Label	Unweighted Frequency	%
0	Rarely / none	579	53.7 %
1	Some / little	259	24.0 %
2	Occassional / moderate	85	7.9 %
3	Most / all	59	5.5 %
	Missing Data		
.	-	96	8.9 %
	Total	1,078	100%

Based upon 982 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 416-416 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

CESDTOT7: CESD total score

Value	Label	Unweighted Frequency	%
0	-	102	9.5 %
1	-	41	3.8 %
2	-	57	5.3 %
3	-	51	4.7 %
4	-	54	5.0 %
5	-	45	4.2 %
6	-	56	5.2 %
7	-	43	4.0 %
8	-	46	4.3 %
9	-	33	3.1 %
10	-	30	2.8 %
11	-	34	3.2 %
12	-	37	3.4 %
13	-	37	3.4 %
14	-	32	3.0 %
15	-	25	2.3 %
16	-	32	3.0 %
17	-	26	2.4 %
18	-	22	2.0 %
19	-	23	2.1 %

Value	Label	Unweighted Frequency	%
20	-	17	1.6 %
21	-	29	2.7 %
22	-	8	0.7 %
23	-	14	1.3 %
24	-	17	1.6 %
25	-	10	0.9 %
26	-	8	0.7 %
27	-	5	0.5 %
28	-	7	0.6 %
29	-	10	0.9 %
30	-	4	0.4 %
31	-	4	0.4 %
32	-	3	0.3 %
33	-	3	0.3 %
36	-	5	0.5 %
37	-	2	0.2 %
38	-	3	0.3 %
39	-	4	0.4 %
42	-	3	0.3 %
43	-	1	0.1 %
45	-	1	0.1 %
46	-	2	0.2 %
49	-	1	0.1 %
57	-	1	0.1 %
	Missing Data		
.	-	90	8.3 %
	Total	1,078	100%

Based upon 988 valid cases out of 1,078 total cases.

- Mean: 10.70
- Median: 8.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 57.00
- Standard Deviation: 9.20

Location: 417-418 (width: 2; decimal: 0)

Variable Type: numeric

CASE7: CESD >= 16

Value	Label	Unweighted Frequency	%
0	No	723	67.1 %
1	Yes	265	24.6 %
	Missing Data		
.	-	90	8.3 %
	Total	1,078	100%

Based upon 988 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 419-419 (width: 1; decimal: 0)

Variable Type: numeric

YSMOKE73: Smoke cigarettes in past month?

Value	Label	Unweighted Frequency	%
1	Yes	47	4.4 %
2	No	1030	95.5 %
	Missing Data		
.	-	1	0.1 %
	Total	1,078	100%

Based upon 1,077 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 420-420 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

ZALC72: Drink alcohol in past month?

Value	Label	Unweighted Frequency	%
1	Yes	130	12.1 %
2	No	945	87.7 %
	Missing Data		
8	Do not know	2	0.2 %
.	-	1	0.1 %
	Total	1,078	100%

Based upon 1,075 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 421-421 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

AAMED71: Taking prescribed medication in past 2 weeks

Value	Label	Unweighted Frequency	%
1	Yes	977	90.6 %
2	No	76	7.1 %
	Missing Data		
9	Refused	1	0.1 %
.	-	24	2.2 %
	Total	1,078	100%

Based upon 1,053 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 422-422 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

AAMED72: Taking prescribed medication as needed

Value	Label	Unweighted Frequency	%
1	Yes, past 2 wks	370	34.3 %
2	Yes, not past 2 wks	65	6.0 %
3	No	604	56.0 %
	Missing Data		
8	Do not know	12	1.1 %
9	Refused	1	0.1 %
.	-	26	2.4 %
	Total	1,078	100%

Based upon 1,039 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 423-423 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

AAMED72A: Not enough money to pay for prescripton(s)

Value	Label	Unweighted Frequency	%
1	Yes	151	14.0 %

Value	Label	Unweighted Frequency	%
2	No	894	82.9 %
	Missing Data		
8	Do not know	5	0.5 %
9	Refused	1	0.1 %
.	-	27	2.5 %
	Total	1,078	100%

Based upon 1,045 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 424-424 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

AAMED73: Taking non-prescribed medication

Value	Label	Unweighted Frequency	%
1	Yes	687	63.7 %
2	No	358	33.2 %
	Missing Data		
8	Do not know	6	0.6 %
9	Refused	1	0.1 %
.	-	26	2.4 %
	Total	1,078	100%

Based upon 1,045 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 425-425 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

AAMED75: May I see all your medication containers for the past 2 weeks?

Value	Label	Unweighted Frequency	%
1	Yes	945	87.7 %
2	No	63	5.8 %
	Missing Data		
9	Refused	21	1.9 %
.	-	49	4.5 %
	Total	1,078	100%

Based upon 1,008 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 426-426 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CLOX71: Clock drawn as instructed

Value	Label	Unweighted Frequency	%
1	Yes	132	12.2 %
2	No	827	76.7 %
	Missing Data		
.	-	119	11.0 %
	Total	1,078	100%

Based upon 959 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 427-427 (width: 1; decimal: 0)

Variable Type: numeric

CLOX72: Clock copied correctly

Value	Label	Unweighted Frequency	%
1	Yes	312	28.9 %
2	No	637	59.1 %
	Missing Data		
.	-	129	12.0 %
	Total	1,078	100%

Based upon 949 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 428-428 (width: 1; decimal: 0)

Variable Type: numeric

BB1A7: Can use telephone without assistance

Value	Label	Unweighted Frequency	%
1	Yes	813	75.4 %
2	No	262	24.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	3	0.3 %
	Total	1,078	100%

Based upon 1,075 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 429-429 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

BB1B7: Can use transportation without assistance

Value	Label	Unweighted Frequency	%
1	Yes	394	36.5 %
2	No	682	63.3 %
	Missing Data		
.	-	2	0.2 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 430-430 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

BB1C7: Can go shopping without assistance

Value	Label	Unweighted Frequency	%
1	Yes	456	42.3 %
2	No	620	57.5 %
	Missing Data		
.	-	2	0.2 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 431-431 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

BB1D7: Can prepare meals without assistance

Value	Label	Unweighted Frequency	%
1	Yes	644	59.7 %
2	No	433	40.2 %
	Missing Data		
.	-	1	0.1 %
	Total	1,078	100%

Based upon 1,077 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 432-432 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

BB1E7: Can do light housework without assistance

Value	Label	Unweighted Frequency	%
1	Yes	681	63.2 %
2	No	395	36.6 %
	Missing Data		
.	-	2	0.2 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 433-433 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

BB1F7: Can take medicine without assistance

Value	Label	Unweighted Frequency	%
1	Yes	712	66.0 %
2	No	356	33.0 %
	Missing Data		
.	-	10	0.9 %
	Total	1,078	100%

Based upon 1,068 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 434-434 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

BB1G7: Can handle money without assistance

Value	Label	Unweighted Frequency	%
1	Yes	644	59.7 %
2	No	433	40.2 %
	Missing Data		
.	-	1	0.1 %
	Total	1,078	100%

Based upon 1,077 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 435-435 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

BB1H7: Can do heavy work without assistance

Value	Label	Unweighted Frequency	%
1	Yes	292	27.1 %
2	No	786	72.9 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 436-436 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB1I7: Can walk up/down stairs without assistance

Value	Label	Unweighted Frequency	%
1	Yes	446	41.4 %
2	No	625	58.0 %
	Missing Data		
.	-	7	0.6 %
	Total	1,078	100%

Based upon 1,071 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 437-437 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

BB1J7: Can walk half a mile without assistance

Value	Label	Unweighted Frequency	%
1	Yes	413	38.3 %
2	No	660	61.2 %
	Missing Data		
.	-	5	0.5 %
	Total	1,078	100%

Based upon 1,073 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 438-438 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TOTIADL7: IADL sum

Value	Label	Unweighted Frequency	%
0	-	171	15.9 %
1	-	96	8.9 %
2	-	91	8.4 %
3	-	81	7.5 %
4	-	65	6.0 %
5	-	96	8.9 %
6	-	81	7.5 %
7	-	77	7.1 %
8	-	67	6.2 %
9	-	100	9.3 %
10	-	153	14.2 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Mean: 4.87
- Median: 5.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 3.53

Location: 439-440 (width: 2; decimal: 0)

Variable Type: numeric

ANYIADL7: Any IADL limitations?

Value	Label	Unweighted Frequency	%
0	No	171	15.9 %
1	Yes	907	84.1 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 441-441 (width: 1; decimal: 0)

Variable Type: numeric

BB2A7: Needs assistance to walk across a small room

Value	Label	Unweighted Frequency	%
1	Need help	420	39.0 %
2	No help needed	658	61.0 %
3	Unable to do	0	0.0 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 442-442 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB2B7: Needs assistance with bathing

Value	Label	Unweighted Frequency	%
1	Need help	424	39.3 %
2	No help needed	654	60.7 %
3	Unable to do	0	0.0 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 443-443 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB2C7: Needs assistance with personal grooming

Value	Label	Unweighted Frequency	%
1	Need help	179	16.6 %
2	No help needed	899	83.4 %
3	Unable to do	0	0.0 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 444-444 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB2D7: Needs assistance with dressing

Value	Label	Unweighted Frequency	%
1	Need help	253	23.5 %
2	No help needed	823	76.3 %
3	Unable to do	0	0.0 %
	Missing Data		
.	-	2	0.2 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 445-445 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

BB2E7: Needs assistance with eating

Value	Label	Unweighted Frequency	%
1	Need help	91	8.4 %
2	No help needed	987	91.6 %
3	Unable to do	0	0.0 %

Value	Label	Unweighted Frequency	%
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 446-446 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BB2F7: Needs assistance getting from bed to chair

Value	Label	Unweighted Frequency	%
1	Need help	276	25.6 %
2	No help needed	800	74.2 %
3	Unable to do	0	0.0 %
	Missing Data		
.	-	2	0.2 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 447-447 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

BB2G7: Needs assistance using toilet

Value	Label	Unweighted Frequency	%
1	Need help	266	24.7 %
2	No help needed	812	75.3 %
3	Unable to do	0	0.0 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 448-448 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

TOTADL7: ADL sum

Value	Label	Unweighted Frequency	%
0	-	544	50.5 %
1	-	126	11.7 %
2	-	94	8.7 %
3	-	59	5.5 %
4	-	67	6.2 %
5	-	54	5.0 %
6	-	58	5.4 %
7	-	76	7.1 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Mean: 1.77
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.34

Location: 449-449 (width: 1; decimal: 0)

Variable Type: numeric

ANYADL7: Any ADL limitations?

Value	Label	Unweighted Frequency	%
0	No	544	50.5 %
1	Yes	534	49.5 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 450-450 (width: 1; decimal: 0)

Variable Type: numeric

TYPEHELP7: Person or equipment used for assistance?

Value	Label	Unweighted Frequency	%
1	Person	80	7.4 %
2	Equipment	179	16.6 %
3	Both	274	25.4 %
	Missing Data		
.	-	545	50.6 %
	Total	1,078	100%

Based upon 533 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 451-451 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

LSL711: Have been in other rooms of home in past 4 weeks

Value	Label	Unweighted Frequency	%
0	No	49	4.5 %
1	Yes	1027	95.3 %
	Missing Data		
.	-	2	0.2 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 452-452 (width: 1; decimal: 0)

Variable Type: numeric

LSL712: Frequency of being in other rooms

Value	Label	Unweighted Frequency	%
1	< 1 time/wk	5	0.5 %
2	1-3 times/wk	25	2.3 %
3	4-6 times/wk	45	4.2 %
4	Daily	951	88.2 %
	Missing Data		
.	-	52	4.8 %
	Total	1,078	100%

Based upon 1,026 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 453-453 (width: 1; decimal: 0)

Variable Type: numeric

LSL713: Type of aid required to visit other rooms

Value	Label	Unweighted Frequency	%
1.0	Personal assistance	121	11.2 %

Value	Label	Unweighted Frequency	%
1.5	Equipment only	288	26.7 %
2.0	No assistance	618	57.3 %
	Missing Data		
.	-	51	4.7 %
	Total	1,078	100%

Based upon 1,027 valid cases out of 1,078 total cases.

- Mean: 1.74
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.35

Location: 454-456 (width: 3; decimal: 1)

Variable Type: numeric

LSL721: Have been in area outside home in past 4 weeks

Value	Label	Unweighted Frequency	%
0	No	132	12.2 %
2	Yes	944	87.6 %
	Missing Data		
.	-	2	0.2 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 457-457 (width: 1; decimal: 0)

Variable Type: numeric

LSL722: Frequency of being in area outside home

Value	Label	Unweighted Frequency	%
1	< 1 time/wk	37	3.4 %
2	1-3 times/wk	164	15.2 %
3	4-6 times/wk	126	11.7 %
4	Daily	615	57.1 %
	Missing Data		
.	-	136	12.6 %
	Total	1,078	100%

Based upon 942 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 458-458 (width: 1; decimal: 0)

Variable Type: numeric

LSL723: Type of aid required to visit area outside home

Value	Label	Unweighted Frequency	%
1.0	Personal assistance	104	9.6 %
1.5	Equipment only	303	28.1 %
2.0	No assistance	537	49.8 %
	Missing Data		
.	-	134	12.4 %
	Total	1,078	100%

Based upon 944 valid cases out of 1,078 total cases.

- Mean: 1.73
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.34

Location: 459-461 (width: 3; decimal: 1)

Variable Type: numeric

LSL731: Have been out to neighborhood beyond my home's yard in past 4 weeks

Value	Label	Unweighted Frequency	%
0	No	463	42.9 %
3	Yes	613	56.9 %
	Missing Data		
.	-	2	0.2 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 462-462 (width: 1; decimal: 0)

Variable Type: numeric

LSL732: Frequency of being out to neighborhood and beyond home yard

Value	Label	Unweighted Frequency	%
1	< 1 time/wk	80	7.4 %
2	1-3 times/wk	237	22.0 %
3	4-6 times/wk	116	10.8 %
4	Daily	180	16.7 %
	Missing Data		
.	-	465	43.1 %
	Total	1,078	100%

Based upon 613 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 463-463 (width: 1; decimal: 0)

Variable Type: numeric

LSL733: Type of aid required to visit neighborhood

Value	Label	Unweighted Frequency	%
1.0	Personal assistance	122	11.3 %
1.5	Equipment only	132	12.2 %
2.0	No assistance	359	33.3 %
	Missing Data		
.	-	465	43.1 %
	Total	1,078	100%

Based upon 613 valid cases out of 1,078 total cases.

- Mean: 1.69
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.40

Location: 464-466 (width: 3; decimal: 1)

Variable Type: numeric

LSL741: Have been outside neighborhood and within town in past 4 weeks

Value	Label	Unweighted Frequency	%
0	No	270	25.0 %
4	Yes	806	74.8 %
	Missing Data		
.	-	2	0.2 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 467-467 (width: 1; decimal: 0)

Variable Type: numeric

LSL742: Frequency of being in within town

Value	Label	Unweighted Frequency	%
1	< 1 time/wk	283	26.3 %
2	1-3 times/wk	344	31.9 %
3	4-6 times/wk	112	10.4 %
4	Daily	66	6.1 %
	Missing Data		
.	-	273	25.3 %
	Total	1,078	100%

Based upon 805 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 468-468 (width: 1; decimal: 0)

Variable Type: numeric

LSL743: Type of aid required to go to town

Value	Label	Unweighted Frequency	%
1.0	Personal assistance	342	31.7 %
1.5	Equipment only	150	13.9 %
2.0	No assistance	316	29.3 %
	Missing Data		
.	-	270	25.0 %
	Total	1,078	100%

Based upon 808 valid cases out of 1,078 total cases.

- Mean: 1.48
- Median: 1.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.45

Location: 469-471 (width: 3; decimal: 1)

Variable Type: numeric

LSL751: Have been outside my town in past 4 weeks

Value	Label	Unweighted Frequency	%
0	No	744	69.0 %
5	Yes	332	30.8 %
	Missing Data		
.	-	2	0.2 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 472-472 (width: 1; decimal: 0)

Variable Type: numeric

LSL752: Frequency of being out of town

Value	Label	Unweighted Frequency	%
1	< 1 time/wk	239	22.2 %
2	1-3 times/wk	79	7.3 %
3	4-6 times/wk	13	1.2 %
4	Daily	1	0.1 %
	Missing Data		
.	-	746	69.2 %
	Total	1,078	100%

Based upon 332 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 473-473 (width: 1; decimal: 0)

Variable Type: numeric

LSL753: Type of aid required to go outside town

Value	Label	Unweighted Frequency	%
1.0	Personal assistance	174	16.1 %
1.5	Equipment only	31	2.9 %
2.0	No assistance	129	12.0 %
	Missing Data		
.	-	744	69.0 %
	Total	1,078	100%

Based upon 334 valid cases out of 1,078 total cases.

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.47

Location: 474-476 (width: 3; decimal: 1)

Variable Type: numeric

QQ17: Walked for exercise in past 14 days

Value	Label	Unweighted Frequency	%
0	Unable to walk	20	1.9 %
1	Yes	309	28.7 %
2	No	683	63.4 %
	Missing Data		
9	Refused	1	0.1 %
.	-	65	6.0 %
	Total	1,078	100%

Based upon 1,012 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 477-477 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

QQ1A7: Number of times walked for exercise in past 14 days

Value	Label	Unweighted Frequency	%
0	-	3	0.3 %
1	-	19	1.8 %
2	-	29	2.7 %
3	-	23	2.1 %
4	-	31	2.9 %
5	-	11	1.0 %
6	-	38	3.5 %
7	-	26	2.4 %
8	-	7	0.6 %
9	-	2	0.2 %
10	-	47	4.4 %
12	-	10	0.9 %

Value	Label	Unweighted Frequency	%
14	-	62	5.8 %
15	-	2	0.2 %
24	-	1	0.1 %
	Missing Data		
.	-	767	71.2 %
	Total	1,078	100%

Based upon 311 valid cases out of 1,078 total cases.

- Mean: 7.46
- Median: 7.00
- Mode: 14.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 4.53

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

QQ1B7: Avg # of minutes spend walking per exercise occasion

Value	Label	Unweighted Frequency	%
1	-	1	0.1 %
3	-	1	0.1 %
5	-	14	1.3 %
8	-	1	0.1 %
10	-	32	3.0 %
12	-	1	0.1 %
15	-	45	4.2 %
17	-	1	0.1 %
20	-	41	3.8 %
25	-	2	0.2 %
30	-	86	8.0 %
35	-	2	0.2 %
40	-	9	0.8 %
45	-	14	1.3 %
50	-	1	0.1 %
60	-	38	3.5 %
70	-	1	0.1 %
90	-	1	0.1 %
120	-	13	1.2 %
150	-	1	0.1 %
180	-	2	0.2 %

Value	Label	Unweighted Frequency	%
270	-	1	0.1 %
	Missing Data		
.	-	770	71.4 %
	Total	1,078	100%

Based upon 308 valid cases out of 1,078 total cases.

- Mean: 33.92
- Median: 30.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 270.00
- Standard Deviation: 31.25

Location: 480-482 (width: 3; decimal: 0)

Variable Type: numeric

QQ27: Walked in past 14 days to visit somebody or someplace

Value	Label	Unweighted Frequency	%
1	Yes	546	50.6 %
2	No	448	41.6 %
	Missing Data		
9	Refused	1	0.1 %
.	-	83	7.7 %
	Total	1,078	100%

Based upon 994 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 483-483 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

QQ2A7: Number of times walked to visit somebody or someplace in past 14 days

Value	Label	Unweighted Frequency	%
0	-	3	0.3 %
1	-	35	3.2 %
2	-	100	9.3 %
3	-	30	2.8 %
4	-	91	8.4 %
5	-	20	1.9 %
6	-	48	4.5 %

Value	Label	Unweighted Frequency	%
7	-	23	2.1 %
8	-	16	1.5 %
9	-	3	0.3 %
10	-	95	8.8 %
11	-	1	0.1 %
12	-	5	0.5 %
14	-	67	6.2 %
15	-	3	0.3 %
24	-	1	0.1 %
25	-	1	0.1 %
28	-	1	0.1 %
30	-	1	0.1 %
60	-	2	0.2 %
	Missing Data		
.	-	532	49.4 %
	Total	1,078	100%

Based upon 546 valid cases out of 1,078 total cases.

- Mean: 6.64
- Median: 5.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 5.58

Location: 484-485 (width: 2; decimal: 0)

Variable Type: numeric

QQ2B7: Avg # of minutes spend walking to visit somebody or someplace in past 14 days

Value	Label	Unweighted Frequency	%
0	-	3	0.3 %
1	-	2	0.2 %
2	-	6	0.6 %
3	-	9	0.8 %
5	-	39	3.6 %
8	-	1	0.1 %
10	-	57	5.3 %
12	-	1	0.1 %
15	-	50	4.6 %
20	-	65	6.0 %
25	-	8	0.7 %

Value	Label	Unweighted Frequency	%
30	-	120	11.1 %
35	-	5	0.5 %
40	-	2	0.2 %
45	-	14	1.3 %
50	-	1	0.1 %
52	-	1	0.1 %
60	-	102	9.5 %
75	-	1	0.1 %
80	-	1	0.1 %
90	-	24	2.2 %
100	-	1	0.1 %
120	-	23	2.1 %
130	-	1	0.1 %
150	-	1	0.1 %
180	-	8	0.7 %
300	-	1	0.1 %
	Missing Data		
.	-	531	49.3 %
	Total	1,078	100%

Based upon 547 valid cases out of 1,078 total cases.

- Mean: 38.35
- Median: 30.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 35.78

Location: 486-488 (width: 3; decimal: 0)

Variable Type: numeric

CC73: How satisfied with life as a whole?

Value	Label	Unweighted Frequency	%
1	Completely satisfied	281	26.1 %
2	Very satisfied	488	45.3 %
3	Somewhat satisfied	187	17.3 %
4	Not at all satisfied	20	1.9 %
	Missing Data		
8	Do not know	15	1.4 %
9	Refused	4	0.4 %
.	-	83	7.7 %

Value	Label	Unweighted Frequency	%
	Total	1,078	100%

Based upon 976 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 489-489 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

CC4A7: How often do you feel you lack companionship?

Value	Label	Unweighted Frequency	%
1	Often	100	9.3 %
2	Some of the time	273	25.3 %
3	Hardly ever	605	56.1 %
	Missing Data		
8	Do not know	12	1.1 %
9	Refused	4	0.4 %
.	-	84	7.8 %
	Total	1,078	100%

Based upon 978 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 490-490 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

CC4B7: How often do you feel left out?

Value	Label	Unweighted Frequency	%
1	Often	38	3.5 %
2	Some of the time	212	19.7 %
3	Hardly ever	717	66.5 %
	Missing Data		
8	Do not know	21	1.9 %
9	Refused	5	0.5 %
.	-	85	7.9 %
	Total	1,078	100%

Based upon 967 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 491-491 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

CC4C7: How often do you feel isolated from others?

Value	Label	Unweighted Frequency	%
1	Often	37	3.4 %
2	Some of the time	225	20.9 %
3	Hardly ever	704	65.3 %
	Missing Data		
8	Do not know	21	1.9 %
9	Refused	4	0.4 %
.	-	87	8.1 %
	Total	1,078	100%

Based upon 966 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 492-492 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

EE72: How often do you attend religious services?

Value	Label	Unweighted Frequency	%
1	Never / almost never	367	34.0 %
2	Several times per yr	148	13.7 %
3	1-2x per month	151	14.0 %
4	Almost weekly	329	30.5 %
5	> 1x per week	82	7.6 %
	Missing Data		
.	-	1	0.1 %
	Total	1,078	100%

Based upon 1,077 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 493-493 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

HHA7: Respondent beridden?

Value	Label	Unweighted Frequency	%
1	Yes	59	5.5 %
2	No	979	90.8 %
	Missing Data		
.	-	40	3.7 %
	Total	1,078	100%

Based upon 1,038 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 494-494 (width: 1; decimal: 0)

Variable Type: numeric

HHB7: Unable to stand

Value	Label	Unweighted Frequency	%
1	Yes	35	3.2 %
2	No	944	87.6 %
	Missing Data		
.	-	99	9.2 %
	Total	1,078	100%

Based upon 979 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 495-495 (width: 1; decimal: 0)

Variable Type: numeric

HHC7: Only able to stand with support

Value	Label	Unweighted Frequency	%
1	Yes	290	26.9 %
2	No	655	60.8 %
	Missing Data		
.	-	133	12.3 %
	Total	1,078	100%

Based upon 945 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 496-496 (width: 1; decimal: 0)

Variable Type: numeric

HHD7: Uses wheelchair

Value	Label	Unweighted Frequency	%
1	Yes	18	1.7 %
2	No	698	64.7 %
	Missing Data		
.	-	362	33.6 %
	Total	1,078	100%

Based upon 716 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 497-497 (width: 1; decimal: 0)

Variable Type: numeric

HH71: Number of seconds able to stand side-by-side

Value	Label	Unweighted Frequency	%
2.00	-	1	0.1 %
4.00	-	1	0.1 %
5.00	-	1	0.1 %
6.00	-	1	0.1 %
7.00	-	1	0.1 %
8.00	-	1	0.1 %
9.40	-	1	0.1 %
10.00	-	590	54.7 %
10.10	-	1	0.1 %
10.20	-	2	0.2 %
10.39	-	1	0.1 %
10.40	-	3	0.3 %
10.50	-	2	0.2 %
10.90	-	1	0.1 %
	Missing Data		
.	-	471	43.7 %
	Total	1,078	100%

Based upon 607 valid cases out of 1,078 total cases.

- Mean: 9.96
- Median: 10.00

- Mode: 10.00
- Minimum: 2.00
- Maximum: 10.90
- Standard Deviation: 0.51

Location: 498-502 (width: 5; decimal: 2)

Variable Type: numeric

NOHH71: Reason why no side-by-side measure

Value	Label	Unweighted Frequency	%
5	Tried but unable	18	1.7 %
6	Not attempted (interviewer)	5	0.5 %
7	Not attempted (respondent)	8	0.7 %
	Missing Data		
9	Refused	19	1.8 %
.	-	1028	95.4 %
	Total	1,078	100%

Based upon 31 valid cases out of 1,078 total cases.

- Minimum: 5.00
- Maximum: 7.00

Location: 503-503 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

HH72: Number of seconds able hold semi-tandem stand

Value	Label	Unweighted Frequency	%
2.1	-	2	0.2 %
2.4	-	1	0.1 %
3.0	-	1	0.1 %
4.0	-	3	0.3 %
4.2	-	1	0.1 %
4.3	-	1	0.1 %
4.5	-	1	0.1 %
5.0	-	1	0.1 %
6.4	-	1	0.1 %
6.6	-	1	0.1 %
6.7	-	1	0.1 %
6.9	-	1	0.1 %
7.0	-	2	0.2 %
7.4	-	1	0.1 %
8.0	-	1	0.1 %

Value	Label	Unweighted Frequency	%
8.4	-	1	0.1 %
9.4	-	1	0.1 %
9.7	-	1	0.1 %
10.0	-	479	44.4 %
10.1	-	2	0.2 %
10.2	-	2	0.2 %
10.3	-	1	0.1 %
10.4	-	1	0.1 %
10.5	-	2	0.2 %
	Missing Data		
.	-	569	52.8 %
	Total	1,078	100%

Based upon 509 valid cases out of 1,078 total cases.

- Mean: 9.81
- Median: 10.00
- Mode: 10.00
- Minimum: 2.10
- Maximum: 10.50
- Standard Deviation: 1.01

Location: 504-507 (width: 4; decimal: 1)

Variable Type: numeric

NOHH72: Reason why semi-tandem stand not measured

Value	Label	Unweighted Frequency	%
5	Tried but unable	82	7.6 %
6	Not attempted (interviewer)	3	0.3 %
7	Not attempted (respondent)	6	0.6 %
	Missing Data		
.	-	987	91.6 %
	Total	1,078	100%

Based upon 91 valid cases out of 1,078 total cases.

- Minimum: 5.00
- Maximum: 7.00

Location: 508-508 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

HH73: Number of seconds able to hold tandem stand

Value	Label	Unweighted Frequency	%
1.00	-	3	0.3 %
1.10	-	2	0.2 %
1.20	-	1	0.1 %
1.30	-	1	0.1 %
1.50	-	3	0.3 %
1.70	-	1	0.1 %
2.00	-	1	0.1 %
2.10	-	1	0.1 %
2.20	-	1	0.1 %
2.50	-	1	0.1 %
3.00	-	3	0.3 %
3.10	-	1	0.1 %
3.40	-	1	0.1 %
3.60	-	1	0.1 %
3.90	-	1	0.1 %
4.00	-	3	0.3 %
4.10	-	1	0.1 %
4.20	-	2	0.2 %
4.40	-	1	0.1 %
5.00	-	4	0.4 %
5.30	-	1	0.1 %
5.40	-	1	0.1 %
5.90	-	1	0.1 %
6.00	-	2	0.2 %
6.10	-	1	0.1 %
7.00	-	3	0.3 %
7.30	-	1	0.1 %
7.60	-	2	0.2 %
8.00	-	2	0.2 %
8.10	-	1	0.1 %
8.40	-	1	0.1 %
8.50	-	1	0.1 %
8.70	-	1	0.1 %
9.00	-	1	0.1 %
9.40	-	2	0.2 %
10.00	-	230	21.3 %
10.10	-	1	0.1 %
10.28	-	1	0.1 %
10.50	-	1	0.1 %

Value	Label	Unweighted Frequency	%
10.60	-	1	0.1 %
10.70	-	2	0.2 %
	Missing Data		
.	-	788	73.1 %
	Total	1,078	100%

Based upon 290 valid cases out of 1,078 total cases.

- Mean: 9.01
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.70
- Standard Deviation: 2.38

Location: 509-513 (width: 5; decimal: 2)

Variable Type: numeric

NOHH73: Reason why tandem stand not measured

Value	Label	Unweighted Frequency	%
5	Tried but unable	161	14.9 %
6	Not attempted (interviewer)	4	0.4 %
7	Not attempted (respondent)	30	2.8 %
	Missing Data		
9	Refused	1	0.1 %
.	-	882	81.8 %
	Total	1,078	100%

Based upon 195 valid cases out of 1,078 total cases.

- Minimum: 5.00
- Maximum: 7.00

Location: 514-514 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

HH5A7: Able to stand using arms five times using arms?

Value	Label	Unweighted Frequency	%
1	Yes	424	39.3 %
2	No	193	17.9 %
	Missing Data		
8	Do not know	27	2.5 %
9	Refused	16	1.5 %

Value	Label	Unweighted Frequency	%
.	-	418	38.8 %
	Total	1,078	100%

Based upon 617 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 515-515 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

UNSFSTN7: Unable to do five chair stands becuae can't stand on own

Value	Label	Unweighted Frequency	%
0	No	100	9.3 %
1	Yes	93	8.6 %
	Missing Data		
.	-	885	82.1 %
	Total	1,078	100%

Based upon 193 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 516-516 (width: 1; decimal: 0)

Variable Type: numeric

UNSFAC7: Unable to do five chair stands becuae back problems

Value	Label	Unweighted Frequency	%
0	No	171	15.9 %
1	Yes	22	2.0 %
	Missing Data		
.	-	885	82.1 %
	Total	1,078	100%

Based upon 193 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 517-517 (width: 1; decimal: 0)

Variable Type: numeric

UNSFLEG7: Unable to do five chair stands becuae leg problems

Value	Label	Unweighted Frequency	%
0	No	165	15.3 %
1	Yes	28	2.6 %
	Missing Data		
.	-	885	82.1 %
	Total	1,078	100%

Based upon 193 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 518-518 (width: 1; decimal: 0)

Variable Type: numeric

UNSFKNEE7: Unable to do five chair stands becuae knee problems

Value	Label	Unweighted Frequency	%
0	No	164	15.2 %
1	Yes	29	2.7 %
	Missing Data		
.	-	885	82.1 %
	Total	1,078	100%

Based upon 193 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 519-519 (width: 1; decimal: 0)

Variable Type: numeric

UNSFDISZY7: Unable to do five chair stands becuae dizzy spells

Value	Label	Unweighted Frequency	%
0	No	173	16.0 %
1	Yes	20	1.9 %
	Missing Data		
.	-	885	82.1 %
	Total	1,078	100%

Based upon 193 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 520-520 (width: 1; decimal: 0)

Variable Type: numeric

UNSFEAR7: Unable to do five chair stands because fear

Value	Label	Unweighted Frequency	%
0	No	179	16.6 %
1	Yes	14	1.3 %
	Missing Data		
.	-	885	82.1 %
	Total	1,078	100%

Based upon 193 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 521-521 (width: 1; decimal: 0)

Variable Type: numeric

UNSFART7: Unable to do five chair stands because arthritis

Value	Label	Unweighted Frequency	%
0	No	182	16.9 %
1	Yes	11	1.0 %
	Missing Data		
.	-	885	82.1 %
	Total	1,078	100%

Based upon 193 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 522-522 (width: 1; decimal: 0)

Variable Type: numeric

UNSFDK7: Don't know unable to do five chair stands

Value	Label	Unweighted Frequency	%
0	No	193	17.9 %
1	Yes	0	0.0 %
	Missing Data		
.	-	885	82.1 %
	Total	1,078	100%

Based upon 193 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 523-523 (width: 1; decimal: 0)

Variable Type: numeric

UNSFREF7: Refused unable to do five chair stands

Value	Label	Unweighted Frequency	%
0	No	187	17.3 %
1	Yes	6	0.6 %
	Missing Data		
.	-	885	82.1 %
	Total	1,078	100%

Based upon 193 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 524-524 (width: 1; decimal: 0)

Variable Type: numeric

UNSFOTH7: Other reason why unable to do five chair stands using arms

Value	Label	Unweighted Frequency	%
0	No	179	16.6 %
1	Yes	14	1.3 %
	Missing Data		
.	-	885	82.1 %
	Total	1,078	100%

Based upon 193 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 525-525 (width: 1; decimal: 0)

Variable Type: numeric

HH5D7: Able to do five chair stands with no arms?

Value	Label	Unweighted Frequency	%
0	No	47	4.4 %
1	Yes	403	37.4 %
	Missing Data		
9	Refused	1	0.1 %
.	-	627	58.2 %
	Total	1,078	100%

Based upon 450 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 526-526 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

HH5C7: Reason why five chairs stand with no arms not completed

Value	Label	Unweighted Frequency	%
1	Tried but unable	78	7.2 %
2	Not attempted (safety)	129	12.0 %
3	Not attempted (chairbound)	0	0.0 %
4	Not attempted (other)	12	1.1 %
	Missing Data		
9	Refused	5	0.5 %
.	-	854	79.2 %
	Total	1,078	100%

Based upon 219 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 527-527 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

HH5F7: Time to complete five chair stands (sec)

Value	Label	Unweighted Frequency	%
4.50	-	1	0.1 %
6.00	-	2	0.2 %
6.30	-	1	0.1 %
6.50	-	1	0.1 %
6.80	-	1	0.1 %
7.10	-	2	0.2 %
7.30	-	3	0.3 %
7.40	-	2	0.2 %
7.50	-	3	0.3 %
7.70	-	1	0.1 %
7.80	-	3	0.3 %
8.00	-	2	0.2 %
8.10	-	2	0.2 %

Value	Label	Unweighted Frequency	%
8.20	-	1	0.1 %
8.30	-	1	0.1 %
8.40	-	4	0.4 %
8.50	-	2	0.2 %
8.60	-	2	0.2 %
8.70	-	3	0.3 %
8.80	-	3	0.3 %
8.90	-	2	0.2 %
9.00	-	2	0.2 %
9.10	-	2	0.2 %
9.20	-	2	0.2 %
9.30	-	1	0.1 %
9.40	-	3	0.3 %
9.50	-	3	0.3 %
9.60	-	1	0.1 %
9.70	-	1	0.1 %
9.80	-	3	0.3 %
9.90	-	2	0.2 %
10.00	-	6	0.6 %
10.10	-	2	0.2 %
10.30	-	2	0.2 %
10.40	-	1	0.1 %
10.50	-	2	0.2 %
10.55	-	1	0.1 %
10.60	-	1	0.1 %
10.70	-	1	0.1 %
10.80	-	2	0.2 %
10.90	-	3	0.3 %
11.00	-	7	0.6 %
11.10	-	4	0.4 %
11.20	-	2	0.2 %
11.30	-	1	0.1 %
11.40	-	4	0.4 %
11.50	-	4	0.4 %
11.60	-	2	0.2 %
11.90	-	2	0.2 %
12.00	-	11	1.0 %
	Missing Data		
.	-	675	62.6 %

Value	Label	Unweighted Frequency	%
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 403 valid cases out of 1,078 total cases.

- Mean: 17.07
- Median: 15.00
- Minimum: 4.50
- Maximum: 90.00
- Standard Deviation: 8.23

Location: 528-532 (width: 5; decimal: 2)

Variable Type: numeric

HH5G7: Chair height (in)

Value	Label	Unweighted Frequency	%
6.10	-	1	0.1 %
10.00	-	1	0.1 %
14.00	-	3	0.3 %
14.05	-	2	0.2 %
14.50	-	1	0.1 %
15.00	-	3	0.3 %
15.01	-	2	0.2 %
15.02	-	1	0.1 %
15.05	-	3	0.3 %
15.50	-	4	0.4 %
15.75	-	29	2.7 %
16.00	-	76	7.1 %
16.01	-	1	0.1 %
16.02	-	2	0.2 %
16.05	-	13	1.2 %
16.25	-	1	0.1 %
16.50	-	22	2.0 %
16.57	-	1	0.1 %
16.70	-	1	0.1 %
16.93	-	1	0.1 %
17.00	-	76	7.1 %
17.01	-	2	0.2 %
17.02	-	3	0.3 %
17.05	-	10	0.9 %
17.20	-	2	0.2 %

Value	Label	Unweighted Frequency	%
17.25	-	3	0.3 %
17.50	-	44	4.1 %
17.75	-	2	0.2 %
17.80	-	1	0.1 %
18.00	-	55	5.1 %
18.05	-	2	0.2 %
18.20	-	1	0.1 %
18.25	-	2	0.2 %
18.50	-	12	1.1 %
18.75	-	1	0.1 %
19.00	-	11	1.0 %
19.25	-	3	0.3 %
19.50	-	3	0.3 %
20.00	-	2	0.2 %
	Missing Data		
.	-	675	62.6 %
	Total	1,078	100%

Based upon 403 valid cases out of 1,078 total cases.

- Mean: 16.87
- Median: 17.00
- Minimum: 6.10
- Maximum: 20.00
- Standard Deviation: 1.22

Location: 533-537 (width: 5; decimal: 2)

Variable Type: numeric

HH10A7: Walked eight feet

Value	Label	Unweighted Frequency	%
1	Yes	713	66.1 %
2	No	136	12.6 %
	Missing Data		
9	Refused	85	7.9 %
.	-	144	13.4 %
	Total	1,078	100%

Based upon 849 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 538-538 (width: 1; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 9 , .

HH10B7: Seconds to walk eight feet

Value	Label	Unweighted Frequency	%
0.60	-	1	0.1 %
0.70	-	1	0.1 %
2.00	-	1	0.1 %
2.20	-	3	0.3 %
2.30	-	2	0.2 %
2.40	-	1	0.1 %
2.60	-	1	0.1 %
2.70	-	1	0.1 %
2.71	-	1	0.1 %
2.90	-	6	0.6 %
3.00	-	16	1.5 %
3.10	-	5	0.5 %
3.20	-	7	0.6 %
3.30	-	12	1.1 %
3.40	-	5	0.5 %
3.50	-	10	0.9 %
3.60	-	9	0.8 %
3.70	-	2	0.2 %
3.80	-	5	0.5 %
3.90	-	3	0.3 %
4.00	-	26	2.4 %
4.10	-	6	0.6 %
4.20	-	11	1.0 %
4.30	-	12	1.1 %
4.40	-	3	0.3 %
4.50	-	5	0.5 %
4.60	-	7	0.6 %
4.70	-	4	0.4 %
4.80	-	10	0.9 %
4.90	-	9	0.8 %
5.00	-	26	2.4 %
5.10	-	9	0.8 %
5.20	-	11	1.0 %
5.30	-	6	0.6 %
5.34	-	1	0.1 %

Value	Label	Unweighted Frequency	%
5.40	-	8	0.7 %
5.50	-	6	0.6 %
5.60	-	8	0.7 %
5.64	-	1	0.1 %
5.70	-	9	0.8 %
5.80	-	9	0.8 %
5.90	-	7	0.6 %
6.00	-	14	1.3 %
6.10	-	6	0.6 %
6.20	-	4	0.4 %
6.30	-	8	0.7 %
6.40	-	5	0.5 %
6.50	-	8	0.7 %
6.60	-	6	0.6 %
6.70	-	5	0.5 %
	Missing Data		
.	-	364	33.8 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 714 valid cases out of 1,078 total cases.

- Mean: 8.40
- Median: 6.90
- Mode: 10.00
- Minimum: 0.60
- Maximum: 199.00
- Standard Deviation: 9.16

Location: 539-544 (width: 6; decimal: 2)

Variable Type: numeric

HH10C7: Number of steps to walk eight feet

Value	Label	Unweighted Frequency	%
3	-	1	0.1 %
4	-	24	2.2 %
5	-	104	9.6 %
6	-	127	11.8 %
7	-	107	9.9 %
8	-	107	9.9 %
9	-	66	6.1 %

Value	Label	Unweighted Frequency	%
10	-	68	6.3 %
11	-	27	2.5 %
12	-	30	2.8 %
13	-	15	1.4 %
14	-	5	0.5 %
15	-	9	0.8 %
16	-	3	0.3 %
17	-	4	0.4 %
18	-	2	0.2 %
19	-	2	0.2 %
20	-	4	0.4 %
21	-	1	0.1 %
22	-	1	0.1 %
23	-	1	0.1 %
26	-	1	0.1 %
27	-	1	0.1 %
29	-	2	0.2 %
52	-	1	0.1 %
	Missing Data		
.	-	365	33.9 %
	Total	1,078	100%

Based upon 713 valid cases out of 1,078 total cases.

- Mean: 8.16
- Median: 7.00
- Mode: 6.00
- Minimum: 3.00
- Maximum: 52.00
- Standard Deviation: 3.68

Location: 545-546 (width: 2; decimal: 0)

Variable Type: numeric

HH10D7: Reason walk not completed

Value	Label	Unweighted Frequency	%
1	Tried but unable	14	1.3 %
2	Not attempted (interviewer)	58	5.4 %
3	Not attempted (respondent)	52	4.8 %
4	N/A	8	0.7 %
	Missing Data		
9	Refused	87	8.1 %

Value	Label	Unweighted Frequency	%
.	-	859	79.7 %
	Total	1,078	100%

Based upon 132 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 547-547 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

HH10E7: Aids used in gait assessment

Value	Label	Unweighted Frequency	%
1	No aid	579	53.7 %
2	Wheelchair (walking aid)	7	0.6 %
3	Walker	56	5.2 %
4	Quad cane	22	2.0 %
5	Other can	38	3.5 %
6	Other walking cane	10	0.9 %
	Missing Data		
.	-	366	34.0 %
	Total	1,078	100%

Based upon 712 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 548-548 (width: 1; decimal: 0)

Variable Type: numeric

HH12A7: Difficulty finding 12 foot space for walking

Value	Label	Unweighted Frequency	%
1	Yes	18	1.7 %
2	No	701	65.0 %
	Missing Data		
.	-	359	33.3 %
	Total	1,078	100%

Based upon 719 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 549-549 (width: 1; decimal: 0)

Variable Type: numeric

HH12B7: Type of walking surface

Value	Label	Unweighted Frequency	%
1	Uncarpeted	529	49.1 %
2	Low carpet	164	15.2 %
3	Other	26	2.4 %
	Missing Data		
.	-	359	33.3 %
	Total	1,078	100%

Based upon 719 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 550-550 (width: 1; decimal: 0)

Variable Type: numeric

BAL7: Balance score for POMA

Value	Label	Unweighted Frequency	%
0	-	460	42.7 %
1	-	112	10.4 %
2	-	209	19.4 %
3	-	42	3.9 %
4	-	230	21.3 %
	Missing Data		
.	-	25	2.3 %
	Total	1,078	100%

Based upon 1,053 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 551-551 (width: 1; decimal: 0)

Variable Type: numeric

DOBAL7: Dichotomized balance for POMA

Value	Label	Unweighted Frequency	%
0	-	460	42.7 %
1	-	593	55.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	25	2.3 %
	Total	1,078	100%

Based upon 1,053 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 552-552 (width: 1; decimal: 0)

Variable Type: numeric

SIT7: Chair stand score for POMA

Value	Label	Unweighted Frequency	%
0	-	425	39.4 %
1	-	164	15.2 %
2	-	76	7.1 %
3	-	80	7.4 %
4	-	302	28.0 %
	Missing Data		
.	-	31	2.9 %
	Total	1,078	100%

Based upon 1,047 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 553-553 (width: 1; decimal: 0)

Variable Type: numeric

DOSIT7: Dichotomized chair stands for POMA

Value	Label	Unweighted Frequency	%
0	-	425	39.4 %
1	-	622	57.7 %
	Missing Data		
.	-	31	2.9 %
	Total	1,078	100%

Based upon 1,047 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 554-554 (width: 1; decimal: 0)

Variable Type: numeric

WALK7: Walk score for POMA

Value	Label	Unweighted Frequency	%
0	-	338	31.4 %
1	-	242	22.4 %
2	-	185	17.2 %
3	-	194	18.0 %
4	-	92	8.5 %
	Missing Data		
.	-	27	2.5 %
	Total	1,078	100%

Based upon 1,051 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 555-555 (width: 1; decimal: 0)

Variable Type: numeric

DOWALK7: Dichotomized walk for POMA

Value	Label	Unweighted Frequency	%
0	-	338	31.4 %
1	-	713	66.1 %
	Missing Data		
.	-	27	2.5 %
	Total	1,078	100%

Based upon 1,051 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 556-556 (width: 1; decimal: 0)

Variable Type: numeric

TOTPOMA7: Total POMA summary score

Value	Label	Unweighted Frequency	%
0	-	313	29.0 %
1	-	65	6.0 %
2	-	48	4.5 %
3	-	30	2.8 %
4	-	54	5.0 %
5	-	60	5.6 %

Value	Label	Unweighted Frequency	%
6	-	104	9.6 %
7	-	86	8.0 %
8	-	76	7.1 %
9	-	89	8.3 %
10	-	66	6.1 %
11	-	60	5.6 %
12	-	15	1.4 %
	Missing Data		
.	-	12	1.1 %
	Total	1,078	100%

Based upon 1,066 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 12.00

Location: 557-558 (width: 2; decimal: 0)

Variable Type: numeric

POMACAT7: Total POMA categories

Value	Label	Unweighted Frequency	%
0	-	313	29.0 %
1	-	197	18.3 %
2	-	326	30.2 %
3	-	230	21.3 %
	Missing Data		
.	-	12	1.1 %
	Total	1,078	100%

Based upon 1,066 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 559-559 (width: 1; decimal: 0)

Variable Type: numeric

HH7A7: Recent surgery preventing grip strength test?

Value	Label	Unweighted Frequency	%
1	Yes	28	2.6 %
2	No	965	89.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Do not know	1	0.1 %
9	Refused	23	2.1 %
.	-	61	5.7 %
	Total	1,078	100%

Based upon 993 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 560-560 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

HH7B71: Grip strength for trial-1 in kilograms

Value	Label	Unweighted Frequency	%
0.0	-	6	0.6 %
0.3	-	1	0.1 %
0.5	-	1	0.1 %
1.0	-	5	0.5 %
1.2	-	1	0.1 %
1.5	-	2	0.2 %
2.0	-	7	0.6 %
2.5	-	1	0.1 %
3.0	-	4	0.4 %
3.5	-	3	0.3 %
4.0	-	8	0.7 %
4.5	-	2	0.2 %
5.0	-	12	1.1 %
5.5	-	6	0.6 %
6.0	-	7	0.6 %
6.5	-	4	0.4 %
7.0	-	6	0.6 %
7.5	-	7	0.6 %
8.0	-	9	0.8 %
8.5	-	8	0.7 %
9.0	-	15	1.4 %
9.1	-	1	0.1 %
9.3	-	1	0.1 %
9.5	-	9	0.8 %
9.8	-	1	0.1 %

Value	Label	Unweighted Frequency	%
10.0	-	36	3.3 %
10.1	-	1	0.1 %
10.3	-	1	0.1 %
10.5	-	17	1.6 %
11.0	-	12	1.1 %
11.5	-	10	0.9 %
12.0	-	29	2.7 %
12.5	-	22	2.0 %
12.6	-	1	0.1 %
13.0	-	16	1.5 %
13.2	-	1	0.1 %
13.5	-	13	1.2 %
14.0	-	31	2.9 %
14.2	-	1	0.1 %
14.5	-	18	1.7 %
15.0	-	48	4.5 %
15.1	-	3	0.3 %
15.2	-	1	0.1 %
15.3	-	2	0.2 %
15.5	-	19	1.8 %
16.0	-	40	3.7 %
16.5	-	16	1.5 %
17.0	-	28	2.6 %
17.5	-	15	1.4 %
18.0	-	30	2.8 %
	Missing Data		
.	-	161	14.9 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 917 valid cases out of 1,078 total cases.

- Mean: 17.52
- Median: 16.50
- Mode: 15.00
- Minimum: 0.00
- Maximum: 80.40
- Standard Deviation: 8.39

Location: 561-564 (width: 4; decimal: 1)

Variable Type: numeric

NOHH7B71: Reason for no trial 1 grip strength data

Value	Label	Unweighted Frequency	%
1	Unable/discontinued	25	2.3 %
2	Not performed (safety)	12	1.1 %
	Missing Data		
9	Refused	36	3.3 %
.	-	1005	93.2 %
	Total	1,078	100%

Based upon 37 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 565-565 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

HH7B72: Grip strength for trial-2 in kilograms

Value	Label	Unweighted Frequency	%
0.0	-	6	0.6 %
0.8	-	1	0.1 %
1.0	-	3	0.3 %
1.5	-	3	0.3 %
2.0	-	6	0.6 %
2.5	-	2	0.2 %
3.0	-	6	0.6 %
3.5	-	4	0.4 %
4.0	-	6	0.6 %
4.5	-	3	0.3 %
5.0	-	9	0.8 %
5.1	-	1	0.1 %
5.3	-	1	0.1 %
5.5	-	7	0.6 %
6.0	-	5	0.5 %
6.5	-	2	0.2 %
7.0	-	9	0.8 %
7.5	-	6	0.6 %
8.0	-	18	1.7 %
8.5	-	9	0.8 %
9.0	-	10	0.9 %

Value	Label	Unweighted Frequency	%
9.5	-	5	0.5 %
10.0	-	34	3.2 %
10.1	-	1	0.1 %
10.2	-	1	0.1 %
10.3	-	1	0.1 %
10.5	-	10	0.9 %
11.0	-	25	2.3 %
11.5	-	15	1.4 %
11.7	-	1	0.1 %
12.0	-	19	1.8 %
12.1	-	1	0.1 %
12.2	-	1	0.1 %
12.3	-	1	0.1 %
12.5	-	8	0.7 %
13.0	-	12	1.1 %
13.5	-	14	1.3 %
14.0	-	30	2.8 %
14.5	-	16	1.5 %
15.0	-	51	4.7 %
15.1	-	3	0.3 %
15.2	-	3	0.3 %
15.5	-	20	1.9 %
16.0	-	39	3.6 %
16.3	-	1	0.1 %
16.5	-	22	2.0 %
16.7	-	1	0.1 %
17.0	-	28	2.6 %
17.3	-	1	0.1 %
17.5	-	9	0.8 %
	Missing Data		
.	-	171	15.9 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 907 valid cases out of 1,078 total cases.

- Mean: 17.71
- Median: 17.00
- Mode: 15.00
- Minimum: 0.00

- Maximum: 60.30
- Standard Deviation: 8.27

Location: 566-569 (width: 4; decimal: 1)

Variable Type: numeric

NOHH7B72: Reason for no trial 2 grip strength data

Value	Label	Unweighted Frequency	%
1	Unable/discontinued	29	2.7 %
2	Not performed (safety)	15	1.4 %
	Missing Data		
9	Refused	38	3.5 %
.	-	996	92.4 %
	Total	1,078	100%

Based upon 44 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 570-570 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

HH7C7: Had tested for grip strength

Value	Label	Unweighted Frequency	%
1	Right	804	74.6 %
2	Left	115	10.7 %
3	N/A	48	4.5 %
	Missing Data		
.	-	111	10.3 %
	Total	1,078	100%

Based upon 967 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 571-571 (width: 1; decimal: 0)

Variable Type: numeric

GRIPSC7: Dynamometer grip scale

Value	Label	Unweighted Frequency	%
1	5	358	33.2 %
2	6	533	49.4 %

Value	Label	Unweighted Frequency	%
3	7	31	2.9 %
	Missing Data		
.	-	156	14.5 %
	Total	1,078	100%

Based upon 922 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 572-572 (width: 1; decimal: 0)

Variable Type: numeric

II1A7: Measured height in inches

Value	Label	Unweighted Frequency	%
40.11	-	1	0.1 %
47.00	-	1	0.1 %
48.00	-	2	0.2 %
48.70	-	1	0.1 %
49.00	-	2	0.2 %
50.00	-	1	0.1 %
50.10	-	1	0.1 %
51.00	-	1	0.1 %
52.00	-	5	0.5 %
52.50	-	1	0.1 %
53.00	-	2	0.2 %
53.50	-	1	0.1 %
53.75	-	1	0.1 %
54.00	-	9	0.8 %
54.05	-	1	0.1 %
54.50	-	3	0.3 %
55.00	-	7	0.6 %
55.05	-	1	0.1 %
55.25	-	3	0.3 %
55.50	-	3	0.3 %
56.00	-	10	0.9 %
56.04	-	1	0.1 %
56.07	-	1	0.1 %
56.25	-	2	0.2 %
56.45	-	1	0.1 %
56.50	-	6	0.6 %

Value	Label	Unweighted Frequency	%
56.75	-	2	0.2 %
57.00	-	13	1.2 %
57.05	-	4	0.4 %
57.20	-	1	0.1 %
57.25	-	4	0.4 %
57.50	-	12	1.1 %
58.00	-	30	2.8 %
58.01	-	1	0.1 %
58.05	-	3	0.3 %
58.10	-	1	0.1 %
58.25	-	6	0.6 %
58.50	-	21	1.9 %
58.70	-	1	0.1 %
58.75	-	2	0.2 %
59.00	-	31	2.9 %
59.05	-	5	0.5 %
59.25	-	4	0.4 %
59.50	-	31	2.9 %
59.75	-	5	0.5 %
59.90	-	1	0.1 %
60.00	-	74	6.9 %
60.01	-	2	0.2 %
60.05	-	3	0.3 %
60.06	-	1	0.1 %
	Missing Data		
.	-	244	22.6 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 834 valid cases out of 1,078 total cases.

- Mean: 61.84
- Median: 61.50
- Mode: 60.00
- Minimum: 40.11
- Maximum: 80.00
- Standard Deviation: 4.17

Location: 573-577 (width: 5; decimal: 2)

Variable Type: numeric

II1A7A: Unable or refused height

Value	Label	Unweighted Frequency	%
98	Unable to stand	94	8.7 %
99	Refused	73	6.8 %
	Missing Data		
.	-	911	84.5 %
	Total	1,078	100%

Based upon 167 valid cases out of 1,078 total cases.

- Minimum: 98.00
- Maximum: 99.00

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

II1AA7: Demi-span in centimeters

Value	Label	Unweighted Frequency	%
26.50	-	1	0.1 %
27.00	-	1	0.1 %
61.00	-	2	0.2 %
61.60	-	1	0.1 %
63.00	-	1	0.1 %
65.00	-	1	0.1 %
66.00	-	3	0.3 %
66.60	-	1	0.1 %
67.00	-	2	0.2 %
67.20	-	1	0.1 %
67.31	-	1	0.1 %
67.50	-	1	0.1 %
67.60	-	1	0.1 %
67.80	-	1	0.1 %
68.00	-	5	0.5 %
68.10	-	2	0.2 %
68.40	-	1	0.1 %
68.50	-	1	0.1 %
68.60	-	1	0.1 %
68.70	-	1	0.1 %
69.00	-	3	0.3 %
69.10	-	1	0.1 %
69.20	-	1	0.1 %
69.40	-	1	0.1 %
69.50	-	4	0.4 %

Value	Label	Unweighted Frequency	%
69.70	-	1	0.1 %
69.80	-	2	0.2 %
69.90	-	1	0.1 %
70.00	-	8	0.7 %
70.10	-	2	0.2 %
70.20	-	1	0.1 %
70.30	-	2	0.2 %
70.50	-	2	0.2 %
70.60	-	1	0.1 %
71.00	-	9	0.8 %
71.10	-	4	0.4 %
71.20	-	1	0.1 %
71.50	-	4	0.4 %
71.90	-	1	0.1 %
72.00	-	10	0.9 %
72.10	-	2	0.2 %
72.30	-	1	0.1 %
72.40	-	4	0.4 %
72.50	-	5	0.5 %
72.70	-	1	0.1 %
72.80	-	1	0.1 %
72.90	-	1	0.1 %
73.00	-	11	1.0 %
73.10	-	2	0.2 %
73.20	-	1	0.1 %
	Missing Data		
.	-	126	11.7 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 952 valid cases out of 1,078 total cases.

- Mean: 80.11
- Median: 80.00
- Mode: 80.00
- Minimum: 26.50
- Maximum: 126.00
- Standard Deviation: 6.72

Location: 580-585 (width: 6; decimal: 2)

Variable Type: numeric

II1B7: Measured weight in pounds

Value	Label	Unweighted Frequency	%
72	-	1	0.1 %
76	-	1	0.1 %
80	-	1	0.1 %
84	-	1	0.1 %
85	-	3	0.3 %
87	-	1	0.1 %
88	-	4	0.4 %
90	-	1	0.1 %
92	-	1	0.1 %
93	-	1	0.1 %
95	-	2	0.2 %
96	-	3	0.3 %
97	-	2	0.2 %
98	-	4	0.4 %
99	-	2	0.2 %
100	-	7	0.6 %
101	-	1	0.1 %
102	-	7	0.6 %
103	-	2	0.2 %
104	-	1	0.1 %
105	-	9	0.8 %
106	-	1	0.1 %
107	-	2	0.2 %
108	-	3	0.3 %
109	-	2	0.2 %
110	-	12	1.1 %
111	-	6	0.6 %
112	-	9	0.8 %
113	-	4	0.4 %
114	-	2	0.2 %
115	-	11	1.0 %
116	-	5	0.5 %
117	-	4	0.4 %
118	-	12	1.1 %
119	-	4	0.4 %
120	-	18	1.7 %
121	-	4	0.4 %

Value	Label	Unweighted Frequency	%
122	-	4	0.4 %
123	-	6	0.6 %
124	-	5	0.5 %
125	-	16	1.5 %
126	-	8	0.7 %
127	-	4	0.4 %
128	-	11	1.0 %
129	-	2	0.2 %
130	-	23	2.1 %
131	-	4	0.4 %
132	-	15	1.4 %
133	-	3	0.3 %
134	-	14	1.3 %
	Missing Data		
.	-	267	24.8 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 811 valid cases out of 1,078 total cases.

- Mean: 149.89
- Median: 148.00
- Mode: 140.00
- Minimum: 72.00
- Maximum: 280.00
- Standard Deviation: 30.69

Location: 586-588 (width: 3; decimal: 0)

Variable Type: numeric

II1B7A: Unable or refused weight

Value	Label	Unweighted Frequency	%
998	Unable to stand	88	8.2 %
999	Refused	108	10.0 %
	Missing Data		
.	-	882	81.8 %
	Total	1,078	100%

Based upon 196 valid cases out of 1,078 total cases.

- Minimum: 998.00
- Maximum: 999.00

Location: 589-591 (width: 3; decimal: 0)

Variable Type: numeric

II1D7: Self reported weight in pounds

Value	Label	Unweighted Frequency	%
80	-	2	0.2 %
83	-	1	0.1 %
90	-	3	0.3 %
94	-	3	0.3 %
95	-	1	0.1 %
96	-	2	0.2 %
98	-	1	0.1 %
99	-	1	0.1 %
100	-	2	0.2 %
105	-	4	0.4 %
106	-	1	0.1 %
107	-	2	0.2 %
108	-	1	0.1 %
109	-	2	0.2 %
110	-	8	0.7 %
111	-	1	0.1 %
112	-	1	0.1 %
113	-	1	0.1 %
114	-	2	0.2 %
115	-	7	0.6 %
116	-	1	0.1 %
117	-	2	0.2 %
118	-	2	0.2 %
119	-	1	0.1 %
120	-	10	0.9 %
121	-	1	0.1 %
122	-	4	0.4 %
125	-	5	0.5 %
126	-	2	0.2 %
128	-	3	0.3 %
129	-	1	0.1 %
130	-	11	1.0 %
131	-	1	0.1 %
132	-	4	0.4 %
133	-	1	0.1 %

Value	Label	Unweighted Frequency	%
134	-	2	0.2 %
135	-	9	0.8 %
136	-	3	0.3 %
137	-	3	0.3 %
138	-	4	0.4 %
139	-	3	0.3 %
140	-	9	0.8 %
142	-	1	0.1 %
143	-	4	0.4 %
144	-	2	0.2 %
145	-	6	0.6 %
146	-	1	0.1 %
147	-	2	0.2 %
148	-	3	0.3 %
150	-	7	0.6 %
	Missing Data		
.	-	838	77.7 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 240 valid cases out of 1,078 total cases.

- Mean: 144.30
- Median: 140.00
- Mode: 130.00
- Minimum: 80.00
- Maximum: 240.00
- Standard Deviation: 31.91

Location: 592-594 (width: 3; decimal: 0)

Variable Type: numeric

II1D7A: Refused weight

Value	Label	Unweighted Frequency	%
998	Unable to stand	0	0.0 %
999	Refused	3	0.3 %
	Missing Data		
.	-	1075	99.7 %
	Total	1,078	100%

Based upon 3 valid cases out of 1,078 total cases.

- Minimum: 999.00
- Maximum: 999.00

Location: 595-597 (width: 3; decimal: 0)

Variable Type: numeric

II1C7: Type of surface used in measuring weight and height

Value	Label	Unweighted Frequency	%
1	Uncarpeted	699	64.8 %
2	Low carpet	102	9.5 %
3	Other	15	1.4 %
4	Reported weight	227	21.1 %
	Missing Data		
.	-	35	3.2 %
	Total	1,078	100%

Based upon 1,043 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 598-598 (width: 1; decimal: 0)

Variable Type: numeric

BMI7: BMI (includes self-reported weight)

Value	Label	Unweighted Frequency	%
13.96	-	1	0.1 %
15.30	-	1	0.1 %
15.54	-	1	0.1 %
15.92	-	1	0.1 %
16.01	-	1	0.1 %
16.50	-	1	0.1 %
16.77	-	1	0.1 %
17.14	-	1	0.1 %
17.18	-	1	0.1 %
17.20	-	1	0.1 %
17.22	-	1	0.1 %
17.27	-	1	0.1 %
17.41	-	1	0.1 %
17.65	-	1	0.1 %
18.03	-	1	0.1 %
18.05	-	1	0.1 %
18.15	-	1	0.1 %

Value	Label	Unweighted Frequency	%
18.20	-	1	0.1 %
18.22	-	1	0.1 %
18.28	-	1	0.1 %
18.68	-	1	0.1 %
18.75	-	2	0.2 %
18.79	-	2	0.2 %
18.83	-	1	0.1 %
18.85	-	1	0.1 %
18.90	-	1	0.1 %
19.01	-	1	0.1 %
19.09	-	2	0.2 %
19.10	-	1	0.1 %
19.12	-	2	0.2 %
19.18	-	1	0.1 %
19.25	-	1	0.1 %
19.27	-	1	0.1 %
19.30	-	1	0.1 %
19.41	-	1	0.1 %
19.53	-	1	0.1 %
19.61	-	1	0.1 %
19.62	-	1	0.1 %
19.69	-	1	0.1 %
19.77	-	2	0.2 %
19.83	-	1	0.1 %
19.85	-	1	0.1 %
19.88	-	1	0.1 %
19.96	-	1	0.1 %
20.03	-	1	0.1 %
20.06	-	1	0.1 %
20.12	-	1	0.1 %
20.18	-	2	0.2 %
20.22	-	1	0.1 %
20.24	-	1	0.1 %
	Missing Data		
.	-	244	22.6 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 834 valid cases out of 1,078 total cases.

- Mean: 27.65
- Minimum: 13.96
- Maximum: 63.79
- Standard Deviation: 5.47

Location: 599-603 (width: 5; decimal: 2)

Variable Type: numeric

JJ17: 1st waist circumference measure (cm)

Value	Label	Unweighted Frequency	%
33.0	-	1	0.1 %
37.0	-	1	0.1 %
37.5	-	1	0.1 %
39.0	-	1	0.1 %
39.5	-	1	0.1 %
41.0	-	2	0.2 %
44.5	-	2	0.2 %
45.0	-	1	0.1 %
63.0	-	1	0.1 %
63.5	-	1	0.1 %
63.9	-	1	0.1 %
69.9	-	1	0.1 %
70.5	-	1	0.1 %
72.0	-	1	0.1 %
72.2	-	1	0.1 %
72.4	-	1	0.1 %
73.0	-	1	0.1 %
73.1	-	1	0.1 %
74.0	-	1	0.1 %
75.5	-	1	0.1 %
75.6	-	1	0.1 %
76.0	-	4	0.4 %
76.4	-	1	0.1 %
77.0	-	2	0.2 %
77.1	-	2	0.2 %
77.4	-	1	0.1 %
78.0	-	2	0.2 %
78.5	-	1	0.1 %
79.0	-	3	0.3 %
79.5	-	1	0.1 %

Value	Label	Unweighted Frequency	%
79.6	-	1	0.1 %
79.8	-	1	0.1 %
79.9	-	1	0.1 %
80.0	-	3	0.3 %
80.1	-	1	0.1 %
80.2	-	1	0.1 %
80.3	-	2	0.2 %
80.5	-	2	0.2 %
80.7	-	1	0.1 %
81.0	-	3	0.3 %
81.3	-	1	0.1 %
81.6	-	1	0.1 %
82.0	-	6	0.6 %
82.5	-	1	0.1 %
82.6	-	1	0.1 %
83.1	-	2	0.2 %
83.2	-	1	0.1 %
83.3	-	1	0.1 %
83.4	-	1	0.1 %
83.8	-	2	0.2 %
	Missing Data		
.	-	149	13.8 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 929 valid cases out of 1,078 total cases.

- Mean: 100.28
- Minimum: 33.00
- Maximum: 193.00
- Standard Deviation: 13.75

Location: 604-608 (width: 5; decimal: 1)

Variable Type: numeric

JJ27: 2nd waist circumference measure (cm)

Value	Label	Unweighted Frequency	%
33.0	-	1	0.1 %
37.5	-	1	0.1 %
38.0	-	2	0.2 %

Value	Label	Unweighted Frequency	%
38.5	-	1	0.1 %
39.5	-	1	0.1 %
44.5	-	1	0.1 %
45.0	-	1	0.1 %
47.0	-	1	0.1 %
63.0	-	1	0.1 %
63.3	-	1	0.1 %
64.0	-	1	0.1 %
70.1	-	1	0.1 %
71.4	-	1	0.1 %
72.1	-	1	0.1 %
72.5	-	1	0.1 %
72.6	-	1	0.1 %
72.8	-	1	0.1 %
73.0	-	2	0.2 %
75.4	-	1	0.1 %
76.0	-	2	0.2 %
76.1	-	1	0.1 %
76.5	-	1	0.1 %
77.0	-	3	0.3 %
77.1	-	3	0.3 %
77.3	-	1	0.1 %
77.6	-	1	0.1 %
78.0	-	1	0.1 %
78.5	-	1	0.1 %
78.8	-	1	0.1 %
79.0	-	2	0.2 %
79.3	-	1	0.1 %
79.5	-	1	0.1 %
79.8	-	2	0.2 %
79.9	-	2	0.2 %
80.0	-	3	0.3 %
80.2	-	1	0.1 %
80.5	-	2	0.2 %
80.6	-	1	0.1 %
81.0	-	4	0.4 %
81.2	-	1	0.1 %
81.4	-	1	0.1 %
81.5	-	1	0.1 %

Value	Label	Unweighted Frequency	%
82.0	-	6	0.6 %
82.1	-	1	0.1 %
82.5	-	1	0.1 %
83.0	-	1	0.1 %
83.1	-	1	0.1 %
83.4	-	1	0.1 %
83.8	-	3	0.3 %
83.9	-	1	0.1 %
	Missing Data		
.	-	163	15.1 %
	Total	1,078	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 915 valid cases out of 1,078 total cases.

- Mean: 100.49
- Minimum: 33.00
- Maximum: 194.00
- Standard Deviation: 13.81

Location: 609-613 (width: 5; decimal: 1)

Variable Type: numeric

KK72: Number of visits with medical practitioner in past 12 months

Value	Label	Unweighted Frequency	%
0	-	63	5.8 %
1	-	62	5.8 %
2	-	74	6.9 %
3	-	84	7.8 %
4	-	207	19.2 %
5	-	50	4.6 %
6	-	106	9.8 %
7	-	27	2.5 %
8	-	43	4.0 %
9	-	18	1.7 %
10	-	41	3.8 %
11	-	3	0.3 %
12	-	144	13.4 %
13	-	2	0.2 %
14	-	6	0.6 %

Value	Label	Unweighted Frequency	%
15	-	23	2.1 %
16	-	9	0.8 %
17	-	3	0.3 %
18	-	3	0.3 %
20	-	22	2.0 %
21	-	1	0.1 %
24	-	18	1.7 %
25	-	5	0.5 %
26	-	1	0.1 %
28	-	3	0.3 %
30	-	12	1.1 %
32	-	1	0.1 %
36	-	2	0.2 %
40	-	1	0.1 %
48	-	5	0.5 %
50	-	3	0.3 %
52	-	6	0.6 %
55	-	1	0.1 %
56	-	3	0.3 %
60	-	1	0.1 %
90	-	1	0.1 %
100	-	1	0.1 %
104	-	1	0.1 %
110	-	1	0.1 %
120	-	1	0.1 %
160	-	1	0.1 %
364	-	1	0.1 %
365	-	2	0.2 %
	Missing Data		
.	-	16	1.5 %
	Total	1,078	100%

Based upon 1,062 valid cases out of 1,078 total cases.

- Mean: 9.55
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 365.00
- Standard Deviation: 22.29

Location: 614-616 (width: 3; decimal: 0)

Variable Type: numeric

NOKK72: Don't know or refused to give number of visits with medical practitioner

Value	Label	Unweighted Frequency	%
98	Do not know	14	1.3 %
99	Refused	0	0.0 %
	Missing Data		
.	-	1064	98.7 %
	Total	1,078	100%

Based upon 14 valid cases out of 1,078 total cases.

- Minimum: 98.00
- Maximum: 98.00

Location: 617-618 (width: 2; decimal: 0)

Variable Type: numeric

VISITMD7: Visited clinician in past year

Value	Label	Unweighted Frequency	%
0	No	63	5.8 %
1	Yes	999	92.7 %
	Missing Data		
.	-	16	1.5 %
	Total	1,078	100%

Based upon 1,062 valid cases out of 1,078 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 619-619 (width: 1; decimal: 0)

Variable Type: numeric

CC71A: Illness required hospital stay in last 12 months

Value	Label	Unweighted Frequency	%
1	Yes	317	29.4 %
2	No	759	70.4 %
	Missing Data		
8	Do not know	1	0.1 %
.	-	1	0.1 %
	Total	1,078	100%

Based upon 1,076 valid cases out of 1,078 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 620-620 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

KK76: Respondend ever been in nursing/rest home?

Value	Label	Unweighted Frequency	%
1	Yes	111	10.3 %
2	No	966	89.6 %
	Missing Data		
8	Do not know	1	0.1 %
	Total	1,078	100%

Based upon 1,077 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 621-621 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

KK76A: Year entered nursing facility

Value	Label	Unweighted Frequency	%
1989	-	1	0.1 %
1992	-	1	0.1 %
1995	-	1	0.1 %
1998	-	3	0.3 %
1999	-	1	0.1 %
2002	-	3	0.3 %
2003	-	3	0.3 %
2004	-	6	0.6 %
2005	-	3	0.3 %
2006	-	4	0.4 %
2007	-	12	1.1 %
2008	-	17	1.6 %
2009	-	16	1.5 %
2010	-	35	3.2 %
	Missing Data		
9998	Do not know	5	0.5 %
.	-	967	89.7 %
	Total	1,078	100%

Based upon 106 valid cases out of 1,078 total cases.

- Mean: 2007.18
- Median: 2008.00
- Mode: 2010.00
- Minimum: 1989.00
- Maximum: 2010.00
- Standard Deviation: 3.89

Location: 622-625 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998 , 9999 , .

KK76B: Number of time-units stayed in nursing facility

Value	Label	Unweighted Frequency	%
1	-	15	1.4 %
2	-	16	1.5 %
3	-	15	1.4 %
4	-	4	0.4 %
5	-	4	0.4 %
6	-	6	0.6 %
7	-	10	0.9 %
8	-	6	0.6 %
9	-	1	0.1 %
10	-	1	0.1 %
12	-	1	0.1 %
14	-	6	0.6 %
15	-	3	0.3 %
16	-	1	0.1 %
18	-	1	0.1 %
19	-	1	0.1 %
21	-	3	0.3 %
22	-	2	0.2 %
25	-	2	0.2 %
28	-	2	0.2 %
30	-	2	0.2 %
41	-	1	0.1 %
45	-	3	0.3 %
98	-	3	0.3 %
	Missing Data		
.	-	969	89.9 %
	Total	1,078	100%

Based upon 109 valid cases out of 1,078 total cases.

- Mean: 11.36
- Median: 6.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 17.74

Location: 626-627 (width: 2; decimal: 0)

Variable Type: numeric

KK76B_M_D_Y: Type of time-units measuring time stay in nursing facility

Value	Label	Unweighted Frequency	%
-		988	91.7 %
D	Days	31	2.9 %
M	Months	44	4.1 %
Y	Years	15	1.4 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

Location: 628-628 (width: 1; decimal: 0)

Variable Type: character

KK76C: Respondent presently in nursing home?

Value	Label	Unweighted Frequency	%
1	Yes	39	3.6 %
2	No	93	8.6 %
	Missing Data		
7	N/A	1	0.1 %
.	-	945	87.7 %
	Total	1,078	100%

Based upon 132 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 629-629 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

LL75A: Difficulty in meeting monthly bills

Value	Label	Unweighted Frequency	%
1	A great deal	131	12.2 %
2	Some	269	25.0 %
3	A little	279	25.9 %

Value	Label	Unweighted Frequency	%
4	None	303	28.1 %
	Missing Data		
8	Do not know	26	2.4 %
9	Refused	1	0.1 %
.	-	69	6.4 %
	Total	1,078	100%

Based upon 982 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 630-630 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

LL75B: Available monaterly funds at month`s end

Value	Label	Unweighted Frequency	%
1	Some money left	281	26.1 %
2	Just enough	564	52.3 %
3	Not enough	137	12.7 %
	Missing Data		
8	Do not know	26	2.4 %
9	Refused	1	0.1 %
.	-	69	6.4 %
	Total	1,078	100%

Based upon 982 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 631-631 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

LL76: Do you own your home?

Value	Label	Unweighted Frequency	%
1	Yes	620	57.5 %
2	No	391	36.3 %
	Missing Data		
8	Do not know	2	0.2 %
.	-	65	6.0 %

Value	Label	Unweighted Frequency	%
	Total	1,078	100%

Based upon 1,011 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 632-632 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

MOVSOO7N7: Plan to move residence in next few years?

Value	Label	Unweighted Frequency	%
1	Yes	18	1.7 %
2	No	1027	95.3 %
	Missing Data		
8	Do not know	23	2.1 %
.	-	10	0.9 %
	Total	1,078	100%

Based upon 1,045 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 633-633 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

OO712: Type of housing where interview took place (as per interviewer)

Value	Label	Unweighted Frequency	%
1	Single-family house	844	78.3 %
2	Multi-family house	16	1.5 %
3	Apartment	119	11.0 %
4	Assisted living	63	5.8 %
5	Congregate housing	1	0.1 %
6	Group quarters	1	0.1 %
7	Other	29	2.7 %
	Missing Data		
.	-	5	0.5 %
	Total	1,078	100%

Based upon 1,073 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 634-634 (width: 1; decimal: 0)

Variable Type: numeric

OO72: Presence of someone else during interview (as per interviewer)

Value	Label	Unweighted Frequency	%
1	Yes	620	57.5 %
2	No	452	41.9 %
	Missing Data		
8	Do not know	1	0.1 %
.	-	5	0.5 %
	Total	1,078	100%

Based upon 1,072 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 635-635 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

OO78A: Physical measures not attempted because respondent is bedridden

Value	Label	Unweighted Frequency	%
1	Yes	77	7.1 %
2	No	681	63.2 %
	Missing Data		
6	N/A	193	17.9 %
.	-	127	11.8 %
	Total	1,078	100%

Based upon 758 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 636-636 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , .

OO78B: Physical measures not attempted because respondent cannot stand

Value	Label	Unweighted Frequency	%
1	Yes	99	9.2 %

Value	Label	Unweighted Frequency	%
2	No	656	60.9 %
	Missing Data		
6	N/A	195	18.1 %
.	-	128	11.9 %
	Total	1,078	100%

Based on 755 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 637-637 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , .

OO78C: Physical measures not attempted because respondent needs support to stand

Value	Label	Unweighted Frequency	%
1	Yes	361	33.5 %
2	No	374	34.7 %
	Missing Data		
6	N/A	223	20.7 %
.	-	120	11.1 %
	Total	1,078	100%

Based on 735 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 638-638 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , .

OO78D: Physical measures not attempted because respondent cannot understand instructions

Value	Label	Unweighted Frequency	%
1	Yes	98	9.1 %
2	No	656	60.9 %
	Missing Data		
6	N/A	196	18.2 %
.	-	128	11.9 %
	Total	1,078	100%

Based upon 754 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 639-639 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , .

OO78E: Physical measures not attempted because respondent is blind

Value	Label	Unweighted Frequency	%
1	Yes	36	3.3 %
2	No	715	66.3 %
	Missing Data		
6	N/A	197	18.3 %
.	-	130	12.1 %
	Total	1,078	100%

Based upon 751 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 640-640 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , .

OO78F: Physical measures not attempted because respondent was dizzy

Value	Label	Unweighted Frequency	%
1	Yes	126	11.7 %
2	No	622	57.7 %
	Missing Data		
6	N/A	201	18.6 %
.	-	129	12.0 %
	Total	1,078	100%

Based upon 748 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 641-641 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , .

OO78H: Physical measures not attempted because respondent is paralyzed

Value	Label	Unweighted Frequency	%
1	Yes	31	2.9 %
2	No	721	66.9 %
	Missing Data		
6	N/A	196	18.2 %
.	-	130	12.1 %
	Total	1,078	100%

Based upon 752 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 642-642 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , .

OO78I: Physical measures not attempted because respondent is deaf

Value	Label	Unweighted Frequency	%
1	Yes	58	5.4 %
2	No	691	64.1 %
	Missing Data		
6	N/A	197	18.3 %
.	-	132	12.2 %
	Total	1,078	100%

Based upon 749 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 643-643 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , .

OO78G: Physical measures not attempted for other reasons

Value	Label	Unweighted Frequency	%
1	Yes	411	38.1 %
2	No	340	31.5 %
	Missing Data		
6	N/A	191	17.7 %
.	-	136	12.6 %
	Total	1,078	100%

Based upon 751 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 644-644 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , .

OO79A: Survey completion type

Value	Label	Unweighted Frequency	%
1	Respondent only	896	83.1 %
2	Proxy only	29	2.7 %
3	Both (long proxy version)	153	14.2 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 645-645 (width: 1; decimal: 0)

Variable Type: numeric

OO79LANG: Language used to complete survey

Value	Label	Unweighted Frequency	%
1	English	196	18.2 %
2	Spanish	882	81.8 %
	Total	1,078	100%

Based upon 1,078 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 646-646 (width: 1; decimal: 0)

Variable Type: numeric

PRXRILL7: Proxy used because respondent is ill

Value	Label	Unweighted Frequency	%
1	Physically ill	54	5.0 %
	Missing Data		
.	-	1024	95.0 %
	Total	1,078	100%

Based upon 54 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 647-647 (width: 1; decimal: 0)

Variable Type: numeric

PRXDEAF7: Proxy used because respondent is deaf

Value	Label	Unweighted Frequency	%
2	Deaf	24	2.2 %
	Missing Data		
.	-	1054	97.8 %
	Total	1,078	100%

Based upon 24 valid cases out of 1,078 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 648-648 (width: 1; decimal: 0)

Variable Type: numeric

PRXAWAY7: Proxy used because respondent is not present

Value	Label	Unweighted Frequency	%
3	Away indefinitely	11	1.0 %
	Missing Data		
.	-	1067	99.0 %
	Total	1,078	100%

Based upon 11 valid cases out of 1,078 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 649-649 (width: 1; decimal: 0)

Variable Type: numeric

PRXMEN7: Proxy used because respondent is mentally incapacitated

Value	Label	Unweighted Frequency	%
4	Mentally incapable	131	12.2 %
	Missing Data		
.	-	947	87.8 %
	Total	1,078	100%

Based upon 131 valid cases out of 1,078 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 650-650 (width: 1; decimal: 0)

Variable Type: numeric

PRXNONH7: Proxy used because respondent is in nursing home and access was denied

Value	Label	Unweighted Frequency	%
5	No access to nursing home	11	1.0 %
	Missing Data		
.	-	1067	99.0 %
	Total	1,078	100%

Based upon 11 valid cases out of 1,078 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 651-651 (width: 1; decimal: 0)

Variable Type: numeric

PRXOTH7: Proxy for other reason

Value	Label	Unweighted Frequency	%
6	Other	58	5.4 %
	Missing Data		
.	-	1020	94.6 %
	Total	1,078	100%

Based upon 58 valid cases out of 1,078 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 652-652 (width: 1; decimal: 0)

Variable Type: numeric

OO9D7: Is proxy caregiver of the respondent?

Value	Label	Unweighted Frequency	%
1	Yes	153	14.2 %
2	No	28	2.6 %
	Missing Data		
.	-	897	83.2 %
	Total	1,078	100%

Based upon 181 valid cases out of 1,078 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 653-653 (width: 1; decimal: 0)

Variable Type: numeric