Canadian Perspectives Survey Series 2020 Substance Use and Stigma During the Pandemic Public use microdata file



Statistique Canada



#### **Table of Contents**

<u>Variable</u>	<u>Position</u>	<u>Description</u>	Page
PUMFID	001-005	Public use microdata file identifier	7
LS 05	006-007	Life satisfaction, scale of 0 to 10	7
ME_05	008-008	Perceived mental health	
ME 10	009-009	Mental health now compared to before pandemic	
ME 15	010-010	Amount of stress in your life, since the start of the pandemic	
ME 20	011-011	Number of relatives and friends you feel close to	
PME 25A	012-012	Member of the following group: Sports or recreational organization	
PME 25B	013-013	Member of the following group: Cultural, educational or hobby org	
PME 25C	014-014	Member of the following group: Union or professional association	
PME 25D	015-015	Member of the following group: Political party or group	
PME 25E	016-016	Member of the following group: Place of worship	
PME 25F	017-017	Member of the following group: School grp, neighbourhood, civic assoc	
PME 25G	018-018	Member of the following group: Humanitarian, charitable org, serv club	
PME 25H	019-019	Member of the following group: Seniors'group	
PME 25I	020-020	Member of the following group: Youth organization	
PME 25J	021-021	Member of the following group: Immigrant or ethnic association or club	
PME 25K	022-022	Member of the following group: Environmental group	
PME 25L	023-023	Member of the following group: Other type of group, org or association	
ME 25M	024-024	Member of the following group: None	
ME 30A	025-025	How often you felt the following: Lack of companionship	
ME_30B	026-026	How often you felt the following: Being left out	
ME 30C	027-027	How often you felt the following: Isolated from others	
ALC 05	028-028	Past 30 days, drink any alcoholic beverage	
ALC_10C	029-030	Past 30 days, number of drinks	
ALC 15C	031-032	Past 30 days, frequency, 5 or more drinks on one occasion	
ALC 20	033-033	Average alcohol consumption change comparing to before the pandemic	
ALC 25A	034-034	Increased use of alcohol, reasons: Stress	
ALC 25B	035-035	Increased use of alcohol, reasons: Boredom	
ALC 25C	036-036	Increased use of alcohol, reasons: Loneliness	
ALC 25D	037-037	Increased use of alcohol, reasons: Insomnia	
ALC 25E	038-038	Increased use of alcohol, reasons: Convenience	
ALC 25F	039-039	Increased use of alcohol, reasons: Other reason	
ALC 25G	040-040	Increased use of alcohol, reasons: No particular reason	
ALC_30A	041-041	Decreased use of alcohol, reasons: Cost	
ALC 30B	042-042	Decreased use of alcohol, reasons: Pers respnsblity	
ALC 30C	043-043	Decreased use of alcohol, reasons: Pers choice	
ALC 30D	044-044	Decreased use of alcohol, reasons: Decreased opps for socialization	
ALC 30E	045-045	Decreased use of alcohol, reasons: Other reason	
ALC 30F	046-046	Decreased use of alcohol, reasons: No reason	
ALC_35	047-047	Drink knowing you have a problem made worse by drinking	
ALC_40	048-048	Drinking interfered with ability to maintain close relationships	
ALC_45	049-049	Seen/talked to a doctor or other prof about use of alcohol	
CAN_05	050-051	Past 30 days, frequency of cannabis use	
CAN_15	052-052	On average, cannabis use change when comparing to before the pandemic	
CAN 10	053-053	Main reason cannabis used	
CAN 20A	054-054	Increased use of cannabis, reasons: Stress	
CAN 20B	055-055	Increased use of cannabis, reasons: Worsening of health	
CAN 20C	056-056	Increased use of cannabis, reasons: Boredom	
CAN 20D	057-057	Increased use of cannabis, reasons: Loneliness	
CAN_20E	058-058	Increased use of cannabis, reasons: Convenience	
CAN 20F	059-059	Increased use of cannabis, reasons: Ease of access	
CAN 20G	060-060	Increased use of cannabis, reasons: New products	
CAN 20H	061-061	Increased use of cannabis, reasons: Other reason	
CAN_2011	062-062	Increased use of cannabis, reasons: No reason	
CAN25AGH	063-063	Decreased use of cannabis, reasons: Cost, Other reason, No reason	
CAN_25BF	064-064	Reasons for decreased use of cannabis: Pers resp, Lacking priv at home	
CAN 25CD	065-065	Decreased use of cannabis, reasons: Pers choice, Improved health/pain	
CAN 25E	066-066	Decreased use of cannabis, reasons: Pers choice, improved health/pain	
		,	

CAN_30	067-067	Continue to use cannabis when you knew you had a serious problem	30
CAN 35	068-068	Cannabis use interfered with ability to maintain close relationships	31
CAN 40	069-069	Seen/talked to a doctor or other prof about use of cannabis	
OPI 05	070-070	Past 30 days, prescribed or not, used drugs containing opioids	
<del>_</del>			
OPI_10	071-071	Use of opioids compared to before the pandemic	
OPI_15AD	072-072	Increased use of opioids, reasons: Stress, Convenience	
OP15BCFG	073-073	Increased use of opioids: Boredom, Loneliness, Other reason, No reason	33
OPI 15E	074-074	Increased use of opioids, reasons: Worsening of health or pain	33
OPI 20A	075-075	Decreased use of opioids, reasons: Cost	
_		Decreased use of opioids, reasons: Personal responsibilities	
OPI_20B	076-076		
OPI20CEG	077-077	Decreased use of opioids: Pers choice, Inconvenience, Other reason	
OPI_20D	078-078	Decreased use of opioids, reasons: Improved health or pain	34
OPI 20F	079-079	Decreased use of opioids, reasons: Concerned, quality of drugs	35
OPI 20H	080-080	Decreased use of opioids, reasons: No particular reason	
OPI 25	081-081	Continue to use opioids, knew you had a serious problem	
_			
OPI_30	082-082	Opioids interfered with ability to maintain close relationshps	
OPI_35	083-083	Seen/talked to a doctor or other prof about use of opioids	
NPD_05	084-084	Past 30 days, use any non-prescribed drugs	37
NPD 10	085-085	Use of non-prescribed drugs compared to before the pandemic	37
NPD 15A	086-086	Increased use of non-prescribed drugs, reasons: Stress	
NPD_15B	087-087	Increased use of non-prescribed drugs, reasons: Boredom	
NPD_15C	088-088	Increased use of non-prescribed drugs, reasons: Loneliness	
NPD_15D	089-089	Increased use of non-prescribed drugs, reasons: Convenience	
NPD_15E	090-090	Increased use of non-prescribed drugs, reasons: Health/pain worsening	39
NPD 15FG	091-091	Increased use of non-presc drugs, reasons: Other reason, No reason	40
NP20ABCD	092-092	Decrsd use non-presc drugs: Cost, Pers resp, Pers choice, Health/pain	
NP20EFGI	093-093	Decrsd use non-presc drugs: Dec soc opps, Incnvnnc, Quality, No reason	
NPD_20H	094-094	Decreased use of non-presc drugs, reasons: Other reason	
NPD_25	095-095	Continue to use non-prescribed drugs, knew you had a serious problem	
NPD_30	096-096	Non-presc drugs interfered with ability to maintain close relationshps	42
NPD 35	097-097	Seen/talked to a doctor or other prof about use of non-presc drugs	42
PM 05A	098-098	Used prescribed/non drugs for pain since the beginning of the pandemic	
PPM_05BA	099-099	Drugs used for managing pain: Acetaminophen	
PPM_05BB	100-100	Drugs used for managing pain: Nonsteroidal anti-inflammatory drugs	
PM05BCGI	101-101	Drugs, pain: Codeine, Anticonvulsants, Other presc drugs	
PPM_05BD	102-102	Drugs used for managing pain: Opioids	44
PPM_05BE	103-103	Drugs used for managing pain: Cannabis products, including edibles	44
PPM 05BF	104-104	Drugs used for managing pain: Antidepressants	
PPM_05BH	105-105	Drugs used for managing pain: Topical agents	
PPM 05CA	106-106	Drugs used for managing pain: Acetaminophen	
		Drugs used for managing paint. Acetaininophen	40
PPM_05CB	107-107	Drugs used for managing pain: Nonsteroidal anti-inflammatory drugs	
PM5CCDFH	108-108	Drugs, pain: Codeine, Opioids, Illegal drugs, Other non-presc drugs	
PPM_05CE	109-109	Drugs used for managing pain: Cannabis products, including edibles	47
PPM 05CG	110-110	Drugs used for managing pain: Topical agents	47
PPM_05DA	111-111	Drugs used for managing pain: Acetaminophen	
PPM 05DB	112-112	Drugs used for managing pain: Nonsteroidal anti-inflammatory drugs	
PM5DCFHJ	113-113	Drugs, pain: Codeine, Illgl drgs, Anticnvlsnts, Other pres/nprs drugs	
PPM_05DD	114-114	Drugs used for managing pain: Opioids	
PPM_05DE	115-115	Drugs used for managing pain: Cannabis products, including edibles	
PPM_05DG	116-116	Drugs used for managing pain: Antidepressants	50
PPM 05DI	117-117	Drugs used for managing pain: Topical agents	50
	11/-11/	Drugs used for managing pain. Topical agents	
PM 10			
PM_10	118-118	Drugs use frequency for managing pain	50
PHS_10A	118-118 119-119	Drugs use frequency for managing pain	50 51
PHS_10A PHS_10B	118-118 119-119 120-120	Drugs use frequency for managing pain	50 51 51
PHS_10A PHS_10B PHS_10C	118-118 119-119 120-120 121-121	Drugs use frequency for managing pain  Seen or talked on the telephone to: Psychiatrist  Seen or talked on the telephone to: Doctor or general practitioner  Seen or talked on the telephone to: Psychologist	50 51 51 52
PHS_10A PHS_10B PHS_10C PHS_10D	118-118 119-119 120-120 121-121 122-122	Drugs use frequency for managing pain  Seen or talked on the telephone to: Psychiatrist  Seen or talked on the telephone to: Doctor or general practitioner  Seen or talked on the telephone to: Psychologist  Seen or talked on the telephone to: Nurse	50 51 51 52 52
PHS_10A PHS_10B PHS_10C	118-118 119-119 120-120 121-121	Drugs use frequency for managing pain  Seen or talked on the telephone to: Psychiatrist  Seen or talked on the telephone to: Doctor or general practitioner  Seen or talked on the telephone to: Psychologist	50 51 51 52 52
PHS_10A PHS_10B PHS_10C PHS_10D PHS_10E	118-118 119-119 120-120 121-121 122-122	Drugs use frequency for managing pain  Seen or talked on the telephone to: Psychiatrist  Seen or talked on the telephone to: Doctor or general practitioner  Seen or talked on the telephone to: Psychologist  Seen or talked on the telephone to: Nurse  Seen or talked on the telephone to: Soc worker, couns, psychotherapist	50 51 51 52 52 52
PHS_10A PHS_10B PHS_10C PHS_10D PHS_10E HS_10F	118-118 119-119 120-120 121-121 122-122 123-123 124-124	Drugs use frequency for managing pain  Seen or talked on the telephone to: Psychiatrist  Seen or talked on the telephone to: Doctor or general practitioner  Seen or talked on the telephone to: Psychologist  Seen or talked on the telephone to: Nurse  Seen or talked on the telephone to: Soc worker, couns, psychotherapist  Seen or talked on the telephone to: Family member	50 51 51 52 52 52 52 53
PHS_10A PHS_10B PHS_10C PHS_10D PHS_10E HS_10F HS_10G	118-118 119-119 120-120 121-121 122-122 123-123 124-124 125-125	Drugs use frequency for managing pain  Seen or talked on the telephone to: Psychiatrist  Seen or talked on the telephone to: Doctor or general practitioner  Seen or talked on the telephone to: Psychologist  Seen or talked on the telephone to: Nurse  Seen or talked on the telephone to: Soc worker, couns, psychotherapist  Seen or talked on the telephone to: Family member  Seen or talked on the telephone to: Friend	50 51 51 52 52 52 53 53
PHS_10A PHS_10B PHS_10C PHS_10D PHS_10E HS_10F HS_10G HS_10H	118-118 119-119 120-120 121-121 122-122 123-123 124-124 125-125 126-126	Drugs use frequency for managing pain  Seen or talked on the telephone to: Psychiatrist  Seen or talked on the telephone to: Doctor or general practitioner  Seen or talked on the telephone to: Psychologist  Seen or talked on the telephone to: Nurse  Seen or talked on the telephone to: Soc worker, couns, psychotherapist  Seen or talked on the telephone to: Family member  Seen or talked on the telephone to: Friend  Seen or talked on the telephone to: Co-worker, supervisor, or boss	50 51 51 52 52 52 53 53 54
PHS_10A PHS_10B PHS_10C PHS_10D PHS_10E HS_10F HS_10G HS_10H HS_10I	118-118 119-119 120-120 121-121 122-122 123-123 124-124 125-125 126-126 127-127	Drugs use frequency for managing pain  Seen or talked on the telephone to: Psychiatrist  Seen or talked on the telephone to: Doctor or general practitioner  Seen or talked on the telephone to: Psychologist  Seen or talked on the telephone to: Nurse  Seen or talked on the telephone to: Soc worker, couns, psychotherapist  Seen or talked on the telephone to: Family member  Seen or talked on the telephone to: Friend  Seen or talked on the telephone to: Co-worker, supervisor, or boss  Seen or talked on the telephone to: Teacher or school principal	50 51 51 52 52 52 53 53 54 54
PHS_10A PHS_10B PHS_10C PHS_10D PHS_10E HS_10F HS_10G HS_10H	118-118 119-119 120-120 121-121 122-122 123-123 124-124 125-125 126-126	Drugs use frequency for managing pain  Seen or talked on the telephone to: Psychiatrist  Seen or talked on the telephone to: Doctor or general practitioner  Seen or talked on the telephone to: Psychologist  Seen or talked on the telephone to: Nurse  Seen or talked on the telephone to: Soc worker, couns, psychotherapist  Seen or talked on the telephone to: Family member  Seen or talked on the telephone to: Friend  Seen or talked on the telephone to: Co-worker, supervisor, or boss	50 51 51 52 52 52 53 53 54 54 54

PHS_15	130-130	Prescribed medication for emotions, mental health, alcohol, drugs	
HS_20	131-131	Needed help: emotns, mental health, alcohol, drugs. Didn't receive it	
HM_05	132-132	Concern, spouse/partner's substance use during the pandemic	
HM_10	133-133	Concern, child's/children's substance use during the pandemic	
HM_15	134-134	Concern, any other household member's substance use during pandemic	
ST_05A	135-135	Problem with alcohol/drugs, embarrassed to tell friends/family	
ST_05B	136-136	Society should be friendlier toward people with alcohol/drug problems	
ST_05C	137-137	Alcohol/drug problem, embarrassing to seek help/treatment	
ST_05D	138-138	I have sympathy for people who misuse alcohol or drugs	
ST_10AC	139-139	Embarrassing to tell friends/family about my alcohol/drug use	59
ST_10BC	140-140	Embarrassing to seek help/treatment for my alcohol/drug use	
ST_10CC	141-141	Difficulties in obtaining treatment for my alcohol/drug use	
ST_10DC	142-142	Discriminated against by health professionals bc of alcohol/drug use	
ST_10EC	143-143	Often feel alone because of alcohol/drug use	
ST_10FC	144-144	Scared how ppl will react if they find out about my alcohol/drug use	
ST_10GC	145-145	People have insulted me because of my alcohol/drug use	
ST_10HC	146-146	People have avoided me because of my alcohol/drug use	62
ST_10IC	147-147	Need to hide my problems with alcohol/drugs from my friends/family	63
PCOV_05A	148-148	Downloaded COVID Alert app	63
PCOV05BA	149-149	Not downloaded, undecided - App would be too much hassle to install	64
PCOV05BB	150-150	Not downloaded, undecided - Don't believe enough people will install	64
PCOV05BC	151-151	Not downloaded, undecided - Lack of interest	65
PCOV05BD	152-152	Not downloaded, undecided - Would negatively impact my mental health	
PCOV05BE	153-153	Not downloaded, undecided - I think it is an invasion of privacy	
PCOV05BF	154-154	Not downloaded, undecided - Don't want gov't to have my location data	
PCOV05BG	155-155	Not downloaded, undecided - Don't believe I will catch COVID-19	
PCOV05BH	156-156	Not downloaded, undecided - I don't own a smartphone	
PCOV05BI	157-157	Not downloaded, undecided - Smartphone is not compatible with the app	
PCOV05BJ	158-158	Not downloaded, undecided - I do not have a data plan	
PCOV05BK	159-159	Not downloaded, undecided - Other reason	
PCOV05CA	160-160	Will not download - App would be too much hassle to install	
PCOV05CB	161-161	Will not download - App would be too mach hassie to install	
PCOV05CC	162-162	Will not download - Lack of interest	
PCOV05CD	163-163	Will not download - Would negatively impact my mental health	
PCOV05CE	164-164	Will not download - I think it is an invasion of privacy	
PCOV05CF	165-165	Will not download - Triffick it is air livasion of privacy	
PCOV05CG	166-166	Will not download - Don't believe I will catch COVID-19	
PCOV05CH	167-167	Will not download - I don't own a smartphone	
PCOV05CI	168-168	Will not download - Smartphone is not compatible with the app	
PCOV05CJ	169-169		
		Will not download - I do not have a data plan	
PCOV05CK	170-170		
PHHLDSZC AGEGRP	171-171 172-173	Household size	
		Age of respondent	
IMMIGRNC	174-174	Immigration status	
SEX	175-175	Sex of respondent	
PCHILD	176-176	Child under 18 on January 25th, 2021 resides in dwelling	
PMARSTC	177-177	Marital status of respondent	
PDWELCDC	178-178	Type of dwelling	
PEDUC_LC	179-180	Respondents highest level of education ever completed	
RURURB	181-181	Rural/Urban indicator	
PEMPSTC	182-182	Employment status	
HLPSGHT	183-183	Help sought for any substance use issue	
MHDVMHI	184-184	Perceived mental health	
PPARTGRP	185-185	Participation in groups, organizations or associations	
PPLTALK	186-186	Have people you feel close to, you can talk to	
STRESS	187-187	Amount of stress in your life since the pandemic	
PCOVAPP	188-188	Plans to download COVID Alert app	
PERS_WGT	189-200	Person weight	
VERDATE	201-210	Version date of when the file was created	80
Topical Index			81

G. 33 C 33	PUMF
Variable Index	

Variable Name: PUMFID Length: 5.0 Position: 1

**Question Name:** 

Concept: Public use microdata file identifier

**Question Text:** 

Universe: All respondents

Note:

Source:

Variable Name: LS\_05 Length: 2.0 Position: 6

**Question Name:** 

Concept: Life satisfaction, scale of 0 to 10

Question Text: Using a scale of 0 to 10, where 0 means "very dissatisfied" and 10 means "very satis-

fied", how do you feel about your life as a whole right now?

Universe: All respondents

Note: Based on: LS\_Q05

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
0 - very dissatisfied	01	69	655,374	2.1
1	02	39	321,441	1.0
2	03	94	1,000,420	3.2
3	04	165	1,378,502	4.4
4	05	240	2,264,522	7.3
5	06	481	4,458,832	14.3
6	07	515	4,253,224	13.6
7	08	828	5,797,412	18.6
8	09	829	6,219,197	19.9
9	10	356	2,472,236	7.9
10 - very satisfied	11	322	2,351,107	7.5
Not stated	99	3	19,634	0.1
Total		3,941	31,191,902	100.0

Variable Name: ME\_05 Length: 1.0 Position: 8

**Question Name:** 

**Concept:** Perceived mental health

**Question Text:** In general, how would you describe your mental health?

Universe: All respondents

Note: Based on: ME\_Q05

ш	rc	

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Excellent	1	488	3,478,407	11.2
Very good	2	1,270	9,243,293	29.6
Good	3	1,303	10,220,503	32.8
Fair	4	678	6,484,365	20.8
Poor	5	195	1,738,134	5.6
Not stated	9	7	27,201	0.1
7	<b>Total</b>	3,941	31,191,902	100.0

Variable Name: ME\_10 Length: 1.0 Position: 9

**Question Name:** 

**Concept:** Mental health now compared to before pandemic

Question Text: Compared to before the COVID-19 pandemic, how would you say your mental health is

now?

Universe: All respondents

Note: Based on: ME\_Q10

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Much better now	1	59	524,579	1.7
Somewhat better now	2	210	2,075,866	6.7
About the same	3	1,937	13,684,112	43.9
Somewhat worse now	4	1,450	12,279,207	39.4
Much worse now	5	279	2,486,604	8.0
Not stated	9	6	141,534	0.5
Total		3,941	31,191,902	100.0

Variable Name: ME\_15 Length: 1.0 Position: 10

**Question Name:** 

**Concept:** Amount of stress in your life, since the start of the pandemic

Question Text: In general, how would you describe the amount of stress in your life, since the start of

the COVID-19 pandemic?

Universe: All respondents

Note: Based on: ME\_Q15

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Not at all stressful	1	274	1,635,460	5.2
A little stressful	2	1,973	14,232,971	45.6
Stressful	3	1,031	9,245,373	29.6
Very stressful	4	487	4,478,997	14.4
Extremely stressful	5	160	1,497,342	4.8

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Not stated	9	16	101,759	0.3
То	tal	3,941	31,191,902	100.0

Variable Name: ME\_20 Length: 1.0 Position: 11

**Question Name:** 

Concept: Number of relatives and friends you feel close to

Question Text: Approximately how many relatives and friends do you have who you feel close to, that

is, who you feel at ease with and can talk to about what is on your mind?

Universe: All respondents

Note: Based on: ME\_Q20

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
None	1	170	1,227,362	3.9
One or two	2	1,427	11,622,266	37.3
Three to five	3	1,514	12,343,843	39.6
Six to nine	4	492	3,788,015	12.1
Ten or more	5	337	2,189,314	7.0
Not stated	9	1	21,102	0.1
Total		3,941	31,191,902	100.0

Variable Name: PME\_25A Length: 1.0 Position: 12

**Question Name:** 

Concept: Member of the following group: Sports or recreational organization

Question Text: In the past 12 months, were you a member or participant in the following groups, orga-

nizations or associations? - Sports or recreational organization

Universe: All respondents

Note: Based on: ME\_Q25

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	811	5,375,785	17.2
No	2	3,055	23,129,783	74.2
Not stated	9	75	2,686,334	8.6
Total		3,941	31,191,902	100.0

Variable Name: PME\_25B Length: 1.0 Position: 13

**Question Name:** 

**Concept:** Member of the following group: Cultural, educational or hobby org

Question Text: In the past 12 months, were you a member or participant in the following groups, orga-

nizations or associations? - Cultural, educational or hobby organization

Universe: All respondents

Note: Based on: ME Q25

Source:

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Yes	1	519	3,383,879	10.8
No	2	3,347	25,121,689	80.5
Not stated	9	75	2,686,334	8.6
Total		3,941	31,191,902	100.0

Variable Name: PME 25C Length: 1.0 Position: 14

**Question Name:** 

**Concept:** Member of the following group: Union or professional association

Question Text: In the past 12 months, were you a member or participant in the following groups, orga-

nizations or associations? - Union or professional association

Universe: All respondents

Note: Based on: ME\_Q25

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	561	3,493,694	11.2
No	2	3,305	25,011,874	80.2
Not stated	9	75	2,686,334	8.6
To	tal	3,941	31,191,902	100.0

Variable Name: PME\_25D Length: 1.0 Position: 15

**Question Name:** 

Concept: Member of the following group: Political party or group

Question Text: In the past 12 months, were you a member or participant in the following groups, orga-

nizations or associations? - Political party or group

Universe: All respondents

Note: Based on: ME\_Q25

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	83	455,232	1.5
No	2	3,783	28,050,336	89.9

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Not stated	9	75	2,686,334	8.6
Total		3,941	31,191,902	100.0

Variable Name: PME\_25E Length: 1.0 Position: 16

**Question Name:** 

**Concept:** Member of the following group: Place of worship

Question Text: In the past 12 months, were you a member or participant in the following groups, orga-

nizations or associations? - Place of worship

Universe: All respondents

Note: Based on: ME\_Q25

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	610	3,748,403	12.0
No	2	3,256	24,757,165	79.4
Not stated	9	75	2,686,334	8.6
•	otal	3,941	31,191,902	100.0

Variable Name: PME\_25F Length: 1.0 Position: 17

**Question Name:** 

Concept: Member of the following group: School grp, neighbourhood, civic assoc

Question Text: In the past 12 months, were you a member or participant in the following groups, organi-

zations or associations? - School group, neighbourhood, civic or community association

Universe: All respondents

Note: Based on: ME\_Q25

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	249	1,756,645	5.6
No	2	3,617	26,748,923	85.8
Not stated	9	75	2,686,334	8.6
Total		3,941	31,191,902	100.0

Variable Name: PME\_25G Length: 1.0 Position: 18

**Question Name:** 

Concept: Member of the following group: Humanitarian, charitable org, serv club

Question Text: In the past 12 months, were you a member or participant in the following groups, orga-

nizations or associations? - Humanitarian or charitable organization or service club

Universe: All respondents

Note: Based on: ME\_Q25

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	314	1,799,029	5.8
No	2	3,552	26,706,539	85.6
Not stated	9	75	2,686,334	8.6
Total		3,941	31,191,902	100.0

Variable Name: PME\_25H Length: 1.0 Position: 19

**Question Name:** 

**Concept:** Member of the following group: Seniors' group

Question Text: In the past 12 months, were you a member or participant in the following groups, orga-

nizations or associations? - Seniors' group

Universe: All respondents

Note: Based on: ME\_Q25

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	177	1,115,969	3.6
No	2	3,689	27,389,599	87.8
Not stated	9	75	2,686,334	8.6
Total		3,941	31,191,902	100.0

Variable Name: PME\_25l Length: 1.0 Position: 20

**Question Name:** 

**Concept:** Member of the following group: Youth organization

Question Text: In the past 12 months, were you a member or participant in the following groups, orga-

nizations or associations? - Youth organization

Universe: All respondents

Note: Based on: ME\_Q25

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	62	412,357	1.3
No	2	3,804	28,093,211	90.1
Not stated	9	75	2,686,334	8.6
Tota	ıl	3,941	31,191,902	100.0

Variable Name: PME\_25J Length: 1.0 Position: 21

**Question Name:** 

**Concept:** Member of the following group: Immigrant or ethnic association or club

Question Text: In the past 12 months, were you a member or participant in the following groups, orga-

nizations or associations? - Immigrant or ethnic association or club

Universe: All respondents

Note: Based on: ME\_Q25

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	28	216,439	0.7
No	2	3,838	28,289,129	90.7
Not stated	9	75	2,686,334	8.6
Total		3,941	31,191,902	100.0

Variable Name: PME\_25K Length: 1.0 Position: 22

**Question Name:** 

Concept: Member of the following group: Environmental group

Question Text: In the past 12 months, were you a member or participant in the following groups, orga-

nizations or associations? - Environmental group

Universe: All respondents

Note: Based on: ME\_Q25

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	81	400,456	1.3
No	2	3,785	28,105,112	90.1
Not stated	9	75	2,686,334	8.6
Total		3,941	31,191,902	100.0

Variable Name: PME\_25L Length: 1.0 Position: 23

**Question Name:** 

**Concept:** Member of the following group: Other type of group, org or association

Question Text: In the past 12 months, were you a member or participant in the following groups, orga-

nizations or associations? - Other type of group, organization or association

Universe: All respondents

Note: Based on: ME\_Q25

_						
c	^	u	"	•	•	•
	J	u		-		

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	385	2,688,765	8.6
No	2	3,481	25,816,803	82.8
Not stated	9	75	2,686,334	8.6
Total		3,941	31,191,902	100.0

Variable Name: ME\_25M Length: 1.0 Position: 24

**Question Name:** 

**Concept:** Member of the following group: None

Question Text: In the past 12 months, were you a member or participant in the following groups, orga-

nizations or associations? - None

Universe: All respondents

Note: Based on: ME\_Q25

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	1,746	15,359,908	49.2
No	2	2,178	15,705,962	50.4
Not stated	9	17	126,031	0.4
Total		3,941	31,191,902	100.0

Variable Name: ME\_30A Length: 1.0 Position: 25

**Question Name:** 

Concept: How often you felt the following: Lack of companionship

Question Text: In general, how often have you felt the following since the start of the COVID-19 pan-

demic?

Lack of companionship

Universe: All respondents

Note: Based on: ME\_Q30A

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Never	1	732	5,539,284	17.8
Hardly ever	2	768	5,877,232	18.8
Some of the time	3	1,464	12,078,263	38.7
Often	4	815	6,339,226	20.3
Always	5	129	1,032,716	3.3
Not stated	9	33	325,180	1.0
Total		3,941	31,191,902	100.0

Variable Name: ME\_30B Length: 1.0 Position: 26

**Question Name:** 

Concept: How often you felt the following: Being left out

Question Text: In general, how often have you felt the following since the start of the COVID-19 pan-

demic?

Being left out

Universe: All respondents

Note: Based on: ME\_Q30B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	1	1,015	7,806,001	25.0
Hardly ever	2	1,102	8,212,998	26.3
Some of the time	3	1,157	9,457,608	30.3
Often	4	526	4,616,350	14.8
Always	5	93	749,330	2.4
Not stated	9	48	349,615	1.1
Total		3,941	31,191,902	100.0

Variable Name: ME\_30C Length: 1.0 Position: 27

**Question Name:** 

Concept: How often you felt the following: Isolated from others

Question Text: In general, how often have you felt the following since the start of the COVID-19 pan-

demic?

Isolated from others

Universe: All respondents

Note: Based on: ME\_Q30C

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Never	1	438	3,749,253	12.0
Hardly ever	2	557	3,979,274	12.8
Some of the time	3	1,446	10,371,572	33.3
Often	4	1,155	9,541,644	30.6
Always	5	333	3,477,661	11.1
Not stated	9	12	72,497	0.2
Total		3,941	31,191,902	100.0

Variable Name: ALC\_05 Length: 1.0 Position: 28

**Question Name:** 

Concept: Past 30 days, drink any alcoholic beverage

Question Text: During the past 30 days, did you have a drink of beer, wine, liquor or any other alcoholic

beverage?

Universe: All respondents

Note: Based on: ALC\_Q05

Source:

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Yes	1	2,703	20,730,356	66.5
No, not during the past 30 days	2	633	5,168,356	16.6
Never drank alcohol	3	603	5,289,453	17.0
Not stated	9	2	3,737	0.0
Total		3,941	31,191,902	100.0

Variable Name: ALC\_10C Length: 2.0 Position: 29

**Question Name:** 

Concept: Past 30 days, number of drinks

Question Text: On the days when you drank alcoholic beverages, during the past 30 days, how many

drinks did you usually have?

Universe:  $ALC_Q05 = 1 \text{ or NR}$ 

Note: Based on: ALC\_Q10

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
1 to 4	01	2,276	17,051,841	54.7
5 to 9	02	234	1,751,639	5.6
10 to 19	03	95	961,424	3.1
20 or more	04	93	919,973	2.9
Valid skip	96	1,236	10,457,809	33.5
Not stated	99	7	49,216	0.2
Tot	al	3,941	31,191,902	100.0

Variable Name: ALC\_15C Length: 2.0 Position: 31

**Question Name:** 

**Concept:** Past 30 days, frequency, 5 or more drinks on one occasion

Question Text: During the past 30 days, how often have you had 5 or more drinks on one occasion?

Universe:  $ALC_Q05 = 1 \text{ or NR}$ 

Note: Based on: ALC\_Q15

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
4 times a week or more	01	120	1,079,822	3.5
2 or 3 times a week	02	168	1,181,058	3.8
Once a week	03	190	1,349,788	4.3
2 to 3 times in the past 30 days	04	307	2,588,747	8.3
Once in the past 30 days	05	302	2,751,730	8.8
Not in the past 30 days	06	1,615	11,749,288	37.7
Valid skip	96	1,236	10,457,809	33.5
Not stated	99	3	33,660	0.1
Total		3,941	31,191,902	100.0

Variable Name: ALC\_20 Length: 1.0 Position: 33

**Question Name:** 

**Concept:** Average alcohol consumption change comparing to before the pandemic

Question Text: On average, over the course of the COVID-19 pandemic, how has your alcohol con-

sumption changed when comparing to before the pandemic?

Universe:  $ALC_Q05 = 1 \text{ or } ALC_Q05 = 2$ 

Note: Based on: ALC\_Q20

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Increased	1	700	5,793,050	18.6
Decreased	2	608	5,230,265	16.8
Not applicable	3	237	1,884,573	6.0
Stayed about the same	4	1,780	12,951,449	41.5
Valid skip	6	603	5,289,453	17.0
Not stated	9	13	43,112	0.1
Total		3,941	31,191,902	100.0

Variable Name: ALC\_25A Length: 1.0 Position: 34

**Question Name:** 

Concept: Increased use of alcohol, reasons: Stress

Question Text: Which of the following reasons have contributed to your increased consumption of alco-

hol since before the COVID-19 pandemic? - Stress

Universe: ALC\_Q20 = 1

Note: Based on: ALC\_Q25

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	405	3,330,885	10.7
No	2	295	2,462,164	7.9
Valid skip	6	3,228	25,355,740	81.3
Not stated	9	13	43,112	0.1
Total		3,941	31,191,902	100.0

Variable Name: ALC\_25B Length: 1.0 Position: 35

**Question Name:** 

Concept: Increased use of alcohol, reasons: Boredom

Question Text: Which of the following reasons have contributed to your increased consumption of alco-

hol since before the COVID-19 pandemic? - Boredom

Universe: ALC\_Q20 = 1

Note: Based on: ALC\_Q25

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	399	3,501,268	11.2
No	2	301	2,291,782	7.3
Valid skip	6	3,228	25,355,740	81.3
Not stated	9	13	43,112	0.1
Total		3,941	31,191,902	100.0

Variable Name: ALC\_25C Length: 1.0 Position: 36

**Question Name:** 

**Concept:** Increased use of alcohol, reasons: Loneliness

Question Text: Which of the following reasons have contributed to your increased consumption of alco-

hol since before the COVID-19 pandemic? - Loneliness

Universe: ALC\_Q20 = 1

Note: Based on: ALC\_Q25

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	231	2,129,263	6.8
No	2	469	3,663,786	11.7
Valid skip	6	3,228	25,355,740	81.3
Not stated	9	13	43,112	0.1
Total		3,941	31,191,902	100.0

Variable Name: ALC\_25D Length: 1.0 Position: 37

**Question Name:** 

Concept: Increased use of alcohol, reasons: Insomnia

Question Text: Which of the following reasons have contributed to your increased consumption of alco-

hol since before the COVID-19 pandemic? - Insomnia

Universe: ALC\_Q20 = 1

Note: Based on: ALC\_Q25

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	100	987,808	3.2
No	2	600	4,805,242	15.4
Valid skip	6	3,228	25,355,740	81.3
Not stated	9	13	43,112	0.1
Total		3,941	31,191,902	100.0

Variable Name: ALC\_25E Length: 1.0 Position: 38

**Question Name:** 

Concept: Increased use of alcohol, reasons: Convenience

Question Text: Which of the following reasons have contributed to your increased consumption of alco-

hol since before the COVID-19 pandemic? - Convenience

Universe: ALC\_Q20 = 1

Note: Based on: ALC\_Q25

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	328	3,049,583	9.8
No	2	372	2,743,466	8.8
Valid skip	6	3,228	25,355,740	81.3
Not stated	9	13	43,112	0.1
Total		3,941	31,191,902	100.0

Variable Name: ALC\_25F Length: 1.0 Position: 39

**Question Name:** 

Concept: Increased use of alcohol, reasons: Other reason

Question Text: Which of the following reasons have contributed to your increased consumption of alco-

hol since before the COVID-19 pandemic? - Other reason

Universe: ALC\_Q20 = 1

Note: Based on: ALC\_Q25

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	69	592,677	1.9
No	2	631	5,200,372	16.7
Valid skip	6	3,228	25,355,740	81.3
Not stated	9	13	43,112	0.1
Total		3,941	31,191,902	100.0

Variable Name: ALC\_25G Length: 1.0 Position: 40

**Question Name:** 

Concept: Increased use of alcohol, reasons: No particular reason

Question Text: Which of the following reasons have contributed to your increased consumption of alco-

hol since before the COVID-19 pandemic? - No particular reason

Universe: ALC\_Q20 = 1

Note: Based on: ALC\_Q25

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	37	200,298	0.6
No	2	663	5,592,752	17.9
Valid skip	6	3,228	25,355,740	81.3
Not stated	9	13	43,112	0.1
Total		3,941	31,191,902	100.0

Variable Name: ALC\_30A Length: 1.0 Position: 41

**Question Name:** 

**Concept:** Decreased use of alcohol, reasons: Cost

Question Text: Which of the following reasons have contributed to your decreased consumption of al-

cohol since before the COVID-19 pandemic? - Cost

Universe: ALC\_Q20 = 2

Note: Based on: ALC\_Q30

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	49	497,617	1.6
No	2	559	4,732,649	15.2
Valid skip	6	3,320	25,918,524	83.1
Not stated	9	13	43,112	0.1
Total		3,941	31,191,902	100.0

Variable Name: ALC\_30B Length: 1.0 Position: 42

**Question Name:** 

Concept: Decreased use of alcohol, reasons: Pers respnsblity

Question Text: Which of the following reasons have contributed to your decreased consumption of al-

cohol since before the COVID-19 pandemic? - Personal responsibilities

Universe: ALC\_Q20 = 2

Note: Based on: ALC\_Q30

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	61	426,173	1.4
No	2	547	4,804,092	15.4
Valid skip	6	3,320	25,918,524	83.1
Not stated	9	13	43,112	0.1
Total		3,941	31,191,902	100.0

Variable Name: ALC\_30C Length: 1.0 Position: 43

**Question Name:** 

Concept: Decreased use of alcohol, reasons: Pers choice

Question Text: Which of the following reasons have contributed to your decreased consumption of al-

cohol since before the COVID-19 pandemic? - Personal choice

Universe: ALC\_Q20 = 2

Note: Based on: ALC\_Q30

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	288	2,421,278	7.8
No	2	320	2,808,987	9.0
Valid skip	6	3,320	25,918,524	83.1
Not stated	9	13	43,112	0.1
Total		3,941	31,191,902	100.0

Variable Name: ALC\_30D Length: 1.0 Position: 44

**Question Name:** 

**Concept:** Decreased use of alcohol, reasons: Decreased opps for socialization

Question Text: Which of the following reasons have contributed to your decreased consumption of alco-

hol since before the COVID-19 pandemic? - Decreased opportunities for socialization

Universe: ALC\_Q20 = 2

Note: Based on: ALC\_Q30

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	376	3,028,492	9.7
No	2	232	2,201,774	7.1
Valid skip	6	3,320	25,918,524	83.1
Not stated	9	13	43,112	0.1
Total		3,941	31,191,902	100.0

Variable Name: ALC\_30E Length: 1.0 Position: 45

**Question Name:** 

**Concept:** Decreased use of alcohol, reasons: Other reason

Question Text: Which of the following reasons have contributed to your decreased consumption of al-

cohol since before the COVID-19 pandemic? - Other reason

Universe: ALC\_Q20 = 2

Note: Based on: ALC\_Q30

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	32	123,618	0.4
No	2	576	5,106,647	16.4
Valid skip	6	3,320	25,918,524	83.1
Not stated	9	13	43,112	0.1
Total		3,941	31,191,902	100.0

Variable Name: ALC\_30F Length: 1.0 Position: 46

**Question Name:** 

**Concept:** Decreased use of alcohol, reasons: No reason

Question Text: Which of the following reasons have contributed to your decreased consumption of al-

cohol since before the COVID-19 pandemic? - No particular reason

Universe: ALC\_Q20 = 2

Note: Based on: ALC\_Q30

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	37	485,742	1.6
No	2	571	4,744,524	15.2
Valid skip	6	3,320	25,918,524	83.1
Not stated	9	13	43,112	0.1
Total		3,941	31,191,902	100.0

Variable Name: ALC\_35 Length: 1.0 Position: 47

**Question Name:** 

**Concept:** Drink knowing you have a problem made worse by drinking

Question Text: Over the course of the COVID-19 pandemic, did you ever continue to drink when you

knew you had a serious physical or emotional problem that might have been caused by

or made worse by drinking?

Universe: ALC\_Q20 = 1 or ALC\_Q20 = 2 or (ALC\_Q20 = 4 and ALC\_Q05 != 2)

Note: Based on: ALC\_Q35

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	221	2,008,063	6.4
No	2	2,596	19,804,523	63.5
Valid skip	6	1,121	9,370,392	30.0
Not stated	9	3	8,925	0.0
Total		3,941	31,191,902	100.0

Variable Name: ALC\_40 Length: 1.0 Position: 48

**Question Name:** 

**Concept:** Drinking interfered with ability to maintain close relationships

Question Text: Over the course of the COVID-19 pandemic, has your drinking interfered with your abil-

ity to maintain close relationships with other people?

**Universe:** ALC\_Q20 = 1 or ALC\_Q20 = 2 or (ALC\_Q20 = 4 and ALC\_Q05 != 2)

Note: Based on: ALC\_Q40

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	62	551,226	1.8
No	2	2,755	21,220,528	68.0
Valid skip	6	1,121	9,370,392	30.0
Not stated	9	3	49,757	0.2
Total		3,941	31,191,902	100.0

Variable Name: ALC\_45 Length: 1.0 Position: 49

**Question Name:** 

**Concept:** Seen/talked to a doctor or other prof about use of alcohol

Question Text: Over the course of the COVID-19 pandemic, have you ever seen, or talked on the tele-

phone to, a medical doctor or other professional about your use of alcohol?

**Universe:** ALC\_Q20 = 1 or ALC\_Q20 = 2 or (ALC\_Q20 = 4 and ALC\_Q05 != 2)

Note: Based on: ALC\_Q45

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	70	687,784	2.2
No	2	2,748	21,109,623	67.7
Valid skip	6	1,121	9,370,392	30.0
Not stated	9	2	24,103	0.1
Total		3,941	31,191,902	100.0

Variable Name: CAN\_05 Length: 2.0 Position: 50

**Question Name:** 

Concept: Past 30 days, frequency of cannabis use

Question Text: In the past 30 days, how often did you use cannabis?

Universe: All respondents

Note: Based on: CAN\_Q05

Source:

Code	Frequency	Weighted Frequency	<u>%</u>
01	2,811	22,040,307	70.7
02	508	4,195,188	13.4
03	101	729,658	2.3
04	132	1,032,396	3.3
05	90	803,009	2.6
06	71	535,156	1.7
07	50	515,290	1.7
80	176	1,332,033	4.3
99	2	8,865	0.0
	3,941	31,191,902	100.0
	01 02 03 04 05 06 07 08	01 2,811 02 508 03 101 04 132 05 90 06 71 07 50 08 176 99 2	01       2,811       22,040,307         02       508       4,195,188         03       101       729,658         04       132       1,032,396         05       90       803,009         06       71       535,156         07       50       515,290         08       176       1,332,033         99       2       8,865

Variable Name: CAN\_15 Length: 1.0 Position: 52

**Question Name:** 

Concept: On average, cannabis use change when comparing to before the pandemic

**Question Text:** On average, over the course of the COVID-19 pandemic, how has your use of cannabis

changed when comparing to before the pandemic?

Universe: CAN\_Q05 != 1

Note: Based on: CAN\_Q15

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Increased	1	251	2,333,484	7.5
Decreased	2	92	832,134	2.7
Not applicable	3	334	2,294,127	7.4
Stayed about the same	4	451	3,685,338	11.8
Valid skip	6	2,811	22,040,307	70.7
Not stated	9	2	6,513	0.0
Total		3,941	31,191,902	100.0

Variable Name: CAN\_10 Length: 1.0 Position: 53

**Question Name:** 

**Concept:** Main reason cannabis used

**Question Text:** What is the main reason you use cannabis?

Universe: CAN\_Q05 != 1

Note: Based on: CAN\_Q10

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Non-medical	1	455	4,100,254	13.1
Medical use with a medical document	2	46	364,472	1.2
Medical use without a medical document	3	113	1,038,198	3.3
Both medical use and non-medical use	4	176	1,336,719	4.3
Valid skip	6	3,145	24,334,434	78.0
Not stated	9	6	17,825	0.1
Total		3,941	31,191,902	100.0

Variable Name: CAN\_20A Length: 1.0 Position: 54

**Question Name:** 

Concept: Increased use of cannabis, reasons: Stress

Question Text: Which of the following reasons have contributed to your increased use of cannabis since

before the COVID-19 pandemic? - Stress

Universe:  $CAN_Q15 = 1$ 

Note: Based on: CAN\_Q20

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	164	1,506,047	4.8
No	2	87	827,437	2.7
Valid skip	6	3,688	28,851,905	92.5
Not stated	9	2	6,513	0.0
Total		3,941	31,191,902	100.0

Variable Name: CAN\_20B Length: 1.0 Position: 55

**Question Name:** 

Concept: Increased use of cannabis, reasons: Worsening of health

Question Text: Which of the following reasons have contributed to your increased use of cannabis since

before the COVID-19 pandemic? - Worsening of health or pain

Universe:  $CAN_Q15 = 1$ 

Note: Based on: CAN\_Q20

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	68	493,966	1.6
No	2	183	1,839,518	5.9
Valid skip	6	3,688	28,851,905	92.5
Not stated	9	2	6,513	0.0
Total		3,941	31,191,902	100.0

Variable Name: CAN\_20C Length: 1.0 Position: 56

**Question Name:** 

Concept: Increased use of cannabis, reasons: Boredom

Question Text: Which of the following reasons have contributed to your increased use of cannabis since

before the COVID-19 pandemic? - Boredom

Universe: CAN\_Q15 = 1

Note: Based on: CAN\_Q20

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	130	1,340,944	4.3
No	2	121	992,540	3.2
Valid skip	6	3,688	28,851,905	92.5
Not stated	9	2	6,513	0.0
Total		3,941	31,191,902	100.0

Variable Name: CAN\_20D Length: 1.0 Position: 57

**Question Name:** 

**Concept:** Increased use of cannabis, reasons: Loneliness

Question Text: Which of the following reasons have contributed to your increased use of cannabis since

before the COVID-19 pandemic? - Loneliness

Universe:  $CAN_Q15 = 1$ 

Note: Based on: CAN\_Q20

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	70	906,955	2.9
No	2	181	1,426,529	4.6
Valid skip	6	3,688	28,851,905	92.5
Not stated	9	2	6,513	0.0
Total		3,941	31,191,902	100.0

Variable Name: CAN\_20E Length: 1.0 Position: 58

**Question Name:** 

Concept: Increased use of cannabis, reasons: Convenience

Question Text: Which of the following reasons have contributed to your increased use of cannabis since

before the COVID-19 pandemic? - Convenience

Universe:  $CAN_Q15 = 1$ 

Note: Based on: CAN\_Q20

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	78	877,839	2.8
No	2	173	1,455,645	4.7
Valid skip	6	3,688	28,851,905	92.5
Not stated	9	2	6,513	0.0
Total		3,941	31,191,902	100.0

Variable Name: CAN\_20F Length: 1.0 Position: 59

**Question Name:** 

Concept: Increased use of cannabis, reasons: Ease of access

Question Text: Which of the following reasons have contributed to your increased use of cannabis since

before the COVID-19 pandemic? - Ease of access

Universe:  $CAN_Q15 = 1$ 

Note: Based on: CAN\_Q20

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	67	680,618	2.2
No	2	184	1,652,866	5.3
Valid skip	6	3,688	28,851,905	92.5
Not stated	9	2	6,513	0.0
Total		3,941	31,191,902	100.0

Variable Name: CAN\_20G Length: 1.0 Position: 60

**Question Name:** 

Concept: Increased use of cannabis, reasons: New products

Question Text: Which of the following reasons have contributed to your increased use of cannabis since

before the COVID-19 pandemic? - New products

Universe:  $CAN_Q15 = 1$ 

Note: Based on: CAN\_Q20

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	56	489,356	1.6
No	2	195	1,844,128	5.9
Valid skip	6	3,688	28,851,905	92.5
Not stated	9	2	6,513	0.0
Total		3,941	31,191,902	100.0

Variable Name: CAN\_20H Length: 1.0 Position: 61

**Question Name:** 

**Concept:** Increased use of cannabis, reasons: Other reason

Question Text: Which of the following reasons have contributed to your increased use of cannabis since

before the COVID-19 pandemic? - Other reason

Universe:  $CAN_Q15 = 1$ 

Note: Based on: CAN\_Q20

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	34	301,043	1.0
No	2	217	2,032,441	6.5
Valid skip	6	3,688	28,851,905	92.5
Not stated	9	2	6,513	0.0
Total		3,941	31,191,902	100.0

Variable Name: CAN\_201 Length: 1.0 Position: 62

**Question Name:** 

Concept: Increased use of cannabis, reasons: No reason

Question Text: Which of the following reasons have contributed to your increased use of cannabis since

before the COVID-19 pandemic? - No particular reason

Universe:  $CAN_Q15 = 1$ 

Note: Based on: CAN\_Q20

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	11	87,610	0.3
No	2	240	2,245,874	7.2
Valid skip	6	3,688	28,851,905	92.5
Not stated	9	2	6,513	0.0
Total		3,941	31,191,902	100.0

Variable Name: CAN25AGH Length: 1.0 Position: 63

**Question Name:** 

**Concept:** Decreased use of cannabis, reasons: Cost, Other reason, No reason

Question Text: Which of the following reasons have contributed to your decreased use of cannabis

since before the COVID-19 pandemic? - Cost, Other reason, No particular reason

Universe:  $CAN_Q15 = 2$ 

Note: Based on: CAN\_Q25

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	17	97,544	0.3
No	2	75	734,589	2.4
Valid skip	6	3,847	30,353,255	97.3
Not stated	9	2	6,513	0.0
Total		3,941	31,191,902	100.0

Variable Name: CAN\_25BF Length: 1.0 Position: 64

**Question Name:** 

Concept: Reasons for decreased use of cannabis: Pers resp, Lacking priv at home

**Question Text:** Which of the following reasons have contributed to your decreased use of cannabis

since before the COVID-19 pandemic? - Personal responsibilities, Lack of privacy to

use cannabis at home since the beginning of the pandemic

Universe:  $CAN_Q15 = 2$ 

Note: Based on: CAN\_Q25

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	17	166,813	0.5
No	2	75	665,320	2.1
Valid skip	6	3,847	30,353,255	97.3
Not stated	9	2	6,513	0.0
Total		3,941	31,191,902	100.0

Variable Name: CAN\_25CD Length: 1.0 Position: 65

**Question Name:** 

Concept: Decreased use of cannabis, reasons: Pers choice, Improved health/pain

Question Text: Which of the following reasons have contributed to your decreased use of cannabis

since before the COVID-19 pandemic? - Personal choice, Improved health or pain

Universe:  $CAN_Q15 = 2$ 

Note: Based on: CAN\_Q25

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	56	552,877	1.8
No	2	36	279,257	0.9
Valid skip	6	3,847	30,353,255	97.3
Not stated	9	2	6,513	0.0
Total		3,941	31,191,902	100.0

Variable Name: CAN\_25E Length: 1.0 Position: 66

**Question Name:** 

Concept: Decreased use of cannabis, reasons: Decreased opps for socialization

Question Text: Which of the following reasons have contributed to your decreased use of cannabis

since before the COVID-19 pandemic? - Decreased opportunities for socialization

Universe:  $CAN_Q15 = 2$ 

Note: Based on: CAN\_Q25

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	30	233,756	0.7
No	2	62	598,378	1.9
Valid skip	6	3,847	30,353,255	97.3
Not stated	9	2	6,513	0.0
Total		3,941	31,191,902	100.0

Variable Name: CAN\_30 Length: 1.0 Position: 67

**Question Name:** 

Concept: Continue to use cannabis when you knew you had a serious problem

Question Text: Over the course of the COVID-19 pandemic, did you ever continue to use cannabis

when you knew you had a serious physical or emotional problem that might have been

caused by or made worse by using cannabis?

Universe: CAN\_Q15 = 1 or CAN\_Q15 = 2 or (CAN\_Q15 = 4 and CAN\_Q05 != 2)

Note: Based on: CAN\_Q30

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	65	628,893	2.0
No	2	598	4,714,649	15.1
Valid skip	6	3,278	25,848,359	82.9
Total		3,941	31,191,902	100.0

Variable Name: CAN\_35 Length: 1.0 Position: 68

**Question Name:** 

**Concept:** Cannabis use interfered with ability to maintain close relationships

Question Text: Over the course of the COVID-19 pandemic, has your cannabis use interfered with your

ability to maintain close relationships with other people?

Universe: CAN\_Q15 = 1 or CAN\_Q15 = 2 or (CAN\_Q15 = 4 and CAN\_Q05 != 2)

Note: Based on: CAN\_Q35

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	31	222,778	0.7
No	2	632	5,120,764	16.4
Valid skip	6	3,278	25,848,359	82.9
Total		3,941	31,191,902	100.0

Variable Name: CAN\_40 Length: 1.0 Position: 69

**Question Name:** 

Concept: Seen/talked to a doctor or other prof about use of cannabis

**Question Text:** Over the course of the COVID-19 pandemic, have you seen, or talked on the telephone

to, a medical doctor or other professional about your cannabis use?

**Universe:** CAN\_Q15 = 1 or CAN\_Q15 = 2 or (CAN\_Q15 = 4 and CAN\_Q05 != 2)

Note: Based on: CAN\_Q40

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	65	551,432	1.8
No	2	598	4,792,111	15.4
Valid skip	6	3,278	25,848,359	82.9
Total		3,941	31,191,902	100.0

Variable Name: OPI\_05 Length: 1.0 Position: 70

**Question Name:** 

Concept: Past 30 days, prescribed or not, used drugs containing opioids

Question Text: In the past 30 days, have you used any prescribed or non-prescribed drugs containing

opioids?

Universe: All respondents

Note: Based on: OPI\_Q05

ш	rc	

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	230	1,680,979	5.4
No, not during the past 30 days	2	619	4,581,690	14.7
Never used opioid products	3	3,088	24,915,948	79.9
Not stated	9	4	13,285	0.0
Total		3,941	31,191,902	100.0

Variable Name: OPI\_10 Length: 1.0 Position: 71

**Question Name:** 

**Concept:** Use of opioids compared to before the pandemic

Question Text: On average, over the course of the COVID-19 pandemic, how has your use of opioids

changed when comparing to before the pandemic?

Universe:  $OPI_Q05 = 1 \text{ or } OPI_Q05 = 2$ 

Note: Based on: OPI\_Q10

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Increased	1	28	205,269	0.7
Decreased	2	29	370,686	1.2
Not applicable	3	505	3,575,642	11.5
Stayed about the same	4	289	2,121,286	6.8
Valid skip	6	3,088	24,915,948	79.9
Not stated	9	2	3,072	0.0
Total		3,941	31,191,902	100.0

Variable Name: OPI\_15AD Length: 1.0 Position: 72

**Question Name:** 

Concept: Increased use of opioids, reasons: Stress, Convenience

Question Text: Which of the following reasons have contributed to your increased use of opioids since

before the COVID-19 pandemic? - Stress, Convenience

Universe: OPI\_Q10 = 1

Note: Based on: OPI\_Q15

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	12	105,433	0.3
No	2	16	99,835	0.3
Valid skip	6	3,911	30,983,561	99.3
Not stated	9	2	3,072	0.0
Total		3,941	31,191,902	100.0

Variable Name: OP15BCFG Length: 1.0 Position: 73

**Question Name:** 

Concept: Increased use of opioids: Boredom, Loneliness, Other reason, No reason

Question Text: Which of the following reasons have contributed to your increased use of opioids since

before the COVID-19 pandemic? - Boredom, Loneliness, Other reason, No particular

reason

Universe: OPI\_Q10 = 1

Note: Based on: OPI\_Q15

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	11	78,106	0.3
No	2	17	127,163	0.4
Valid skip	6	3,911	30,983,561	99.3
Not stated	9	2	3,072	0.0
Total		3,941	31,191,902	100.0

Variable Name: OPI\_15E Length: 1.0 Position: 74

**Question Name:** 

Concept: Increased use of opioids, reasons: Worsening of health or pain

**Question Text:** Which of the following reasons have contributed to your increased use of opioids since

before the COVID-19 pandemic? - Worsening of health or pain

Universe: OPI\_Q10 = 1

Note: Based on: OPI\_Q15

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	20	165,242	0.5
No	2	8	40,027	0.1
Valid skip	6	3,911	30,983,561	99.3
Not stated	9	2	3,072	0.0
Total		3,941	31,191,902	100.0

Variable Name: OPI\_20A Length: 1.0 Position: 75

**Question Name:** 

Concept: Decreased use of opioids, reasons: Cost

Question Text: Which of the following reasons have contributed to your decreased use of opioids since

before the COVID-19 pandemic? - Cost

Universe: OPI\_Q10 = 2

Note: Based on: OPI\_Q20

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No	2	29	370,686	1.2
Valid skip	6	3,910	30,818,144	98.8
Not stated	9	2	3,072	0.0
Total		3,941	31,191,902	100.0

Variable Name: OPI\_20B Length: 1.0 Position: 76

**Question Name:** 

Concept: Decreased use of opioids, reasons: Personal responsibilities

Question Text: Which of the following reasons have contributed to your decreased use of opioids since

before the COVID-19 pandemic? - Personal responsibilities

Universe:  $OPI_Q10 = 2$ 

Note: Based on: OPI\_Q20

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No	2	29	370,686	1.2
Valid skip	6	3,910	30,818,144	98.8
Not stated	9	2	3,072	0.0
Tota	al .	3,941	31,191,902	100.0

Variable Name: OPI20CEG Length: 1.0 Position: 77

**Question Name:** 

**Concept:** Decreased use of opioids: Pers choice, Inconvenience, Other reason

Question Text: Which of the following reasons have contributed to your decreased use of opioids since

before the COVID-19 pandemic? - Personal choice, Inconvenience, Other reason

**Universe:** OPI\_Q10 = 2

Note: Based on: OPI\_Q20

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	10	207,813	0.7
No	2	19	162,873	0.5
Valid skip	6	3,910	30,818,144	98.8
Not stated	9	2	3,072	0.0
Total		3,941	31,191,902	100.0

Variable Name: OPI\_20D Length: 1.0 Position: 78

**Question Name:** 

**Concept:** Decreased use of opioids, reasons: Improved health or pain

Question Text: Which of the following reasons have contributed to your decreased use of opioids since

before the COVID-19 pandemic? - Improved health or pain

Universe: OPI\_Q10 = 2

Note: Based on: OPI\_Q20

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	18	129,033	0.4
No	2	11	241,653	0.8
Valid skip	6	3,910	30,818,144	98.8
Not stated	9	2	3,072	0.0
Total		3,941	31,191,902	100.0

Variable Name: OPI\_20F Length: 1.0 Position: 79

**Question Name:** 

Concept: Decreased use of opioids, reasons: Concerned, quality of drugs

Question Text: Which of the following reasons have contributed to your decreased use of opioids since

before the COVID-19 pandemic? - Concerned about drug quality

Universe:  $OPI_Q10 = 2$ 

Note: Based on: OPI\_Q20

Source:

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
No	2	29	370,686	1.2
Valid skip	6	3,910	30,818,144	98.8
Not stated	9	2	3,072	0.0
Total		3,941	31,191,902	100.0

Variable Name: OPI\_20H Length: 1.0 Position: 80

**Question Name:** 

**Concept:** Decreased use of opioids, reasons: No particular reason

Question Text: Which of the following reasons have contributed to your decreased use of opioids since

before the COVID-19 pandemic? - No particular reason

Universe:  $OPI_Q10 = 2$ 

Note: Based on: OPI\_Q20

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
No	2	29	370,686	1.2
Valid skip	6	3,910	30,818,144	98.8
Not stated	9	2	3,072	0.0
Total		3,941	31,191,902	100.0

Variable Name: OPI\_25 Length: 1.0 Position: 81

**Question Name:** 

Concept: Continue to use opioids, knew you had a serious problem

Question Text: Over the course of the COVID-19 pandemic, did you ever continue to use opioids when

you knew you had a serious physical or emotional problem that might have been caused

by or made worse by your use of opioids?

**Universe:** OPI\_Q10 = 1 or OPI\_Q10 = 2 or (OPI\_Q10 = 4 and OPI\_Q05 != 2)

Note: Based on: OPI\_Q25

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	17	128,472	0.4
No	2	204	1,714,570	5.5
Valid skip	6	3,716	29,338,833	94.1
Not stated	9	4	10,027	0.0
Total		3,941	31,191,902	100.0

Variable Name: OPI\_30 Length: 1.0 Position: 82

**Question Name:** 

**Concept:** Opioids interfered with ability to maintain close relationshps

Question Text: Over the course of the COVID-19 pandemic, has your use of opioids interfered with your

ability to maintain close relationships with other people?

**Universe:** OPI\_Q10 = 1 or OPI\_Q10 = 2 or (OPI\_Q10 = 4 and OPI\_Q05 != 2)

Note: Based on: OPI\_Q30

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	10	69,856	0.2
No	2	213	1,780,141	5.7
Valid skip	6	3,716	29,338,833	94.1
Not stated	9	2	3,072	0.0
Total		3,941	31,191,902	100.0

Variable Name: OPI 35 Length: 1.0 Position: 83

**Question Name:** 

**Concept:** Seen/talked to a doctor or other prof about use of opioids

Question Text: Over the course of the COVID-19 pandemic, have you seen, or talked on the telephone

to, a medical doctor or other professional about your use of opioids?

Universe: OPI\_Q10 = 1 or OPI\_Q10 = 2 or (OPI\_Q10 = 4 and OPI\_Q05 != 2)

Note: Based on: OPI\_Q35

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	51	428,729	1.4
No	2	172	1,421,268	4.6
Valid skip	6	3,716	29,338,833	94.1
Not stated	9	2	3,072	0.0
Tota	I	3,941	31,191,902	100.0

Variable Name: NPD\_05 Length: 1.0 Position: 84

**Question Name:** 

**Concept:** Past 30 days, use any non-prescribed drugs

Question Text: In the past 30 days, did you use any non-prescribed drugs?

Universe: All respondents

Note: Based on: NPD\_Q05

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	136	948,659	3.0
No, not during the past 30 days	2	421	3,689,160	11.8
Never used any non-prescribed drugs	3	3,371	26,440,207	84.8
Not stated	9	13	113,876	0.4
Total		3,941	31,191,902	100.0

Variable Name: NPD\_10 Length: 1.0 Position: 85

**Question Name:** 

**Concept:** Use of non-prescribed drugs compared to before the pandemic

Question Text: On average, over the course of the COVID-19 pandemic, how has your use of non-

prescribed drugs changed when comparing to before the pandemic?

Universe:  $NPD_Q05 = 1 \text{ or } NPD_Q05 = 2$ 

Note: Based on: NPD\_Q10

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Increased	1	39	295,172	0.9
Decreased	2	25	295,976	0.9
Not applicable	3	260	2,360,297	7.6
Stayed about the same	4	244	1,793,203	5.7
Valid skip	6	3,371	26,440,207	84.8
Not stated	9	2	7,046	0.0
Total		3,941	31,191,902	100.0

Variable Name: NPD\_15A Length: 1.0 Position: 86

**Question Name:** 

**Concept:** Increased use of non-prescribed drugs, reasons: Stress

Question Text: Which of the following reasons have contributed to your increased use of non-prescribed

drugs since before the COVID-19 pandemic? - Stress

Universe: NPD\_Q10 = 1

Note: Based on: NPD\_Q15

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	22	183,224	0.6
No	2	17	111,948	0.4
Valid skip	6	3,900	30,889,684	99.0
Not stated	9	2	7,046	0.0
Total		3,941	31,191,902	100.0

Variable Name: NPD\_15B Length: 1.0 Position: 87

**Question Name:** 

**Concept:** Increased use of non-prescribed drugs, reasons: Boredom

Question Text: Which of the following reasons have contributed to your increased use of non-prescribed

drugs since before the COVID-19 pandemic? - Boredom

Universe: NPD\_Q10 = 1

Note: Based on: NPD\_Q15

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	14	86,325	0.3
No	2	25	208,847	0.7
Valid skip	6	3,900	30,889,684	99.0
Not stated	9	2	7,046	0.0
Total		3,941	31,191,902	100.0

Variable Name: NPD 15C Length: 1.0 Position: 88

**Question Name:** 

Concept: Increased use of non-prescribed drugs, reasons: Loneliness

Question Text: Which of the following reasons have contributed to your increased use of non-prescribed

drugs since before the COVID-19 pandemic? - Loneliness

Universe: NPD\_Q10 = 1

Note: Based on: NPD\_Q15

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	15	128,225	0.4
No	2	24	166,947	0.5
Valid skip	6	3,900	30,889,684	99.0
Not stated	9	2	7,046	0.0
Total		3,941	31,191,902	100.0

Variable Name: NPD\_15D Length: 1.0 Position: 89

**Question Name:** 

**Concept:** Increased use of non-prescribed drugs, reasons: Convenience

Question Text: Which of the following reasons have contributed to your increased use of non-prescribed

drugs since before the COVID-19 pandemic? - Convenience

Universe: NPD\_Q10 = 1

Note: Based on: NPD\_Q15

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	10	96,485	0.3
No	2	29	198,687	0.6
Valid skip	6	3,900	30,889,684	99.0
Not stated	9	2	7,046	0.0
Total		3,941	31,191,902	100.0

Variable Name: NPD\_15E Length: 1.0 Position: 90

**Question Name:** 

Concept: Increased use of non-prescribed drugs, reasons: Health/pain worsening

Question Text: Which of the following reasons have contributed to your increased use of non-prescribed

drugs since before the COVID-19 pandemic? - Worsening of health or pain

Universe: NPD\_Q10 = 1

Note: Based on: NPD\_Q15

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	18	162,584	0.5
No	2	21	132,588	0.4
Valid skip	6	3,900	30,889,684	99.0
Not stated	9	2	7,046	0.0
Total		3,941	31,191,902	100.0

Variable Name: NPD\_15FG Length: 1.0 Position: 91

**Question Name:** 

**Concept:** Increased use of non-presc drugs, reasons: Other reason, No reason

Question Text: Which of the following reasons have contributed to your increased use of non-prescribed

drugs since before the COVID-19 pandemic? - Other reason, No particular reason

Universe: NPD\_Q10 = 1

Note: Based on: NPD\_Q15

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	10	55,233	0.2
No	2	29	239,939	8.0
Valid skip	6	3,900	30,889,684	99.0
Not stated	9	2	7,046	0.0
Total		3,941	31,191,902	100.0

Variable Name: NP20ABCD Length: 1.0 Position: 92

**Question Name:** 

Concept: Decrsd use non-presc drugs: Cost, Pers resp, Pers choice, Health/pain

Question Text: Reason for decreased use of non-prescribed drugs: Cost, Personal responsibilities,

Personal choice, Improved health or pain

Universe: NPD\_Q10 = 2

Note: Based on: NPD\_Q20

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	14	214,957	0.7
No	2	11	81,019	0.3
Valid skip	6	3,914	30,888,879	99.0
Not stated	9	2	7,046	0.0
Total		3,941	31,191,902	100.0

Variable Name: NP20EFGI Length: 1.0 Position: 93

**Question Name:** 

**Concept:** Decrsd use non-presc drugs: Dec soc opps, Incnvnnc, Quality, No reason

Question Text: Which of the following reasons have contributed to your decreased use of non-prescribed

drugs since before the COVID-19 pandemic? - Decreased opportunities for socializa-

tion, Inconvenience, Concerned about quality of drugs, No particular reason

Universe: NPD\_Q10 = 2

Note: Based on: NPD\_Q20

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	15	248,742	8.0
No	2	10	47,234	0.2
Valid skip	6	3,914	30,888,879	99.0
Not stated	9	2	7,046	0.0
Total		3,941	31,191,902	100.0

Variable Name: NPD\_20H Length: 1.0 Position: 94

**Question Name:** 

**Concept:** Decreased use of non-presc drugs, reasons: Other reason

Question Text: Which of the following reasons have contributed to your decreased use of non-prescribed

drugs since before the COVID-19 pandemic? - Other reason

Universe: NPD\_Q10 = 2

Note: Based on: NPD\_Q20

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
No	2	25	295,976	0.9
Valid skip	6	3,914	30,888,879	99.0
Not stated	9	2	7,046	0.0
Total		3,941	31,191,902	100.0

Variable Name: NPD\_25 Length: 1.0 Position: 95

**Question Name:** 

**Concept:** Continue to use non-prescribed drugs, knew you had a serious problem

Question Text: Over the course of the COVID-19 pandemic, did you ever continue to use non-prescribed

drugs when you knew you had a serious physical or emotional problem that might have

been caused by or made worse by your use of non-prescribed drugs?

**Universe:** NPD\_Q10 = 1 or NPD\_Q10 = 2 or (NPD\_Q10 = 4 and NPD\_Q05 !=2)

Note: Based on: NPD\_Q25

_	
Sou	Irco.

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	22	163,112	0.5
No	2	130	988,830	3.2
Valid skip	6	3,789	30,039,960	96.3
Total		3,941	31,191,902	100.0

Variable Name: NPD\_30 Length: 1.0 Position: 96

**Question Name:** 

Concept: Non-presc drugs interfered with ability to maintain close relationshps

Question Text: Over the course of the COVID-19 pandemic, has your use of non-prescribed drugs in-

terfered with your ability to maintain close relationships with other people?

Universe: NPD\_Q10 = 1 or NPD\_Q10 = 2 or (NPD\_Q10 = 4 and NPD\_Q05!=2)

Note: Based on: NPD\_Q30

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	17	156,057	0.5
No	2	135	995,885	3.2
Valid skip	6	3,789	30,039,960	96.3
Total		3,941	31,191,902	100.0

Variable Name: NPD\_35 Length: 1.0 Position: 97

**Question Name:** 

Concept: Seen/talked to a doctor or other prof about use of non-presc drugs

**Question Text:** Over the course of the COVID-19 pandemic, have you seen, or talked on the telephone

to, a medical doctor or other professional about your use of non-prescribed drugs?

**Universe:** NPD\_Q10 = 1 or NPD\_Q10 = 2 or (NPD\_Q10 = 4 and NPD\_Q05!=2)

Note: Based on: NPD\_Q35

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	18	104,542	0.3
No	2	134	1,047,400	3.4
Valid skip	6	3,789	30,039,960	96.3
Total		3,941	31,191,902	100.0

Variable Name: PM 05A Length: 1.0 Position: 98

**Question Name:** 

Concept: Used prescribed/non drugs for pain since the beginning of the pandemic

Question Text: Have you used prescribed or non-prescribed drugs for pain since the beginning of the

COVID-19 pandemic?

Universe: All respondents

Note: Based on: PM\_Q05A

Source:

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Yes, prescription drugs	1	422	3,216,457	10.3
Yes, non-prescription drugs	2	201	1,468,955	4.7
Yes, both prescription and non-prescription	3	65	385,433	1.2
drugs				
No	4	2,128	18,505,736	59.3
Not stated	9	1,125	7,615,321	24.4
Total		3,941	31,191,902	100.0

Variable Name: PPM\_05BA Length: 1.0 Position: 99

**Question Name:** 

**Concept:** Drugs used for managing pain: Acetaminophen

Question Text: What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Acetaminophen

Universe: PM\_Q05A = 1

Note: Based on: PM\_Q05B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	196	1,341,899	4.3
No	2	214	1,668,881	5.4
Valid skip	6	2,394	20,360,124	65.3
Not stated	9	1,137	7,820,998	25.1
Total		3,941	31,191,902	100.0

Variable Name: PPM\_05BB Length: 1.0 Position: 100

**Question Name:** 

Concept: Drugs used for managing pain: Nonsteroidal anti-inflammatory drugs

Question Text: What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Nonsteroidal anti-inflammatory drugs, including ibuprofen

Universe: PM\_Q05A = 1

Note: Based on: PM\_Q05B

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	200	1,554,897	5.0
No		2	210	1,455,883	4.7
Valid skip		6	2,394	20,360,124	65.3
Not stated		9	1,137	7,820,998	25.1
	Total		3,941	31,191,902	100.0

Variable Name: PM05BCGI Length: 1.0 Position: 101

**Question Name:** 

Concept: Drugs, pain: Codeine, Anticonvulsants, Other presc drugs

Question Text: What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Low-dose codeine, Anticonvulsants or anti-seizure medica-

tions, Other prescription drugs to manage pain

Universe: PM\_Q05A = 1

Note: Based on: PM\_Q05B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	114	764,064	2.4
No	2	296	2,246,716	7.2
Valid skip	6	2,394	20,360,124	65.3
Not stated	9	1,137	7,820,998	25.1
Total		3,941	31,191,902	100.0

Variable Name: PPM 05BD Length: 1.0 Position: 102

**Question Name:** 

Concept: Drugs used for managing pain: Opioids

Question Text: What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Opioids

Universe: PM\_Q05A = 1

Note: Based on: PM\_Q05B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	72	470,149	1.5
No	2	331	2,408,548	7.7
Valid skip	6	2,394	20,360,124	65.3
Not stated	9	1,144	7,953,081	25.5
Total		3,941	31,191,902	100.0

Variable Name: PPM 05BE Length: 1.0 Position: 103

**Question Name:** 

Concept: Drugs used for managing pain: Cannabis products, including edibles

Question Text: What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Cannabis products, including edibles

Universe: PM\_Q05A = 1

Note: Based on: PM\_Q05B

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	34	252,896	0.8
No	2	376	2,757,884	8.8
Valid skip	6	2,394	20,360,124	65.3
Not stated	9	1,137	7,820,998	25.1
Total		3,941	31,191,902	100.0

Variable Name: PPM\_05BF Length: 1.0 Position: 104

**Question Name:** 

**Concept:** Drugs used for managing pain: Antidepressants

Question Text: What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Antidepressants

Universe: PM\_Q05A = 1

Note: Based on: PM\_Q05B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	74	548,109	1.8
No	2	336	2,462,671	7.9
Valid skip	6	2,394	20,360,124	65.3
Not stated	9	1,137	7,820,998	25.1
Total		3,941	31,191,902	100.0

Variable Name: PPM\_05BH Length: 1.0 Position: 105

**Question Name:** 

**Concept:** Drugs used for managing pain: Topical agents

Question Text: What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Topical agents

Universe: PM\_Q05A = 1

Note: Based on: PM\_Q05B

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	53	311,702	1.0
No	2	357	2,699,078	8.7
Valid skip	6	2,394	20,360,124	65.3
Not stated	9	1,137	7,820,998	25.1
Total		3,941	31,191,902	100.0

Variable Name: PPM\_05CA Length: 1.0 Position: 106

**Question Name:** 

Concept: Drugs used for managing pain: Acetaminophen

Question Text: What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Acetaminophen

Universe: PM\_Q05A = 2

Note: Based on: PM\_Q05C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	137	861,242	2.8
No	2	60	551,608	1.8
Valid skip	6	2,615	22,107,625	70.9
Not stated	9	1,129	7,671,426	24.6
Total		3,941	31,191,902	100.0

Variable Name: PPM\_05CB Length: 1.0 Position: 107

**Question Name:** 

Concept: Drugs used for managing pain: Nonsteroidal anti-inflammatory drugs

Question Text: What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Nonsteroidal anti-inflammatory drugs, including ibuprofen

Universe: PM\_Q05A = 2

Note: Based on: PM\_Q05C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	125	837,634	2.7
No	2	72	575,217	1.8
Valid skip	6	2,615	22,107,625	70.9
Not stated	9	1,129	7,671,426	24.6
Total		3,941	31,191,902	100.0

Variable Name: PM5CCDFH Length: 1.0 Position: 108

**Question Name:** 

Concept: Drugs, pain: Codeine, Opioids, Illegal drugs, Other non-presc drugs

Question Text: What types of drugs have you used for the purpose of managing pain since the be-

ginning of the pandemic? - Low-dose codeine, Opioids, Illegal drugs, Other non-

prescription drugs to manage pain

Universe: PM\_Q05A = 2

Note: Based on: PM\_Q05C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	21	270,210	0.9
No	2	176	1,142,641	3.7
Valid skip	6	2,615	22,107,625	70.9
Not stated	9	1,129	7,671,426	24.6
Total		3,941	31,191,902	100.0

Variable Name: PPM\_05CE Length: 1.0 Position: 109

**Question Name:** 

Concept: Drugs used for managing pain: Cannabis products, including edibles

Question Text: What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Cannabis products, including edibles

Universe:  $PM_Q05A = 2$ 

Note: Based on: PM\_Q05C

Source:

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Yes	1	29	204,738	0.7
No	2	167	1,205,420	3.9
Valid skip	6	2,615	22,107,625	70.9
Not stated	9	1,130	7,674,119	24.6
Total		3,941	31,191,902	100.0

Variable Name: PPM\_05CG Length: 1.0 Position: 110

**Question Name:** 

**Concept:** Drugs used for managing pain: Topical agents

Question Text: What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Topical agents

Universe: PM\_Q05A = 2

Note: Based on: PM\_Q05C

ш	rc	

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	39	240,893	8.0
No	2	158	1,171,958	3.8
Valid skip	6	2,615	22,107,625	70.9
Not stated	9	1,129	7,671,426	24.6
Total		3,941	31,191,902	100.0

Variable Name: PPM\_05DA Length: 1.0 Position: 111

**Question Name:** 

Concept: Drugs used for managing pain: Acetaminophen

Question Text: What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Acetaminophen

Universe: PM\_Q05A = 3

Note: Based on: PM\_Q05D

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	45	243,976	0.8
No	2	18	135,840	0.4
Valid skip	6	2,751	23,191,148	74.3
Not stated	9	1,127	7,620,937	24.4
Total		3,941	31,191,902	100.0

Variable Name: PPM\_05DB Length: 1.0 Position: 112

**Question Name:** 

Concept: Drugs used for managing pain: Nonsteroidal anti-inflammatory drugs

Question Text: What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Nonsteroidal anti-inflammatory drugs, including ibuprofen

Universe: PM\_Q05A = 3

Note: Based on: PM\_Q05D

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	43	254,816	0.8
No	2	20	125,000	0.4
Valid skip	6	2,751	23,191,148	74.3
Not stated	9	1,127	7,620,937	24.4
Total		3,941	31,191,902	100.0

Variable Name: PM5DCFHJ Length: 1.0 Position: 113

**Question Name:** 

Concept: Drugs, pain: Codeine, Illgl drgs, Anticnvlsnts, Other pres/nprs drugs

**Question Text:** What types of drugs have you used for the purpose of managing pain since the be-

> ginning of the pandemic? - Low-dose codeine, Illegal drugs, Anticonvulsants or antiseizure medications, Other prescription and non-prescription drugs to manage pain

Universe:  $PM_Q05A = 3$ 

Note: Based on: PM Q05D

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	31	178,124	0.6
No	2	32	201,692	0.6
Valid skip	6	2,751	23,191,148	74.3
Not stated	9	1,127	7,620,937	24.4
Total		3,941	31,191,902	100.0

Variable Name: PPM\_05DD Length: 1.0 Position: 114

**Question Name:** 

Concept: Drugs used for managing pain: Opioids

**Question Text:** What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Opioids

Universe:  $PM_Q05A = 3$ 

Note: Based on: PM\_Q05D

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	13	70,218	0.2
No	2	49	306,172	1.0
Valid skip	6	2,751	23,191,148	74.3
Not stated	9	1,128	7,624,364	24.4
Total		3,941	31,191,902	100.0

Position: 115 Variable Name: PPM\_05DE Length: 1.0

**Question Name:** 

Concept: Drugs used for managing pain: Cannabis products, including edibles

**Question Text:** What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Cannabis products, including edibles

Universe:  $PM_Q05A = 3$ 

Note: Based on: PM\_Q05D

ш	rc	

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	17	76,280	0.2
No	2	45	300,412	1.0
Valid skip	6	2,751	23,191,148	74.3
Not stated	9	1,128	7,624,063	24.4
Total		3,941	31,191,902	100.0

Variable Name: PPM\_05DG Length: 1.0 Position: 116

**Question Name:** 

**Concept:** Drugs used for managing pain: Antidepressants

Question Text: What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Antidepressants

Universe: PM\_Q05A = 3

Note: Based on: PM\_Q05D

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	18	113,602	0.4
No	2	45	266,214	0.9
Valid skip	6	2,751	23,191,148	74.3
Not stated	9	1,127	7,620,937	24.4
Total		3,941	31,191,902	100.0

Variable Name: PPM\_05DI Length: 1.0 Position: 117

**Question Name:** 

**Concept:** Drugs used for managing pain: Topical agents

Question Text: What types of drugs have you used for the purpose of managing pain since the begin-

ning of the pandemic? - Topical agents

Universe: PM\_Q05A = 3

Note: Based on: PM\_Q05D

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	35	177,027	0.6
No	2	28	202,790	0.7
Valid skip	6	2,751	23,191,148	74.3
Not stated	9	1,127	7,620,937	24.4
Total		3,941	31,191,902	100.0

Variable Name: PM\_10 Length: 1.0 Position: 118

**Question Name:** 

**Concept:** Drugs use frequency for managing pain

Question Text: How often did you use any type of these drugs for managing pain since the beginning

of the COVID-19 pandemic?

Universe: PM\_Q05A != 4

Note: Based on: PM\_Q10

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Less than once a month	1	149	1,233,133	4.0
1 to 3 times a month	2	168	1,323,270	4.2
Once a week	3	73	522,976	1.7
More than once a week	4	121	941,798	3.0
Every day	5	176	1,047,852	3.4
Valid skip	6	2,128	18,505,736	59.3
Not stated	9	1,126	7,617,136	24.4
7	<b>Total</b>	3,941	31,191,902	100.0

Variable Name: PHS\_10A Length: 1.0 Position: 119

**Question Name:** 

**Concept:** Seen or talked on the telephone to: Psychiatrist

**Question Text:** Since the beginning of the COVID-19 pandemic, have you seen, or talked on the tele-

phone to, any of the following people about problems with your emotions, mental health

or use of alcohol or drugs? - Psychiatrist

Universe: All respondents

Note: Based on: HS\_Q10

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	100	825,349	2.6
No		2	3,814	29,751,481	95.4
Not stated		9	27	615,072	2.0
	Total		3,941	31,191,902	100.0

Variable Name: PHS\_10B Length: 1.0 Position: 120

**Question Name:** 

**Concept:** Seen or talked on the telephone to: Doctor or general practitioner

Question Text: Since the beginning of the COVID-19 pandemic, have you seen, or talked on the tele-

phone to, any of the following people about problems with your emotions, mental health

or use of alcohol or drugs? - Family doctor or general practitioner

Universe: All respondents

Note: Based on: HS\_Q10

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	301	2,239,122	7.2
No	2	3,613	28,337,709	90.8
Not stated	9	27	615,072	2.0
Total		3,941	31,191,902	100.0

Variable Name: PHS\_10C Length: 1.0 Position: 121

**Question Name:** 

**Concept:** Seen or talked on the telephone to: Psychologist

Question Text: Since the beginning of the COVID-19 pandemic, have you seen, or talked on the tele-

phone to, any of the following people about problems with your emotions, mental health

or use of alcohol or drugs? - Psychologist

Universe: All respondents

Note: Based on: HS\_Q10

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	113	770,448	2.5
No		2	3,801	29,806,382	95.6
Not stated		9	27	615,072	2.0
	Total		3,941	31,191,902	100.0

Variable Name: PHS\_10D Length: 1.0 Position: 122

**Question Name:** 

Concept: Seen or talked on the telephone to: Nurse

Question Text: Since the beginning of the COVID-19 pandemic, have you seen, or talked on the tele-

phone to, any of the following people about problems with your emotions, mental health

or use of alcohol or drugs? - Nurse

Universe: All respondents

Note: Based on: HS\_Q10

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	30	208,051	0.7
No	2	3,884	30,368,779	97.4
Not stated	9	27	615,072	2.0
Total		3,941	31,191,902	100.0

Variable Name: PHS\_10E Length: 1.0 Position: 123

**Question Name:** 

Concept: Seen or talked on the telephone to: Soc worker, couns, psychotherapist

Question Text: Since the beginning of the COVID-19 pandemic, have you seen, or talked on the tele-

phone to, any of the following people about problems with your emotions, mental health

or use of alcohol or drugs? - Social worker, counsellor, or psychotherapist

Universe: All respondents

Note: Based on: HS\_Q10

Source:

Answer Categories	Code	<u>Frequency</u>	Weighted Frequency	<u>%</u>
Yes	1	192	1,828,757	5.9
No	2	3,722	28,748,073	92.2
Not stated	9	27	615,072	2.0
Total		3,941	31,191,902	100.0

Variable Name: HS\_10F Length: 1.0 Position: 124

**Question Name:** 

**Concept:** Seen or talked on the telephone to: Family member

Question Text: Since the beginning of the COVID-19 pandemic, have you seen, or talked on the tele-

phone to, any of the following people about problems with your emotions, mental health

or use of alcohol or drugs? - Family member

Universe: All respondents

Note: Based on: HS\_Q10

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	622	5,087,822	16.3
No	2	3,309	26,033,996	83.5
Not stated	9	10	70,084	0.2
To	tal	3,941	31,191,902	100.0

Variable Name: HS\_10G Length: 1.0 Position: 125

**Question Name:** 

**Concept:** Seen or talked on the telephone to: Friend

Question Text: Since the beginning of the COVID-19 pandemic, have you seen, or talked on the tele-

phone to, any of the following people about problems with your emotions, mental health

or use of alcohol or drugs? - Friend

Universe: All respondents

**Note:** Based on: HS\_Q10

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	676	5,664,716	18.2
No	2	3,255	25,457,102	81.6
Not stated	9	10	70,084	0.2
Total		3,941	31,191,902	100.0

Variable Name: HS\_10H Length: 1.0 Position: 126

**Question Name:** 

Concept: Seen or talked on the telephone to: Co-worker, supervisor, or boss

Question Text: Since the beginning of the COVID-19 pandemic, have you seen, or talked on the tele-

phone to, any of the following people about problems with your emotions, mental health

or use of alcohol or drugs? - Co-worker, supervisor, or boss

Universe: All respondents

Note: Based on: HS\_Q10

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	167	1,018,169	3.3
No		2	3,764	30,103,649	96.5
Not stated		9	10	70,084	0.2
	Total		3,941	31,191,902	100.0

Variable Name: HS\_10I Length: 1.0 Position: 127

**Question Name:** 

**Concept:** Seen or talked on the telephone to: Teacher or school principal

Question Text: Since the beginning of the COVID-19 pandemic, have you seen, or talked on the tele-

phone to, any of the following people about problems with your emotions, mental health

or use of alcohol or drugs? - Teacher or school principal

Universe: All respondents

Note: Based on: HS\_Q10

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
No		2	3,931	31,121,818	99.8
Not stated		9	10	70,084	0.2
	Total		3,941	31,191,902	100.0

Variable Name: HS\_10J Length: 1.0 Position: 128

**Question Name:** 

**Concept:** Seen or talked on the telephone to: Other person

Question Text: Since the beginning of the COVID-19 pandemic, have you seen, or talked on the tele-

phone to, any of the following people about problems with your emotions, mental health

or use of alcohol or drugs? - Other person

Universe: All respondents

Note: Based on: HS Q10

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	48	492,800	1.6
No	2	3,883	30,629,018	98.2
Not stated	9	10	70,084	0.2
Total		3,941	31,191,902	100.0

Variable Name: HS\_10K Length: 1.0 Position: 129

**Question Name:** 

**Concept:** Seen or talked on the telephone to: None

Question Text: Since the beginning of the COVID-19 pandemic, have you seen, or talked on the tele-

phone to, any of the following people about problems with your emotions, mental health

or use of alcohol or drugs? - None

Universe: All respondents

Note: Based on: HS\_Q10

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	2,817	21,794,587	69.9
No	2	1,114	9,327,231	29.9
Not stated	9	10	70,084	0.2
Total		3,941	31,191,902	100.0

Variable Name: PHS\_15 Length: 1.0 Position: 130

**Question Name:** 

**Concept:** Prescribed medication for emotions, mental health, alcohol, drugs

Question Text: Since the beginning of the COVID-19 pandemic, have you taken any prescribed medi-

cation to help you with problems with your emotions, mental health or use of alcohol or

drugs?

Universe: All respondents

Note: Based on: HS\_Q15

_				
c	^	 rc	2	٠.

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	434	3,034,507	9.7
No	2	3,483	27,557,530	88.3
Not stated	9	24	599,865	1.9
Total		3,941	31,191,902	100.0

Variable Name: HS\_20 Length: 1.0 Position: 131

**Question Name:** 

Concept: Needed help: emotns, mental health, alcohol, drugs. Didn't receive it

Question Text: Since the beginning of the COVID-19 pandemic, was there ever a time when you felt

that you needed help for your emotions, mental health or use of alcohol or drugs, but

you didn't receive it?

Universe: All respondents

Note: Based on: HS\_Q20

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	450	4,334,553	13.9
No	2	3,465	26,681,525	85.5
Not stated	9	26	175,824	0.6
Total		3,941	31,191,902	100.0

Variable Name: HM\_05 Length: 1.0 Position: 132

**Question Name:** 

Concept: Concern, spouse/partner's substance use during the pandemic

Question Text: Are you concerned about your spouse or partner's substance use during the COVID-19

pandemic?

Universe: All respondents

Note: Based on: HM\_Q05

Source:

Answer Categories	Code	<b>Frequency</b>	Weighted Frequency	<u>%</u>
Yes	1	164	1,436,384	4.6
No	2	2,537	19,858,447	63.7
Not applicable	3	1,235	9,874,604	31.7
Not stated	9	5	22,467	0.1
Total		3,941	31,191,902	100.0

Variable Name: HM\_10 Length: 1.0 Position: 133

**Question Name:** 

Concept: Concern, child's/children's substance use during the pandemic

**Question Text:** Are you concerned about your child's or children's substance use during the COVID-19

pandemic?

Universe: All respondents

Note: Based on: HM\_Q10

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	108	914,897	2.9
No	2	1,830	14,867,728	47.7
Not applicable	3	1,989	15,320,584	49.1
Not stated	9	14	88,693	0.3
Total		3,941	31,191,902	100.0

Variable Name: HM\_15 Length: 1.0 Position: 134

**Question Name:** 

**Concept:** Concern, any other household member's substance use during pandemic

Question Text: Are you concerned about any other household member's substance use during the

COVID-19 pandemic?

Universe: All respondents

Note: Based on: HM Q15

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	94	1,001,692	3.2
No	2	2,274	21,260,324	68.2
Not applicable	3	1,555	8,862,348	28.4
Not stated	9	18	67,538	0.2
Total		3,941	31,191,902	100.0

Variable Name: ST\_05A Length: 1.0 Position: 135

**Question Name:** 

Concept: Problem with alcohol/drugs, embarrassed to tell friends/family

**Question Text:** Below is a list of statements. For each one of them, please select the answer that best

applies to you. - People who have a problem with alcohol or drugs should be embar-

rassed or uncomfortable to tell friends or family that they have a problem

Universe: All respondents

Note: Based on: ST\_Q05A

_						
c	^	u	"	•	•	•
	J	u		-		

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Strongly agree	1	70	681,102	2.2
Agree	2	195	1,902,810	6.1
Disagree	3	1,031	8,410,063	27.0
Strongly disagree	4	2,626	20,023,093	64.2
Not stated	9	19	174,833	0.6
Total		3,941	31,191,902	100.0

Variable Name: ST\_05B Length: 1.0 Position: 136

**Question Name:** 

**Concept:** Society should be friendlier toward people with alcohol/drug problems

Question Text: Below is a list of statements. For each one of them, please select the answer that best

applies to you. - Society should be friendlier toward people with an alcohol or drug

problem

Universe: All respondents

Note: Based on: ST\_Q05B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Strongly agree	1	1,336	10,916,985	35.0
Agree	2	2,130	16,137,803	51.7
Disagree	3	359	3,096,226	9.9
Strongly disagree	4	94	848,875	2.7
Not stated	9	22	192,013	0.6
Total		3,941	31,191,902	100.0

Variable Name: ST\_05C Length: 1.0 Position: 137

**Question Name:** 

**Concept:** Alcohol/drug problem, embarrassing to seek help/treatment

**Question Text:** Below is a list of statements. For each one of them, please select the answer that best

applies to you. - People who have an alcohol or drug problem should find it embarrass-

ing or uncomfortable to seek help or treatment

Universe: All respondents

Note: Based on: ST\_Q05C

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Strongly agree	1	70	731,987	2.3
Agree	2	151	1,187,189	3.8
Disagree	3	901	7,096,524	22.8
Strongly disagree	4	2,799	22,048,026	70.7
Not stated	9	20	128,175	0.4

 Answer Categories
 Code
 Frequency
 Weighted Frequency
 %

 Total
 3,941
 31,191,902
 100.0

Variable Name: ST\_05D Length: 1.0 Position: 138

**Question Name:** 

Concept: I have sympathy for people who misuse alcohol or drugs

Question Text: Below is a list of statements. For each one of them, please select the answer that best

applies to you. - I have sympathy for people who misuse alcohol or drugs

Universe: All respondents

Note: Based on: ST\_Q05D

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Strongly agree	1	1,140	9,214,329	29.5
Agree	2	2,187	16,810,193	53.9
Disagree	3	470	3,946,644	12.7
Strongly disagree	4	133	1,156,644	3.7
Not stated	9	11	64,091	0.2
Total		3,941	31,191,902	100.0

Variable Name: ST\_10AC Length: 1.0 Position: 139

**Question Name:** 

Concept: Embarrassing to tell friends/family about my alcohol/drug use

Question Text: Below is a list of statements. For each one of them, please select the answer that best

applies to you. - I find it embarrassing or uncomfortable to tell friends or family about

my alcohol or drug use

**Universe:** (ALC\_Q05 != 2 or ALC\_Q05 != 3) and (CAN\_Q05 != 1 or CAN\_Q05 != 2) and (OPI\_Q05

!= 2 or OPI\_Q05 != 3) and (NPD\_Q05 != 2 or NPD\_Q05 != 3)

Note: Based on: ST\_Q10A

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Agree or strongly agree	1	286	2,319,248	7.4
Disagree	2	482	4,182,043	13.4
Strongly disagree	3	376	2,922,087	9.4
Not applicable	4	1,787	12,916,825	41.4
Valid skip	6	1,006	8,834,475	28.3
Not stated	9	4	17,224	0.1
Total		3,941	31,191,902	100.0

Variable Name: ST\_10BC Length: 1.0 Position: 140

**Question Name:** 

Concept: Embarrassing to seek help/treatment for my alcohol/drug use

**Question Text:** Below is a list of statements. For each one of them, please select the answer that best

applies to you. - I find it embarrassing or uncomfortable to seek help or treatment for

my alcohol or drug use

Universe: (ALC\_Q05 != 2 or ALC\_Q05 != 3) and (CAN\_Q05 != 1 or CAN\_Q05 != 2) and (OPI\_Q05

!= 2 or OPI\_Q05 != 3) and (NPD\_Q05 != 2 or NPD\_Q05 != 3)

Note: Based on: ST\_Q10B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Agree or strongly agree	1	219	1,595,913	5.1
Disagree	2	326	3,233,715	10.4
Strongly disagree	3	215	1,918,591	6.2
Not applicable	4	2,170	15,588,339	50.0
Valid skip	6	1,006	8,834,475	28.3
Not stated	9	5	20,869	0.1
Total		3,941	31,191,902	100.0

Variable Name: ST\_10CC Length: 1.0 Position: 141

**Question Name:** 

Concept: Difficulties in obtaining treatment for my alcohol/drug use

**Question Text:** Below is a list of statements. For each one of them, please select the answer that best

applies to you. - I have experienced difficulties in obtaining treatment for my alcohol or

drug use

**Universe:** (ALC\_Q05 != 2 or ALC\_Q05 != 3) and (CAN\_Q05 != 1 or CAN\_Q05 != 2) and (OPI\_Q05

!= 2 or OPI\_Q05 != 3) and (NPD\_Q05 != 2 or NPD\_Q05 != 3)

Note: Based on: ST\_Q10C

Source:

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Agree or Strongly Agree	1	64	605,046	1.9
Disagree or Strongly Disagree	2	266	2,209,109	7.1
Not Applicable	4	2,598	19,475,285	62.4
Valid skip	6	1,006	8,834,475	28.3
Not stated	9	7	67,987	0.2
Total		3,941	31,191,902	100.0

Variable Name: ST\_10DC Length: 1.0 Position: 142

**Question Name:** 

Concept: Discriminated against by health professionals bc of alcohol/drug use

**Question Text:** Below is a list of statements. For each one of them, please select the answer that best

applies to you. - I have been discriminated against by health professionals because of

my alcohol or drug use

**Universe:** (ALC\_Q05 != 2 or ALC\_Q05 != 3) and (CAN\_Q05 != 1 or CAN\_Q05 != 2) and (OPI\_Q05

!= 2 or OPI Q05 != 3) and (NPD Q05 != 2 or NPD Q05 != 3)

Note: Based on: ST\_Q10D

Source:

Answer Categories		<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Agree or strongly agree		1	66	499,983	1.6
Disagree		2	179	1,445,014	4.6
Strongly disagree		3	201	1,647,965	5.3
Not applicable		4	2,484	18,741,011	60.1
Valid skip		6	1,006	8,834,475	28.3
Not stated		9	5	23,454	0.1
	Total		3,941	31,191,902	100.0
Not applicable Valid skip	Total	4	2,484 1,006 5	18,741,011 8,834,475 23,454	60 28 0

Variable Name: ST\_10EC Length: 1.0 Position: 143

**Question Name:** 

Concept: Often feel alone because of alcohol/drug use

**Question Text:** Below is a list of statements. For each one of them, please select the answer that best

applies to you. - I often feel alone because of my alcohol or drug use

Universe: (ALC\_Q05 != 2 or ALC\_Q05 != 3) and (CAN\_Q05 != 1 or CAN\_Q05 != 2) and (OPI\_Q05

!= 2 or OPI\_Q05 != 3) and (NPD\_Q05 != 2 or NPD\_Q05 != 3)

Note: Based on: ST\_Q10E

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Agree or strongly agree	1	99	887,275	2.8
Disagree	2	252	2,059,536	6.6
Strongly disagree	3	341	2,722,979	8.7
Not applicable	4	2,236	16,646,923	53.4
Valid skip	6	1,006	8,834,475	28.3
Not stated	9	7	40,714	0.1
Total		3,941	31,191,902	100.0

Variable Name: ST\_10FC Length: 1.0 Position: 144

**Question Name:** 

Concept: Scared how ppl will react if they find out about my alcohol/drug use

Question Text: Below is a list of statements. For each one of them, please select the answer that best

applies to you. - I am scared of how people will react if they find out about my alcohol

or drug use

Universe: (ALC Q05 != 2 or ALC Q05 != 3) and (CAN Q05 != 1 or CAN Q05 != 2) and (OPI Q05

!= 2 or OPI\_Q05 != 3) and (NPD\_Q05 != 2 or NPD\_Q05 != 3)

Note: Based on: ST\_Q10F

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Agree or strongly agree	1	181	1,643,514	5.3
Disagree	2	269	2,428,624	7.8
Strongly disagree	3	297	2,304,949	7.4
Not applicable	4	2,180	15,948,533	51.1
Valid skip	6	1,006	8,834,475	28.3
Not stated	9	8	31,806	0.1
Total		3,941	31,191,902	100.0

Variable Name: ST\_10GC Length: 1.0 Position: 145

**Question Name:** 

**Concept:** People have insulted me because of my alcohol/drug use

**Question Text:** Below is a list of statements. For each one of them, please select the answer that best

applies to you. - People have insulted me because of my alcohol or drug use

**Universe:** (ALC\_Q05 != 2 or ALC\_Q05 != 3) and (CAN\_Q05 != 1 or CAN\_Q05 != 2) and (OPI\_Q05

!= 2 or OPI\_Q05 != 3) and (NPD\_Q05 != 2 or NPD\_Q05 != 3)

Note: Based on: ST\_Q10G

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Agree or strongly agree	1	101	945,039	3.0
Disagree	2	219	1,654,325	5.3
Strongly disagree	3	367	2,967,271	9.5
Not applicable	4	2,241	16,757,096	53.7
Valid skip	6	1,006	8,834,475	28.3
Not stated	9	7	33,695	0.1
Total		3,941	31,191,902	100.0

Variable Name: ST\_10HC Length: 1.0 Position: 146

**Question Name:** 

Concept: People have avoided me because of my alcohol/drug use

Question Text: Below is a list of statements. For each one of them, please select the answer that best

applies to you. - People have avoided me because of my alcohol or drug use

**Universe:** (ALC\_Q05 != 2 or ALC\_Q05 != 3) and (CAN\_Q05 != 1 or CAN\_Q05 != 2) and (OPI\_Q05

!= 2 or OPI\_Q05 != 3) and (NPD\_Q05 != 2 or NPD\_Q05 != 3)

Note: Based on: ST\_Q10H

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Agree or strongly agree	1	77	557,315	1.8
Disagree	2	233	1,789,752	5.7
Strongly disagree	3	394	3,243,629	10.4
Not applicable	4	2,222	16,736,907	53.7
Valid skip	6	1,006	8,834,475	28.3
Not stated	9	9	29,825	0.1
Total		3,941	31,191,902	100.0

Variable Name: ST\_10IC Length: 1.0 Position: 147

**Question Name:** 

**Concept:** Need to hide my problems with alcohol/drugs from my friends/family

Question Text: Below is a list of statements. For each one of them, please select the answer that best

applies to you. - I feel the need to hide my problems with alcohol or drugs from my

friends and family

Universe: (ALC\_Q05 != 2 or ALC\_Q05 != 3) and (CAN\_Q05 != 1 or CAN\_Q05 != 2) and (OPI\_Q05

!= 2 or OPI\_Q05 != 3) and (NPD\_Q05 != 2 or NPD\_Q05 != 3)

Note: Based on: ST\_Q10I

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Agree or strongly agree	1	152	1,292,091	4.1
Disagree	2	241	2,120,705	6.8
Strongly disagree	3	278	2,292,810	7.4
Not applicable	4	2,262	16,644,717	53.4
Valid skip	6	1,006	8,834,475	28.3
Not stated	9	2	7,104	0.0
Total		3,941	31,191,902	100.0

Variable Name: PCOV\_05A Length: 1.0 Position: 148

**Question Name:** 

Concept: Downloaded COVID Alert app

Question Text: A national app, COVID Alert, is available to receive notifications of a possible exposure

to COVID-19 without using or collecting personal information or location data. Have you

downloaded this app?

Universe: All respondents

Note: Based on: COV\_Q05A

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes, I have downloaded the app	1	1,310	9,928,597	31.8
No, but I plan to download the app	2	406	3,194,046	10.2
I have not yet decided whether to install the app	3	899	6,874,656	22.0
No, I will not or cannot download the app	4	1,282	9,684,190	31.0
Not stated	9	44	1,510,413	4.8
Total		3,941	31,191,902	100.0

Variable Name: PCOV05BA Length: 1.0 Position: 149

**Question Name:** 

Concept: Not downloaded, undecided - App would be too much hassle to install

Question Text: Why would you not download COVID Alert? - The app would be too much hassle to

install

Universe: COV\_Q05A = 3

Note: Based on: COV\_Q05B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	64	505,408	1.6
No	2	826	6,303,630	20.2
Valid skip	6	2,998	22,806,833	73.1
Not stated	9	53	1,576,032	5.1
Total		3,941	31,191,902	100.0

Variable Name: PCOV05BB Length: 1.0 Position: 150

**Question Name:** 

Concept: Not downloaded, undecided - Don't believe enough people will install

Question Text: Why would you not download COVID Alert? - I don't believe enough people will install it

Universe: COV\_Q05A = 3

Note: Based on: COV\_Q05B

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	241	2,279,876	7.3
No	2	649	4,529,162	14.5
Valid skip	6	2,998	22,806,833	73.1
Not stated	9	53	1,576,032	5.1
Total		3,941	31,191,902	100.0

Variable Name: PCOV05BC Length: 1.0 Position: 151

**Question Name:** 

Concept: Not downloaded, undecided - Lack of interest

Question Text: Why would you not download COVID Alert? - Lack of interest

Universe: COV\_Q05A = 3

Note: Based on: COV\_Q05B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	245	2,172,560	7.0
No	2	645	4,636,478	14.9
Valid skip	6	2,998	22,806,833	73.1
Not stated	9	53	1,576,032	5.1
Total		3,941	31,191,902	100.0

Variable Name: PCOV05BD Length: 1.0 Position: 152

**Question Name:** 

Concept: Not downloaded, undecided - Would negatively impact my mental health

Question Text: Why would you not download COVID Alert? - It would negatively impact my mental

health

Universe:  $COV_Q05A = 3$ 

Note: Based on: COV\_Q05B

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	66	719,866	2.3
No	2	824	6,089,172	19.5
Valid skip	6	2,998	22,806,833	73.1
Not stated	9	53	1,576,032	5.1
Total		3,941	31,191,902	100.0

Variable Name: PCOV05BE Length: 1.0 Position: 153

**Question Name:** 

Concept: Not downloaded, undecided - I think it is an invasion of privacy

Question Text: Why would you not download COVID Alert? - I think it is an invasion of privacy

Universe: COV\_Q05A = 3

Note: Based on: COV\_Q05B

ш	rc	

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	151	903,178	2.9
No	2	739	5,905,860	18.9
Valid skip	6	2,998	22,806,833	73.1
Not stated	9	53	1,576,032	5.1
Total		3,941	31,191,902	100.0

Variable Name: PCOV05BF Length: 1.0 Position: 154

**Question Name:** 

Concept: Not downloaded, undecided - Don't want gov't to have my location data

Question Text: Why would you not download COVID Alert? - I don't want the government to have ac-

cess to my location data

Universe: COV\_Q05A = 3

Note: Based on: COV\_Q05B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	95	965,020	3.1
No	2	795	5,844,017	18.7
Valid skip	6	2,998	22,806,833	73.1
Not stated	9	53	1,576,032	5.1
Total		3,941	31,191,902	100.0

Variable Name: PCOV05BG Length: 1.0 Position: 155

**Question Name:** 

Concept: Not downloaded, undecided - Don't believe I will catch COVID-19

Question Text: Why would you not download COVID Alert? - I don't believe I will catch the COVID-19

virus

Universe: COV\_Q05A = 3

Note: Based on: COV\_Q05B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	15	233,204	0.7
No	2	875	6,575,834	21.1
Valid skip	6	2,998	22,806,833	73.1
Not stated	9	53	1,576,032	5.1
Total		3,941	31,191,902	100.0

Variable Name: PCOV05BH Length: 1.0 Position: 156

**Question Name:** 

Concept: Not downloaded, undecided - I don't own a smartphone

Question Text: Why would you not download COVID Alert? - I don't own a smartphone

Universe: COV\_Q05A = 3

Note: Based on: COV\_Q05B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	38	170,681	0.5
No	2	852	6,638,357	21.3
Valid skip	6	2,998	22,806,833	73.1
Not stated	9	53	1,576,032	5.1
Total		3,941	31,191,902	100.0

Variable Name: PCOV05BI Length: 1.0 Position: 157

**Question Name:** 

**Concept:** Not downloaded, undecided - Smartphone is not compatible with the app

Question Text: Why would you not download COVID Alert? - My smartphone is not compatible with the

app

Universe: COV\_Q05A = 3

Note: Based on: COV\_Q05B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	31	211,845	0.7
No	2	859	6,597,192	21.2
Valid skip	6	2,998	22,806,833	73.1
Not stated	9	53	1,576,032	5.1
Total		3,941	31,191,902	100.0

Variable Name: PCOV05BJ Length: 1.0 Position: 158

**Question Name:** 

Concept: Not downloaded, undecided - I do not have a data plan

Question Text: Why would you not download COVID Alert? - I do not have a data plan

Universe: COV\_Q05A = 3

Note: Based on: COV\_Q05B

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	70	362,118	1.2
No	2	820	6,446,920	20.7
Valid skip	6	2,998	22,806,833	73.1
Not stated	9	53	1,576,032	5.1
Tota	al	3,941	31,191,902	100.0

Variable Name: PCOV05BK Length: 1.0 Position: 159

**Question Name:** 

Concept: Not downloaded, undecided - Other reason

Question Text: Why would you not download COVID Alert? - Other reason

Universe: COV\_Q05A = 3

Note: Based on: COV\_Q05B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	220	1,395,436	4.5
No	2	670	5,413,602	17.4
Valid skip	6	2,998	22,806,833	73.1
Not stated	9	53	1,576,032	5.1
Total		3,941	31,191,902	100.0

Variable Name: PCOV05CA Length: 1.0 Position: 160

**Question Name:** 

Concept: Will not download - App would be too much hassle to install

Question Text: Why would you not download COVID Alert? - The app would be too much hassle to

install

Universe: COV\_Q05A = 4

Note: Based on: COV\_Q05C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	61	392,602	1.3
No	2	1,207	9,194,869	29.5
Valid skip	6	2,615	19,997,299	64.1
Not stated	9	58	1,607,131	5.2
Total		3,941	31,191,902	100.0

Variable Name: PCOV05CB Length: 1.0 Position: 161

**Question Name:** 

Concept: Will not download - Don't believe enough people will install

Question Text: Why would you not download COVID Alert? - I don't believe enough people will install it

Universe: COV\_Q05A = 4

Note: Based on: COV\_Q05C

Source:

Answer Categories	Code	<u>Frequency</u>	Weighted Frequency	<u>%</u>
Yes	1	137	1,024,800	3.3
No	2	1,131	8,562,672	27.5
Valid skip	6	2,615	19,997,299	64.1
Not stated	9	58	1,607,131	5.2
Total		3,941	31,191,902	100.0

Variable Name: PCOV05CC Length: 1.0 Position: 162

**Question Name:** 

Concept: Will not download - Lack of interest

Question Text: Why would you not download COVID Alert? - Lack of interest

Universe: COV\_Q05A = 4

Note: Based on: COV\_Q05C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	323	2,575,704	8.3
No	2	945	7,011,767	22.5
Valid skip	6	2,615	19,997,299	64.1
Not stated	9	58	1,607,131	5.2
Total		3,941	31,191,902	100.0

Variable Name: PCOV05CD Length: 1.0 Position: 163

**Question Name:** 

Concept: Will not download - Would negatively impact my mental health

Question Text: Why would you not download COVID Alert? - It would negatively impact my mental

health

Universe:  $COV_Q05A = 4$ 

Note: Based on: COV\_Q05C

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	111	979,219	3.1
No	2	1,157	8,608,252	27.6
Valid skip	6	2,615	19,997,299	64.1
Not stated	9	58	1,607,131	5.2
Total		3,941	31,191,902	100.0

Variable Name: PCOV05CE Length: 1.0 Position: 164

**Question Name:** 

Concept: Will not download - I think it is an invasion of privacy

Question Text: Why would you not download COVID Alert? - I think it is an invasion of privacy

Universe: COV\_Q05A = 4

Note: Based on: COV\_Q05C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	346	3,298,709	10.6
No	2	922	6,288,762	20.2
Valid skip	6	2,615	19,997,299	64.1
Not stated	9	58	1,607,131	5.2
Total		3,941	31,191,902	100.0

Variable Name: PCOV05CF Length: 1.0 Position: 165

**Question Name:** 

Concept: Will not download - Don't want gov't to have my location data

Question Text: Why would you not download COVID Alert? - I don't want the government to have ac-

cess to my location data

Universe: COV\_Q05A = 4

Note: Based on: COV\_Q05C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	237	2,011,070	6.4
No	2	1,031	7,576,401	24.3
Valid skip	6	2,615	19,997,299	64.1
Not stated	9	58	1,607,131	5.2
Total		3,941	31,191,902	100.0

Variable Name: PCOV05CG Length: 1.0 Position: 166

**Question Name:** 

Concept: Will not download - Don't believe I will catch COVID-19

**Question Text:** Why would you not download COVID Alert? - I don't believe I will catch the COVID-19

virus

Universe: COV\_Q05A = 4

Note: Based on: COV\_Q05C

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	33	284,354	0.9
No	2	1,235	9,303,117	29.8
Valid skip	6	2,615	19,997,299	64.1
Not stated	9	58	1,607,131	5.2
Total		3,941	31,191,902	100.0

Variable Name: PCOV05CH Length: 1.0 Position: 167

**Question Name:** 

Concept: Will not download - I don't own a smartphone

Question Text: Why would you not download COVID Alert? - I don't own a smartphone

Universe: COV\_Q05A = 4

Note: Based on: COV\_Q05C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	296	1,808,308	5.8
No	2	972	7,779,163	24.9
Valid skip	6	2,615	19,997,299	64.1
Not stated	9	58	1,607,131	5.2
Total		3,941	31,191,902	100.0

Variable Name: PCOV05CI Length: 1.0 Position: 168

**Question Name:** 

Concept: Will not download - Smartphone is not compatible with the app

**Question Text:** Why would you not download COVID Alert? - My smartphone is not compatible with the

app

Universe:  $COV_Q05A = 4$ 

Note: Based on: COV\_Q05C

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	90	510,997	1.6
No	2	1,178	9,076,474	29.1
Valid skip	6	2,615	19,997,299	64.1
Not stated	9	58	1,607,131	5.2
Total		3,941	31,191,902	100.0

Variable Name: PCOV05CJ Length: 1.0 Position: 169

**Question Name:** 

Concept: Will not download - I do not have a data plan

Question Text: Why would you not download COVID Alert? - I do not have a data plan

Universe: COV\_Q05A = 4

Note: Based on: COV\_Q05C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	144	1,038,615	3.3
No	2	1,124	8,548,857	27.4
Valid skip	6	2,615	19,997,299	64.1
Not stated	9	58	1,607,131	5.2
Total		3,941	31,191,902	100.0

Variable Name: PCOV05CK Length: 1.0 Position: 170

**Question Name:** 

Concept: Will not download - Other reason

Question Text: Why would you not download COVID Alert? - Other reason

Universe: COV\_Q05A = 4

Note: Based on: COV\_Q05C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	209	1,669,549	5.4
No	2	1,059	7,917,922	25.4
Valid skip	6	2,615	19,997,299	64.1
Not stated	9	58	1,607,131	5.2
Total		3,941	31,191,902	100.0

Variable Name: PHHLDSZC Length: 1.0 Position: 171

**Question Name:** 

Concept: Household size

**Question Text:** 

Universe: All respondents

Note: Number of people in the household who were eligible for panel recruitment by DEM\_AGE

Source: Variable from the Labour Force Survey (LFS)

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
1	1	1,112	4,993,287	16.0
2	2	2,276	16,443,883	52.7
3	3	355	5,683,201	18.2
4	4	167	3,033,300	9.7
5 and more	5	31	1,038,231	3.3
Total		3,941	31,191,902	100.0

Variable Name: AGEGRP Length: 2.0 Position: 172

**Question Name:** 

**Concept:** Age of respondent

**Question Text:** 

Universe: All respondents

Note: CURR\_AGE is based on data collected from CPSS recruitment January 15th- March

15th, 2020.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
15 to 24 years old	01	158	4,382,548	14.1
25 to 34 years old	02	480	5,250,868	16.8
35 to 44 years old	03	629	4,998,947	16.0
45 to 54 years old	04	654	4,708,245	15.1
55 to 64 years old	05	917	5,199,551	16.7
65 to 74 years old	06	819	4,786,627	15.3
75 years and older	07	284	1,865,116	6.0
Total		3,941	31,191,902	100.0

Variable Name: IMMIGRNC Length: 1.0 Position: 174

**Question Name:** 

Concept: Immigration status

**Question Text:** 

Universe: All respondents

Note: If CNTRYBTH = 014 then immigrant = 1; /\* Born in Canada \*/

Else if CNTRYBTH > 014 and landimm = 1 then immigrant = 2; /\*landed immigrant\*/

Else if CNTRYBTH > 014 and landimm = 2 then immigrant = 3; /\*Not a landed immigrant\*/

Else immigrant = 9

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Born in Canada	1	3,260	23,526,346	75.4
Landed immigrant/Not a landed immigrant	2	681	7,665,556	24.6
Total		3,941	31,191,902	100.0

Variable Name: SEX Length: 1.0 Position: 175

**Question Name:** 

Concept: Sex of respondent

**Question Text:** 

Universe: All respondents

Note:

**Source:** Variable from the Labour Force Survey (LFS)

<b>Answer Categories</b>		Code	Frequency	Weighted Frequency	<u>%</u>
Male		1	1,808	15,407,196	49.4
Female		2	2,133	15,784,706	50.6
	Total		3,941	31,191,902	100.0

Variable Name: PCHILD Length: 1.0 Position: 176

**Question Name:** 

Concept: Child under 18 on January 25th, 2021 resides in dwelling

**Question Text:** 

Universe: All respondents

Note: HASCHILD is defined as a child under the age of 18 as of January 25th, 2021 resides

in dwelling (derived from the LFS household composition from mid-2019).

Source: Variable from the Labour Force Survey (LFS)

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No such person resides in the dwelling as of Jan 25, 2021	0	3,020	21,025,995	67.4
Child under 18 as of January 25th, 2021 resides in dwelling	1	921	10,165,907	32.6
Total		3,941	31,191,902	100.0

Variable Name: PMARSTC Length: 1.0 Position: 177

**Question Name:** 

Concept: Marital status of respondent

**Question Text:** 

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Married	1	2,064	15,707,150	50.4
Living common-law	2	413	3,246,557	10.4
Widowed/Separated/Divorced	3	662	3,732,134	12.0
Single/Never married	4	802	8,506,061	27.3
Total		3,941	31,191,902	100.0

Variable Name: PDWELCDC Length: 1.0 Position: 178

**Question Name:** 

Concept: Type of dwelling

**Question Text:** 

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Single detached house	1	2,621	18,724,722	60.0
Low-rise apartment less than 5 stories	2	430	3,897,461	12.5
High-rise apartment 5 or more stories	3	264	2,927,282	9.4
Other	4	626	5,642,437	18.1
Total		3,941	31,191,902	100.0

Variable Name: PEDUC\_LC Length: 2.0 Position: 179

**Question Name:** 

Concept: Respondents highest level of education ever completed

**Question Text:** 

Universe: All respondents

Note:

Source: Variable from the Labour Force Survey (LFS)

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Less than high school diploma or its equivalent	01	198	4,328,423	13.9
High school diploma or a high school equivalency certificate	02	744	7,820,619	25.1
Trade certificate or diploma	03	337	3,114,725	10.0
College/CEGEP/other non-university certificate or diploma	04	940	6,176,025	19.8
University certificate or diploma below the bachelor's level	05	146	752,623	2.4
Bachelor's degree (e.g. B.A., B.Sc., LL.B.)	06	997	5,966,119	19.1
University certificate, diploma, degree above the BA level	07	579	3,033,369	9.7
Total		3,941	31,191,902	100.0

Variable Name: RURURB Length: 1.0 Position: 181

**Question Name:** 

Concept: Rural/Urban indicator

**Question Text:** 

Universe: All respondents

**Note:** -If CSIZEMIZ = 5 then RURURB=1 for rural

-If CSIZEMIZ in (1, 2, 3, 4) then RURURB=2 for urban

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Rural		1	825	4,583,642	14.7
Urban		2	3,116	26,608,260	85.3
	Total		3,941	31,191,902	100.0

Variable Name: PEMPSTC Length: 1.0 Position: 182

**Question Name:** 

Concept: Employment status

**Question Text:** 

Universe: All respondents

Note: Based on LM\_Q05, LM\_Q10, LM\_Q15

1 = employed and at work at least part of reference week (LM\_Q05=1)

2 = employed but absent from work for reasons not related to COVID-19 ((LM\_Q05=2

or LM\_Q05 = blank) and LM\_Q10=1 and LM\_Q15=1 or 2)

3 =employed but absent from work due to COVID-19 ((LM\_Q05=2 or LM\_Q05 = blank)

and LM\_Q10=1 and LM\_Q15=3 or 4)

4 = employed but absent for unknown reason ((LM\_Q05=2 or LM\_Q05 = blank) and

LM\_Q10=1 and LM\_Q15=blank)
5 = not employed (LM\_Q05=2 and LM\_Q10=2)

#### Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Employed and at work at least part of the reference week	1	2,148	16,481,359	52.8
Employed but absent work for reasons not related to COVID-19	2	86	579,904	1.9
Employed but absent from work due to COVID-19	3	61	510,072	1.6
Not employed	4	1,545	11,975,329	38.4
Not stated	9	101	1,645,238	5.3
Total		3,941	31,191,902	100.0

Variable Name: HLPSGHT Length: 1.0 Position: 183

**Question Name:** 

Concept: Help sought for any substance use issue

**Question Text:** 

Universe: All respondents

Note: Based on: NPD\_35, CAN\_40, ALC\_45, OPI\_35

9 = If ALC\_Q45=NS AND CAN\_Q40=NS AND OPI\_Q35=NS AND NPD\_Q35=NS

1 = IF ALC\_Q45=1 OR CAN\_Q40=1 OR OPI\_Q35=1 OR NPD\_Q35=1

2 = ELSE HLPSGHT = 2

Source:

<b>Answer Categories</b>		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	168	1,406,760	4.5
No		2	3,773	29,785,142	95.5
	Total		3,941	31,191,902	100.0

Variable Name: MHDVMHI Length: 1.0 Position: 184

**Question Name:** 

**Concept:** Perceived mental health

**Question Text:** 

Universe: All respondents

Note: Based on: ME\_05

Description: This variable indicates the respondent's mental health status based on his/her own judgement. Higher scores indicate positive perceived mental health status.

_		
~ C	ur	$\sim$

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Poor	0	195	1,738,134	5.6
Fair	1	678	6,484,365	20.8
Good	2	1,303	10,220,503	32.8
Very good	3	1,270	9,243,293	29.6
Excellent	4	488	3,478,407	11.2
Not stated	9	7	27,201	0.1
Total		3,941	31,191,902	100.0

Variable Name: PPARTGRP Length: 1.0 Position: 185

**Question Name:** 

**Concept:** Participation in groups, organizations or associations

**Question Text:** 

Universe: All respondents

Note: Based on: ME\_25\_01 to ME\_25\_13

IF (ME\_25\_01 = 1 OR ME \_25\_02 = 1 OR ME \_25\_03 = 1 OR ME \_25\_04 = 1 OR ME \_25\_05 = 1 OR ME \_25\_06 = 1 OR ME \_25\_07 = 1 OR ME \_25\_08 = 1 OR ME \_25\_09 = 1 OR ME \_25\_10 = 1 OR ME \_25\_11 = 1 OR ME \_25\_12 = 1) THEN PART-

GRP =1

ELSE IF ME\_25\_13 = 1 THEN PARTGRP =2

ELSE IF ME\_Q25\_01 to ME\_Q25\_13=9 THEN PARTGRP=9

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Participation in groups	1	2,171	15,620,622	50.1
No participation in groups	2	1,736	14,900,261	47.8
Not stated	9	34	671,019	2.2
Tota	l	3,941	31,191,902	100.0

Variable Name: PPLTALK Length: 1.0 Position: 186

**Question Name:** 

Concept: Have people you feel close to, you can talk to

**Question Text:** 

Universe: All respondents

Note: Based on: ME\_Q20

IF ME\_20=1 THEN PPLTALK = 1

ELSE IF ME\_20 IN (2,3,4,5) THEN PPLTALK = 2

ELSE IF ME\_Q20=9 then PPLTALK = 9

Source:

<b>Answer Categories</b>		Code	Frequency	Weighted Frequency	<u>%</u>
No people to talk to		1	170	1,227,362	3.9
People to talk to		2	3,770	29,943,439	96.0
Not stated		9	1	21,102	0.1
	Total		3,941	31,191,902	100.0

Variable Name: STRESS Length: 1.0 Position: 187

**Question Name:** 

Concept: Amount of stress in your life since the pandemic

**Question Text:** 

Universe: All respondents

Note: Based on: ME\_Q15

IF ME\_Q15 IN (1,2) THEN STRESS = 1

ELSE IF ME\_Q15 IN (3,4,5) THEN STRESS = 2

ELSE IF ME\_Q15=NS THEN STRESS = 9

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Not stressful to a little stressful	1	2,247	15,868,431	50.9
Stressful to extremely stressful	2	1,678	15,221,712	48.8
Not stated	9	16	101,759	0.3
Total		3,941	31,191,902	100.0

Variable Name: PCOVAPP Length: 1.0 Position: 188

**Question Name:** 

Concept: Plans to download COVID Alert app

**Question Text:** 

Universe: All respondents

Note: Based on COV\_Q05A

IF COV\_Q05A IN (1,2) THEN COVAPP = 1

ELSE COV\_Q05A = 3 THEN COVAPP = 2

ELSE COV\_Q05A = 4 THEN COVAPP = 3

ELSE IF COV\_Q05A = 9 THEN COVAPP = 9

_			
$c_{\sim}$	11	rc	^

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Downloaded the app or plan to download the app	1	1,735	14,046,053	45.0
Not yet decided	2	899	6,874,656	22.0
Will not or cannot download the app	3	1,282	9,684,190	31.0
Not stated	9	25	587,003	1.9
Total		3,941	31,191,902	100.0

Variable Name: PERS\_WGT Length: 12.4 Position: 189

**Question Name:** 

Concept: Person weight

**Question Text:** 

Universe: All respondents

Note:

Source:

Variable Name: VERDATE Length: 10.0 Position: 201

**Question Name:** 

Concept: Version date of when the file was created

**Question Text:** 

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
То	26/03/2021	3,941	31,191,902	100.0
	<b>al</b>	3,941	31,191,902	100.0

## **Topical Index**

variable	Page	<u>e</u>
ALC: Substance use -	- alcohol	
ALC_05	Past 30 days, drink any alcoholic beverage15	5
ALC 10C	Past 30 days, number of drinks	6
ALC 15C	Past 30 days, frequency, 5 or more drinks on one occasion	6
ALC 20	Average alcohol consumption change comparing to before the pandemic	
ALC 25A	Increased use of alcohol, reasons: Stress	
ALC 25B	Increased use of alcohol, reasons: Boredom	
ALC 25C	Increased use of alcohol, reasons: Loneliness	
ALC 25D	Increased use of alcohol, reasons: Insomnia	
ALC 25E	Increased use of alcohol, reasons: Convenience	
ALC 25F	Increased use of alcohol, reasons: Other reason	
ALC 25G	Increased use of alcohol, reasons: No particular reason	
ALC 30A	Decreased use of alcohol, reasons: Cost	
ALC 30B	Decreased use of alcohol, reasons: Pers respnsblity	
ALC 30C	Decreased use of alcohol, reasons: Pers choice	
ALC 30D	Decreased use of alcohol, reasons: Pers choice	
ALC 30E	Decreased use of alcohol, reasons: Decreased opps for socialization 22	
ALC 30F	Decreased use of alcohol, reasons: No reason	
_		
ALC_35	Drink knowing you have a problem made worse by drinking	
ALC_40	Drinking interfered with ability to maintain close relationships	
ALC_45	Seen/talked to a doctor or other prof about use of alcohol	3
CAN: Substance use	- cannabis	
CAN25AGH	Decreased use of cannabis, reasons: Cost, Other reason, No reason	9
CAN_05	Past 30 days, frequency of cannabis use	
CAN 10	Main reason cannabis used	4
CAN 15	On average, cannabis use change when comparing to before the pandemic	4
CAN 20A	Increased use of cannabis, reasons: Stress	
CAN 20B	Increased use of cannabis, reasons: Worsening of health	5
CAN 20C	Increased use of cannabis, reasons: Boredom	
CAN 20D	Increased use of cannabis, reasons: Loneliness	
CAN 20E	Increased use of cannabis, reasons: Convenience	
CAN 20F	Increased use of cannabis, reasons: Ease of access	
CAN 20G	Increased use of cannabis, reasons: New products	
CAN 20H	Increased use of cannabis, reasons: Other reason	
CAN 20I	Increased use of cannabis, reasons: No reason	
CAN 25BF	Reasons for decreased use of cannabis: Pers resp, Lacking priv at home	
CAN 25CD	Decreased use of cannabis, reasons: Pers choice, Improved health/pain	
CAN 25E	Decreased use of cannabis, reasons: Decreased opps for socialization	
CAN_30	Continue to use cannabis when you knew you had a serious problem	
CAN 35	Cannabis use interfered with ability to maintain close relationships	
CAN_40	Seen/talked to a doctor or other prof about use of cannabis	
COV: COVID-19 alert	application	
PCOV05BA	Not downloaded, undecided - App would be too much hassle to install	4
PCOV05BB	Not downloaded, undecided - Don't believe enough people will install	
PCOV05BC	Not downloaded, undecided - Lack of interest	
PCOV05BD	Not downloaded, undecided - Would negatively impact my mental health	
PCOV05BE	Not downloaded, undecided - I think it is an invasion of privacy	
PCOV05BF	Not downloaded, undecided - Don't want gov't to have my location data	
PCOV05BG	Not downloaded, undecided - Don't believe I will catch COVID-19	
PCOV05BH	Not downloaded, undecided - I don't own a smartphone	
PCOV05BI	Not downloaded, undecided - Smartphone is not compatible with the app	
PCOV05BJ	Not downloaded, undecided - I do not have a data plan	
PCOV05BK	Not downloaded, undecided - 1 do not have a data plan.	
1 30 V 03 D1(	The definition of the first form	_

PCOV05CA	Will not download - App would be too much hassle to install	38
PCOV05CB	Will not download - Don't believe enough people will install	
PCOV05CC	Will not download - Lack of interest	
PCOV05CD	Will not download - Would negatively impact my mental health	
PCOV05CE	Will not download - I think it is an invasion of privacy	
PCOV05CF	Will not download - Don't want gov't to have my location data	
PCOV05CG	Will not download - Don't want gov't to have my location data  Will not download - Don't believe I will catch COVID-19	
PCOV05CH	Will not download - I don't own a smartphone	
PCOV05CI	Will not download - Smartphone is not compatible with the app	
PCOV05CJ	Will not download - I do not have a data plan	
PCOV05CK	Will not download - Other reason	
PCOV_05A	Downloaded COVID Alert app	33
HM: Household meml	bers' substance use	
HM_05	Concern, spouse/partner's substance use during the pandemic	56
HM 10	Concern, child's/children's substance use during the pandemic	
HM_15	Concern, any other household member's substance use during pandemic	
11W_13	Concern, any other riouseriola member a substance use during paracimic	,,
HS: Help sought for p	roblems with mental health or substance use	
HS_10F	Seen or talked on the telephone to: Family member	53
HS_10G	Seen or talked on the telephone to: Friend	
HS_10H	Seen or talked on the telephone to: Co-worker, supervisor, or boss	
HS_10I	Seen or talked on the telephone to: Teacher or school principal	
HS_10J	Seen or talked on the telephone to: Other person	
HS_10K	Seen or talked on the telephone to: None	
HS 20	Needed help: emoths, mental health, alcohol, drugs. Didn't receive it	
_	Seen or talked on the telephone to: Psychiatrist	
PHS_10A		
PHS_10B	Seen or talked on the telephone to: Doctor or general practitioner	
PHS_10C	Seen or talked on the telephone to: Psychologist	
PHS_10D	Seen or talked on the telephone to: Nurse	
PHS_10E	Seen or talked on the telephone to: Soc worker, couns, psychotherapist	
PHS_15	Prescribed medication for emotions, mental health, alcohol, drugs	55
LS: Life satisfaction		
LS_05	Life satisfaction, scale of 0 to 10	. 7
ME: Mental health		
ME 05	Perceived mental health	7
ME_05 ME_10	Mental health now compared to before pandemic	
ME_15	Amount of stress in your life, since the start of the pandemic	
ME_20	Number of relatives and friends you feel close to	
ME_25M	Member of the following group: None	
ME_30A	How often you felt the following: Lack of companionship	
ME_30B	How often you felt the following: Being left out	
ME_30C	How often you felt the following: Isolated from others	
PME_25A	Member of the following group: Sports or recreational organization	
PME_25B	Member of the following group: Cultural, educational or hobby org	
PME_25C	Member of the following group: Union or professional association	
PME_25D	Member of the following group: Political party or group	10
PME_25E	Member of the following group: Place of worship	11
PME_25F	Member of the following group: School grp, neighbourhood, civic assoc	11
PME_25G	Member of the following group: Humanitarian, charitable org, serv club	
PME_25H	Member of the following group: Seniors' group	
PME_25I	Member of the following group: Youth organization	
PME 25J	Member of the following group: Immigrant or ethnic association or club	
PME 25K	Member of the following group: Environmental group	
PME_25L	Member of the following group: Other type of group, org or association	

NPD: Substance u	use - non-prescribed drugs	
NP20ABCD	Decrsd use non-presc drugs: Cost, Pers resp, Pers choice, Health/pain	40
NP20EFGI	Decrsd use non-presc drugs: Dec soc opps, Inchvnnc, Quality, No reason	40
NPD 05	Past 30 days, use any non-prescribed drugs	
NPD 10	Use of non-prescribed drugs compared to before the pandemic	
NPD 15A	Increased use of non-prescribed drugs, reasons: Stress	
NPD_15B	Increased use of non-prescribed drugs, reasons: Boredom	
NPD 15C	Increased use of non-prescribed drugs, reasons: Loneliness	
NPD 15D	Increased use of non-prescribed drugs, reasons: Convenience	
NPD 15E	Increased use of non-prescribed drugs, reasons: Health/pain worsening	
NPD 15FG	Increased use of non-presc drugs, reasons: Other reason, No reason	
NPD 20H	Decreased use of non-presc drugs, reasons: Other reason	
NPD 25	Continue to use non-prescribed drugs, knew you had a serious problem	
NPD 30	Non-presc drugs interfered with ability to maintain close relationshps	
NPD_35	Seen/talked to a doctor or other prof about use of non-presc drugs	
OPI: Substance us	se - opioids	
OP15BCFG	Increased use of opioids: Boredom, Loneliness, Other reason, No reason	ð.
OPI20CEG	Decreased use of opioids: Pers choice, Inconvenience, Other reason	
OPI_05	Past 30 days, prescribed or not, used drugs containing opioids	
OPI_10	Use of opioids compared to before the pandemic	
	·	
OPI_15AD	Increased use of opioids, reasons: Stress, Convenience	
OPI_15E		
OPI_20A	Decreased use of opioids, reasons: Cost	
OPI_20B	Decreased use of opioids, reasons: Personal responsibilities	
OPI_20D	Decreased use of opioids, reasons: Improved health or pain	
OPI_20F	Decreased use of opioids, reasons: Concerned, quality of drugs	
OPI_20H	Decreased use of opioids, reasons: No particular reason	
OPI_25	Continue to use opioids, knew you had a serious problem	
OPI_30	Opioids interfered with ability to maintain close relationshps	
OPI_35	Seen/talked to a doctor or other prof about use of opioids	36
PM: Substance us	se for pain management	
PM05BCGI	Drugs, pain: Codeine, Anticonvulsants, Other presc drugs	
PM5CCDFH	Drugs, pain: Codeine, Opioids, Illegal drugs, Other non-presc drugs	46
PM5DCFHJ	Drugs, pain: Codeine, Illgl drgs, Anticnvlsnts, Other pres/nprs drugs	48
PM_05A	Used prescribed/non drugs for pain since the beginning of the pandemic	42
PM_10	Drugs use frequency for managing pain	50
PPM_05BA	Drugs used for managing pain: Acetaminophen	43
PPM 05BB	Drugs used for managing pain: Nonsteroidal anti-inflammatory drugs	43
PPM 05BD	Drugs used for managing pain: Opioids	
PPM_05BE	Drugs used for managing pain: Cannabis products, including edibles	44
PPM 05BF	Drugs used for managing pain: Antidepressants	
PPM 05BH	Drugs used for managing pain: Topical agents	
PPM 05CA	Drugs used for managing pain: Acetaminophen	
PPM 05CB	Drugs used for managing pain: Nonsteroidal anti-inflammatory drugs	
PPM 05CE	Drugs used for managing pain: Cannabis products, including edibles	
PPM 05CG	Drugs used for managing pain: Topical agents	
PPM 05DA	Drugs used for managing pain: Acetaminophen	
PPM 05DB	Drugs used for managing pain: Nonsteroidal anti-inflammatory drugs	
PPM 05DD	Drugs used for managing pain: Notisteroldal anti-initiation drugs	
PPM_05DE	Drugs used for managing pain: Cannabis products, including edibles	
PPM 05DG	Drugs used for managing pain: Oatmabls products, including earlies	
PPM_05DI	Drugs used for managing pain: Antidepressants	
SRV: Survey Relat		
AGEGRP	Age of respondent	7:
HLPSGHT	Help sought for any substance use issue	
IMMIGRNC	Immigration status	77 73

MHDVMHI	Perceived mental health	
PCHILD	Child under 18 on January 25th, 2021 resides in dwelling	74
PCOVAPP	Plans to download COVID Alert app	79
PDWELCDC	Type of dwelling	75
PEDUC_LC	Respondents highest level of education ever completed	75
PEMPSTC	Employment status	76
PERS_WGT	Person weight	80
PHHLDSZC	Household size	72
PMARSTC	Marital status of respondent	74
PPARTGRP	Participation in groups, organizations or associations	78
PPLTALK	Have people you feel close to, you can talk to	78
PUMFID	Public use microdata file identifier	7
RURURB	Rural/Urban indicator	76
SEX	Sex of respondent	74
STRESS	Amount of stress in your life since the pandemic	79
VERDATE	Version date of when the file was created	80
ST: Stigma		
ST 05A	Problem with alcohol/drugs, embarrassed to tell friends/family	57
ST 05B	Society should be friendlier toward people with alcohol/drug problems	58
ST 05C	Alcohol/drug problem, embarrassing to seek help/treatment	58
ST_05D	I have sympathy for people who misuse alcohol or drugs	59
ST 10AC	Embarrassing to tell friends/family about my alcohol/drug use	59
ST 10BC	Embarrassing to seek help/treatment for my alcohol/drug use	59
ST 10CC	Difficulties in obtaining treatment for my alcohol/drug use	
ST 10DC	Discriminated against by health professionals bc of alcohol/drug use	60
ST 10EC	Often feel alone because of alcohol/drug use	
ST 10FC	Scared how ppl will react if they find out about my alcohol/drug use	
ST 10GC	People have insulted me because of my alcohol/drug use	
ST 10HC	People have avoided me because of my alcohol/drug use	
ST 10IC	Need to hide my problems with alcohol/drugs from my friends/family	

#### Variable Index

<u>Variable</u>	Description	Page
AGEGRP	Age of respondent	73
ALC_05	Past 30 days, drink any alcoholic beverage	15
ALC_10C	Past 30 days, number of drinks	16
ALC_15C	Past 30 days, frequency, 5 or more drinks on one occasion	16
ALC_20	Average alcohol consumption change comparing to before the pandemic	17
ALC_25A	Increased use of alcohol, reasons: Stress	17
ALC_25B	Increased use of alcohol, reasons: Boredom	
ALC_25C	Increased use of alcohol, reasons: Loneliness	18
ALC_25D	Increased use of alcohol, reasons: Insomnia	
ALC_25E	Increased use of alcohol, reasons: Convenience	
ALC_25F	Increased use of alcohol, reasons: Other reason	
ALC_25G	Increased use of alcohol, reasons: No particular reason	20
ALC_30A	Decreased use of alcohol, reasons: Cost	20
ALC_30B	Decreased use of alcohol, reasons: Pers respnsblity	20
ALC_30C	Decreased use of alcohol, reasons: Pers choice	21
ALC_30D	Decreased use of alcohol, reasons: Decreased opps for socialization	21
ALC_30E	Decreased use of alcohol, reasons: Other reason	22
ALC_30F	Decreased use of alcohol, reasons: No reason	22
ALC_35	Drink knowing you have a problem made worse by drinking	22
ALC_40	Drinking interfered with ability to maintain close relationships	23
ALC_45	Seen/talked to a doctor or other prof about use of alcohol	23
CAN25AGH	Decreased use of cannabis, reasons: Cost, Other reason, No reason	29
CAN_05	Past 30 days, frequency of cannabis use	24
CAN_10	Main reason cannabis used	24
CAN_15	On average, cannabis use change when comparing to before the pandemic	24
CAN_20A	Increased use of cannabis, reasons: Stress	25
CAN_20B	Increased use of cannabis, reasons: Worsening of health	25
CAN_20C	Increased use of cannabis, reasons: Boredom	26
CAN_20D	Increased use of cannabis, reasons: Loneliness	26
CAN_20E	Increased use of cannabis, reasons: Convenience	26
CAN_20F	Increased use of cannabis, reasons: Ease of access	27
CAN_20G	Increased use of cannabis, reasons: New products	27
CAN_20H	Increased use of cannabis, reasons: Other reason	
CAN_20I	Increased use of cannabis, reasons: No reason	
CAN_25BF	Reasons for decreased use of cannabis: Pers resp, Lacking priv at home	
CAN_25CD	Decreased use of cannabis, reasons: Pers choice, Improved health/pain	
CAN_25E	Decreased use of cannabis, reasons: Decreased opps for socialization	
CAN_30	Continue to use cannabis when you knew you had a serious problem	
CAN_35	Cannabis use interfered with ability to maintain close relationships	
CAN_40	Seen/talked to a doctor or other prof about use of cannabis	
HLPSGHT	Help sought for any substance use issue	
HM_05	Concern, spouse/partner's substance use during the pandemic	
HM_10	Concern, child's/children's substance use during the pandemic	
HM_15	Concern, any other household member's substance use during pandemic	
HS_10F	Seen or talked on the telephone to: Family member	
HS_10G	Seen or talked on the telephone to: Friend	
HS_10H	Seen or talked on the telephone to: Co-worker, supervisor, or boss	
HS_10I	Seen or talked on the telephone to: Teacher or school principal	
HS_10J	Seen or talked on the telephone to: Other person	
HS_10K	Seen or talked on the telephone to: None	
HS_20	Needed help: emotns, mental health, alcohol, drugs. Didn't receive it	
IMMIGRNC	Immigration status	
LS_05	Life satisfaction, scale of 0 to 10	
ME_05	Perceived mental health	
ME_10	Mental health now compared to before pandemic	
ME_15	Amount of stress in your life, since the start of the pandemic	
ME_20	Number of relatives and friends you feel close to	
ME_25M	Member of the following group: None	14

ME_30A	How often you felt the following: Lack of companionship	.14
ME_30B	How often you felt the following: Being left out	. 15
ME_30C	How often you felt the following: Isolated from others	15
MHDVMHI	Perceived mental health	
NP20ABCD	Decrsd use non-presc drugs: Cost, Pers resp, Pers choice, Health/pain	
NP20EFGI	Decrsd use non-presc drugs: Dec soc opps, Incnvnnc, Quality, No reason	
NPD_05	Past 30 days, use any non-prescribed drugs	
NPD_10	Use of non-prescribed drugs compared to before the pandemic	
NPD_15A	Increased use of non-prescribed drugs, reasons: Stress	
NPD_15B	Increased use of non-prescribed drugs, reasons: Boredom	
NPD_15C	Increased use of non-prescribed drugs, reasons: Loneliness	
NPD_15D	Increased use of non-prescribed drugs, reasons: Convenience	
NPD_15E	Increased use of non-prescribed drugs, reasons: Health/pain worsening	
NPD_15FG	Increased use of non-presc drugs, reasons: Other reason, No reason	
NPD_20H	Decreased use of non-presc drugs, reasons: Other reason	
NPD_25	Continue to use non-prescribed drugs, knew you had a serious problem	
NPD_30	Non-presc drugs interfered with ability to maintain close relationshps	
NPD_35	Seen/talked to a doctor or other prof about use of non-presc drugs	
OP15BCFG	Increased use of opioids: Boredom, Loneliness, Other reason, No reason	
OPI20CEG	Decreased use of opioids: Pers choice, Inconvenience, Other reason	
OPI_05	Past 30 days, prescribed or not, used drugs containing opioids	
OPI_10 OPI_15AD	Use of opioids compared to before the pandemic	
OPI_15AD OPI_15E	Increased use of opioids, reasons: Worsening of health or pain	
OPI_13L	Decreased use of opioids, reasons: Cost	
OPI 20B	Decreased use of opioids, reasons: Personal responsibilities	
OPI 20D	Decreased use of opioids, reasons: Improved health or pain	
OPI 20F	Decreased use of opioids, reasons: Concerned, quality of drugs	
OPI 20H	Decreased use of opioids, reasons: No particular reason	
OPI 25	Continue to use opioids, knew you had a serious problem	
OPI 30	Opioids interfered with ability to maintain close relationshps	
OPI_35	Seen/talked to a doctor or other prof about use of opioids	
PCHILD	Child under 18 on January 25th, 2021 resides in dwelling	
PCOV05BA	Not downloaded, undecided - App would be too much hassle to install	
PCOV05BB	Not downloaded, undecided - Don't believe enough people will install	
PCOV05BC	Not downloaded, undecided - Lack of interest	
PCOV05BD	Not downloaded, undecided - Would negatively impact my mental health	65
PCOV05BE	Not downloaded, undecided - I think it is an invasion of privacy	65
PCOV05BF	Not downloaded, undecided - Don't want gov't to have my location data	66
PCOV05BG	Not downloaded, undecided - Don't believe I will catch COVID-19	.66
PCOV05BH	Not downloaded, undecided - I don't own a smartphone	
PCOV05BI	Not downloaded, undecided - Smartphone is not compatible with the app	
PCOV05BJ	Not downloaded, undecided - I do not have a data plan	. 67
PCOV05BK	Not downloaded, undecided - Other reason	
PCOV05CA	Will not download - App would be too much hassle to install	
PCOV05CB	Will not download - Don't believe enough people will install	
PCOV05CC	Will not download - Lack of interest	
PCOV05CD	Will not download - Would negatively impact my mental health	
PCOV05CE	Will not download - I think it is an invasion of privacy	
PCOV05CF	Will not download - Don't want gov't to have my location data	
PCOV05CG	Will not download - Don't believe I will catch COVID-19	
PCOV05CH	Will not download - I don't own a smartphone	
PCOV05CI PCOV05CJ	Will not download - Smartphone is not compatible with the app	
PCOV05CJ	Will not download - Other reason	
PCOVAPP	Plans to download COVID Alert app	
PCOVAFF	Downloaded COVID Alert app	
PDWELCDC	Type of dwelling	
PEDUC_LC	Respondents highest level of education ever completed	
PEMPSTC	Employment status	
PERS_WGT	Person weight	
PHHLDSZC	Household size	
PHS_10A	Seen or talked on the telephone to: Psychiatrist	

PHS_10B	Seen or talked on the telephone to: Doctor or general practitioner	. 51
PHS_10C	Seen or talked on the telephone to: Psychologist	
PHS_10D	Seen or talked on the telephone to: Nurse	
PHS_10E	Seen or talked on the telephone to: Soc worker, couns, psychotherapist	
PHS_15	Prescribed medication for emotions, mental health, alcohol, drugs	
PM05BCGI	Drugs, pain: Codeine, Anticonvulsants, Other presc drugs	
PM5CCDFH	Drugs, pain: Codeine, Opioids, Illegal drugs, Other non-presc drugs	
PM5DCFHJ	Drugs, pain: Codeine, Illgl drgs, Anticnvlsnts, Other pres/nprs drugs	
PMARSTC	Marital status of respondent	
PME_25A PME_25B	Member of the following group: Cultural, educational or hobby org	
PME 25C	Member of the following group: Union or professional association	
PME 25D	Member of the following group: Political party or group	
PME 25E	Member of the following group: Place of worship	
PME 25F	Member of the following group: School grp, neighbourhood, civic assoc	
PME 25G	Member of the following group: Humanitarian, charitable org, serv club	
PME 25H	Member of the following group: Seniors' group	
PME 25I	Member of the following group: Youth organization	
PME_25J	Member of the following group: Immigrant or ethnic association or club	
PME_25K	Member of the following group: Environmental group	. 13
PME_25L	Member of the following group: Other type of group, org or association	
PM_05A	Used prescribed/non drugs for pain since the beginning of the pandemic	
PM_10	Drugs use frequency for managing pain	
PPARTGRP	Participation in groups, organizations or associations	
PPLTALK	Have people you feel close to, you can talk to	
PPM_05BA	Drugs used for managing pain: Acetaminophen	
PPM_05BB	Drugs used for managing pain: Nonsteroidal anti-inflammatory drugs	
PPM_05BD	Drugs used for managing pain: Opioids	
PPM_05BE	Drugs used for managing pain: Cannabis products, including edibles	
PPM_05BF	Drugs used for managing pain: Antidepressants	
PPM_05BH PPM_05CA	Drugs used for managing pain: Topical agents	
PPM 05CB	Drugs used for managing pain: Acetaminophen  Drugs used for managing pain: Nonsteroidal anti-inflammatory drugs	
PPM 05CE	Drugs used for managing pain: Nonsteroidal attitumation y drugs	
PPM 05CG	Drugs used for managing pain: Topical agents	
PPM 05DA	Drugs used for managing pain: Acetaminophen	
PPM 05DB	Drugs used for managing pain: Nonsteroidal anti-inflammatory drugs	. 48
PPM 05DD	Drugs used for managing pain: Opioids	
PPM_05DE	Drugs used for managing pain: Cannabis products, including edibles	
PPM 05DG	Drugs used for managing pain: Antidepressants	
PPM_05DI	Drugs used for managing pain: Topical agents	
PUMFID	Public use microdata file identifier	
RURURB	Rural/Urban indicator	
SEX	Sex of respondent	
STRESS	Amount of stress in your life since the pandemic	
ST_05A	Problem with alcohol/drugs, embarrassed to tell friends/family	
ST_05B	Society should be friendlier toward people with alcohol/drug problems	
ST_05C	Alcohol/drug problem, embarrassing to seek help/treatment	
ST_05D	I have sympathy for people who misuse alcohol or drugs	
ST_10AC	Embarrassing to tell friends/family about my alcohol/drug use	
ST_10BC	Embarrassing to seek help/treatment for my alcohol/drug use	
ST_10CC ST 10DC	Difficulties in obtaining treatment for my alcohol/drug use	
ST 10EC	Often feel alone because of alcohol/drug use	
ST 10FC	Scared how ppl will react if they find out about my alcohol/drug use	
ST_10GC	People have insulted me because of my alcohol/drug use	
ST_10HC	People have avoided me because of my alcohol/drug use	
ST_10IC	Need to hide my problems with alcohol/drugs from my friends/family	
VERDATE	Version date of when the file was created	
VERDATE	Version date of when the file was created	. 8