

Classictic API Web Services for Affiliate Partners

Classictic GmbH
Dietrich-Bonhoeffer-Str. 13
10407 Berlin
Germany

August 2015

Contents

General Information.....	3
Classictic API Web Services: Event Search	4
Classictic API Web Services: List Calls	6
Classictic API Web Services: Event Details	10

General information

This manual will allow you to generate URLs for the ClassicTic API Web services that we provide to our affiliate partners. You can create those URLs for all supported languages.

The decisive parameter for using the ClassicTic API Web services is the API affiliate token, which will be provided by your ClassicTic affiliate manager.

Please apply for your API affiliate token at this e-mail address: **affiliate@classictic.com**

General Notes Concerning Notation of the API Request:

Some API requests require the combination of parameters, such as country or city. Reference to each respective parameter is achieved using an identification number. The following rules apply:

- All API requests begin with ***https://www.classictic.com***
- Requests can be made either for XML or JSON responses:
/en/api/search/<format>/
- Place your API affiliate token after your chosen response format:
/en/api/search/<format>/ <token>>/
- Only one “?” is used at the beginning of the parameter statements, directly after your token: */en/api/search/<format>/ <token>>/ ?parameter1=<value>*
- The respective parameters are combined using “&”:
/en/api/search/<format>/ <token>>/ ?parameter1=<value> &...¶meterN=<value>

Classicctic API Web Services: Event Search

This call allows you to create API requests that generate various event searches. The responses are either in XML or JSON. Such an API request can combine various parameters (e.g. country, city, genre, etc.) in order to generate specific event lists.

Parameters:

Filter	Description	Value
country_id	Internal ID of the country	Number
city_id	Internal ID of the city	Number
venue_id	Internal ID of the venue	Number
artist_id	Internal ID of the artist	Number
composer_id	Internal ID of the composer	Number
tag_id	Internal ID of the event type (genre)	Number
from_timestamp	unix timestamp of event start time	Number
until_timestamp	unix timestamp of end time	
Pagination	Description	Value
page	Number of the current page	Number
range	Amount of event dates / page (max. 50)	Number

ID lists for all applied parameters are available for download through your MyClassicctic account.

URL Structure

EN	/en/api/search/<format>/<token>/
DE	/de/api/suche/<format>/<token>/
FR	/fr/api/recherche/<format>/<token>/
ES	/es/api/buscar/<format>/<token>/
IT	/it/api/ricerca/<format>/<token>/
RU	/ru/api/поиск/<format>/<token>/
JA	/ja/api/検索/<format>/<token>/
ZH	/zh/api/搜索/<format>/<token>/
<format>	xml json
<token>	Your API affiliate token

Examples

Vienna / XML	<a href="https://www.classictic.com/en/api/search/xml/<token>/?country_id=1&city_id=1&range=10">https://www.classictic.com/en/api/search/xml/<token>/? country_id=1&city_id=1&range=10
Vienna / JSON	<a href="https://www.classictic.com/en/api/search/json/<token>/?country_id=1&city_id=1&range=10">https://www.classictic.com/en/api/search/json/<token>/? country_id=1&city_id=1&range=10
Opéra de la Bastille in Paris / XML	<a href="https://www.classictic.com/en/api/search/xml/<token>/?country_id=4&city_id=7&venue_id=300&range=10">https://www.classictic.com/en/api/search/xml/<token>/? country_id=4&city_id=7&venue_id=300&range=10
Opéra de la Bastille in Paris / JSON	<a href="https://www.classictic.com/en/api/search/json/<token>/?country_id=4&city_id=7&venue_id=300&range=10">https://www.classictic.com/en/api/search/json/<token>/? country_id=4&city_id=7&venue_id=300&range=10
Daniel Barenboim / XML	<a href="https://www.classictic.com/en/api/search/xml/<token>/?artist_id=892&range=10">https://www.classictic.com/en/api/search/xml/<token>/?artist_id=892&range=10
Daniel Barenboim / JSON	<a href="https://www.classictic.com/en/api/search/json/<token>/?artist_id=892&range=10">https://www.classictic.com/en/api/search/json/<token>/?artist_id=892&range=10
Opera performances in Paris / XML	<a href="https://www.classictic.com/en/api/search/xml/<token>/?country_id=4&city_id=7&tag_id=2&range=10">https://www.classictic.com/en/api/search/xml/<token>/? country_id=4&city_id=7&tag_id=2&range=10
Opera performances in Paris / JSON	<a href="https://www.classictic.com/en/api/search/json/<token>/?country_id=4&city_id=7&tag_id=2&range=10">https://www.classictic.com/en/api/search/json/<token>/? country_id=4&city_id=7&tag_id=2&range=10

ClassicTic API Web Services: List Calls

This call allows you to create API requests that generate various lists (according to county, city, artist, etc.). The responses are either in XML or JSON and specify the name and ID of each item in the list.

Artist

URL Structure

EN	/en/api/artist/<format>/<token>/
DE	/de/api/künstler/<format>/<token>/
FR	/fr/api/artiste/<format>/<token>/
ES	/es/api/artista/<format>/<token>/
IT	/it/api/artista/<format>/<token>/
RU	/ru/api/артист/<format>/<token>/
JA	/ja/api/アーティスト/<format>/<token>/
ZH	/zh/api/艺术家/<format>/<token>/
<format>	xml json
<token>	Your API affiliate token
Parameter	None

Example

XML	http://www.classictic.com/en/api/artist/xml/<token>/
JSON	http://www.classictic.com/en/api/artist/json/<token>/

City

URL Structure

EN	/en/api/city/<format>/<token>/
DE	/de/api/stadt/<format>/<token>/
FR	/fr/api/ville/<format>/<token>/
ES	/es/api/ciudad/<format>/<token>/
IT	/it/api/citta/<format>/<token>/
RU	/ru/api/город/<format>/<token>/
JA	/ja/api/都市/<format>/<token>/
ZH	/zh/api/城市/<format>/<token>/
<format>	xml json

<token>	Your API affiliate token
Parameter	None

Example

XML	http://www.classictic.com/en/api/city/xml/<token>/
JSON	http://www.classictic.com/en/api/city/json/<token>/

Composer

URL Structure

EN	/en/api/composer/<format>/<token>/
DE	/de/api/komponist/<format>/<token>/
FR	/fr/api/compositeur/<format>/<token>/
ES	/es/api/compositor/<format>/<token>/
IT	/it/api/compositore/<format>/<token>/
RU	/ru/api/композитор/<format>/<token>/
JA	/ja/api/作曲家/<format>/<token>/
ZH	/zh/api/作曲家/<format>/<token>/
<format>	xml json
<token>	Your API affiliate token
Parameter	None

Example

XML	http://www.classictic.com/en/api/composer/xml/<token>/
JSON	http://www.classictic.com/en/api/composer/json/<token>/

Event Type (Genre)

URL Structure

EN	/en/api/tag/<format>/<token>/
DE	/de/api/tag/<format>/<token>/
FR	/fr/api/tag/<format>/<token>/
ES	/es/api/tipo/<format>/<token>/
IT	/it/api/genere/<format>/<token>/
RU	/ru/api/жанр/<format>/<token>/
JA	/ja/api/ジャンル/<format>/<token>/
ZH	/zh/api/曲风/<format>/<token>/

<format>	xml json
<token>	Your API affiliate token
Parameter	None

Example

XML	http://www.classictic.com/en/api/genre/xml/<token>/
JSON	http://www.classictic.com/en/api/genre/json/<token>/

Country

URL Structure

EN	/en/api/country/<format>/<token>/
DE	/de/api/land/<format>/<token>/
FR	/fr/api/pays/<format>/<token>/
ES	/es/api/país/<format>/<token>/
IT	/it/api/nazione/<format>/<token>/
RU	/ru/api/страна/<format>/<token>/
JA	/ja/api/国/<format>/<token>/
ZH	/zh/api/国家/<format>/<token>/
<format>	xml json
<token>	Your API affiliate token
Parameter	None

Example

XML	http://www.classictic.com/en/api/country/xml/<token>/
JSON	http://www.classictic.com/en/api/country/json/<token>/

Venue

URL Structure

EN	/en/api/venue/<format>/<token>/
DE	/de/api/veranstaltungsort/<format>/<token>/
FR	/fr/api/salle/<format>/<token>/
ES	/es/api/lugar/<format>/<token>/
IT	/it/api/luogo/<format>/<token>/
RU	/ru/api/концертный-зал/<format>/<token>/
JA	/ja/api/会場/<format>/<token>/
ZH	/zh/api/场馆/<format>/<token>/

<format>	xml json
<token>	Your API affiliate token
Parameter	None

Example

XML	http://www.classictic.com/en/api/venue/xml/<token>/
JSON	http://www.classictic.com/en/api/venue/json/<token>/

ClassicTic API Web Services: Event Details

Event Details

URL Structure

EN	/en/api/events/<id>/<format>/<token>/
DE	/de/api/veranstaltungen/<id>/<format>/<token>/
FR	/fr/api/events/<id>/<format>/<token>/
ES	/es/api/conciertos/<id>/<format>/<token>/
IT	/it/api/eventos/<id>/<format>/<token>/
RU	/ru/api/событие/<id>/<format>/<token>/
JA	/ja/api/イベント/<id>/<format>/<token>/
ZH	/zh/api/演出/<id>/<format>/<token>/
<id>	ID of the event date (second number in the event URL, e.g.: http://www.classictic.com/en/strauss___mozart_concerts/10006/192955/)
<format>	xml json
<token>	Your API affiliate token
Parameter	None

Example

XML	<a href="http://www.classictic.com/en/api/events/192955/xml/<token>/">http://www.classictic.com/en/api/events/192955/xml/<token>/
JSON	<a href="http://www.classictic.com/en/api/events/192955/json/<token>/">http://www.classictic.com/en/api/events/192955/json/<token>/