

From noise to knowledge: how randomness generates novel phenomena and reveals information

Carl Boettiger^a

^a*Dept of Environmental Science, Policy, and Management, University of California Berkeley, Berkeley CA 94720-3114, USA*

Abstract

Abstract

Noise, as the term itself suggests, is most often seen a nuisance to ecological insight, a inconvenient reality that must be acknowledged, a haystack that must be stripped away to reveal the processes of interest underneath. Yet despite this well-earned reputation, noise is often interesting in its own right: noise can induce novel phenomena that could not be understood from some underlying deterministic model alone. Nor is all noise the same, and close examination of differences in frequency, color or magnitude can reveal insights that would otherwise be inaccessible. Yet with each aspect of stochasticity leading to some new or unexpected behavior, the time is right to move beyond the familiar refrain of “everything is important” (Bjørnstad and Grenfell 2001). Stochastic phenomena can suggest new ways of inferring process from pattern, and thus spark more dialog between theory and (Abbott 2011) perspectives that best advances the field as a whole. I highlight a few compelling examples, while observing that the study of stochastic phenomena are only beginning to make this translation into empirical inference. There are rich opportunities at this interface in the years ahead.

Email address: cboettig@berkeley.edu (Carl Boettiger)
Preprint submitted to Elsevier

8 Introduction: Noise the nuisance

9 To many, stochasticity, or more simply, noise, is just that – something which obscures patterns we
10 are trying to infer (Knappe and de Valpine 2011); and an ever richer batteries of statistical methods are
11 developed largely in an attempt to strip away this undesirable randomness to reveal the patterns beneath
12 (Coulson 2001). Over the past several decades, literature in stochasticity has transitioned from thinking
13 of stochasticity in such terms; where noise is a nuisance that obscures the deterministic skeleton of the
14 underlying mechanisms, to the recognition that stochasticity can itself be a mechanism for driving many
15 interesting phenomena (Coulson, Rohani, and Pascual 2004). Yet this transition from *noise the nuisance* to
16 *noise the creator* of ecological phenomena has had, with a few notable exceptions, relatively little impact
17 in broader thinking about stochasticity. One of the most provocative of those exceptions has turned the
18 classical notion of noise the nuisance on its head: recognizing that noise driven phenomena can become
19 a tool to reveal underlying processes: to become *noise the informer*. Here I argue that this third shift in
20 perspective offers an opportunity to better bridge the divide between respective primarily theoretical and
21 primarily empirical communities by seeing noise not as mathematical curiosity or statistical bugbear, but as
22 a source for new opportunities for inference.

23 In arguing for this shift, it essential to recognize this is a call for a bigger tent, not for the rejection of
24 previous paradigms. What I will characterize as ‘noise the nuisance’ reflects a predominately statistical
25 approach, in which noise, almost by definition, represents all the processes we are not interested in that
26 create additional variation which might obscure the pattern of interest. By contrast, an extensive literature
27 has long explored how noise itself can create patterns and explain processes from population cycling to
28 coexistence. These broad categories should be seen as a spectrum and not be mistaken for either a sharp
29 dichotomy nor a reference to a strictly empirical-theoretical divide. Each paradigm expands upon rather
30 than rejects the previous notion of noise: the recognition that noise can create novel phenomena does not
31 mean that noise cannot also obscure the signal of some process of interest. Likewise, seeking to use noise as
32 a novel source of information about underlying processes will be informed by both previous paradigms, as
33 our discussion will illustrate.

34 Numerical simulations permit poking and prodding investigation unencumbered by either experimental
35 design or mathematical formalism.

36 The code and data for the simulations in this paper are maintained at [https://github.com/cboettig/noise-](https://github.com/cboettig/noise-phenomena)
37 [phenomena](https://github.com/cboettig/noise-phenomena).

38 To emphasize the underlying trend in the changing roles in which we see and understand noisy processes,

I will also restrict my focus to relatively simple models primarily from population ecology context. Simplicity not only makes examples (in equations and in code) more tractable but also allows us to focus on aspects that are germane to many contexts rather than unique to particular complexities (Levins 1966; Bartlett 1960).

Nevertheless, that complexity matters – few themes have been better emphasized in the theoretical literature (Bjørnstad and Grenfell 2001). Both the foundational literature and recent research continue to echo the theme of understanding the impact different real world complexities have in stochastic dynamics. As such, we will rely on both textbooks and recent reviews to provide a proper treatment of these issues, and focus on broader trends.

This review is structured into three sections: Origins of noise, emergent phenomena, and noise-driven inference. The first section lays the conceptual groundwork we will need, while also highlighting a shift to more and more mechanistically rooted descriptions of noise. We will see where the common formulation of “deterministic skeleton plus noise term” comes from, how it is best justified, and when it breaks down. The second section introduces *noise the creator*, showing examples of ecological phenomena generated by stochasticity. These examples will be familiar to most specialists but illustrate a different way of thinking than held by most ecologists, where noise is only a nuisance to be filtered or averaged out. The third and final section, *noise the informer*, turns these examples back-to-front, asking what noise can tell us about a system: such as its underlying resilience or stability, or the approach of a catastrophic shift. Examples are fewer here, and have largely yet to benefit from the introduction of either the rigorous theorems or more complex models so plentiful in the previous sections. Yet the promise of prediction, of early warning signs before tipping points, have spurred broad interest in such noise-based inference. This review is a call to both deepen the connection to mechanism and better formalize this thinking, but also look more broadly into other ways in which noisy phenomena can help inform and predict underlying processes.

Demographic stochasticity

Demographic stochasticity refers to fluctuations in population sizes or densities that arise from the fundamentally discrete nature of individual birth and death events. Demographic stochasticity is a particularly instructive case for illustrating a mechanism for how noise arises as an aggregate description from a lower-level mechanistic process. We summarize the myriad lower-level processes that mechanistically lead to the event of a ‘birth’ in the population as a probability: In a population of N identical individuals at time t , a birth occurs with probability $b_t(N_t)$ (*i.e.* a rate that can depend on the population size, N), which increases the population size to $N + 1$. Similarly, death events occur with probability $d_t(N_t)$, decreasing the population

size by one individual, to $N - 1$. Assuming each of these events are independent, this is a state-dependent Poisson process. The change in the probability of being in state N is given by the sum over the ways to enter the state, minus the ways to leave the state: a simple expression of probability balance known as the master equation (Kampen 2007). Note that in general this approach is equally applicable to stochastic transitions of any sort, not just step sizes of ± 1 and not just birth and death events, but can include transitions between stage classes or trait values, including mutations to continuously-valued traits in evolutionary dynamics (e.g. Boettiger, Dushoff, and Weitz 2010).

The Gillespie (1977) provides an exact algorithm for simulating demographic stochasticity at an individual level.

The algorithm is a simple and direct implementation of the master equation, progressing in random step sizes determined by the waiting time until the next event. Free from both the approximations and mathematical complexity, the Gillespie algorithm is an interesting example of where we rely on a numerical implementation to check the accuracy of an analytic approximation, even in the case of simple models such as we will discuss. Though the algorithm is often maligned as numerically demanding, it can be run much more effectively even on large models on today's computers than when it was first developed in the 70s, and remains an underutilized approach for writing simple and approximation-free¹ stochastic ecological models.

As our objective is to tie the origins of noise more closely to biological processes, it will be helpful to make the notion of a master equation concrete with a specific example. We will focus on the classic case of Levins (1969) patch model, to illustrate the Gillespie algorithm and the van Kampen system size expansion

$$\frac{dn}{dt} = \underbrace{cn \left(1 - \frac{n}{N}\right)}_{\text{birth}} - \underbrace{en}_{\text{death}}, \quad (1)$$

where n individuals compete for a finite number of suitable habitats N . Individuals die a constant rate e , and produce offspring at a constant rate c who then have a probability of colonizing an open patch that is simply proportional to the fraction of available patches, $1 - n/N$.

Figure 1 shows the results of two exact SSA simulations of the classic patch model of Levins (1969).

¹that is, free from the approximation made by SDE models as we see in the van Kampen example. All models are, of course, only approximations.

93 Conclusions

94 This review has explored three paradigms in how noise is viewed throughout the ecological literature,
95 which I have dubbed respectively: noise the *nuisance*, noise the *creator*, and noise the *informer*. Noise can
96 be seen as a nuisance almost by definition: in examining the origins of noise, we have seen how stochasticity
97 is introduced not because ecological processes are random in some fundamental sense, but rather, because
98 those processes are influenced by a complex combination of forces we do not model explicitly. In this view,
99 noise captures all that additional variation that is separate from the process of interest, and a rich array
100 of statistical methods allow us to separate the one from the other in observations and experiments. By
101 examining the origins of noise, we have seen that despite the complex ways in which noise can enter a model,
102 that a Gaussian white-noise approximation (Kampen 2007; Black and McKane 2012) is often appropriate
103 given a limit of a large system size – a fact often invoked implicitly but rarely derived explicitly from the
104 theorems of Kurtz (1978) and others.

105 In this context, noise does not act to create phenomena of interest directly. The sudden transitions we
106 seek to anticipate are still explained by the deterministic part of the model – bifurcations. But nor is noise a
107 nuisance that merely cloaks this deterministic skeleton from plain view: rather, it becomes a novel source of
108 information that would be inaccessible from a purely deterministic approach. I believe more examples of
109 how noise can inform on underlying processes is possible, but will require greater dialog between these world
110 views.

111 Acknowledgements

112 The author acknowledges feedback and advice from the editor, Tim Coulson and two anonymous
113 reviewers. This work was supported in part by USDA National Institute of Food and Agriculture, Hatch
114 project CA-B-INS-0162-H.

115 References

116 Abbott, Karen C. 2011. “A Dispersal-Induced Paradox: Synchrony and Stability in Stochastic Metapop-
117 ulations.” *Ecology Letters* 14 (11). Blackwell Publishing Ltd: 1158–69. [https://doi.org/10.1111/j.1461-](https://doi.org/10.1111/j.1461-0248.2011.01670.x)
118 0248.2011.01670.x.

119 Bartlett, Maurice S. 1960. *Stochastic population models in ecology and epidemiology*. London: Methuen;
120 Wiley.

- Bjørnstad, O N, and Bryan T Grenfell. 2001. “Noisy clockwork: time series analysis of population fluctuations in animals.” *Science (New York, N.Y.)* 293 (5530): 638–43. <https://doi.org/10.1126/science.1062226>.
- Black, Andrew J, and Alan J McKane. 2012. “Stochastic formulation of ecological models and their applications.” *Trends in Ecology & Evolution*, March. Elsevier Ltd, 1–9. <https://doi.org/10.1016/j.tree.2012.01.014>.
- Boettiger, Carl, Jonathan Dushoff, and Joshua S. Weitz. 2010. “Fluctuation domains in adaptive evolution.” *Theoretical Population Biology* 77 (1): 6–13. <https://doi.org/10.1016/j.tpb.2009.10.003>.
- Coulson, T. 2001. “Age, Sex, Density, Winter Weather, and Population Crashes in Soay Sheep.” *Science* 292 (5521): 1528–31. <https://doi.org/10.1126/science.292.5521.1528>.
- Coulson, Tim, Pejman Rohani, and Mercedes Pascual. 2004. “Skeletons, noise and population growth: The end of an old debate?” *Trends in Ecology and Evolution* 19 (7): 359–64. <https://doi.org/10.1016/j.tree.2004.05.008>.
- Gillespie, Daniel. 1977. “Exact Stochastic Simulation of Coupled Chemical Reactions.” *Journal of Physical Chemistry* 81.25: 2340–61.
- Kampen, N.G. van. 2007. *Stochastic Processes in Physics and Chemistry*. Third. Amsterdam, New York, Oxford: North-Holland Publishing Company.
- Knape, Jonas, and Perry de Valpine. 2011. “Are patterns of density dependence in the Global Population Dynamics Database driven by uncertainty about population abundance?” *Ecology Letters* 15 (1): 17–23. <https://doi.org/10.1111/j.1461-0248.2011.01702.x>.
- Kurtz, Thomas G. 1978. “Strong Approximation Theorems for Density Dependent Markov Chains.” *Stochastic Processes and Their Applications* 6 (3): 223–40. [https://doi.org/10.1016/0304-4149\(78\)90020-0](https://doi.org/10.1016/0304-4149(78)90020-0).
- Levins, Richard. 1966. “The strategy of model building in population biology.” *American Scientist* 54 (4): 421–31.
- . 1969. “Some demographic and genetic consequences of environmental heterogeneity for biological control.” *Bulletin of the Entomological Society of America* 15 (3). Entomological Society of America: 237–40.

147 **List of Figures**

148	1	Population dynamics from a Gillespie simulation of the Levins model with large (N=1000,	
149		panel A) and small (N=100, panel B) number of sites (blue) show relatively weaker effects	
150		of demographic noise in the bigger system. Models are otherwise identical, with $e = 0.2$ and	
151		$c = 1$ (code in appendix A). Theoretical predictions for mean and plus/minus one standard	
152		deviation shown in horizontal re dashed lines.	8




Figure 1: Population dynamics from a Gillespie simulation of the Levins model with large ($N=1000$, panel A) and small ($N=100$, panel B) number of sites (blue) show relatively weaker effects of demographic noise in the bigger system. Models are otherwise identical, with $e = 0.2$ and $c = 1$ (code in appendix A). Theoretical predictions for mean and plus/minus one standard deviation shown in horizontal red dashed lines.