Results

Descriptive Statistics

Intervention Group : 24 Valid Study_IDs -> 23 Complete Cases

Descriptive Statistics

	PRE.PSS.mean	POST.PSS.mean	PRE.EFF.mean	POST.EFF.mean
Valid	24	23	24	23
Missing	0	1	0	1
Mean	2.542	3.026	5.445	5.503
Std. Deviation	0.668	0.390	0.592	0.638
Shapiro-Wilk	0.934	0.901	0.945	0.909
P-value of Shapiro-Wilk	.122	.026	.209	.039
Minimum	1.500	2.500	4.000	3.813
Maximum	3.700	4.200	6.438	7.000

There are deviations from normality (p-value of Shapiro Wilk test) for Post scores - often happens with small sample sizes. Since **paired** comparisonsa re being used, this isn't going to be too meaningful, or worrisome.

PSS: Paired Samples T-Test

Paired Samples T-Test - Introduction: Click here to add text

Paired Samples T-Test

								95% CI for Cohen's d	
Measure 1		Measure 2	t	df	p	Cohen's d	SE Cohen's d	Lower	Upper
PRE.PSS.mean	-	POST.PSS.mean	−3.660	22	.001	−0.763	0.275	−1.223	−0.290

Note. Student's t-test.

Assumption Checks

Test of Normality (Shapiro-Wilk)

			W	p
PRE.PSS.mean	-	POST.PSS.mean	0.969	.667

Note. Significant results suggest a deviation from normality.


Descriptives

Descriptives

	N	Mean	SD	SE	Coefficient of variation
PRE.PSS.mean	24	2.542	0.668	0.136	0.263
POST.PSS.mean	23	3.026	0.390	0.081	0.129

Descriptives Plots

PRE.PSS.mean - POST.PSS.mean



Stress scores went up. Cohen's d (not the best comparison for this) is sizeable, but as advanced tests later show (run in R) this is happening because the paired samples test is not controlling for **baseline** scores - the level of stress that a participant started at.

PSS: Linear Regression

Model Summary - POST.PSS.mean

Model	R	R^2	Adjusted R^2	RMSE
M_0	0.000	0.000	0.000	0.390
M_1	0.327	0.107	0.064	0.377

Note. M_1 includes PRE.PSS.mean

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
M_1	Regression	0.358	1	0.358	2.515	.128
	Residual	2.987	21	0.142		
	Total	3.344	22			

Note. M_1 includes PRE.PSS.mean

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
M_0	(Intercept)	3.026	0.081		37.222	< .001
M_1	(Intercept)	2.551	0.310		8.228	< .001
	PRE.PSS.mean	0.189	0.119	0.327	1.586	.128

EFF: Paired Samples T-Test

Efficacy went up, but the differences are not significant.

Paired Samples T-Test


								95% CI for Cohen's d	
Measure 1		Measure 2	t	df	p	Cohen's d	SE Cohen's d	Lower	Upper
POST.EFF.mean	-	PRE.EFF.mean	0.515	22	.612	0.107	0.210	−0.304	0.516

Note. Student's t-test.

Descriptives

Descriptives Plots

POST.EFF.mean - PRE.EFF.mean



Differences are not significant; again this doesn't control for baseline scores.