Difficulty of Diagnosis

ConvNets helping to determine the difficulty of diagnosis by image

VGG16 outputs the "prevalence"

How much does the CPU feel that that is the actual class

```
print(labels[str(i.item())])
\#d = dir(i)
#for e in d: print(e)
tensor([-3.0172e+00, -1.1986e+00, -1.8998e+00, -1.1971e+00, -1.5325e+00,
        -1.5370e-02, 6.0900e-01, -1.6167e+00, 1.5567e+00, -2.5063e+00,
        -1.5624e+00, -2.3448e+00, 5.7230e-01, -1.7869e+00, -2.6640e+00,
        8.9858e-01, -2.4701e+00, -2.7066e+00, -3.2224e+00, -3.2978e+00,
       -3.8337e+00, -7.4573e-01, -1.0688e+00, -1.4380e+00, 7.7847e-01,
        -4.3500e+00, -4.5720e+00, -3.7380e+00, -4.3666e+00, -1.1037e+00,
        3.6357e-01, -5.5198e-01, -2.2667e-01, -9.6151e-02, -1.6193e+00,
        -1.7525e+00, 1.7974e+00, -1.5633e+00, 6.4028e-01, 1.2000e+00,
        -2.8107e+00, -1.8544e-01, -2.6185e+00, 3.9450e-01, -3.0935e-01,
        -1.8663e+00, -3.6287e-01, -8.3725e-01, -1.1526e+00, -2.2598e+00,
       -1.1135e+00, -1.3149e+00, -3.5583e+00, -2.6807e+00, 4.1116e-01,
        -1.3745e+00, -2.0054e+00, -9.5899e-01, -2.0634e+00, -9.5245e-01,
        6.5549e-02, -1.5371e+00, -2.0845e+00, -2.3176e+00, -1.7499e+00,
        -4.2196e+00, 3.5117e-01, 9.4370e-01, -2.5235e+00, 1.0221e+00,
        -4.1560e+00, -1.1523e+00, -2.4089e+00, -1.4440e+00, -1.5444e+00,
        -2.7348e+00, 1.9103e+00, -9.3136e-01, -4.0622e-01, -1.5044e-01,
       -3.4186e+00, -4.5549e+00, 8.9357e-01, -9.1193e-01, -5.2819e-01,
        -4.5147e-01, 5.4927e-02, 8.5835e-02, 1.3158e+00, -1.1495e+00,
        6.9001e-02, -5.5846e+00, -4.9061e+00, -9.8066e-01, -8.8657e-01,
```

Sorting by the class ID

 Just printing each class and its prevalence

```
#--list by class:
for i in range(N):
   print(i, end = "\t")
   print(labels[str(i)], end = "\t")
    print(cp[str(i)])
##--from now on, we only sort data and see which classes are 'winners':
        ['n01440764', 'tench'] -1.0186396837234497
         'n01443537', 'goldfish']
                                        2.167151689529419
         'n01484850', 'great white shark']
                                                -3.485780954360962
         'n01491361', 'tiger shark']
                                        0.33351564407348633
        ['n01494475', 'hammerhead']
                                        -2.7718982696533203
         'n01496331', 'electric ray']
                                       0.3085658848285675
        ['n01498041', 'stingray']
                                        -3.0836760997772217
        ['n01514668', 'cock'] 0.7915195226669312
        ['n01514859', 'hen']
                               2.153531551361084
         'n01518878', 'ostrich']
                                       -2.5958735942840576
         'n01530575', 'brambling']
                                       1.983551025390625
         'n01531178', 'goldfinch']
11
                                        -0.343048095703125
         'n01532829', 'house_finch']
12
                                       2.110304355621338
        ['n01534433', 'junco'] -2.1741549968719482
13
         'n01537544', 'indigo bunting'] -2.2756004333496094
14
15
        ['n01558993', 'robin'] 1.7396655082702637
16
         'n01560419', 'bulbul'] 0.4599645435810089
         'n01580077', 'jay']
17
                                -1.105634093284607
        ['n01582220', 'magpie'] -2.240165948867798
18
```

 Now we see the winner class and other classes

```
for i in range(N):
   print(sorted cp[i], end = "\t")
   print(labels[sorted cp[i]], end = "\t")
   print(cp[sorted cp[i]])
        ['n02123045', 'tabby'] 15.74615478515625
        ['n02124075', 'Egyptian cat'] 15.612914085388184
285
        ['n02123159', 'tiger_cat']
282
                                       15.478860855102539
        ['n02127052', 'lynx'] 11.005281448364258
        ['n02123394', 'Persian cat']
                                       10.740737915039062
       ['n02883205', 'bow tie']
457
                                       9.233245849609375
        ['n02129604', 'tiger'] 9.04011058807373
292
722
        ['n03942813', 'ping-pong_ball'] 8.49628734588623
        ['n03657121', 'lens cap']
                                       8.137709617614746
        ['n02123597', 'Siamese_cat']
284
                                       8.125133514404297
        ['n02128385', 'leopard']
                                       7.560521125793457
        ['n04074963', 'remote control'] 7.471639156341553
761
        ['n03793489', 'mouse'] 7.291515827178955
673
        ['n02971356', 'carton'] 7.221921443939209
478
        ['n02125311', 'cougar'] 6.845936298370361
286
        ['n02128757', 'snow_leopard']
                                       6.821112632751465
        ['n02129165', 'lion'] 6.516599655151367
291
        ['n03223299', 'doormat']
                                       6.441550254821777
        ['n03937543', 'pill bottle']
```

- Now we see the winner class and other classes
- Checking only winner does not seem to be right

```
for i in range(N):
   print(sorted cp[i], end = "\t")
   print(labels[sorted cp[i]], end = "\t")
   print(cp[sorted cp[i]])
        ['n02123045', 'tabby'] 15.74615478515625
        ['n02124075', 'Egyptian cat']
285
                                       15.612914085388184
282
        ['n02123159', 'tiger_cat']
                                        15.478860855102539
        ['n02127052', 'lynx'] 11.005281448364258
287
        ['n02123394', 'Persian cat']
                                       10.740737915039062
        ['n02883205', 'bow tie']
457
                                        9.233245849609375
        ['n02129604', 'tiger'] 9.04011058807373
292
722
        ['n03942813', 'ping-pong ball'] 8.49628734588623
        ['n03657121', 'lens cap']
622
                                        8.137709617614746
        ['n02123597', 'Siamese_cat']
284
                                        8.125133514404297
        ['n02128385', 'leopard']
                                        7.560521125793457
        ['n04074963', 'remote control'] 7.471639156341553
761
        ['n03793489', 'mouse'] 7.291515827178955
673
        ['n02971356', 'carton'] 7.221921443939209
478
        ['n02125311', 'cougar'] 6.845936298370361
286
        ['n02128757', 'snow_leopard']
289
                                        6.821112632751465
        ['n02129165', 'lion'] 6.516599655151367
291
        ['n03223299', 'doormat']
                                        6.441550254821777
        ['n03937543', 'pill bottle'
```

- Now we see the winner class and other classes
- Checking only winner does not seem to be right
- Since the top three classes are quite close, we may want to thing about all three

```
for i in range(N):
    print(sorted cp[i], end = "\t")
    print(labels[sorted cp[i]], end = "\t")
    print(cp[sorted cp[i]])
        ['n02123045', 'tabby'] 15.74615478515625
285
        ['n02124075', 'Egyptian cat']
                                        15.612914085388184
        ['n02123159', 'tiger cat']
                                        15.478860855102539
        ['n02127052', 'lynx'] 11.005281448364258
        ['n02123394', 'Persian_cat']
                                        10.740737915039062
        ['n02883205', 'bow tie']
457
                                        9.233245849609375
        ['n02129604', 'tiger'] 9.04011058807373
292
722
        ['n03942813', 'ping-pong ball'] 8.49628734588623
        ['n03657121', 'lens cap']
                                        8.137709617614746
        ['n02123597', 'Siamese_cat']
284
                                        8.125133514404297
        ['n02128385', 'leopard']
                                        7.560521125793457
        ['n04074963', 'remote control'] 7.471639156341553
761
        ['n03793489', 'mouse'] 7.291515827178955
673
        ['n02971356', 'carton'] 7.221921443939209
478
        ['n02125311', 'cougar'] 6.845936298370361
286
        ['n02128757', 'snow_leopard']
289
        ['n02129165', 'lion'] 6.516599655151367
291
        ['n03223299', 'doormat']
        ['n03937543', 'pill bottle'
```

- The more close values we have, the more difficult should be visual exam, too.
- Difficulty of diagnosis

```
for i in range(N):
    print(sorted cp[i], end = "\t")
    print(labels[sorted cp[i]], end = "\t")
    print(cp[sorted cp[i]])
        ['n02123045', 'tabby'] 15.74615478515625
        ['n02124075', 'Egyptian cat']
285
                                        15.612914085388184
        ['n02123159', 'tiger cat']
282
                                        15.478860855102539
        ['n02127052', 'lynx'] 11.005281448364258
287
        ['n02123394', 'Persian_cat']
                                        10.740737915039062
        ['n02883205', 'bow tie']
457
                                        9.233245849609375
        ['n02129604', 'tiger'] 9.04011058807373
292
722
        ['n03942813', 'ping-pong ball'] 8.49628734588623
        ['n03657121', 'lens cap']
622
                                        8.137709617614746
        ['n02123597', 'Siamese_cat']
284
                                        8.125133514404297
        ['n02128385', 'leopard']
                                        7.560521125793457
        ['n04074963', 'remote control'] 7.471639156341553
761
        ['n03793489', 'mouse'] 7.291515827178955
673
        ['n02971356', 'carton'] 7.221921443939209
478
        ['n02125311', 'cougar'] 6.845936298370361
286
        ['n02128757', 'snow_leopard']
                                        6.821112632751465
        ['n02129165', 'lion'] 6.516599655151367
291
        ['n03223299', 'doormat']
                                        6.441550254821777
        ['n03937543', 'pill bottle'
```

Further study

- More relevant data
- Other models that VGG16
 - Other champions: VGG19, AlexNet, ResNet, LeNet, uNet, etc etc
 - Homemade architecture
- Definition of "difficult diagnosis"