

# Performance Test Report



|          |                                          |
|----------|------------------------------------------|
| Date     | Feb 3, 2025, 5:20:44 AM                  |
| Project  | BNSF_BOBJ                                |
| Scenario | BW_Mechanical Public - ShopSummaryReport |
| Comment  |                                          |
| Notes    |                                          |

|                                            |    |
|--------------------------------------------|----|
| Table of Contents.....                     | 2  |
| Summary.....                               | 3  |
| Results summary.....                       | 3  |
| Statistics Summary.....                    | 3  |
| Hot spots.....                             | 4  |
| Errors.....                                | 4  |
| Alerts.....                                | 4  |
| General statistics.....                    | 4  |
| Transaction statistics.....                | 4  |
| Execution context.....                     | 6  |
| Scenario .....                             | 5  |
| Servers.....                               | 7  |
| Populations.....                           | 8  |
| User Paths.....                            | 9  |
| Transactions.....                          | 10 |
| Pages.....                                 | 12 |
| Media Contents.....                        | 18 |
| Push messages.....                         | 11 |
| Monitors.....                              | 19 |
| Main graphs.....                           | 21 |
| Average page response time.....            | 21 |
| Average request response time.....         | 22 |
| Average response time (Transactions).....  | 23 |
| Requests per second.....                   | 24 |
| Errors.....                                | 25 |
| Throughput.....                            | 26 |
| Response time against load.....            | 27 |
| Distribution of Transaction Durations..... | 28 |

## Summary


### Results summary

|                           |                                         |                    |                                                                                                                  |
|---------------------------|-----------------------------------------|--------------------|------------------------------------------------------------------------------------------------------------------|
| <b>Name</b>               | BW_Mechanical Public - ADP Report_Cloud | <b>Project</b>     | BNSF_BOBJ                                                                                                        |
| <b>Description</b>        |                                         | <b>Scenario</b>    | BW_Mechanical Public - ShopSummaryReport                                                                         |
| <b>Status</b>             | ✓ Passed                                | <b>Load Policy</b> | • The population Population1 is ramp up from 2 users adding 2 users every 1.0 minutes, to a maximum of 30 users. |
| <b>Start date</b>         | Feb 3, 2025, 5:20:44 AM                 | <b>Stop Policy</b> | • Population Population1: immediate.                                                                             |
| <b>End date</b>           | Feb 3, 2025, 5:41:08 AM                 |                    |                                                                                                                  |
| <b>Duration</b>           | 00:20:23                                |                    |                                                                                                                  |
| <b>Termination reason</b> | Execution policy                        | <b>Filters</b>     | None                                                                                                             |
| <b>LG Hosts</b>           | localhost:7100                          | <b>Debug</b>       | Disabled                                                                                                         |

### Statistics Summary

|                                   |          |   |                                      |           |   |
|-----------------------------------|----------|---|--------------------------------------|-----------|---|
| <b>Total pages</b>                | 17409    | — | <b>Average pages/s</b>               | 14.2      | — |
| <b>Total requests</b>             | 91752    | — | <b>Average requests/s</b>            | 75.0      | — |
| <b>Total users launched</b>       | 30       | — | <b>Average Request response time</b> | 0.067 s   | — |
| <b>Total iterations completed</b> | 504      | — | <b>Average Page response time</b>    | 0.226 s   | — |
| <b>Total throughput</b>           | 338.8 MB | — | <b>Average throughput</b>            | 2.21 Mb/s | — |
| <b>Total request errors</b>       | 0        | — | <b>Error rate</b>                    | 0 %       | — |
| <b>Total action errors</b>        | 0        | — | <b>Alerts total duration</b>         | 0 %       | — |

— = No SLA      ☀ = Passed      ☁ = Warning      ⚡ = Failed



## Hot spots

### Top 5 errors

No errors on pages

### Top 5 alerts

No alerts

### First critical alerts

No alerts

### Top 5 average response time (Pages)

| User Path                         | Parent                                          | Page                                                   | Duration |
|-----------------------------------|-------------------------------------------------|--------------------------------------------------------|----------|
| BW_Mechanical Public - ADP Report | Logoff                                          | /BOE/portal/2010261014/InfoView/logon/logoff.do        | 6.45     |
| BW_Mechanical Public - ADP Report | /BOE/portal/2010261014/InfoView/logon/logoff.do | /BOE/portal/2010261014/AnalyticalReporting/Cleanup.do  | 5.02     |
| BW_Mechanical Public - ADP Report | /BOE/portal/2010261014/InfoView/logon/logoff.do | /BOE/portal/2010261014/mdacient/JSP/common/cleanup.jsf | 1.56     |
| BW_Mechanical Public - ADP Report | /BOE/portal/2010261014/InfoView/logon/logoff.do | /BOE/portal/2010261014/LumiraWebApp/cleanup.faces      | 1.47     |
| BW_Mechanical Public - ADP Report | Path                                            | /BOE/portal/2010261014/Analytic...wer/viewDocument.jsp | 1.36     |

### Top 5 maximum response time (Pages)

| User Path                         | Parent                                          | Page                                                   | Duration |
|-----------------------------------|-------------------------------------------------|--------------------------------------------------------|----------|
| BW_Mechanical Public - ADP Report | Logoff                                          | /BOE/portal/2010261014/InfoView/logon/logoff.do        | 8.35     |
| BW_Mechanical Public - ADP Report | /BOE/portal/2010261014/InfoView/logon/logoff.do | /BOE/portal/2010261014/AnalyticalReporting/Cleanup.do  | 7.86     |
| BW_Mechanical Public - ADP Report | Path                                            | /BOE/portal/2010261014/Analytic...wer/viewDocument.jsp | 3.52     |
| BW_Mechanical Public - ADP Report | Login                                           | /BOE/portal/2010261014/InfoView/logon.faces_1          | 3.17     |
| BW_Mechanical Public - ADP Report | /BOE/portal/2010261014/InfoView/logon/logoff.do | /BOE/portal/2010261014/mdacient/JSP/common/cleanup.jsf | 2.89     |

## Errors

### Request errors

No errors

### Action errors

No errors

## Alerts

No alerts

## General statistics

| Min                   | Avg   | Max  | Count  | Err | % of Err | SLA Profile |
|-----------------------|-------|------|--------|-----|----------|-------------|
| <b>All User Paths</b> |       |      |        |     |          |             |
| 67.9                  | 131.4 | 197  | 30     | 0   | 0        | -           |
| <b>All pages</b>      |       |      |        |     |          |             |
| 0.016                 | 0.226 | 8.35 | 17,409 | 0   | 0        | -           |
| <b>All requests</b>   |       |      |        |     |          |             |
| 0.005                 | 0.066 | 7.86 | 91,752 | 0   | 0        | -           |

## Transaction statistics

| Min                     | Avg  | Max  | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|-------------------------|------|------|-------|-----|----------|---------|---------|---------|---------|---------|-------------|
| <b>All Transactions</b> |      |      |       |     |          |         |         |         |         |         |             |
| 0.131                   | 2.39 | 9.88 | 1,627 | 0   | 0        | 0.94    | 6.89    | 8.46    | 2.6     | 2.21    | -           |

## Scenario

### Summary

|                           |                                         |                    |                                                                                                                  |
|---------------------------|-----------------------------------------|--------------------|------------------------------------------------------------------------------------------------------------------|
| <b>Name</b>               | BW_Mechanical Public - ADP Report_Cloud | <b>Project</b>     | BNSF_BOBJ                                                                                                        |
| <b>Description</b>        |                                         | <b>Scenario</b>    | BW_Mechanical Public - ShopSummaryReport                                                                         |
| <b>Status</b>             | ✓ Passed                                | <b>Load Policy</b> | • The population Population1 is ramp up from 2 users adding 2 users every 1.0 minutes, to a maximum of 30 users. |
| <b>Start date</b>         | Feb 3, 2025, 5:20:44 AM                 | <b>Stop Policy</b> | • Population Population1: immediate.                                                                             |
| <b>End date</b>           | Feb 3, 2025, 5:41:08 AM                 |                    |                                                                                                                  |
| <b>Duration</b>           | 00:20:23                                | <b>Filters</b>     | None                                                                                                             |
| <b>Termination reason</b> | Execution policy                        | <b>Debug</b>       | Disabled                                                                                                         |
| <b>LG Hosts</b>           | localhost:7100                          |                    |                                                                                                                  |

### Populations

#### Population1

| User Path                         | Percentage | WAN Emulation | Signal strength | Bandwidth ↑ | Latency ↑ | Packet loss % ↑ | Bandwidth ↓ | Latency ↓ | Packet loss % ↓ | Browser      | Handle cookies | Connecti | Handle cache |
|-----------------------------------|------------|---------------|-----------------|-------------|-----------|-----------------|-------------|-----------|-----------------|--------------|----------------|----------|--------------|
| BW_Mechanical Public - ADP Report | 100.0%     | Unlimited     |                 | Unlimited   | 0ms       | 0%              | Unlimited   | 0ms       | 0%              | Recorded one | Yes            | 6        | As recorded  |

### User Paths

| Name                              | Description | On failed assertion | On error   | Think time | Thinktime range |
|-----------------------------------|-------------|---------------------|------------|------------|-----------------|
| BW_Mechanical Public - ADP Report |             | Do nothing          | Do nothing | From pages | 0%              |

### Rendezvous

| Enabled    | Name | Policy | Value | Timeout |
|------------|------|--------|-------|---------|
| Empty list |      |        |       |         |

## Execution context

|                           |                                         |                    |                                                                                                                                                                                                           |
|---------------------------|-----------------------------------------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Name</b>               | BW_Mechanical Public - ADP Report_Cloud | <b>Project</b>     | BNSF_BOBJ                                                                                                                                                                                                 |
| <b>Description</b>        |                                         | <b>Scenario</b>    | BW_Mechanical Public - ShopSummaryReport                                                                                                                                                                  |
| <b>Status</b>             | ✓ Passed                                | <b>Load Policy</b> | <ul style="list-style-type: none"><li>The population Population1 is ramp up from 2 users adding 2 users every 1.0 minutes, to a maximum of 30 users.</li><li>Population Population1: immediate.</li></ul> |
| <b>Start date</b>         | Feb 3, 2025, 5:20:44 AM                 |                    |                                                                                                                                                                                                           |
| <b>End date</b>           | Feb 3, 2025, 5:41:08 AM                 | <b>Stop Policy</b> |                                                                                                                                                                                                           |
| <b>Duration</b>           | 00:20:23                                | <b>Filters</b>     | None                                                                                                                                                                                                      |
| <b>Termination reason</b> | Execution policy                        | <b>Debug</b>       | Disabled                                                                                                                                                                                                  |
| <b>LG Hosts</b>           | localhost:7100                          |                    |                                                                                                                                                                                                           |

**NeoLoad version** 2024.1.1;build=20240729-50  
**Graphs granularity** Standard

## Application proxy

| Name       | Description |
|------------|-------------|
| Empty list |             |

## Zone application proxies

| Zone       | Name | Description |
|------------|------|-------------|
| Empty list |      |             |

## Constant variables

| Name       | Value | Description |
|------------|-------|-------------|
| Empty list |       |             |

## User Paths settings



|                                          |                  |
|------------------------------------------|------------------|
| <b>BW_Mechanical Public - ADP Report</b> |                  |
| Error policy:                            | Do nothing       |
| Assertion policy:                        | Do nothing       |
| Thinktime policy:                        | defined in pages |
| Pacing:                                  | No pacing        |

## Servers

### Servers

| Host             | Port | HTTP/2 ready | HTTP/2 used |
|------------------|------|--------------|-------------|
| idptr.bnsf.com   | 443  | No           | No          |
| boobjqa.bnsf.com | 443  | No           | No          |

## Graphs



## Statistics

| Population  | Total requests | Average requests/s | Avg. Page res. time | Error rate |
|-------------|----------------|--------------------|---------------------|------------|
| Population1 | 91752 (100%)   | 75.0               | 0.226s (0%)         | 0% ( - %)  |
| Global      | 91752 (100%)   | 75.0               | 0.226s              | 0%         |

## User Paths

| Min                                                                                                                 | Avg   | Max | Count | Err | % of Err | SLA Profile |
|---------------------------------------------------------------------------------------------------------------------|-------|-----|-------|-----|----------|-------------|
|  BW_Mechanical Public - ADP Report |       |     |       |     |          |             |
| 67.9                                                                                                                | 131.4 | 197 | 30    | 0   | 0        | -           |

## Shared Containers

| Min        | Avg | Max | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|------------|-----|-----|-------|-----|----------|---------|---------|---------|---------|---------|-------------|
| Empty list |     |     |       |     |          |         |         |         |         |         |             |

## BW\_Mechanical Public - ADP Report

| Min                                                                                                                 | Avg   | Max  | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|---------------------------------------------------------------------------------------------------------------------|-------|------|-------|-----|----------|---------|---------|---------|---------|---------|-------------|
|  BW_Mechanical Public - ADP Report |       |      |       |     |          |         |         |         |         |         |             |
| 67.9                                                                                                                | 131.4 | 197  | 30    | 0   | 0        | -       | -       | -       | -       | -       | -           |
|  Init                              |       |      |       |     |          |         |         |         |         |         |             |
| 1.52                                                                                                                | 2.6   | 4.5  | 30    | 0   | 0        | -       | -       | -       | -       | -       | -           |
|  Login                             |       |      |       |     |          |         |         |         |         |         |             |
| 1.52                                                                                                                | 2.6   | 4.5  | 30    | 0   | 0        | 2.48    | 4.35    | 4.5     | 0.909   | 2.5     | -           |
|  Actions                           |       |      |       |     |          |         |         |         |         |         |             |
| 5.31                                                                                                                | 7.09  | 11.1 | 504   | 0   | 0        | -       | -       | -       | -       | -       | -           |
|  Documents                         |       |      |       |     |          |         |         |         |         |         |             |
| 0.751                                                                                                               | 0.975 | 3.17 | 533   | 0   | 0        | 0.932   | 1.3     | 1.75    | 0.196   | 0.95    | -           |
|  Folders                           |       |      |       |     |          |         |         |         |         |         |             |
| 0.131                                                                                                               | 0.217 | 0.72 | 530   | 0   | 0        | 0.187   | 0.422   | 0.543   | 0.085   | 0.205   | -           |
|  Path                            |       |      |       |     |          |         |         |         |         |         |             |
| 4.25                                                                                                                | 5.9   | 9.88 | 504   | 0   | 0        | 5.77    | 7.86    | 8.43    | 0.907   | 5.84    | -           |
|  End                             |       |      |       |     |          |         |         |         |         |         |             |
| 2.29                                                                                                                | 6.89  | 8.94 | 30    | 0   | 0        | -       | -       | -       | -       | -       | -           |
|  Logoff                          |       |      |       |     |          |         |         |         |         |         |             |
| 2.29                                                                                                                | 6.89  | 8.94 | 30    | 0   | 0        | 7.97    | 8.93    | 8.93    | 2.26    | 6.91    | -           |

## Push messages

### Shared Containers

| Min        | Avg | Max | Count | Err | % of Err | SLA Profile |
|------------|-----|-----|-------|-----|----------|-------------|
| Empty list |     |     |       |     |          |             |

### BW\_Mechanical Public - ADP Report

| Min        | Avg | Max | Count | Err | % of Err | SLA Profile |
|------------|-----|-----|-------|-----|----------|-------------|
| Empty list |     |     |       |     |          |             |

## Shared Containers

| Min        | Avg | Max | Count | Err | % of Err | SLA Profile |
|------------|-----|-----|-------|-----|----------|-------------|
| Empty list |     |     |       |     |          |             |

## BW\_Mechanical Public - ADP Report

| Min                                                                                                                                               | Avg   | Max   | Count | Err | % of Err | SLA Profile |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|-------|-----|----------|-------------|
|  <b>BW_Mechanical Public - ADP Report</b>                        |       |       |       |     |          |             |
| 67.9                                                                                                                                              | 131.4 | 197   | 30    | 0   | 0        | -           |
|  <b>Init</b>                                                     |       |       |       |     |          |             |
| 1.52                                                                                                                                              | 2.6   | 4.5   | 30    | 0   | 0        | -           |
|  <b>Login</b>                                                    |       |       |       |     |          |             |
| 1.52                                                                                                                                              | 2.6   | 4.5   | 30    | 0   | 0        | -           |
|  <b>/BOE/BI/logonNoSso.jsp</b>                                   |       |       |       |     |          |             |
| 0.078                                                                                                                                             | 0.103 | 0.277 | 30    | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/InfoView/logonNoSso.jsp</b>           |       |       |       |     |          |             |
| 0.02                                                                                                                                              | 0.031 | 0.088 | 30    | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/InfoView/logon.faces</b>              |       |       |       |     |          |             |
| 0.055                                                                                                                                             | 0.081 | 0.132 | 30    | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/BIPCore...nter_hover_logon.gif</b>   |       |       |       |     |          |             |
| 0.017                                                                                                                                             | 0.02  | 0.028 | 30    | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/InfoView/logon.faces_1</b>          |       |       |       |     |          |             |
| 0.196                                                                                                                                             | 1.04  | 3.17  | 30    | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/InfoView/listing/main.do</b>        |       |       |       |     |          |             |
| 0.103                                                                                                                                             | 0.188 | 0.473 | 30    | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/InfoView../images/InfoView.ico</b>  |       |       |       |     |          |             |
| 0.016                                                                                                                                             | 0.021 | 0.035 | 30    | 0   | 0        | -           |
|  <b>/v1/pages/ChRDaHJvbWUvMTMxLjAu...Kkt_xiEjul8NfHz4Jg==</b>  |       |       |       |     |          |             |
| 0.135                                                                                                                                             | 0.195 | 0.552 | 30    | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/InfoView/listing/home.do</b>        |       |       |       |     |          |             |
| 0.056                                                                                                                                             | 0.099 | 0.191 | 30    | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/Perform...DashboardPageView.do</b>  |       |       |       |     |          |             |
| 0.304                                                                                                                                             | 0.395 | 0.644 | 30    | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/Perfo...gement/jsp/empty.htm</b>    |       |       |       |     |          |             |
| 0.204                                                                                                                                             | 0.283 | 0.44  | 30    | 0   | 0        | -           |
|  <b>/v1/pages/ChRDaHJvbWUvMTMxLjAu...Q3mbE6kEgUNYfRsuhIFD</b>  |       |       |       |     |          |             |
| 0.136                                                                                                                                             | 0.227 | 0.479 | 30    | 0   | 0        | -           |
|  <b>/v1/pages/ChRDaHJvbWUvMTMxLjAu...gUNQM-elRIFDeZsTqQSB</b>  |       |       |       |     |          |             |
| 0.108                                                                                                                                             | 0.19  | 0.442 | 30    | 0   | 0        | -           |
|  <b>Actions</b>                                                |       |       |       |     |          |             |
| 5.31                                                                                                                                              | 7.09  | 11.1  | 504   | 0   | 0        | -           |
|  <b>Documents</b>                                              |       |       |       |     |          |             |
| 0.751                                                                                                                                             | 0.975 | 3.17  | 533   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/InfoView...nfoviewListing.faces</b> |       |       |       |     |          |             |
| 0.657                                                                                                                                             | 0.829 | 2.76  | 533   | 0   | 0        | -           |
|  <b>/v1/pages/ChRDaHJvbWUvMTMxLjAu...gUNQM-elRIFDeZsTqQSB</b>  |       |       |       |     |          |             |
| 0.081                                                                                                                                             | 0.146 | 0.638 | 533   | 0   | 0        | -           |

| Min                                                                                                                                               | Avg   | Max   | Count | Err | % of Err | SLA Profile |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|-------|-----|----------|-------------|
|  <b>Folders</b>                                                  |       |       |       |     |          |             |
| 0.131                                                                                                                                             | 0.217 | 0.72  | 530   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/shared/ure/css/treeview/lp.gif</b>    |       |       |       |     |          |             |
| 0.131                                                                                                                                             | 0.217 | 0.72  | 530   | 0   | 0        | -           |
|  <b>Path</b>                                                     |       |       |       |     |          |             |
| 4.25                                                                                                                                              | 5.9   | 9.88  | 504   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/InfoVie.../ajaxUre/ajaxRequest</b>    |       |       |       |     |          |             |
| 0.079                                                                                                                                             | 0.136 | 0.55  | 524   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/InfoVie...jaxUre/ajaxRequest_1</b>    |       |       |       |     |          |             |
| 0.077                                                                                                                                             | 0.139 | 0.553 | 522   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/shared/ure/css/treeview/tmh.gif</b>   |       |       |       |     |          |             |
| 0.016                                                                                                                                             | 0.022 | 0.083 | 520   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/InfoView/DataLoader</b>               |       |       |       |     |          |             |
| 0.451                                                                                                                                             | 0.62  | 2.65  | 520   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/shared/...SI_PLUGIN_ICON_1.gif</b>    |       |       |       |     |          |             |
| 0.064                                                                                                                                             | 0.127 | 0.802 | 520   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/InfoVie...jaxUre/ajaxRequest_2</b>    |       |       |       |     |          |             |
| 0.075                                                                                                                                             | 0.12  | 0.523 | 518   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/shared/...dicator_selected.png</b>    |       |       |       |     |          |             |
| 0.016                                                                                                                                             | 0.022 | 0.087 | 515   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/InfoView/AddRecentDocument</b>        |       |       |       |     |          |             |
| 0.087                                                                                                                                             | 0.205 | 0.95  | 515   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/InfoView/MarkAsReadAction.do</b>    |       |       |       |     |          |             |
| 0.028                                                                                                                                             | 0.054 | 0.3   | 513   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/AnalyticalReporting/WebiView.do</b> |       |       |       |     |          |             |
| 0.07                                                                                                                                              | 0.142 | 0.848 | 513   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/Analyti...wer/viewDocument.jsp</b>  |       |       |       |     |          |             |
| 0.743                                                                                                                                             | 1.36  | 3.52  | 513   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/Analy.../dhtmlib/empty.html</b>     |       |       |       |     |          |             |
| 0.088                                                                                                                                             | 0.189 | 0.99  | 513   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/Analyti...axRaylightAttach.jsp</b>  |       |       |       |     |          |             |
| 0.035                                                                                                                                             | 0.067 | 0.607 | 513   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/Analyti...ML/viewer/report.jsp</b>  |       |       |       |     |          |             |
| 0.077                                                                                                                                             | 0.126 | 0.735 | 512   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/Analyti...jaxWomForViewing.jsp</b>  |       |       |       |     |          |             |
| 0.052                                                                                                                                             | 0.08  | 0.372 | 512   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/Analyti.../refreshDocument.jsp</b>  |       |       |       |     |          |             |
| 0.123                                                                                                                                             | 0.204 | 0.856 | 512   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/Analy...ewer/html/empty.html</b>    |       |       |       |     |          |             |
| 0.041                                                                                                                                             | 0.08  | 0.516 | 512   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/Analyti...GetBiVariantList.jsp</b>  |       |       |       |     |          |             |
| 0.046                                                                                                                                             | 0.073 | 0.281 | 512   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/Analyti...ib/ajaxCheckDate.jsp</b>  |       |       |       |     |          |             |
| 0.281                                                                                                                                             | 0.419 | 1.5   | 512   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/Analyti.../ajaxCheckDate.jsp_1</b>  |       |       |       |     |          |             |
| 0.29                                                                                                                                              | 0.412 | 1.45  | 511   | 0   | 0        | -           |
|  <b>/BOE/portal/2010261014/Analyti...standard/tooltip.png</b>  |       |       |       |     |          |             |
| 0.041                                                                                                                                             | 0.066 | 0.229 | 509   | 0   | 0        | -           |

| Min                                                                                                                                      | Avg   | Max   | Count | Err | % of Err | SLA Profile |
|------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|-------|-----|----------|-------------|
|  /BOE/portal/2010261014/Analyti.../ajaxCheckDate.jsp_2  |       |       |       |     |          |             |
| 0.104                                                                                                                                    | 0.179 | 0.798 | 509   | 0   | 0        | -           |
|  /BOE/portal/2010261014/Analyti.../ajaxCheckDate.jsp_3  |       |       |       |     |          |             |
| 0.447                                                                                                                                    | 0.698 | 1.91  | 508   | 0   | 0        | -           |
|  /BOE/portal/2010261014/InfoView/DataLoader_1           |       |       |       |     |          |             |
| 0.052                                                                                                                                    | 0.101 | 0.594 | 507   | 0   | 0        | -           |
|  /BOE/portal/2010261014/Analyti...wer/ajaxUserPref.jsp  |       |       |       |     |          |             |
| 0.037                                                                                                                                    | 0.062 | 0.307 | 507   | 0   | 0        | -           |
|  /BOE/portal/2010261014/Analyti...r/processPrompts.jsp  |       |       |       |     |          |             |
| 0.039                                                                                                                                    | 0.066 | 0.312 | 507   | 0   | 0        | -           |
|  /BOE/portal/2010261014/Analyti.../viewer/report.jsp_1  |       |       |       |     |          |             |
| 0.053                                                                                                                                    | 0.088 | 0.435 | 507   | 0   | 0        | -           |
|  /BOE/portal/2010261014/Analyti...xWomForViewing.jsp_1  |       |       |       |     |          |             |
| 0.03                                                                                                                                     | 0.057 | 0.391 | 507   | 0   | 0        | -           |
|  /BOE/portal/2010261014/Analyti...nputFormsToReset.jsp  |       |       |       |     |          |             |
| 0.03                                                                                                                                     | 0.054 | 0.269 | 507   | 0   | 0        | -           |
|  /BOE/portal/2010261014/Analyti.../html/reportMap.html  |       |       |       |     |          |             |
| 0.019                                                                                                                                    | 0.038 | 0.307 | 507   | 0   | 0        | -           |
|  /BOE/portal/2010261014/Analyti...processDataFetch.jsp  |       |       |       |     |          |             |
| 0.066                                                                                                                                    | 0.11  | 0.615 | 507   | 0   | 0        | -           |
|  /BOE/portal/2010261014/Analyti...selectionPattern.png |       |       |       |     |          |             |
| 0.016                                                                                                                                    | 0.023 | 0.075 | 504   | 0   | 0        | -           |
|  End                                                  |       |       |       |     |          |             |
| 2.29                                                                                                                                     | 6.89  | 8.94  | 30    | 0   | 0        | -           |
|  Logoff                                               |       |       |       |     |          |             |
| 2.29                                                                                                                                     | 6.89  | 8.94  | 30    | 0   | 0        | -           |
|  /BOE/portal/2010261014/InfoView/logon/logoff.do      |       |       |       |     |          |             |
| 2.13                                                                                                                                     | 6.45  | 8.35  | 30    | 0   | 0        | -           |
|  /BOE/portal/2010261014/CmcAp...pActions/cleanup.jsp  |       |       |       |     |          |             |
| 0.228                                                                                                                                    | 1.26  | 2.25  | 30    | 0   | 0        | -           |
|  /BOE/portal/2010261014/Cryst...s/cleanup/cleanup.do  |       |       |       |     |          |             |
| 0.14                                                                                                                                     | 1.21  | 2.48  | 30    | 0   | 0        | -           |
|  /BOE/portal/2010261014/mdacl...P/common/cleanup.jsf  |       |       |       |     |          |             |
| 0.306                                                                                                                                    | 1.56  | 2.89  | 30    | 0   | 0        | -           |
|  /BOE/portal/2010261014/Platf...s/cleanup/cleanup.do  |       |       |       |     |          |             |
| 0.323                                                                                                                                    | 1.36  | 2.68  | 30    | 0   | 0        | -           |
|  /BOE/portal/2010261014/InfoViewAppActions/Cleanup.do |       |       |       |     |          |             |
| 0.113                                                                                                                                    | 1.18  | 2.44  | 30    | 0   | 0        | -           |
|  /BOE/portal/2010261014/Perfo...anagement/Cleanup.do  |       |       |       |     |          |             |
| 0.299                                                                                                                                    | 1.13  | 2.36  | 30    | 0   | 0        | -           |
|  /BOE/portal/2010261014/Analy...Reporting/Cleanup.do  |       |       |       |     |          |             |
| 0.785                                                                                                                                    | 5.02  | 7.86  | 30    | 0   | 0        | -           |
|  /BOE/portal/2010261014/LumiraWebApp/cleanup.faces    |       |       |       |     |          |             |
| 0.235                                                                                                                                    | 1.47  | 2.38  | 30    | 0   | 0        | -           |
|  /BOE/portal/2010261014/InfoView/logon/logoff.do_1    |       |       |       |     |          |             |
| 0.074                                                                                                                                    | 0.323 | 0.968 | 30    | 0   | 0        | -           |

| Min                                                                                                   | Avg   | Max   | Count | Err | % of Err | SLA Profile |
|-------------------------------------------------------------------------------------------------------|-------|-------|-------|-----|----------|-------------|
|  /bnsfauth/LoginPage |       |       |       |     |          |             |
| 0.063                                                                                                 | 0.112 | 0.293 | 30    | 0   | 0        | -           |

## Shared Containers

| SLA        | Value | Severity |
|------------|-------|----------|
| Empty list |       |          |

## BW\_Mechanical Public - ADP Report

| SLA                                                                                                                                        | Value | Severity |
|--------------------------------------------------------------------------------------------------------------------------------------------|-------|----------|
|  BW_Mechanical Public - ADP Report                        |       |          |
|  Init                                                     |       |          |
|  Login                                                    |       |          |
|  /BOE/BI/logonNoSso.jsp                                   |       |          |
|  /BOE/portal/2010261014/InfoView/logonNoSso.jsp           |       |          |
|  /BOE/portal/2010261014/InfoView/logon.faces              |       |          |
|  /BOE/portal/2010261014/BIPCore...nter_hover_logon.gif    |       |          |
|  /BOE/portal/2010261014/InfoView/logon.faces_1            |       |          |
|  /BOE/portal/2010261014/InfoView/listing/main.do          |       |          |
|  /BOE/portal/2010261014/InfoView../images/InfoView.ico    |       |          |
|  /v1/pages/ChRDaHJvbWUvMTMxLjAu...Kkt_xiEjul8NfHz4Jg==    |       |          |
|  /BOE/portal/2010261014/InfoView/listing/home.do        |       |          |
|  /BOE/portal/2010261014/Perform...DashboardPageView.do  |       |          |
|  /BOE/portal/2010261014/Perfo...gement/jsp/empty.htm    |       |          |
|  /v1/pages/ChRDaHJvbWUvMTMxLjAu...Q3mbE6kEgUNYfRsuhIFD  |       |          |
|  /v1/pages/ChRDaHJvbWUvMTMxLjAu...gUNQM-elRIFDeZsTqQSB  |       |          |
|  Actions                                                |       |          |
|  Documents                                              |       |          |
|  /BOE/portal/2010261014/InfoVie...nfoviewListing.faces  |       |          |
|  /v1/pages/ChRDaHJvbWUvMTMxLjAu...gUNQM-elRIFDeZsTqQSB  |       |          |
|  Folders                                                |       |          |
|  /BOE/portal/2010261014/shared/ure/css/treeview/lp.gif  |       |          |
|  Path                                                   |       |          |
|  /BOE/portal/2010261014/InfoVie.../ajaxUre/ajaxRequest  |       |          |
|  /BOE/portal/2010261014/InfoVie...jaxUre/ajaxRequest_1  |       |          |
|  /BOE/portal/2010261014/shared/ure/css/treeview/tmh.gif |       |          |
|  /BOE/portal/2010261014/InfoView/DataLoader             |       |          |
|  /BOE/portal/2010261014/shared/...SI_PLUGIN_ICON_1.gif  |       |          |
|  /BOE/portal/2010261014/InfoVie...jaxUre/ajaxRequest_2  |       |          |
|  /BOE/portal/2010261014/shared/...dicator_selected.png  |       |          |
|  /BOE/portal/2010261014/InfoView/AddRecentDocument      |       |          |
|  /BOE/portal/2010261014/InfoView/MarkAsReadAction.do    |       |          |
|  /BOE/portal/2010261014/AnalyticalReporting/WebiView.do |       |          |
|  /BOE/portal/2010261014/Analyti...wer/viewDocument.jsp  |       |          |

| SLA | Value                                                                                                                                     | Severity |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------|----------|
|     |  /BOE/portal/2010261014/Analy.../dhtmllib/empty.html     |          |
|     |  /BOE/portal/2010261014/Analyti...axRaylightAttach.jsp   |          |
|     |  /BOE/portal/2010261014/Analyti...ML/viewer/report.jsp   |          |
|     |  /BOE/portal/2010261014/Analyti...jaxWomForViewing.jsp   |          |
|     |  /BOE/portal/2010261014/Analyti.../refreshDocument.jsp   |          |
|     |  /BOE/portal/2010261014/Analy...ewer/html/empty.html     |          |
|     |  /BOE/portal/2010261014/Analyti...GetBiVariantList.jsp   |          |
|     |  /BOE/portal/2010261014/Analyti...ib/ajaxCheckDate.jsp   |          |
|     |  /BOE/portal/2010261014/Analyti.../ajaxCheckDate.jsp_1   |          |
|     |  /BOE/portal/2010261014/Analyti...standard/tooltip.png   |          |
|     |  /BOE/portal/2010261014/Analyti.../ajaxCheckDate.jsp_2   |          |
|     |  /BOE/portal/2010261014/Analyti.../ajaxCheckDate.jsp_3   |          |
|     |  /BOE/portal/2010261014/InfoView/DataLoader_1            |          |
|     |  /BOE/portal/2010261014/Analyti...wer/ajaxUserPref.jsp   |          |
|     |  /BOE/portal/2010261014/Analyti...r/processPrompts.jsp   |          |
|     |  /BOE/portal/2010261014/Analyti.../viewer/report.jsp_1   |          |
|     |  /BOE/portal/2010261014/Analyti...xWomForViewing.jsp_1   |          |
|     |  /BOE/portal/2010261014/Analyti...nputFormsToReset.jsp  |          |
|     |  /BOE/portal/2010261014/Analyti.../html/reportMap.html |          |
|     |  /BOE/portal/2010261014/Analyti...processDataFetch.jsp |          |
|     |  /BOE/portal/2010261014/Analyti...selectionPattern.png |          |
|     |  End                                                   |          |
|     |  Logoff                                                |          |
|     |  /BOE/portal/2010261014/InfoView/logon/logoff.do       |          |
|     |  /BOE/portal/2010261014/CmcAp...pActions/cleanup.jsp   |          |
|     |  /BOE/portal/2010261014/Cryst...s/cleanup/cleanup.do   |          |
|     |  /BOE/portal/2010261014/mdacl...P/common/cleanup.jsf   |          |
|     |  /BOE/portal/2010261014/Platf...s/cleanup/cleanup.do   |          |
|     |  /BOE/portal/2010261014/InfoViewAppActions/Cleanup.do  |          |
|     |  /BOE/portal/2010261014/Perfo...anagement/Cleanup.do   |          |
|     |  /BOE/portal/2010261014/Analy...Reporting/Cleanup.do   |          |
|     |  /BOE/portal/2010261014/LumiraWebApp/cleanup.faces     |          |
|     |  /BOE/portal/2010261014/InfoView/logon/logoff.do_1     |          |
|     |  /bnsfauth/LoginPage                                   |          |

## BW\_Mechanical Public - ADP Report

| Count      | Errors | Bitrate | Played Time | Lag Duration | Lag Ratio | Fill Buffer Duration |
|------------|--------|---------|-------------|--------------|-----------|----------------------|
| Empty list |        |         |             |              |           |                      |

## Controller

### Performance Counters


| Min                                                                                    | Avg   | Max    | Med   | Avg-90% | Std Dev |
|----------------------------------------------------------------------------------------|-------|--------|-------|---------|---------|
| <b>Controller/User Load</b>                                                            |       |        |       |         |         |
| 0                                                                                      | 19.6  | 30     | 22    | 20      | 9.65    |
| <b>Controller/Throughput</b>                                                           |       |        |       |         |         |
| 0                                                                                      | 2.15  | 102.3  | 1.05  | 1.42    | 5.04    |
| <b>Controller/Alerts</b>                                                               |       |        |       |         |         |
| 0                                                                                      | 0     | 0      | 0     | 0       | -       |
| <b>Controller/Critical Alerts</b>                                                      |       |        |       |         |         |
| 0                                                                                      | 0     | 0      | 0     | 0       | -       |
| <b>Controller/Warning Alerts</b>                                                       |       |        |       |         |         |
| 0                                                                                      | 0     | 0      | 0     | 0       | -       |
| <b>Controller/CPU Load</b>                                                             |       |        |       |         |         |
| 0                                                                                      | 1.5   | 37     | 0     | 0.961   | 3.18    |
| <b>Controller/JVM Memory Used</b>                                                      |       |        |       |         |         |
| 14                                                                                     | 20.8  | 31     | 20    | 20.6    | 4.51    |
| <b>Controller/OS Memory Used</b>                                                       |       |        |       |         |         |
| 65                                                                                     | 66.8  | 69     | 66    | 66.7    | 1.16    |
| <b>Controller/Thread Count</b>                                                         |       |        |       |         |         |
| 546                                                                                    | 566.8 | 580    | 566   | 566.2   | 2.74    |
| <b>Controller/Connected</b>                                                            |       |        |       |         |         |
| 1                                                                                      | 1     | 1      | 1     | 1       | 0       |
| <b>Controller/Total Disconnections</b>                                                 |       |        |       |         |         |
| 0                                                                                      | 0     | 0      | 0     | 0       | 0       |
| <b>Controller/Total Reconnections</b>                                                  |       |        |       |         |         |
| 0                                                                                      | 0     | 0      | 0     | 0       | 0       |
| <b>Controller/Network/Segments sent/sec.</b>                                           |       |        |       |         |         |
| 0                                                                                      | 4,167 | 17,255 | 4,611 | 4,166   | 2,160   |
| <b>Controller/Network/Segments retransmitted/sec.</b>                                  |       |        |       |         |         |
| 0                                                                                      | 0     | 0      | 0     | 0       | 0       |
| <b>Controller/Network/eth2 (Intel(R) Ethernet Connection (6...gabits received/sec.</b> |       |        |       |         |         |
| 0                                                                                      | 2.38  | 107.3  | 1.25  | 1.63    | 5.27    |
| <b>Controller/Network/eth2 (Intel(R) Ethernet Connection (6...)/Megabits sent/sec.</b> |       |        |       |         |         |
| 0.001                                                                                  | 1.1   | 3.21   | 1.07  | 1.08    | 0.615   |
| <b>Controller/Network/eth0 (Bluetooth Device (Personal Area...gabits received/sec.</b> |       |        |       |         |         |
| 0                                                                                      | 0     | 0      | 0     | 0       | -       |
| <b>Controller/Network/eth0 (Bluetooth Device (Personal Area...)/Megabits sent/sec.</b> |       |        |       |         |         |
| 0                                                                                      | 0     | 0      | 0     | 0       | -       |
| <b>Controller/NeoLoad Web/Megabits received/sec.</b>                                   |       |        |       |         |         |
| 0                                                                                      | 0     | 0      | 0     | 0       | -       |
| <b>Controller/NeoLoad Web/Megabits sent/sec.</b>                                       |       |        |       |         |         |
| 0                                                                                      | 0     | 0      | 0     | 0       | -       |
| <b>Controller/Default zone/User Load</b>                                               |       |        |       |         |         |
| 0                                                                                      | 19.6  | 30     | 22    | 20      | 9.64    |
| <b>Controller/Default zone/Population1/User Load</b>                                   |       |        |       |         |         |
| 2                                                                                      | 19.7  | 30     | 22    | 20      | 9.62    |
| <b>Controller/Default zone/Population1/BW_Mechanical Public - ADP Report/User Load</b> |       |        |       |         |         |
| 2                                                                                      | 19.7  | 30     | 22    | 20      | 9.62    |

## LG localhost:7100

### Performance Counters

| Min                                                                                    | Avg   | Max    | Med  | Avg-90% | Std Dev |
|----------------------------------------------------------------------------------------|-------|--------|------|---------|---------|
| <b>LG localhost:7100/CPU Load</b>                                                      |       |        |      |         |         |
| 0                                                                                      | 1.45  | 22     | 0    | 0.928   | 3.03    |
| <b>LG localhost:7100/JVM Memory Used</b>                                               |       |        |      |         |         |
| 0                                                                                      | 1.87  | 4      | 2    | 1.82    | 0.788   |
| <b>LG localhost:7100/OS Memory Used</b>                                                |       |        |      |         |         |
| 65                                                                                     | 66.8  | 69     | 66   | 66.7    | 1.16    |
| <b>LG localhost:7100/Throughput</b>                                                    |       |        |      |         |         |
| 0                                                                                      | 2.15  | 102.3  | 1.05 | 1.43    | 5.04    |
| <b>LG localhost:7100/User Load</b>                                                     |       |        |      |         |         |
| 0                                                                                      | 19.6  | 30     | 22   | 20      | 9.64    |
| <b>LG localhost:7100/Thread Count</b>                                                  |       |        |      |         |         |
| 0                                                                                      | 88.8  | 295    | 90   | 87.8    | 22.5    |
| <b>LG localhost:7100/Http client/Thread Pool used</b>                                  |       |        |      |         |         |
| 0                                                                                      | 0.108 | 0.14   | 0.11 | 0.108   | 0.005   |
| <b>LG localhost:7100/Http client/Task Pool used</b>                                    |       |        |      |         |         |
| 0                                                                                      | 0     | 0.017  | 0    | 0       | 0.001   |
| <b>LG localhost:7100/Controller Connection/Disconnections</b>                          |       |        |      |         |         |
| 0                                                                                      | 0     | 0      | 0    | 0       | -       |
| <b>LG localhost:7100/Controller Connection/Reconnections</b>                           |       |        |      |         |         |
| 0                                                                                      | 0     | 0      | 0    | 0       | -       |
| <b>LG localhost:7100/Controller Connection/Ping Duration (ms)</b>                      |       |        |      |         |         |
| 1                                                                                      | 1.52  | 2      | 2    | 1.53    | 0.5     |
| <b>LG localhost:7100/Network/Segments sent/sec.</b>                                    |       |        |      |         |         |
| 0                                                                                      | 281.5 | 10,960 | 0    | 92.2    | 977.9   |
| <b>LG localhost:7100/Network/Segments retransmitted/sec.</b>                           |       |        |      |         |         |
| 0                                                                                      | 0     | 0      | 0    | 0       | 0       |
| <b>LG localhost:7100/Network/eth2 (Intel(R) Ethernet Connec...gabits received/sec.</b> |       |        |      |         |         |
| 0                                                                                      | 2.39  | 107.4  | 1.25 | 1.63    | 5.28    |
| <b>LG localhost:7100/Network/eth2 (Intel(R) Ethernet Connec...)/Megabits sent/sec.</b> |       |        |      |         |         |
| 0.001                                                                                  | 1.1   | 3.21   | 1.08 | 1.08    | 0.615   |
| <b>LG localhost:7100/Network/eth0 (Bluetooth Device (Person...gabits received/sec.</b> |       |        |      |         |         |
| 0                                                                                      | 0     | 0      | 0    | 0       | -       |
| <b>LG localhost:7100/Network/eth0 (Bluetooth Device (Person...)/Megabits sent/sec.</b> |       |        |      |         |         |
| 0                                                                                      | 0     | 0      | 0    | 0       | -       |


## Average page response time



| Min   | Average | Max   |
|-------|---------|-------|
| 0.079 | 0.226   | 2.514 |

**Notes:** Displays the average response time, in seconds, of all pages during the test.


## Average request response time



| Min   | Average | Max |
|-------|---------|-----|
| 0.043 | 0.067   | 1   |

**Notes:** Displays the average response time, in seconds, of all requests during the test.

## Average response time (Transactions)



| Min   | Average | Max   | Median | Avg-90% | Std. Dev. |
|-------|---------|-------|--------|---------|-----------|
| 0.172 | 2.394   | 8.014 | 2.287  | 2.324   | 0.877     |

**Notes:** Displays the average response time, in seconds, of all Transactions during the test.


## Requests per second



| Min | Average | Max   |
|-----|---------|-------|
| 0.7 | 75      | 159.1 |

**Notes:** Displays the number of requests per second.


## Errors



| Min | Average | Max |
|-----|---------|-----|
| 0   | 0       | 0   |

**Notes:** Displays the number of errors per sampling interval.


## Throughput



| Min | Average | Max   |
|-----|---------|-------|
| 0   | 2.38    | 39.21 |

**Notes:** Displays the number of megabits of data per second returned by the server.


## Response time against load



| Min   | Average | Max   |
|-------|---------|-------|
| 0.192 | 0.845   | 5.936 |

**Notes:** Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

## Distribution of Transaction Durations



**Notes:** Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.