

Performance Test Report



Date	Feb 3, 2025, 7:10:39 AM
Project	BNSF_BOBJ
Scenario	BW_Mechanical Public - ShopSummaryReport
Comment	
Notes	

Report generated by **NeoLoad 2024.1**



Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	3
Hot spots.....	4
Errors.....	4
Alerts.....	4
General statistics.....	4
Transaction statistics.....	5
Execution context.....	7
Scenario	6
Servers.....	8
Populations.....	9
User Paths.....	10
Transactions.....	11
Pages.....	13
Media Contents.....	20
Push messages.....	12
Monitors.....	21
Main graphs.....	23
Average page response time.....	23
Average request response time.....	24
Average response time (Transactions).....	25
Requests per second.....	26
Errors.....	27
Throughput.....	28
Response time against load.....	29
Distribution of Transaction Durations.....	30

Summary

Results summary

Name	BW_Mechanical Public - MAM LOCO Project Status Report_Cloud	Project	BNSF_BOBJ
Description		Scenario	BW_Mechanical Public - ShopSummaryReport
Status	✓ Passed	Load Policy	• The population Population1 is ramp up from 2 users adding 2 users every 1.0 minutes, to a maximum of 30 users.
Start date	Feb 3, 2025, 7:10:39 AM	Stop Policy	• Population Population1: immediate.
End date	Feb 3, 2025, 7:30:56 AM		
Duration	00:20:17		
Termination reason	Execution policy	Filters	None
LG Hosts	localhost:7100	Debug	Disabled

Statistics Summary


Total pages	6155	—	Average pages/s	5.1	—
Total requests	29799	—	Average requests/s	24.5	—
Total users launched	30	—	Average Request response time	0.09 s	—
Total iterations completed	113	—	Average Page response time	0.198 s	—
Total throughput	243.4 MB	—	Average throughput	1.60 Mb/s	—
Total request errors	0	—	Error rate	0 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA

☀️ = Passed

☁️ = Warning

⚡ = Failed



Hot spots

Top 5 errors

No errors on pages

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
BW_Mechanical Public - MAM LOCO Project Status Report	End	/BOE/portal/2010261014/InfoView/logon/logoff.do	3.08
BW_Mechanical Public - MAM LOCO Project Status Report	Documents	/BOE/portal/2010261014/InfoView...nfoviewListing.faces	1.69
BW_Mechanical Public - MAM LOCO Project Status Report	Path-Next page	/BOE/portal/2010261014/Analytic...wer/viewDocument.jsp	1.68
BW_Mechanical Public - MAM LOCO Project Status Report	/BOE/portal/2010261014/InfoView/logon/logoff.do	/BOE/portal/2010261014/mdacient/JSP/common/cleanup.jsf	1.58
BW_Mechanical Public - MAM LOCO Project Status Report	/BOE/portal/2010261014/InfoView/logon/logoff.do	/BOE/portal/2010261014/LumiraWebApp/cleanup.faces	1.49

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
BW_Mechanical Public - MAM LOCO Project Status Report	Documents	/BOE/portal/2010261014/InfoView...nfoviewListing.faces	4.24
BW_Mechanical Public - MAM LOCO Project Status Report	End	/BOE/portal/2010261014/InfoView/logon/logoff.do	3.69
BW_Mechanical Public - MAM LOCO Project Status Report	Path-Next page	/BOE/portal/2010261014/Analytic...wer/viewDocument.jsp	3.55
BW_Mechanical Public - MAM LOCO Project Status Report	Login	/BOE/portal/2010261014/InfoView/logon.faces_1	3.31
BW_Mechanical Public - MAM LOCO Project Status Report	/BOE/portal/2010261014/InfoView/logon/logoff.do	/BOE/portal/2010261014/mdacient/JSP/common/cleanup.jsf	2.71

Errors

Request errors

No errors

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
25.3	40.6	57.2	30	0	0	-
All pages						
0.003	0.197	4.24	6,155	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All requests						
0.003	0.09	3.31	29,799	0	0	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.031	1.33	6.49	814	0	0	1.18	3.73	5.26	1.25	1.23	-

Scenario

Summary

Name	BW_Mechanical Public - MAM LOCO Project Status Report_Cloud	Project	BNSF_BOBJ
Description		Scenario	BW_Mechanical Public - ShopSummaryReport
Status	✓ Passed	Load Policy	The population Population1 is ramp up from 2 users adding 2 users every 1.0 minutes, to a maximum of 30 users.
Start date	Feb 3, 2025, 7:10:39 AM		
End date	Feb 3, 2025, 7:30:56 AM	Stop Policy	
Duration	00:20:17		Population Population1: immediate.
Termination reason	Execution policy	Filters	None
LG Hosts	localhost:7100	Debug	Disabled

Populations

Population1

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth ↑	Latency ↑	Packet loss % ↑	Bandwidth ↓	Latency ↓	Packet loss % ↓	Browser	Handle cookies	Connecti	Handle cache
BW_Mechanical Public - MAM LOCO Project Status Report	100.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	As recorded

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
BW_Mechanical Public - MAM LOCO Project Status Report		Do nothing	Do nothing	From pages	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	BW_Mechanical Public - MAM LOCO Project Status Report_Cloud	Project	BNSF_BOBJ
Description		Scenario	BW_Mechanical Public - ShopSummaryReport
Status	✓ Passed	Load Policy	The population Population1 is ramp up from 2 users adding 2 users every 1.0 minutes, to a maximum of 30 users.
Start date	Feb 3, 2025, 7:10:39 AM	Stop Policy	
End date	Feb 3, 2025, 7:30:56 AM		Population Population1: immediate.
Duration	00:20:17		
Termination reason	Execution policy	Filters	None
LG Hosts	localhost:7100	Debug	Disabled

NeoLoad version 2024.1.1;build=20240729-50
Graphs granularity Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		


User Paths settings

BW_Mechanical Public - MAM LOCO Project Status Report		
Error policy:	Do nothing	
Assertion policy:	Do nothing	
Thinktime policy:	defined in pages	
Pacing:	No pacing	

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
idptr.bnsf.com	443	No	No
boobjqa.bnsf.com	443	No	No

Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
Population1	29799 (100%)	24.5	0.198s (0%)	0% (- %)
Global	29799 (100%)	24.5	0.198s	0%

User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 BW_Mechanical Public - MAM LOCO Project Status Report						
25.3	40.6	57.2	30	0	0	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

BW_Mechanical Public - MAM LOCO Project Status Report

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 BW_Mechanical Public - MAM LOCO Project Status Report											
25.3	40.6	57.2	30	0	0	-	-	-	-	-	-
 Init											
1.31	2.29	4.81	30	0	0	-	-	-	-	-	-
 Login											
1.31	2.29	4.81	30	0	0	1.99	4.79	4.81	0.932	2.15	-
 Actions											
5.72	7.71	10.99	113	0	0	-	-	-	-	-	-
 Documents											
1.18	1.88	4.73	141	0	0	1.56	3.56	4.16	0.716	1.79	-
 Folders											
0.179	0.266	0.98	140	0	0	0.23	0.502	0.815	0.122	0.246	-
 Path											
0.553	0.669	1.22	140	0	0	0.64	0.91	1.03	0.105	0.654	-
 Path-Next page											
2.15	3.46	6.49	130	0	0	3.3	5.43	6.12	0.867	3.39	-
 Prompts											
1.05	1.38	2.37	120	0	0	1.29	1.87	2.26	0.249	1.35	-
 Dont Notify											
0.031	0.052	0.153	113	0	0	0.049	0.079	0.109	0.015	0.051	-
 End											
3.69	3.89	4.26	30	0	0	-	-	-	-	-	-

Push messages

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

BW_Mechanical Public - MAM LOCO Project Status Report

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

BW_Mechanical Public - MAM LOCO Project Status Report

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 BW_Mechanical Public - MAM LOCO Project Status Report						
25.3	40.6	57.2	30	0	0	-
 Init						
1.31	2.29	4.81	30	0	0	-
 Login						
1.31	2.29	4.81	30	0	0	-
 /BOE/BI/logonNoSso.jsp						
0.08	0.105	0.269	30	0	0	-
 /BOE/portal/2010261014/InfoView/logonNoSso.jsp						
0.023	0.033	0.045	30	0	0	-
 /BOE/portal/2010261014/InfoView/logon.faces						
0.06	0.074	0.11	30	0	0	-
 /BOE/portal/2010261014/InfoView/logon.faces_1						
0.196	0.94	3.31	30	0	0	-
 /BOE/portal/2010261014/InfoView/listing/main.do						
0.096	0.137	0.372	30	0	0	-
 /BOE/portal/2010261014/InfoView../images/InfoView.ico						
0.016	0.019	0.032	30	0	0	-
 /v1/pages/ChRDaHJvbWUvMTMxLjAu...Kkt_xiEjul8NfHz4Jg==						
0.133	0.163	0.369	30	0	0	-
 /BOE/portal/2010261014/InfoView/listing/home.do						
0.061	0.092	0.271	30	0	0	-
 /BOE/portal/2010261014/Perform...DashboardPageView.do						
0.195	0.29	0.493	30	0	0	-
 /BOE/portal/2010261014/Perfo...gement/jsp/empty.htm						
0.13	0.2	0.418	30	0	0	-
 /v1/pages/ChRDaHJvbWUvMTMxLjAu...Q3mbE6kEgUNYfRsuhIFD						
0.199	0.275	0.503	30	0	0	-
 /v1/pages/ChRDaHJvbWUvMTMxLjAu...gUNQM-elRIFDeZsTqQSB						
0.114	0.162	0.241	30	0	0	-
 Actions						
5.72	7.71	10.99	113	0	0	-
 Documents						
1.18	1.88	4.73	141	0	0	-
 /BOE/portal/2010261014/InfoVie...nfoviewListing.faces						
1.05	1.69	4.24	141	0	0	-
 /v1/pages/ChRDaHJvbWUvMTMxLjAu...gUNQM-elRIFDeZsTqQSB						
0.078	0.184	0.801	141	0	0	-
 Folders						
0.179	0.266	0.98	140	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /BOE/portal/2010261014/shared/ure/css/treeview/lp.gif						
0.144	0.223	0.948	140	0	0	-
 /BOE/portal/2010261014/InfoView/DataLoader						
0.021	0.043	0.219	140	0	0	-
 Path						
0.553	0.669	1.22	140	0	0	-
 /BOE/portal/2010261014/InfoVie.../ajaxUre/ajaxRequest						
0.079	0.118	0.357	140	0	0	-
 /BOE/portal/2010261014/shared/ure/css/treeview/tph.gif						
0.003	0.019	0.034	140	0	0	-
 /BOE/portal/2010261014/InfoVie...jaxUre/ajaxRequest_1						
0.076	0.108	0.173	140	0	0	-
 /BOE/portal/2010261014/InfoVie...jaxUre/ajaxRequest_2						
0.309	0.384	0.901	140	0	0	-
 /BOE/portal/2010261014/InfoView/DataLoader						
0.018	0.038	0.106	140	0	0	-
 Path-Next page						
2.15	3.46	6.49	130	0	0	-
 /BOE/portal/2010261014/InfoVie.../ajaxUre/ajaxRequest						
0.245	0.317	0.771	140	0	0	-
 /BOE/portal/2010261014/InfoView/DataLoader						
0.017	0.082	0.555	130	0	0	-
 /BOE/portal/2010261014/InfoVie...jaxUre/ajaxRequest_1						
0.066	0.18	1.01	130	0	0	-
 /BOE/portal/2010261014/InfoView/AddRecentDocument						
0.064	0.243	1.32	130	0	0	-
 /BOE/portal/2010261014/InfoView/MarkAsReadAction.do						
0.029	0.069	0.652	130	0	0	-
 /BOE/portal/2010261014/AnalyticalReporting/WebiView.do						
0.089	0.239	1.68	130	0	0	-
 /BOE/portal/2010261014/Analyti...wer/viewDocument.jsp						
0.996	1.68	3.55	130	0	0	-
 /BOE/portal/2010261014/Analy.../dhtmlib/empty.html						
0.092	0.209	1.15	130	0	0	-
 /BOE/portal/2010261014/Analyti...axRaylightAttach.jsp						
0.058	0.095	0.584	130	0	0	-
 /BOE/portal/2010261014/Analyti...ML/viewer/report.jsp						
0.082	0.161	0.861	130	0	0	-
 /BOE/portal/2010261014/Analyti...jaxWomForViewing.jsp						
0.048	0.097	0.757	130	0	0	-
 /BOE/portal/2010261014/Analyti...l/infoAutosaveDialog						
0.015	0.048	0.573	130	0	0	-
 /BOE/portal/2010261014/Analyti.../refreshDocument.jsp						
0.143	0.244	1.07	130	0	0	-
 /BOE/portal/2010261014/Analy...ewer/html/empty.html						
0.041	0.089	0.375	130	0	0	-
 /BOE/portal/2010261014/Analytica...GetBiVariantList.jsp						
0.049	0.079	0.398	130	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 Prompts						
1.05	1.38	2.37	120	0	0	-
 /BOE/portal/2010261014/InfoView/listing/BOTimeoutPing						
0.044	0.074	0.449	130	0	0	-
 /BOE/portal/2010261014/InfoView/DataLoader						
0.017	0.036	0.093	128	0	0	-
 /BOE/portal/2010261014/Analyti...ib/ajaxCheckDate.jsp						
0.043	0.131	1.04	122	0	0	-
 /BOE/portal/2010261014/Analyti.../ajaxCheckDate.jsp_1						
0.016	0.061	0.483	120	0	0	-
 /BOE/portal/2010261014/Analyti...wer/ajaxUserPref.jsp						
0.026	0.073	0.48	120	0	0	-
 /BOE/portal/2010261014/Analyti...r/processPrompts.jsp						
0.032	0.074	0.316	120	0	0	-
 /BOE/portal/2010261014/InfoView/DataLoader_1						
0.024	0.045	0.367	120	0	0	-
 /BOE/portal/2010261014/Analyti...ewer/html/empty.html						
0.015	0.026	0.055	120	0	0	-
 /BOE/portal/2010261014/Analyti...er/html/empty.html_1						
0.015	0.027	0.141	120	0	0	-
 /BOE/portal/2010261014/InfoView/DataLoader_2						
0.016	0.037	0.296	120	0	0	-
 /BOE/portal/2010261014/Analyti...er/html/empty.html_2						
0.015	0.028	0.08	120	0	0	-
 /BOE/portal/2010261014/Analyti...ML/viewer/report.jsp						
0.082	0.11	0.176	120	0	0	-
 /BOE/portal/2010261014/Analyti...jaxWomForViewing.jsp						
0.018	0.044	0.095	120	0	0	-
 /BOE/portal/2010261014/Analyti...n/html/overview.html						
0.014	0.028	0.08	120	0	0	-
 /BOE/portal/2010261014/Analyti...html/overview.html_1						
0.102	0.133	0.195	120	0	0	-
 /BOE/portal/2010261014/Analyti...processDataFetch.jsp						
0.023	0.042	0.069	120	0	0	-
 /BOE/portal/2010261014/Analyti...nputFormsToReset.jsp						
0.031	0.041	0.075	120	0	0	-
 /BOE/portal/2010261014/Analyti...er/incInputForms.jsp						
0.069	0.116	0.16	120	0	0	-
 /v1/pages/ChRDaHJvbWUvMTMxLjAu...gUNQM-elRIFDeZsTqQSB						
0.044	0.079	0.171	120	0	0	-
 /BOE/portal/2010261014/Analyti...rocessInputForms.jsp						
0.063	0.09	0.135	120	0	0	-
 /BOE/portal/2010261014/Analyti...xWomForViewing.jsp_1						
0.016	0.04	0.065	120	0	0	-
 /BOE/portal/2010261014/InfoView/DataLoader_3						
0.016	0.035	0.065	120	0	0	-
 Dont Notify						
0.031	0.052	0.153	113	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /BOE/portal/2010261014/Analyti...wer/ajaxUserPref.jsp						
0.031	0.052	0.153	113	0	0	-
 End						
3.69	3.89	4.26	30	0	0	-
 /BOE/portal/2010261014/InfoView/logon/logoff.do						
2.67	3.08	3.69	30	0	0	-
 /BOE/portal/2010261014/CmcAppA...pActions/cleanup.jsp						
0.038	0.904	2.23	30	0	0	-
 /BOE/portal/2010261014/Crystal...s/cleanup/cleanup.do						
0.125	1.19	2.34	30	0	0	-
 /BOE/portal/2010261014/mdaclie...P/common/cleanup.jsf						
0.108	1.58	2.71	30	0	0	-
 /BOE/portal/2010261014/Platfor...s/cleanup/cleanup.do						
0.027	1.29	2.53	30	0	0	-
 /BOE/portal/2010261014/InfoViewAppActions/Cleanup.do						
0.082	1.17	2.42	30	0	0	-
 /BOE/portal/2010261014/Perform...anagement/Cleanup.do						
0.075	1.14	1.94	30	0	0	-
 /BOE/portal/2010261014/AnalyticalReporting/Cleanup.do						
0.315	1.34	2.4	30	0	0	-
 /BOE/portal/2010261014/LumiraWebApp/cleanup.faces						
0.446	1.49	2.28	30	0	0	-
 /BOE/portal/2010261014/InfoView/logon/logoff.do_1						
0.081	0.365	0.762	30	0	0	-
 /bnsfauth/LoginPage						
0.094	0.435	0.817	30	0	0	-

Shared Containers

SLA	Value	Severity
Empty list		

BW_Mechanical Public - MAM LOCO Project Status Report

SLA	Value	Severity
 BW_Mechanical Public - MAM LOCO Project Status Report		
 Init		
 Login		
 /BOE/BI/logonNoSso.jsp		
 /BOE/portal/2010261014/InfoView/logonNoSso.jsp		
 /BOE/portal/2010261014/InfoView/logon.faces		
 /BOE/portal/2010261014/InfoView/logon.faces_1		
 /BOE/portal/2010261014/InfoView/listing/main.do		
 /BOE/portal/2010261014/InfoView../images/InfoView.ico		
 /v1/pages/ChRDaHJvbWUvMTMxLjAu...Kkt_xiEjul8NfHz4Jg==		
 /BOE/portal/2010261014/InfoView/listing/home.do		
 /BOE/portal/2010261014/Perform...DashboardPageView.do		
 /BOE/portal/2010261014/Perfo...gement/jsp/empty.htm		
 /v1/pages/ChRDaHJvbWUvMTMxLjAu...Q3mbE6kEgUNYfRsuhIFD		
 /v1/pages/ChRDaHJvbWUvMTMxLjAu...gUNQM-elRIFDeZsTqQSB		
 Actions		
 Documents		
 /BOE/portal/2010261014/InfoVie...nfoviewListing.faces		
 /v1/pages/ChRDaHJvbWUvMTMxLjAu...gUNQM-elRIFDeZsTqQSB		
 Folders		
 /BOE/portal/2010261014/shared/ure/css/treeview/lp.gif		
 /BOE/portal/2010261014/InfoView/DataLoader		
 Path		
 /BOE/portal/2010261014/InfoVie.../ajaxUre/ajaxRequest		
 /BOE/portal/2010261014/shared/ure/css/treeview/tph.gif		
 /BOE/portal/2010261014/InfoVie...jaxUre/ajaxRequest_1		
 /BOE/portal/2010261014/InfoVie...jaxUre/ajaxRequest_2		
 /BOE/portal/2010261014/InfoView/DataLoader		
 Path-Next page		
 /BOE/portal/2010261014/InfoVie.../ajaxUre/ajaxRequest		
 /BOE/portal/2010261014/InfoView/DataLoader		
 /BOE/portal/2010261014/InfoVie...jaxUre/ajaxRequest_1		
 /BOE/portal/2010261014/InfoView/AddRecentDocument		
 /BOE/portal/2010261014/InfoView/MarkAsReadAction.do		

SLA	Value	Severity
	 /BOE/portal/2010261014/AnalyticalReporting/WebiView.do	
	 /BOE/portal/2010261014/Analyti...wer/viewDocument.jsp	
	 /BOE/portal/2010261014/Analy.../dhtmlib/empty.html	
	 /BOE/portal/2010261014/Analyti...axRaylightAttach.jsp	
	 /BOE/portal/2010261014/Analyti...ML/viewer/report.jsp	
	 /BOE/portal/2010261014/Analyti...jaxWomForViewing.jsp	
	 /BOE/portal/2010261014/Analyti...l/infoAutosaveDialog	
	 /BOE/portal/2010261014/Analyti.../refreshDocument.jsp	
	 /BOE/portal/2010261014/Analy...ewer/html/empty.html	
	 /BOE/portal/2010261014/Analytica...GetBiVariantList.jsp	
	 Prompts	
	 /BOE/portal/2010261014/InfoView/listing/BOETimeoutPing	
	 /BOE/portal/2010261014/InfoView/DataLoader	
	 /BOE/portal/2010261014/Analyti...ib/ajaxCheckDate.jsp	
	 /BOE/portal/2010261014/Analyti.../ajaxCheckDate.jsp_1	
	 /BOE/portal/2010261014/Analyti...wer/ajaxUserPref.jsp	
	 /BOE/portal/2010261014/Analyti...r/processPrompts.jsp	
	 /BOE/portal/2010261014/InfoView/DataLoader_1	
	 /BOE/portal/2010261014/Analyti...ewer/html/empty.html	
	 /BOE/portal/2010261014/Analyti...er/html/empty.html_1	
	 /BOE/portal/2010261014/InfoView/DataLoader_2	
	 /BOE/portal/2010261014/Analyti...er/html/empty.html_2	
	 /BOE/portal/2010261014/Analyti...ML/viewer/report.jsp	
	 /BOE/portal/2010261014/Analyti...jaxWomForViewing.jsp	
	 /BOE/portal/2010261014/Analyti...n/html/overview.html	
	 /BOE/portal/2010261014/Analyti...html/overview.html_1	
	 /BOE/portal/2010261014/Analyti...processDataFetch.jsp	
	 /BOE/portal/2010261014/Analyti...nputFormsToReset.jsp	
	 /BOE/portal/2010261014/Analyti...er/incInputForms.jsp	
	 /v1/pages/ChRDaHJvbWUvMTMxLjAu...gUNQM-eIRIFDeZsTqQSB	
	 /BOE/portal/2010261014/Analyti...rocessInputForms.jsp	
	 /BOE/portal/2010261014/Analyti...xWomForViewing.jsp_1	
	 /BOE/portal/2010261014/InfoView/DataLoader_3	
	 Dont Notify	
	 /BOE/portal/2010261014/Analyti...wer/ajaxUserPref.jsp	
	 End	
	 /BOE/portal/2010261014/InfoView/logon/logoff.do	
	 /BOE/portal/2010261014/CmcAppA...pActions/cleanup.jsp	
	 /BOE/portal/2010261014/Crystal...s/cleanup/cleanup.do	
	 /BOE/portal/2010261014/mdaclie...P/common/cleanup.jsf	
	 /BOE/portal/2010261014/Platfor...s/cleanup/cleanup.do	

SLA	Value	Severity
	 /BOE/portal/2010261014/InfoViewAppActions/Cleanup.do	
	 /BOE/portal/2010261014/Perform...anagement/Cleanup.do	
	 /BOE/portal/2010261014/AnalyticalReporting/Cleanup.do	
	 /BOE/portal/2010261014/LumiraWebApp/cleanup.faces	
	 /BOE/portal/2010261014/InfoView/logon/logoff.do_1	
	 /bnsfauth/LoginPage	

BW_Mechanical Public - MAM LOCO Project Status Report

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters


Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	19.6	30	22	20	9.66
Controller/Throughput					
0	1.42	37.5	0.074	0.597	4.26
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
0	2.1	43	1	1.59	3.54
Controller/JVM Memory Used					
14	24.1	39	23	23.9	6.6
Controller/OS Memory Used					
66	69.9	74	69	69.8	2.47
Controller/Thread Count					
548	570	582	569	569.4	2.61
Controller/Connected					
1	1	1	1	1	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	3,855	14,291	4,063	3,848	2,034
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/Network/eth2 (Intel(R) Ethernet Connection (6...gabits received/sec.					
0.002	1.57	39.2	0.183	0.717	4.46
Controller/Network/eth2 (Intel(R) Ethernet Connection (6...)/Megabits sent/sec.					
0.001	0.58	3.4	0.388	0.521	0.551
Controller/Network/eth0 (Bluetooth Device (Personal Area...gabits received/sec.					
0	0	0	0	0	-
Controller/Network/eth0 (Bluetooth Device (Personal Area...)/Megabits sent/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	19.6	30	22	20	9.66
Controller/Default zone/Population1/User Load					
2	19.6	30	22	20	9.64
Controller/Default zone/Population1/BW_Mechanical Public...tus Report/User Load					
2	19.6	30	22	20	9.64

LG localhost:7100

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG localhost:7100/CPU Load					
0	2.07	43	1	1.54	3.64
LG localhost:7100/JVM Memory Used					
0	2.01	4	2	1.97	0.802
LG localhost:7100/OS Memory Used					
66	69.9	74	69	69.8	2.47
LG localhost:7100/Throughput					
0	1.42	37.5	0.074	0.597	4.26
LG localhost:7100/User Load					
0	19.6	30	22	20	9.66
LG localhost:7100/Thread Count					
0	86.4	303	87	86.1	17
LG localhost:7100/Http client/Thread Pool used					
0	0.111	0.125	0.11	0.111	0.007
LG localhost:7100/Http client/Task Pool used					
0	0	0.017	0	0	0
LG localhost:7100/Controller Connection/Disconnections					
0	0	0	0	0	-
LG localhost:7100/Controller Connection/Reconnections					
0	0	0	0	0	-
LG localhost:7100/Controller Connection/Ping Duration (ms)					
0	1.5	3	2	1.49	0.898
LG localhost:7100/Network/Segments sent/sec.					
0	165	15,309	0	0	998.4
LG localhost:7100/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG localhost:7100/Network/eth2 (Intel(R) Ethernet Connec...gabits received/sec.					
0	1.57	39.2	0.183	0.717	4.46
LG localhost:7100/Network/eth2 (Intel(R) Ethernet Connec...)/Megabits sent/sec.					
0	0.58	3.4	0.385	0.52	0.551
LG localhost:7100/Network/eth0 (Bluetooth Device (Person...gabits received/sec.					
0	0	0	0	0	-
LG localhost:7100/Network/eth0 (Bluetooth Device (Person...)/Megabits sent/sec.					
0	0	0	0	0	-


Average page response time



Min	Average	Max
0.058	0.198	1.295

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.034	0.09	0.691

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
0.204	1.335	4.183	1.02	1.263	0.837

Notes: Displays the average response time, in seconds, of all Transactions during the test.


Requests per second



Min	Average	Max
0.1	24.5	131

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	0	0

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	1.62	25.81

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.124	0.162	0.205

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.