

PROJECT TITLE: IMPLEMENT CLIENT SCRIPT & UI POLICY (INCIDENT)

1. Introduction to the [Empathy Map](#)

1.1 Purpose of the Empathy Map

An Empathy Map is a collaborative visualization tool used in design thinking to articulate what we know about our primary stakeholders—specifically, the **End-Users (Employees/Reporters)** and **Service Desk Agents** who interact with the ServiceNow Incident Management module. By understanding their thoughts, feelings, pains, and gains, our team can design more intuitive Client Scripts and UI Policies.

2. Target Persona Profile

- **Primary Persona:** Rajesh / Priya (An employee reporting an IT issue, or a Service Desk Agent managing incoming tickets).
- **Environment:** Fast-paced corporate or academic workspace requiring rapid IT support resolution.

3. Four-Quadrant Empathy Analysis

3.1 Says (What does the user say out loud? / Verbal feedback)

- *"Why are there so many fields on this incident form when most of them don't apply to my problem?"*
- *"I submitted my ticket, but it got rejected because I missed a mandatory field that wasn't highlighted clearly."*
- *"It takes too long to get my IT issues resolved because tickets keep getting misclassified."*
- *"I wish the system could automatically tell me if my description is clear enough before I click submit."*

3.2 Thinks (What goes on in the user's mind? / Internal thoughts)

- *"The IT portal is too complicated; I wish logging an issue was as simple as filling out a short form."*
- *"Why do I have to manually set the urgency level when the system should detect how critical the error is based on my inputs?"*
- *"I'm worried my critical system failure ticket will get lost in the queue if I select the wrong category."*
- *"I hope I don't have to re-enter everything if this form refreshes or errors out."*

3.3 Does (What actions does the user take? / Behaviors observed)

- Fills out incident forms hastily, often leaving descriptions vague or brief out of frustration.
- Randomly selects "High" or "Critical" urgency for standard issues just to get faster attention.
- Frequently abandons ticket creation or calls the helpdesk directly instead of using the self-service portal.
- Submits tickets with missing error logs, attachments, or incomplete asset details.

3.4 Feels (What are the user's emotions and pain points?)

- **Frustrated:** Overwhelmed by cluttered, static forms and confusing dropdown menus.
- **Anxious:** Worried about prolonged system downtime affecting their daily work tasks.
- **Impatient:** Annoyed by back-and-forth emails from support agents asking for clarification on poorly submitted tickets.
- **Relieved (Desired State):** When a form is clean, guides them dynamically, and prevents mistakes instantly.

4. Pains and Gains Synthesis

4.1 Identified Pains (Obstacles & Frustrations)

- Cluttered user interfaces with irrelevant fields.
- Lack of real-time validation leading to submission errors.
- Delays caused by improper urgency and priority classification.

4.2 Expected Gains (Desired Outcomes & Benefits)

- **Simplified Workflows:** Clean, dynamic form behavior powered by UI Policies.
- **Instant Feedback:** Real-time data checking and format validation using Client Scripts (onChange, onSubmit).
- **Faster Resolutions:** Accurate data entry leading to immediate routing to the correct IT support group.

5. Conclusion

The empathy mapping exercise clearly highlights the gap between user expectations and standard static form limitations. By deploying **Client Scripts** and **UI Policies** in ServiceNow, our project directly addresses these emotional pain points, ensuring a seamless, error-free, and user-centric incident logging experience.

