

DLiP - ChefGPT

December 2024

1 Introduction

For the ChefGPT project, we’ve designed a loss function to balance two critical aspects of ingredient recommendation: **flavor compatibility** and **nutritional adequacy**. The loss function combines these components into a weighted formula, ensuring that the recommendations align with both taste preferences and health considerations.

2 Flavor Loss

The flavor loss, L_{flavor} , measures the (miss)match in flavor compatibility. For this, we use the chemical components/molecules. It is defined as:

$$L_{\text{flavor}} = 1 - \frac{1}{n} \sum_{i=1}^n p_i$$

where:

- n : Total number of flavor atoms.
- p_i : Overlap percentage for the i -th atom.

3 Nutritional Loss

The nutritional loss, $L_{\text{nutrition}}$, measures the difference between the proportions of observed macronutrients and the target. We selected a macronutrient distribution of 50% carbohydrates, 30% protein, and 20% fat. It is defined as:

$$L_{\text{nutrition}} = \sum_{j=1}^m |o_j - t_j|$$

where:

- o_j : Observed proportion for the j -th macronutrient.
- t_j : The target proportion (ideal) for the j -th macronutrient.
- m : Total number of macronutrient categories.

4 Weighted Total Loss

The total loss function combines flavor and nutritional losses. The corresponding weights decide is deemed as 'most important'. Also, log-transforming the individual terms eliminates scale-differences:

$$L = w_f \cdot \log(L_{\text{flavor}}) + w_n \cdot \log(L_{\text{nutrition}})$$

where:

- w_f : Weight (scalar) for the flavor component.
- w_n : Weight (scalar) for the nutrition component.

5 Summary

The loss function balances flavor compatibility and nutritional adequacy, with weights controlling their relative importance. This framework allows for adaptable ingredient recommendations tailored to individual needs.