


Feature		Scenario			Step				
Name	Duration	T	P	F	S	T	P	F	S
Product Feature	10.270 s	3	1	2	0	23	17	2	4
Checkout Feature	7.881 s	2	1	1	0	27	17	1	9
Login feature	10.890 s	4	4	0	0	20	20	0	0


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Product Feature	User can add the product and the added product is visible in the cart
2		User want to remove product from the cart
3	Checkout Feature	Verify that User can complete his checkout process



#	Feature Name	T	P	F	S	Duration
1	Product Feature	3	1	2	0	10.270 s
2	Checkout Feature	2	1	1	0	7.881 s
3	<u>Login feature</u>	4	4	0	0	10.890 s


SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Feature	User can add the product and the added product is visible in	8	5	1	2	8.283 s
		the cart					
2		User want to remove product from the cart	9	6	1	2	10.262 s
3		User can see products are loaded after login successful	6	6	0	0	7.595 s
4	Checkout Feature	Verify that user can enter customer information for checkout	12	12	0	0	7.662 s
5		Verify that User can complete his checkout process	15	5	1	9	7.877 s
6	Login feature	User can't login if don't fill username and password	4	4	0	0	7.536 s
7		User can login with a valid credentials	6	6	0	0	10.890 s
8		User can't login if don't fill password	5	5	0	0	7.520 s
9		User can't login if don't fill username	5	5	0	0	7.517 s

DETAILED SECTION -- 6 --

Product Feature




User can add the product and the added product is visible in the cart



#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	5.935 s
	Starting test: User can add the product and the added product is visible in the cart		
1	Given SauceDemo login page is open	PASSED	0.000 s
2	When User type "standard_user" in username field	PASSED	0.213 s
3	And User type "secret_sauce" in password field	PASSED	0.181 s
4	And User click login button	PASSED	1.558 s
5	Then User successfully logs in and redirected to the "Products" page	PASSED	0.045 s
6	When User clicks add to cart for the "Sauce Labs Backpack" product	FAILED	0.004 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, findElement {using=class name, value=inventory_item_name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29, userDataDir: C:\Users\injas\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60326}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60326/devtoo, se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages.ProductPage.clickAddProduct(ProductPage.java:59) at stepsDefinition.ProductSteps.userClicksAddToCart(ProductSteps.java:25) at ?.User clicks add to cart for the "Sauce Labs Backpack" product(file:///D:/CodeProject/Java/MyProject/CucumberBDDProject/CucumberProject/src/test/java/features/Product.feature:15) * Not displayable characters are replaced by '?'.		
7	And User clicks the shopping cart icon in the top right corner	SKIPPED	0.000 s
8	Then The product was successfully added to the cart is visible in cart list	SKIPPED	0.000 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario) ? Test failed: User can add the product and the added product is visible in the cart * Not displayable characters are replaced by '?'. ? Test failed, capturing screenshot * Not displayable characters are replaced by '?'. ?? Screenshot saved at: D:\CodeProject\Java\MyProject\CucumberBDDProject\CucumberProject\test-output\screenshot_screenshot_screenshot_2025-03-23_16-55-48.png * Not displayable characters are replaced by '?'. ?? WebDriver session closed. * Not displayable characters are replaced by '?'.	PASSED	0.326 s


User want to remove product from the cart



#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	3.599 s
	Starting test: User want to remove product from the cart		
1	Given SauceDemo login page is open	PASSED	0.001 s
2	When User type "standard_user" in username field	PASSED	0.093 s
3	And User type "secret_sauce" in password field	PASSED	0.062 s
4	And User click login button	PASSED	0.968 s
5	Then User successfully logs in and redirected to the "Products" page	PASSED	0.102 s
6	When User clicks add to cart for the "Sauce Labs Backpack" product	PASSED	5.108 s
7	And User clicks the shopping cart icon in the top right corner	FAILED	0.001 s
8	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quitt()? Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: osn.ame: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, findElement {using=xpath, value=//a[contains(@class,'shopping_cart_link fa-layers)]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165} (fd886e2cb29, userDataDir: C:\Userslinjas\AppDatalLoca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60326}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60326/devtoo, se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation:\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:369) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at pages.ProductPage.clickCartButton(ProductPage.java:38) at stepsDefinition.ProductSteps.userClicksShoppingCartIcon(ProductSteps.java:30) at stepsDefinition.ProductSteps.userClicksShoppi	SKIPPED	0.000 s
-			
9	Then The product was successfully removed from the cart	SKIPPED	0.000 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario) ? Test failed: User want to remove product from the cart * Not displayable characters are replaced by '?'. ? Test failed, capturing screenshot * Not displayable characters are replaced by '?'.	PASSED	0.309 s


#	Step / Hook Details	Status	Duration
	?? Screenshot saved at: D:\CodeProject\Java\MyProject\CucumberBDDProject\CucumberProject\test-output\screenshots\screenshot_screenshot_2025-03-23 16-55-50.png * Not displayable characters are replaced by '?'.		
	?? WebDriver session closed. * Not displayable characters are replaced by '?'.		

User can see products are loaded after login successful




#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	5.626 s
	Starting test: User can see products are loaded after login successful		
1	Given SauceDemo login page is open	PASSED	0.000 s
2	When User type "standard_user" in username field	PASSED	0.127 s
3	And User type "secret_sauce" in password field	PASSED	0.068 s
4	And User click login button	PASSED	0.787 s
5	Then User successfully logs in and redirected to the "Products" page	PASSED	0.040 s
6	And User should see a list of available products	PASSED	0.070 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.870 s
	? Test passed: User can see products are loaded after login successful		
	* Not displayable characters are replaced by '?'.		
	?? WebDriver session closed.		
	* Not displayable characters are replaced by '?'.		

Checkout Feature




Verify that user can enter customer information for checkout



#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	3.568 s
	Starting test: Verify that user can enter customer information for checkout		
1	Given SauceDemo login page is open	PASSED	0.014 s
2	When User type "standard_user" in username field	PASSED	0.086 s
3	And User type "secret_sauce" in password field	PASSED	0.061 s
4	And User click login button	PASSED	0.918 s
5	Then User successfully logs in and redirected to the "Products" page	PASSED	0.091 s
6	When User clicks add to cart for the "Sauce Labs Backpack" product	PASSED	0.227 s
7	And User clicks the shopping cart icon in the top right corner	PASSED	0.485 s
8	And The product was successfully added to the cart is visible in cart list	PASSED	0.057 s
9	When User clicks checkout button	PASSED	0.499 s
10	And User fills in "Injas" , "Mahendra Berutu", "99999" data	PASSED	0.446 s
11	And User clicks the continue button to proceed to checkout	PASSED	0.393 s
12	Then User should see Checkout Overview page	PASSED	0.063 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.730 s
	? Test passed: Verify that user can enter customer information for checkout * Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
	?? WebDriver session closed. * Not displayable characters are replaced by '?'.		

Verify that User can complete his checkout process




#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	5.627 s
	Starting test: Verify that User can complete his checkout process		
1	Given SauceDemo login page is open	PASSED	0.000 s
2	When User type "standard_user" in username field	PASSED	0.127 s
3	And User type "secret_sauce" in password field	PASSED	0.061 s
4	And User click login button	PASSED	0.827 s
5	Then User successfully logs in and redirected to the "Products" page	PASSED	0.035 s
6	When User clicks add to cart for the "Sauce Labs Backpack" product	FAILED	0.894 s
	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e9d5e4252198a9860aa30b8c584d2f9, findChildElement [using, id, value]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29, userDataDir: C:\Users\injas\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60326}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60326/devtoo, se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e9d5e4252198a9860aa30b8c584d2f9 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:572) at org.openqa.selenium.remote.ElementLocation.\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebElement.findElement(RemoteWebElement.java:211) at pages.ProductPage.clickAddProduct(ProductPage.java:68)		


#	Step / Hook Details	Status	Duration
	at stepsDefinition.ProductSteps.userClicksAddToCart(ProductSteps.java:25)		
	at ?.User clicks add to cart for the "Sauce Labs Backpack" product(file:///D:/CodeProject/Java/MyProject/CucumberBDDProject/		
	CucumberProject/src/test/java/features/Checkout.feature:25)		
	Caused by: java.io.UncheckedIOException: java.io.IOException: Task jdk.internal.net.http.common.		
	SequentialScheduler\$SchedulableTask@1da51dd0 rejected from java.util.concurrent.ThreadPoolExecutor@1daacaae[Shutting down, pool		
	size = 2, active threads = 2, queued tasks = 0, completed tasks = 129]		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:497)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$1(JdkHttpClient.java:384)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583)		
	Caused by: java.io.IOException: Task jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask@1da51dd0 rejected from java.util.		
	concurrent.ThreadPoolExecutor@1daacaae[Shutting down, pool size = 2, active threads = 2, queued tasks = 0, completed tasks = 129]		
	at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:966)		
	at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456)		
	8 more Caused by: java.util.concurrent.RejectedExecutionException: Task jdk.internal.net.http.common. SequentialScheduler\$SchedulableTask@1da51dd0 rejected from java.util.concurrent.ThreadPoolExecutor@1daacaae[Shutting down, pool		
	size = 2, active threads = 2, queued tasks = 0, completed tasks = 129]		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$AbortPolicy.rejectedExecution(ThreadPoolExecutor.java:2081)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.reject(ThreadPoolExecutor.java:841)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.execute(ThreadPoolExecutor.java:1376)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl\$DelegatingExecutor.ensureExecutedAsync(HttpClientImpl.java:183)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl\$DelegatingExecutor.execute(HttpClientImpl.java:175)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:282)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:251)		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.onReadError(Http1AsyncReceiver.java:516)		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver\$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:601)		
	at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadSubscription.signalCompletion(SocketTube.java:648)		
	at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.read(SocketTube.java:853)		
	at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowTask.run(SocketTube.java:181)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:207)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233)		
	at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.signalReadable(SocketTube.java:782)		
	at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadEvent.signalEvent(SocketTube.java:965)		
	at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowEvent.handle(SocketTube.java:253)		

#	Step / Hook Details	Status	Duration
	at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:1467) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:1412) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:1412) * Not displayable characters are replaced by '?'.		
7	And User clicks the shopping cart icon in the top right corner	SKIPPED	0.001 s
8	And The product was successfully added to the cart is visible in cart list	SKIPPED	0.000 s
9	When User clicks checkout button	SKIPPED	0.000 s
10	And User fills in "Injas" , "Mahendra Berutu", "99999" data	SKIPPED	0.000 s
11	And User clicks the continue button to proceed to checkout	SKIPPED	0.000 s
12	And User should see Checkout Overview page	SKIPPED	0.001 s
13	And User verifies that the order total amount are correct	SKIPPED	0.000 s
14	And User clicks the finish button to complete the checkout	SKIPPED	0.000 s
15	Then User should see a confirmation that the checkout was successful	SKIPPED	0.000 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.284 s
	? Test failed: Verify that User can complete his checkout process * Not displayable characters are replaced by '?'.		
	? Test failed, capturing screenshot * Not displayable characters are replaced by '?'.		
	?? Screenshot saved at: D:\CodeProject\Java\MyProject\CucumberBDDProject\CucumberProject\test-output\screenshots\screenshot_screenshot_2025-03-23_16-55-47.png * Not displayable characters are replaced by '?'.		
	?? WebDriver session closed. * Not displayable characters are replaced by '?'.		

Login feature



User can't login if don't fill username and password



#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	4.882 s
	Starting test: User can't login if don't fill username and password		
1	Given SauceDemo login page is open	PASSED	0.000 s
2	And login fields are empty	PASSED	0.040 s
3	When User click login button	PASSED	0.083 s
4	Then User should see an error message "Epic sadface: Username is required"	PASSED	0.034 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.492 s
	? Test passed: User can't login if don't fill username and password * Not displayable characters are replaced by '?'.		
	?? WebDriver session closed. * Not displayable characters are replaced by '?'.		


User can login with a valid credentials

PASSED DURATION - 10.890 s			Steps	
/ 4:55:40 077 DM // 4:55:50 067 DM /			Total - 6	
/ 4:55:40.077 PM // 4:55:50.967 PM /			Pass - 6	
Login feature			Fail - 0	6
			Skip - 0	
		-		
	1 2 3	4 5	6	

#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)		4.849 s
	Starting test: User can login with a valid credentials		
1	Given SauceDemo login page is open	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
2	And login fields are empty	PASSED	5.090 s
3	When User type "standard_user" in username field	PASSED	0.095 s
4	And User type "secret_sauce" in password field	PASSED	0.101 s
5	When User click login button	PASSED	0.466 s
6	Then User successfully logs in and redirected to the "Products" page	PASSED	0.038 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.248 s
	? Test passed: User can login with a valid credentials * Not displayable characters are replaced by '?'.		
	?? WebDriver session closed. * Not displayable characters are replaced by '?'.		

User can't login if don't fill password



#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	4.819 s
	Starting test: User can't login if don't fill password		
1	Given SauceDemo login page is open	PASSED	0.001 s
2	And login fields are empty	PASSED	0.080 s
3	When User type "standard_user" in username field	PASSED	0.086 s
4	When User click login button	PASSED	0.079 s
5	Then User should see an error message "Epic sadface: Password is required"	PASSED	0.061 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.388 s
	? Test passed: User can't login if don't fill password		
	* Not displayable characters are replaced by '?'.		
	?? WebDriver session closed.		
	* Not displayable characters are replaced by '?'.		

User can't login if don't fill username

PASSED DURATION - 7.517 s	0.3 -		ļ 	Steps Total - 5	
/ 4:55:40.081 PM // 4:55:47.598 PM /	0.2 -			Pass - 5	
Login feature	0.1 -	<u>-</u>	<u> </u>	Fail - 0 Skip - 0	o l
	0 -	1 2 3	4 5		

#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	6.168 s
	Starting test: User can't login if don't fill username		
1	Given SauceDemo login page is open	PASSED	0.001 s
2	And login fields are empty	PASSED	0.035 s
3	When User type "secret_sauce" in password field	PASSED	0.167 s
4	When User click login button	PASSED	0.098 s
5	Then User should see an error message "Epic sadface: Username is required"	PASSED	0.032 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.010 s
	? Test passed: User can't login if don't fill username * Not displayable characters are replaced by '?'.		
	?? WebDriver session closed. * Not displayable characters are replaced by '?'.		