

Cucumber Report

Mar 23, 2025, 6:06:08 PM

Start : Mar 23, 6:05:54.838 PM

End : Mar 23, 6:06:07.839 PM

Duration : 13.001 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 2
SKIPPED - 0


PASSED - 6
FAILED - 3
SKIPPED - 0

PASSED - 53
FAILED - 3
SKIPPED - 14




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login feature</u>	9.993 s	4	4	0	0	20	20	0	0
<u>Product Feature</u>	12.995 s	3	1	2	0	23	16	2	5
<u>Checkout Feature</u>	9.324 s	2	1	1	0	27	17	1	9

#	Feature Name	Scenario Name
1	<u>Product Feature</u>	<u>User want to remove product from the cart</u>
2		<u>User can add the product and the added product is visible in the cart</u>
3	<u>Checkout Feature</u>	<u>Verify that User can complete his checkout process</u>





#	Feature Name	T	P	F	S	Duration
1	Login feature	4	4	0	0	9.993 s
2	Product Feature	3	1	2	0	12.995 s
3	Checkout Feature	2	1	1	0	9.324 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login feature</u>	<u>User can't login if don't fill username and password</u>	4	4	0	0	8.666 s
2		<u>User can't login if don't fill password</u>	5	5	0	0	9.982 s
3		<u>User can login with a valid credentials</u>	6	6	0	0	8.683 s
4		<u>User can't login if don't fill username</u>	5	5	0	0	8.634 s
5	<u>Product Feature</u>	<u>User can see products are loaded after login successful</u>	6	6	0	0	12.995 s
6		<u>User want to remove product from the cart</u>	9	5	1	3	9.273 s
7		<u>User can add the product and the added product is visible in the cart</u>	8	5	1	2	9.148 s
8	<u>Checkout Feature</u>	<u>Verify that User can complete his checkout process</u>	15	5	1	9	9.321 s
9		<u>Verify that user can enter customer information for checkout</u>	12	12	0	0	8.629 s

Login feature


PASSED	DURATION - 9.993 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 20 Pass - 20 Fail - 0 Skip - 0	
/ 6:05:54.838 PM // 6:06:04.831 PM /					

User can't login if don't fill username and password

<div>PASSED</div>	<div>DURATION - 8.666 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:05:54.840 PM // 6:06:03.506 PM /</div>				
<div>Login feature</div>				


#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	4.477 s
	Starting test: User can't login if don't fill username and password		
1	Given SauceDemo login page is open	PASSED	0.000 s
2	And login fields are empty	PASSED	0.026 s
3	When User click login button	PASSED	0.089 s
4	Then User should see an error message "Epic sadface: Username is required"	PASSED	0.042 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	4.018 s
	? Test passed: User can't login if don't fill username and password		
	* Not displayable characters are replaced by '?'. ?? WebDriver session closed.		
	* Not displayable characters are replaced by '?'. ?? WebDriver session closed.		

User can't login if don't fill password



#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	5.625 s
	Starting test: User can't login if don't fill password		
1	Given SauceDemo login page is open	PASSED	0.000 s
2	And login fields are empty	PASSED	0.020 s
3	When User type "standard_user" in username field	PASSED	0.082 s
4	When User click login button	PASSED	0.059 s
5	Then User should see an error message "Epic sadface: Password is required"	PASSED	0.033 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	4.153 s
	? Test passed: User can't login if don't fill password * Not displayable characters are replaced by '?'. ?? WebDriver session closed. * Not displayable characters are replaced by '?'.		



User can login with a valid credentials



#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	7.409 s
	Starting test: User can login with a valid credentials		



#	Step / Hook Details	Status	Duration
1	Given SauceDemo login page is open	PASSED	0.001 s
2	And login fields are empty	PASSED	0.024 s
3	When User type "standard_user" in username field	PASSED	0.118 s
4	And User type "secret_sauce" in password field	PASSED	0.075 s
5	When User click login button	PASSED	0.788 s
6	Then User successfully logs in and redirected to the "Products" page	PASSED	0.041 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.220 s
	? Test passed: User can login with a valid credentials * Not displayable characters are replaced by '?'. ?? WebDriver session closed. * Not displayable characters are replaced by '?'.		

User can't login if don't fill username



PASSED		DURATION - 8.634 s			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 6:05:54.852 PM // 6:06:03.486 PM /						
Login feature						

#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	6.588 s
	Starting test: User can't login if don't fill username		
1	Given SauceDemo login page is open	PASSED	0.000 s
2	And login fields are empty	PASSED	0.027 s
3	When User type "secret_sauce" in password field	PASSED	0.128 s
4	When User click login button	PASSED	0.065 s
5	Then User should see an error message "Epic sadface: Username is required"	PASSED	0.032 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.791 s
	? Test passed: User can't login if don't fill username * Not displayable characters are replaced by '?'. ?? WebDriver session closed. * Not displayable characters are replaced by '?'.		

Product Feature



FAILED	DURATION - 12.995 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 23 Pass - 16 Fail - 2 Skip - 5	
/ 6:05:54.844 PM // 6:06:07.839 PM /					

User can see products are loaded after login successful

<div>PASSED</div>	<div>DURATION - 12.995 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:05:54.844 PM // 6:06:07.839 PM /</div>				
<div>Product Feature</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	7.781 s
	Starting test: User can see products are loaded after login successful		
1	Given SauceDemo login page is open	PASSED	0.001 s
2	When User type "standard_user" in username field	PASSED	0.075 s
3	And User type "secret_sauce" in password field	PASSED	0.097 s
4	And User click login button	PASSED	4.719 s
5	Then User successfully logs in and redirected to the "Products" page	PASSED	0.052 s
6	And User should see a list of available products	PASSED	0.070 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.190 s
	? Test passed: User can see products are loaded after login successful		
	* Not displayable characters are replaced by '?'. ?? WebDriver session closed.		
	* Not displayable characters are replaced by '?'. ?? WebDriver session closed.		

User want to remove product from the cart



<div>FAILED</div> <div>DURATION - 9.273 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 6:05:54.850 PM // 6:06:04.123 PM /</div>				
<div>Product Feature</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	6.551 s
	Starting test: User want to remove product from the cart		
1	Given SauceDemo login page is open	PASSED	0.001 s
2	When User type "standard_user" in username field	PASSED	0.175 s
3	And User type "secret_sauce" in password field	PASSED	0.070 s
4	And User click login button	PASSED	0.486 s
5	Then User successfully logs in and redirected to the "Products" page	PASSED	0.057 s
6	When User clicks add to cart for the Sauce Labs Backpack product	FAILED	1.273 s
	<p>org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ceccd21b620f503e7172e38e962bc19, findElement [using, value]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\linjas\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65288}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65288/devtoo..., se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ceccd21b620f503e7172e38e962bc19</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:572) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at pages.ProductPage.clickAddProduct(ProductPage.java:52) at stepsDefinition.ProductSteps.userClicksAddToCart(ProductSteps.java:25) at ?.User clicks add to cart for the Sauce Labs Backpack product(file:///D:/CodeProject/Java/MyProject/CucumberBDDProject/CucumberProject/src/test/java/features/Product.feature:21)</p> <p>Caused by: java.io.UncheckedIOException: java.io.IOException: Task jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask@4ba1e9e6 rejected from java.util.concurrent.ThreadPoolExecutor@1d314431[Shutting down, pool size = 4, active threads = 4, queued tasks = 0, completed tasks = 185]</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:497) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$1(JdkHttpClient.java:384) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583) Caused by: java.io.IOException: Task jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask@4ba1e9e6 rejected from java.util.concurrent.ThreadPoolExecutor@1d314431[Shutting down, pool size = 4, active threads = 4, queued tasks = 0, completed tasks = 185] at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:966) at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456) ... 8 more Caused by: java.util.concurrent.RejectedExecutionException: Task jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask@4ba1e9e6 rejected from java.util.concurrent.ThreadPoolExecutor@1d314431[Shutting down, pool size = 4, active threads = 4, queued tasks = 0, completed tasks = 185] at java.base/java.util.concurrent.ThreadPoolExecutor\$AbortPolicy.rejectedExecution(ThreadPoolExecutor.java:2081) at java.base/java.util.concurrent.ThreadPoolExecutor.reject(ThreadPoolExecutor.java:841) at java.base/java.util.concurrent.ThreadPoolExecutor.execute(ThreadPoolExecutor.java:1376) at java.net.http/jdk.internal.net.http.HttpClientImpl\$DelegatingExecutor.ensureExecutedAsync(HttpClientImpl.java:183) at java.net.http/jdk.internal.net.http.HttpClientImpl\$DelegatingExecutor.execute(HttpClientImpl.java:175) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:282) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:251) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.onReadError(Http1AsyncReceiver.java:516) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver\$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:601) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadSubscription.signalCompletion(SocketTube.java:648) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.read(SocketTube.java:853) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowTask.run(SocketTube.java:181) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:207) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.signalReadable(SocketTube.java:782) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadEvent.signalEvent(SocketTube.java:965) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowEvent.handle(SocketTube.java:253) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:1467) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:1412) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:1412) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
7	And User clicks the shopping cart icon in the top right corner	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
8	And User clicks REMOVE button	SKIPPED	0.001 s
9	Then The product was successfully removed from the cart	SKIPPED	0.002 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.634 s
	<p>? Test failed: User want to remove product from the cart</p> <p>* Not displayable characters are replaced by '?'. ? Test failed, capturing screenshot...</p> <p>* Not displayable characters are replaced by '?'. ?? Screenshot saved at: D:\CodeProject\Java\MyProject\CucumberBDDProject\CucumberProject\test-output\screenshots\screenshot_screenshot_2025-03-23_18-06-03.png</p> <p>* Not displayable characters are replaced by '?'. ?? WebDriver session closed.</p> <p>* Not displayable characters are replaced by '?'. </p>		

User can add the product and the added product is visible in the cart



FAILED		DURATION - 9.148 s			<div>Steps</div> <div>Total - 8</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 6:05:54.850 PM // 6:06:03.998 PM /						
Product Feature						

#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	6.997 s
	Starting test: User can add the product and the added product is visible in the cart		
1	Given SauceDemo login page is open	PASSED	0.000 s
2	When User type "standard_user" in username field	PASSED	0.169 s
3	And User type "secret_sauce" in password field	PASSED	0.143 s
4	And User click login button	PASSED	0.745 s
5	Then User successfully logs in and redirected to the "Products" page	PASSED	0.044 s
6	When User clicks add to cart for the Sauce Labs Backpack product	FAILED	0.511 s
	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ceccd21b620f503e7172e38e962bc19, findElement [using, value]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165		



#	Step / Hook Details	Status	Duration
	<pre>(fd886e2cb29..., userDataDir: C:\Users\injas\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65288}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65288/devtoo..., se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ceccd21b620f503e7172e38e962bc19 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:572) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at pages.ProductPage.clickAddProduct(ProductPage.java:52) at stepsDefinition.ProductSteps.userClicksAddToCart(ProductSteps.java:25) at ?.User clicks add to cart for the Sauce Labs Backpack product(file:///D:/CodeProject/Java/MyProject/CucumberBDDProject/CucumberProject/src/test/java/features/Product.feature:15) Caused by: java.io.UncheckedIOException: java.io.IOException: Task jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask@4ba1e9e6 rejected from java.util.concurrent.ThreadPoolExecutor@1d314431[Shutting down, pool size = 4, active threads = 4, queued tasks = 0, completed tasks = 185] at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:497) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$1(JdkHttpClient.java:384) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583) Caused by: java.io.IOException: Task jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask@4ba1e9e6 rejected from java.util.concurrent.ThreadPoolExecutor@1d314431[Shutting down, pool size = 4, active threads = 4, queued tasks = 0, completed tasks = 185] at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:966) at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456) ... 8 more Caused by: java.util.concurrent.RejectedExecutionException: Task jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask@4ba1e9e6 rejected from java.util.concurrent.ThreadPoolExecutor@1d314431[Shutting down, pool size = 4, active threads = 4, queued tasks = 0, completed tasks = 185] at java.base/java.util.concurrent.ThreadPoolExecutor\$AbortPolicy.rejectedExecution(ThreadPoolExecutor.java:2081) at java.base/java.util.concurrent.ThreadPoolExecutor.reject(ThreadPoolExecutor.java:841) at java.base/java.util.concurrent.ThreadPoolExecutor.execute(ThreadPoolExecutor.java:1376) at java.net.http/jdk.internal.net.http.HttpClientImpl\$DelegatingExecutor.ensureExecutedAsync(HttpClientImpl.java:183) at java.net.http/jdk.internal.net.http.HttpClientImpl\$DelegatingExecutor.execute(HttpClientImpl.java:175) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:282) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:251)</pre>		

#	Step / Hook Details	Status	Duration
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.onError(Http1AsyncReceiver.java:516) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver\$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:601) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadSubscription.signalCompletion(SocketTube.java:648) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.read(SocketTube.java:853) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowTask.run(SocketTube.java:181) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:207) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.signalReadable(SocketTube.java:782) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadEvent.signalEvent(SocketTube.java:965) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowEvent.handle(SocketTube.java:253) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:1467) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:1412) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:1412) * Not displayable characters are replaced by '?'.		
7	And User clicks the shopping cart icon in the top right corner	SKIPPED	0.002 s
8	Then The product was successfully added to the cart is visible in cart list	SKIPPED	0.002 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario) ? Test failed: User can add the product and the added product is visible in the cart * Not displayable characters are replaced by '?'. ? Test failed, capturing screenshot... * Not displayable characters are replaced by '?'. ?? Screenshot saved at: D:\CodeProject\Java\MyProject\CucumberBDDProject\CucumberProject\test-output\screenshots\screenshot_screenshot_2025-03-23_18-06-03.png * Not displayable characters are replaced by '?'. ?? WebDriver session closed. * Not displayable characters are replaced by '?'.	PASSED	0.516 s

Checkout Feature

FAILED DURATION - 9.324 s / 6:05:54.845 PM // 6:06:04.169 PM /	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 27 Pass - 17 Fail - 1 Skip - 9	
---	--	---	--	---

Verify that User can complete his checkout process



FAILED	DURATION - 9.321 s		Steps Total - 15 Pass - 5 Fail - 1 Skip - 9	
/ 6:05:54.848 PM // 6:06:04.169 PM /				
Checkout Feature				

#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	7.012 s
	Starting test: Verify that User can complete his checkout process		
1	Given SauceDemo login page is open	PASSED	0.000 s
2	When User type "standard_user" in username field	PASSED	0.181 s
3	And User type "secret_sauce" in password field	PASSED	0.127 s
4	And User click login button	PASSED	0.799 s
5	Then User successfully logs in and redirected to the "Products" page	PASSED	0.038 s
6	When User clicks add to cart for the Sauce Labs Backpack product	FAILED	0.448 s
	<p>org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ceccd21b620f503e7172e38e962bc19, findElement [using, value]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\linjas\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65288}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65288/devtoo..., se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ceccd21b620f503e7172e38e962bc19</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:572) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at pages.ProductPage.clickAddProduct(ProductPage.java:52) at stepsDefinition.ProductSteps.userClicksAddToCart(ProductSteps.java:25) at ?.User clicks add to cart for the Sauce Labs Backpack product(file:///D:/CodeProject/Java/MyProject/CucumberBDDProject/CucumberProject/src/test/java/features/Checkout.feature:25) Caused by: java.io.UncheckedIOException: java.io.IOException: Task jdk.internal.net.http.common.</p>		

#	Step / Hook Details	Status	Duration
	<p>SequentialScheduler\$SchedulableTask@4ba1e9e6 rejected from java.util.concurrent.ThreadPoolExecutor@1d314431[Shutting down, pool size = 4, active threads = 4, queued tasks = 0, completed tasks = 185]</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:497) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$1(JdkHttpClient.java:384) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583)</p> <p>Caused by: java.io.IOException: Task jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask@4ba1e9e6 rejected from java.util.concurrent.ThreadPoolExecutor@1d314431[Shutting down, pool size = 4, active threads = 4, queued tasks = 0, completed tasks = 185]</p> <p>at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:966) at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456) ... 8 more Caused by: java.util.concurrent.RejectedExecutionException: Task jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask@4ba1e9e6 rejected from java.util.concurrent.ThreadPoolExecutor@1d314431[Shutting down, pool size = 4, active threads = 4, queued tasks = 0, completed tasks = 185]</p> <p>at java.base/java.util.concurrent.ThreadPoolExecutor\$AbortPolicy.rejectedExecution(ThreadPoolExecutor.java:2081) at java.base/java.util.concurrent.ThreadPoolExecutor.reject(ThreadPoolExecutor.java:841) at java.base/java.util.concurrent.ThreadPoolExecutor.execute(ThreadPoolExecutor.java:1376) at java.net.http/jdk.internal.net.http.HttpClientImpl\$DelegatingExecutor.ensureExecutedAsync(HttpClientImpl.java:183) at java.net.http/jdk.internal.net.http.HttpClientImpl\$DelegatingExecutor.execute(HttpClientImpl.java:175) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:282) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:251) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.onReadError(Http1AsyncReceiver.java:516) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver\$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:601) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadSubscription.signalCompletion(SocketTube.java:648) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.read(SocketTube.java:853) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowTask.run(SocketTube.java:181) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:207) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.signalReadable(SocketTube.java:782) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadEvent.signalEvent(SocketTube.java:965) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowEvent.handle(SocketTube.java:253) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:1467) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:1412) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:1412)</p>		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. And User clicks the shopping cart icon in the top right corner	SKIPPED	0.000 s
8	And The product was successfully added to the cart is visible in cart list	SKIPPED	0.003 s
9	When User clicks checkout button	SKIPPED	0.001 s
10	And User fills in "Injas" , "Mahendra Berutu", "99999" data	SKIPPED	0.000 s
11	And User clicks the continue button to proceed to checkout	SKIPPED	0.000 s
12	And User should see Checkout Overview page	SKIPPED	0.000 s
13	And User verifies that the order total amount are correct	SKIPPED	0.002 s
14	And User clicks the finish button to complete the checkout	SKIPPED	0.000 s
15	Then User should see a confirmation that the checkout was successful	SKIPPED	0.000 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.681 s
	? Test failed: Verify that User can complete his checkout process * Not displayable characters are replaced by '?'. ? Test failed, capturing screenshot... * Not displayable characters are replaced by '?'. ?? Screenshot saved at: D:\CodeProject\Java\MyProject\CucumberBDDProject\CucumberProject\test-output\screenshots\screenshot_screenshot_2025-03-23_18-06-03.png * Not displayable characters are replaced by '?'. ?? WebDriver session closed. * Not displayable characters are replaced by '?'.		

Verify that user can enter customer information for checkout

PASSED		DURATION - 8.629 s			<div>Steps</div> <div>Total - 12</div> <div>Pass - 12</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 6:05:54.849 PM // 6:06:03.478 PM /						
Checkout Feature						

#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefinition.Hooks.setUp(io.cucumber.java.Scenario)	PASSED	4.439 s
	Starting test: Verify that user can enter customer information for checkout		
1	Given SauceDemo login page is open	PASSED	0.003 s

#	Step / Hook Details	Status	Duration
2	When User type "standard_user" in username field	PASSED	0.110 s
3	And User type "secret_sauce" in password field	PASSED	0.072 s
4	And User click login button	PASSED	0.439 s
5	Then User successfully logs in and redirected to the "Products" page	PASSED	0.040 s
6	When User clicks add to cart for the Sauce Labs Backpack product	PASSED	0.053 s
7	And User clicks the shopping cart icon in the top right corner	PASSED	0.144 s
8	And The product was successfully added to the cart is visible in cart list	PASSED	0.024 s
9	When User clicks checkout button	PASSED	0.342 s
10	And User fills in "Injas" , "Mahendra Berutu", "99999" data	PASSED	0.231 s
11	And User clicks the continue button to proceed to checkout	PASSED	0.397 s
12	Then User should see Checkout Overview page	PASSED	0.116 s
	AFTER - stepsDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.201 s
	<p>? Test passed: Verify that user can enter customer information for checkout</p> <p>* Not displayable characters are replaced by '?'. ?? WebDriver session closed. * Not displayable characters are replaced by '?'.</p>		