

FLEET STANDARD

Control readiness. Separate cleaning from inspection. Hold what is not ready. Return to service only by authority.

CONTROLLED DOCUMENT

CLASSIFICATION	CONFIDENTIAL / INTERNAL / AUTHORIZED OPERATORS + NAMED AUTHORITY
EDITION	01 / SEPTEMBER 2026
APPLICATION	FLEET READINESS, CLEANING, PREVENTIVE CADENCE, OOS / RTS CONTROL
AUTHORITY	OWNER / NAMED FLEET AUTHORITY
NEXT REVIEW	SEPTEMBER 2027 OR EARLIER AFTER MATERIAL ASSET / REQUIREMENT CHANGE
SITE	
ACTIVITY	
ASSET CLASSES	

READY. HOLD. CLEAR. RECORD.

01

Purpose and limits

This Standard controls asset status. It does not turn routine staff into technicians.

This Standard governs operational readiness, the condition expected after cleaning, the distinction between daily readiness and preventive maintenance, the use of Out-of-Service status, and the controlled decision to Return to Service.

GOVERNS	DOES NOT REPLACE
Readiness. Whether an asset may be shown as available and released for its assigned activity.	Standard Operating Procedures (SOP), Pickup & Return, Local Rules, Agreement / Execution Packet, Training Record, Office Standard, or the current manufacturer manual.
Cleaning condition. What must be true before an asset is presented again, without rewriting a chemical or wash recipe.	Qualified repair services, manufacturer instructions, warranty requirements, technical certification, or a repair licence.
Status control. When an asset is placed on hold, who controls the key or access, who may authorize Return to Service, and how availability is aligned.	Guest condition documentation. The guest-facing inspection remains in Pickup & Return.
Preventive cadence. The business tracks due work from the manufacturer schedule and qualified technical guidance.	A generic interval invented by this book, a parts catalogue, an inventory costing system, or an instruction that an unqualified person may install a stocked part.

BOUNDARY

Cleaning is not mechanical inspection. A between-rental glance is not preventive maintenance. Possession of a part is not qualification to install it.

02

Who may do what

Asset authority is assigned by role. A cleaner does not create Return-to-Service authority.

ACTION	WHO MAY PERFORM	CONTROL LIMIT
Between-rental readiness review	Trained operator assigned to the asset class.	May identify a concern and place the asset on hold under house rules. Does not diagnose beyond assigned training.
Clean / presentation reset	Trained cleaning or operating role.	May restore presentation condition. Cleaning does not clear a safety, damage, maintenance, or incident hold.
Apply Out-of-Service status	Trained role authorized to stop release when a listed hold condition exists.	Record the hold, secure key/access, and update availability.
Hold key / access control	Opening lead, supervisor, or other designated custodian.	Held access is not returned to the active set until Return to Service is authorized.
Authorize Return to Service	Named fleet authority only.	Requires the Unit Record to support the decision. A cleaner, counter employee, or habit cannot substitute.
Release an available unit	Role authorized by the SOP and Training Record.	Release only when the unit is not on hold and the required customer process is complete.

AUTHORITY RULE

"It is fine" is not a Return-to-Service decision. RTS exists only when the named authority makes the decision and the Unit Record reflects it.

03

Asset classes

The house defines the classes it operates, then assigns readiness and preventive ownership for each.

Do not build this Standard around one vehicle type. Configure only the asset classes actually used at the site. Unused rows remain blank or are ruled through by the named authority.

ASSET CLASS	DAILY READINESS OWNER	PREVENTIVE OWNER	WHO MAY HOLD

Class discipline

CONFIGURATION

The daily readiness owner answers: *may this unit leave now?* The preventive owner controls scheduled maintenance against the manufacturer schedule and technical requirements. The hold authority may remove a unit from availability when the release condition is not met.

QUALIFICATION

No person becomes qualified to service or install a component merely because the item is stocked, familiar, inexpensive, or used on another asset class.

Daily readiness vs preventive

Two controls. Two questions. Neither replaces the other.

DAILY READINESS	PREVENTIVE MAINTENANCE
Question: May this unit leave this morning / this turn?	Question: Is scheduled manufacturer-driven maintenance complete and current?
Operational review before availability or release, based on the assigned asset class and current house process.	Scheduled work based on current manufacturer instructions, model, usage, environment, service history, warranty requirements, and qualified technical guidance.
A concern can immediately create an Out-of-Service hold.	A due or incomplete required preventive item can create an Out-of-Service hold.
The guest-facing bumper / condition review belongs to Pickup & Return and is not a substitute for fleet control.	This Standard does not invent weekly, monthly, mileage, hour, fluid, tire-pressure, or component intervals.

MANUFACTURER SCHEDULE GOVERNS

Preventive intervals come from the current manufacturer documentation and qualified technical requirements for the individual asset. This book does not create its own service calendar.

An asset may look clean and still be overdue for required preventive work. An asset may be current on preventive maintenance and still fail today's readiness gate because of a new condition. The two statuses must remain distinct in the Unit Record.

Cleaning standard

The Standard defines the condition that must be true. The house procedure may define the detailed method.

READY TO SHOW	CONTROL EXPECTATION
Clean and presentable	Visible dirt, trash, and prior-customer belongings have been removed to the house presentation standard.
Dry where required	No residual moisture or product condition creates a new operating, handling, seating, or slip risk.
Controls free of slippery residue	Operator controls, handholds, pedals / tiller where applicable, seating, and entry/exit surfaces remain safe to use.
Evidence preserved	Possible new damage or an incident condition is recorded before washing, wiping, moving, or cleaning can remove useful evidence.
Cleaning separated from inspection	Cleaning staff may identify and report a concern. Cleaning does not substitute for the applicable readiness or technical review.

House product list

METHOD LIVES ELSEWHERE

Approved products, concentrations, brands, materials, and detailed cleaning steps belong on the business's controlled house procedure or approved-products list. They are not a shopping page in this Standard.

INCOMPATIBLE METHODS

Do not use high-pressure water into electrical / protected components, abrasive methods on glazing or sensitive surfaces, or any product that leaves unsafe residue on operating or contact surfaces. Follow current manufacturer compatibility instructions.

Out of service

When release is not supported, availability stops first. The reason is then resolved through the proper route.

Apply Out-of-Service status when any condition below prevents the house from supporting release under the current controls. The hold does not diagnose the defect; it controls availability while the issue is addressed.

Safety concern

A material operating, structural, control, or other safety concern is identified or reported.

Unresolved damage

Damage has not been documented, assessed, or cleared through the required authority route.

Preventive not current

Required preventive work is due, incomplete, undocumented, or cannot be confirmed.

Key / asset ID control

Required key, access device, asset identifier, or control reference is missing or unresolved.

Authority hold

The named authority places the unit on hold for an operating, compliance, documentation, or site reason.

Post-incident hold

After an incident, the unit remains on hold until the required review and clearance are complete.

HOLD SEQUENCE

Write the hold. Secure the key or controlled access. Update availability in the operating system or board. Notify the required authority. The opening lead relies on this status file.

07

Return to service

RTS is a named authority decision supported by the Unit Record.

01 **CONDITION ADDRESSED**

The defect, concern, hold reason, or required preventive item has been addressed - or, where continued operation is permitted, explicitly accepted in writing by the named authority.

02 **REQUIRED REVIEW COMPLETE**

Applicable technical, manufacturer, incident, damage, or management review has been completed before the release decision.

03 **PRESENTATION READY**

Cleaning is complete if required, and no cleaning condition creates a new risk.

04 **RECORD UPDATED**

The Unit Record states what changed, the completion / review information, the authority decision, and any remaining restriction.

05 **ACCESS RESTORED**

The key or controlled access returns to the active controlled set only after authorization.

06 **OOS REMOVED**

The Out-of-Service mark is removed and availability is updated by or under the named authority.

NAMED AUTHORITY ONLY

The person who cleaned, moved, or informally checked the asset does not remove OOS status unless that person is also the named RTS authority for the asset class.

After an incident

The SOP owns the field response. This Standard owns the unit status after the event.

Immediate status

POST-INCIDENT HOLD

The involved asset remains on hold after an incident until the required condition, damage, technical, insurer, or management review has produced the clearance needed for Return to Service.

SOP OWNS	FLEET STANDARD OWNS
Customer / public safety response, communications, emergency or law-enforcement escalation, field disengagement, and incident documentation route.	Asset availability, OOS status, key / access control, the Unit Record, preventive impact, and the Return-to-Service gate.
The field team does not declare a technical diagnosis simply to close the incident.	The fleet authority does not rewrite the field response. It records the asset status and ensures the proper clearance route is complete.

EVIDENCE FIRST

Do not clean over, discard, alter, or casually move a condition that should first be documented under the incident / damage route, unless movement is necessary to prevent a greater immediate risk.

If the incident reveals a training, procedural, or recurring fleet issue, route that finding to the applicable controlled document rather than solving it with an unwritten local habit.

09

Opening uses this file

The opening state of the fleet must match the written status of the fleet.

The opening lead checks the active fleet status before the location begins releasing assets. The purpose is not to repeat a mechanical checklist; it is to make sure the availability picture is true.

Availability matches status

An asset shown as available is not carrying an unresolved OOS hold, authority hold, post-incident hold, or incomplete required preventive item.

Held access remains held

Keys or controlled access for OOS units are not mixed into the active release set.

Due items are visible

The Unit Record or linked maintenance control clearly identifies work that affects release or upcoming service planning.

Discrepancy stops release

If the board / system says available but the Unit Record says hold, the hold governs until the named authority resolves the mismatch.

OPENING CONDITION

The location is not ready if a unit shown as available is still on hold. Fix the status conflict before the first key or access is released.

10

Three documents

The fleet system stays clean by giving each record one job.

FLEET STANDARD

METHOD

Defines readiness, cleaning condition, preventive cadence, OOS, RTS, authority, and the status-control relationship to operations.

UNIT RECORD

THIS ASSET'S WRITTEN LIFE

Carries asset identity, status history, preventive schedule references, service / concern entries, OOS events, clearances, and RTS decisions for the individual unit.

PICKUP & RETURN

GUEST CONDITION RECORD

Documents the guest-facing pre-rental and return condition process. It does not become the preventive-maintenance register.

NO DUPLICATION

Do not create a turnaround sheet that recopies Pickup & Return and the daily readiness control. Link the records instead of multiplying the same inspection into competing documents.

Closing notice

A controlled fleet system supports consistency. It does not create technical qualification.

This Fleet Standard is an experience-based operating resource for organizing asset readiness, cleaning condition, preventive maintenance control, Out-of-Service status, and Return-to-Service authority.

NOT A REPAIR MANUAL

This Standard is not a manufacturer service manual, mechanical certification, repair licence, warranty instruction, safety guarantee, or substitute for qualified technical services.

THE BUSINESS REMAINS RESPONSIBLE FOR
Obtaining and retaining the correct current manufacturer documentation for each asset class and individual model.
Assigning inspection, maintenance, repair, and installation work only to persons qualified for that work.
Following warranty, environmental, workplace, insurer, local, and other applicable requirements.
Using compatible cleaning methods, products, parts, and service procedures.
Keeping the Unit Record accurate and removing a questionable asset from service until the appropriate authority clears it.
Reviewing this Standard when asset classes, manufacturer requirements, site conditions, operating procedures, or technical responsibilities materially change.

Clean is not cleared. Stock is not qualification. RTS is authority.