




Q. Demonstrate 8 queens problem using the backtracking algorithm

Q. Given a set $\{10, 7, 5, 18, 12, 20, 15\}$ and $\text{sum} = 35$.
Solve them using ^{sum of} subset problem


$$\{10, 7, 18\}$$
$$\{10, 5, 20\}$$



$\{5, 18, 12\}$

$\{20, 15\}$

$\therefore$ The subset are $\{10, 7, 18\}$, $\{5, 18, 12\}$, $\{10, 5, 20\}$,

$\{20, 15\}$


8 Queens Problem

Q	x	x	x	x	x	x	x
x	x	Q	x	x	x	x	x
x	x	x	x	Q	x	x	x
x	Q	x	x	x	x	x	x
x	x	x	Q	x	x	x	x
x	x	x	x	x	x	x	x
x	x	x	x	x	x	x	x
x	x	x	x	x	Q	x	x
x	Q	x	x	x	x	x	x
x	x	x	x	Q	x	x	x
x	x	x	x	x	x	Q	x
Q	x	x	x	x	x	x	x
x	x	Q	x	x	x	x	x
x	x	x	x	x	Q	x	x
x	x	x	Q	x	x	x	x
x	x	x	x	x	x	x	Q

like last 2 rows don't contain Qs

Here all rows contain Qs
So the 8-queens problem is solved.

3.



	A	B	C	D	E	F	G
A	0	1	0	0	1	1	1
B	1	0	1	1	0	0	0
C	0	1	0	1	0	0	1
D	0	1	1	0	1	0	0
E	1	0	0	1	0	1	1
F	1	0	0	0	1	0	1
G	1	0	1	0	1	1	0

