

Supplementary Material for: Methodological Flexibility in the Iowa Gambling Task

Table S3.

Underreporting, as Indicated by Indeterminable Values per Variable

Variable	Clinical Studies (N)	Clinical Studies (%)	Non-clinical Studies (N)	Non-clinical Studies (%)
task variant	45	84.91	37	69.81
number of trials	6	11.32	2	3.77
number of trial blocks	2	3.77	0	0.00
instructions	45	84.91	32	60.38
goal	24	45.28	13	24.53
feedback	43	81.13	31	58.49
currency	27	50.94	12	22.64
amount of starting capital	39	73.58	23	43.40
reward per card (advantageous decks)	38	71.70	27	50.94
reward per card (disadvantageous decks)	37	69.81	27	50.94
net gain advantageous deck 1	36	67.92	29	54.72
net gain advantageous deck 2	36	67.92	28	52.83
net loss disadvantageous deck 1	38	67.92	29	54.72
net loss disadvantageous deck 2	36	67.92	28	52.83

Variable	Clinical Studies (N)	Clinical Studies (%)	Non-clinical Studies (N)	Non-clinical Studies (%)
loss frequency advantageous deck 1	41	77.36	28	52.83
loss frequency advantageous deck 2	40	75.47	27	50.94
loss frequency disadvantageous deck 1	41	77.36	27	50.94
loss frequency disadvantageous deck 2	40	75.47	27	50.94
interval for infrequent losses	38	71.70	27	50.94
incentives	36	67.92	14	26.42
TOTAL	800	65.63	549	45.04

Note. For each variable, the table shows the number (N) and percentage (%) of IGTs in clinical (N = 53) and non-clinical (N = 53) studies in which information was reported in a way that was indeterminable. The 'TOTAL' row summarizes the sum of all indeterminable instances for each group. IGT = Iowa Gambling Task.