Lab 2.1: Using Edit and Continue

In this lab, you will use the Edit and Continue feature during a debugging session.

To see a demonstration of the solution for this lab, click this icon.
(CD-ROM plays the demonstration, "Lab 2.1 Demonstration.")

Estimated time to complete this lab: **15 minutes**

To complete the exercises in this lab, you must have the required software. For detailed information about the labs and setup for the labs, see Labs in this course.

The code that forms the starting point for this lab is located in the folder \Labs\Ch02\Lab2.1\Ex01.

Objectives

After completing this lab, you will be able to:

- Use Edit and Continue to make changes to your source code during a debugging session.

Prerequisites

There are no prerequisites for this lab.

Exercises

The following exercise provides practice working with the concepts and techniques covered in this chapter.

Exercise 1: Using Edit and Continue

In this exercise, you will use Edit and Continue to change source code while debugging the Scribble sample application.

39 Exercise 1: Using Edit and Continue

The code that forms the starting point for this exercise is in \Labs\Ch02\Lab2.1\Ex01.

In this exercise, you will use Edit and Continue to change source code while debugging the Scribble sample application.

▶ **Enable Edit and Continue**

☐ 1. On the **Tools** menu, click **Options**, and then click the **Debug** tab.

☐ 2. On the **Debug** tab, be sure **Debug commands invoke Edit and Continue** is selected and click **OK**.

☐ 3. On the **Project** menu, click **Settings**.

☐ 4. On the **C/C++** tab, select **Program Database for Edit and Continue** in the **Debug Info** list-box and click **OK**.

☐ 5. Select **Rebuild All** from the **Build** menu.

The application should compile without errors.

 (CD-ROM displays the following tip.)

If you receive the error "Command line error D2016: '/ZI' and '/O2' command-line options are incompatible," do the following:

1. On the **Project** menu, click **Settings**, and then click the **C/C++** tab.
2. In the **Project Options** box, delete the /ZI and /O2 options and recompile.

☐ 6. Run the Scribble application.

When you drag the mouse to draw a line, you will see that the output is different from what you expected.

☐ 7. Close the application.

Note After you enable the Edit and Continue feature, you must rebuild your program before you can use the feature.

Notes

▶ **Use Edit and Continue**

☐ 1. In the **OnLButtonUp** function of ScribbleView.cpp, insert a breakpoint on the statement that invokes the default **OnLButtonUp** function.

☐ 2. Invoke the **Go** debugger command to run the application.

The application enters break mode when you release the mouse button.

☐ 3. In the **OnMouseMove** function, replace the second parameter in the **MoveTo** function with StartPt.y.

☐ 4. Remove the breakpoint.

☐ 5. Invoke the **Go** command to initiate Edit and Continue.

The new code is reflected in the running application.

☐ 6. Close the application.

For more information about Edit and Continue, see Using the Edit and Continue Feature in this chapter.

Notes