

Test Scenario ID:		TC-API-01		Version:	V1.1		
API Name:		Login Admin สำเร็จ		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:							
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/auth/login	Content-Type: application/json	{ "email": "admin@...", "password": "..."}	200 OK	{ "data": { "token": "string", "user": { "id": "..."} } }	✓	

Test Scenario ID:		TC-API-02		Version:	V1.1		
API Name:		Login Driver สำเร็จ		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:							
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/auth/login	Content-Type: application/json	{ "email": "driver@...", "password": "..."}	200 OK	{ "data": { "token": "string", "user": { "id": "..." } } }	✓	

Test Scenario ID:		TC-API-03		Version:	V1.1		
API Name:		Login Passenger สำเร็จ		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี token จากการ login ของ admin ก่อน					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/auth/login	Content-Type: application/json	{ "email": "passenger@...", "password": "..."}	200 OK	{ "data": { "token": "string", "user": { "id": "..." } } }	✓	

Test Scenario ID:		TC-API-04		Version:	V1.1		
API Name:		สร้าง Test Incident สำหรับ Passenger		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี passengerToken					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/incidents	Authorization: Bearer {passengerToken}, Content-Type: application/json	{ "type": "ROUTE_ISSUE", "title": "[TEST] Admin Flow Test Incident", "description": "..." }	201 Created	{ "data": { "id": "..." } }	✓	

Test Scenario ID:			TC-API-05		Version:	V1.1		
API Name:			ดึงรายการ Incident สำเร็จ		Tested by:			
Date of Test:			3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:			ต้องมี adminToken					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark	
GET	/api/incidents/admin	Authorization: Bearer {adminToken}		200 OK	{ "success": true, "data": [...], "pagination": { "total": N, "totalPages": N } }	✓		

Test Scenario ID:		TC-API-06		Version:	V1.1		
API Name:		มี pagination ครบ		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี adminToken					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents/admin	Authorization: Bearer {adminToken}		200 OK	{ "pagination": { "page": number, "limit": number } }	✓	

Test Scenario ID:		TC-API-07		Version:	V1.1		
API Name:		Filter ด้วย status PENDING		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี adminToken และ incident PENDING อยู่ในระบบ					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents/admin?status=PENDING	Authorization: Bearer {adminToken}		200 OK	{ "success": true, "data": [...ทุก item status="PENDING"] }	✓	

Test Scenario ID:		TC-API-08		Version:	V1.1		
API Name:		อัปเดตสถานะเป็น INVESTIGATING สำเร็จ		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี adminIncidentId ที่ status=PENDING					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
PATCH	/api/incidents/admin/{adminIncidentId}	Authorization: Bearer {adminToken}, Content-Type: application/json	{ "status": "INVESTIGATING", "reason": "EVIDENCE_REVIEWED", "note": "กำลังตรวจสอบหลักฐาน", "priority": "HIGH" }	200 OK	{ "success": true, "data": { "status": "INVESTIGATING" } }	✓	

Test Scenario ID:		TC-API-9		Version:	V1.1		
API Name:		priority ถูกอัปเดตเป็น HIGH		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี token จากการ login ของ user ก่อนและ ต้องอัปเดต priority ใน request เดียวกัน					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
PATCH	/api/incidents /admin/ {adminIncidentId}	Authorization: Bearer {adminToken}, Content-Type: application/json	{ "status": "INVESTIGATING", "reason": "EVIDENCE_REVIEWED", "note": "กำลังตรวจสอบหลักฐาน", "priority": "HIGH" }	200 OK	{ "data": { "priority": "HIGH" } }	✓	

Test Scenario ID:			TC-API-10		Version:	V1.1		
API Name:			อัปเดตสถานะเป็น RESOLVED สำเร็จ		Tested by:			
Date of Test:			3/3/2025		Test Environment	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:			ต้องมี adminIncidentId ที่ status=INVESTIGATING					
Method	Endpoint		Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
PATCH	/api/incidents/admin/{adminIncidentId}		Authorization: Bearer {adminToken}, Content-Type: application/json	{ "status": "RESOLVED", "reason": "MATTER_RESOLVED", "note": "ตรวจสอบเสร็จ", "resolution": "ตรวจสอบและตัดเงินเดือนแล้ว" }	200 OK	{ "success": true, "data": { "status": "RESOLVED" } }	✓	

Test Scenario ID:		TC-API-11		Version:	V1.1		
API Name:		resolvedAt ถูกตั้งค่า		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้อง RESOLVED สำเร็จก่อน					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
PATCH	/api/incidents/admin/{adminIncidentId}	Authorization: Bearer {adminToken}, Content-Type: application/json	{ "status": "RESOLVED", "reason": "MATTER_RESOLVED", "note": "ตรวจสอบเสร็จ", "resolution": "ตรวจสอบและตัดเตือนแล้ว" }	200 OK	{ "data": { "resolvedAt": "2026-03-02T..." } }	✓	

Test Scenario ID:		TC-API-12		Version:	V1.1		
API Name:		resolution ถูกบันทึก		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้อง RESOLVED สำเร็จก่อน					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
PATCH	/api/incidents/admin/{adminIncidentId}	Authorization: Bearer {adminToken}, Content-Type: application/json	{ "status": "RESOLVED", "reason": "MATTER_RESOLVED", "note": "ตรวจสอบเสร็จ", "resolution": "ตรวจสอบและตัดเตือนแล้ว" }	200 OK	{ "data": { "resolution": "ตรวจสอบและตัดเตือนแล้ว" } }	✓	

Test Scenario ID:		TC-API-13		Version:	V1.1		
API Name:		Reopen Incident สำเร็จ		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี token จากการ login ของ admin ก่อน					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/incidents/admin/{adminIncidentId}/reopen	Authorization: Bearer {adminToken}, Content-Type: application/json	{ "reason": "REOPENED", "note": "ต้องตรวจสอบเพิ่ม" }	201 Created	{ "success": true, "data": { "status": "PENDING", "id": "..."} }	✓	

Test Scenario ID:		TC-API-14		Version:	V1.1		
API Name:		มี parentId อ้างอิง incident เดิม		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้อง reopen สำเร็จก่อน					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/incidents/admin/{adminIncidentId}/reopen	Authorization: Bearer {adminToken}, Content-Type: application/json	{ "reason": "REOPENED", "note": "ต้องตรวจสอบเพิ่ม" }	201 Created	{ "data": { "parentId": "{adminIncidentId}" } }	✓	

Test Scenario ID:		TC-API-15		Version:	V1.1		
API Name:		revisionNumber เพิ่มขึ้น		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้อง reopen สำเร็จก่อน					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/incidents/admin/{adminIncidentId}/reopen	Authorization: Bearer {adminToken}, Content-Type: application/json	{ "reason": "REOPENED", "note": "ต้องตรวจสอบเพิ่ม" }	201 Created	{ "data": { "revisionNumber": 2 } }	✓	

Test Scenario ID:		TC-API-16		Version:	V1.1		
API Name:		ดึง Notifications สำเร็จ		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี passengerToken + admin อัปเดต incident แล้ว					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/notifications	Authorization: Bearer <token ของ user>		200 OK	{ "success": true, "data": [...] }	✓	

Test Scenario ID:		TC-API-17		Version:	V1.1		
API Name:		มี notification ประเภท INCIDENT		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		admin ต้องอัปเดต incident แล้ว → ระบบสร้าง notification					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/deletion /cancel	Authorization: Bearer {passengerToken}		200 OK	{ "data": [{ "type": "INCIDENT", ... }] }	✓	

Test Scenario ID:		TC-API-18		Version:	V1.1		
API Name:		Negative: Passenger เข้า Admin API ไม่ได้		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี passengerToken					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents/admin	Authorization: Bearer {passengerToken}		403 Forbidden	{ "success": false }	✓	

Test Scenario ID:		TC-API-19		Version:	V1.1		
API Name:		Negative: Status transition PENDING → RESOLVED ถูก reject		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี reopenedIncidentId ที่ status=PENDING					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
PATCH	/api/incidents/admin/{reopenedIncidentId}	Authorization: Bearer {adminToken}, Content-Type: application/json	{ "status": "RESOLVED", "reason": "MATTER_RESOLVED", "note": "พยายามข้ามขั้นตอน" }	400 Bad Request	{ "success": false, "message": "Invalid status transition" }	✓	

Test Scenario ID:		TC-API-20		Version:	V1.1		
API Name:		Driver สร้าง Incident สำเร็จ		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี driverToken + passengerId					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/incidents	Authorization: Bearer {driverToken}, Content-Type: application/json	{ "type": "INAPPROPRIATE_BEHAVIOR", "title": "[TEST] ผู้โดยสารมีพฤติกรรมไม่เหมาะสม", "description": "...", "reportedUserId": "{passengerId}" }	201 Created	{ "success": true, "data": { "id": "...", "status": "PENDING" } }	✓	

Test Scenario ID:		TC-API-21		Version:	V1.1		
API Name:		type และ priority ถูกตั้งค่าถูกต้อง		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องสร้าง incident สำเร็จก่อน					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/incidents	Authorization: Bearer {driverToken}, Content-Type: application/json	{ "type": "INAPPROPRIATE_BEHAVIOR", "title": "[TEST] ผู้โดยสารมีพฤติกรรมไม่เหมาะสม", "description": "...", "reportedUserId": "{passengerId}" }	201 Created	{ "data": { "type": "INAPPROPRIATE_BEHAVIOR", "priority": "NORMAL" } }	✓	

Test Scenario ID:		TC-API-22		Version:	V1.1		
API Name:		Driver ดึงรายการ Incidents ของตัวเองสำเร็จ		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี driverToken + เคยสร้าง incident					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents/me	Authorization: Bearer {driverToken}		200 OK	{ "success": true, "data": [...] }	✓	

Test Scenario ID:		TC-API-23		Version:	V1.1		
API Name:		มี incident ที่เพิ่งสร้างอยู่ในรายการ		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี driverIncidentId					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents/me	Authorization: Bearer {driverToken}		200 OK	{ "data": [{ "id": "{driverIncidentId}", ... }] }	✓	

Test Scenario ID:		TC-API-24		Version:	V1.1		
API Name:		Driver ดุร้ายละเอียด Incident สำเร็จ		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี driverIncidentId					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents/{driverIncidentId}	Authorization: Bearer {driverToken}		200 OK	{ "success": true, "data": { "id": "...", "type": "INAPPROPRIATE_BEHAVIOR" } }	✓	

Test Scenario ID:		TC-API-25		Version:	V1.1		
API Name:		มีข้อมูล reporter ครบ		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี driverIncidentId					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents/{driverIncidentId}	Authorization: Bearer {driverToken}		200 OK	{ "data": { "reporter": { "id": "...", "username": "..." } } }	✓	

Test Scenario ID:		TC-API-26		Version:	V1.1		
API Name:		Admin อัปเดต Incident ของ Driver สำเร็จ (200)		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี driverIncidentId					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
PATCH	/api/incidents/admin/{driverIncidentId}	Authorization: Bearer {adminToken}, Content-Type: application/json	{ "status": "INVESTIGATING", "reason": "EVIDENCE_REVIEWED", "note": "กำลังตรวจสอบรายงานจากคนขับ" }	200 OK	{ "data": { "status": "INVESTIGATING" } }	✓	

Test Scenario ID:		TC-API-27		Version:	V1.1		
API Name:		Driver ดึง Notifications สำเร็จ (200)		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี driverToken + admin อัปเดต incident แล้ว					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/notifications	Authorization: Bearer {driverToken}		200 OK	{ "success": true, "data": [...] }	✓	

Test Scenario ID:		TC-API-28		Version:	V1.1		
API Name:		มี notification อัปเดตสถานะ incident		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		admin ต้องอัปเดต incident ของ driver แล้ว					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/notifications	Authorization: Bearer {driverToken}		200 OK	{ "data": [{ "type": "INCIDENT", "metadata": { "incidentId": "..." } }] }	✓	

Test Scenario ID:		TC-API-29		Version:	V1.1		
API Name:		Driver ดึง Incident Logs สำเร็จ (200)		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี driverIncidentId + มีการเปลี่ยนสถานะแล้ว					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents/{driverIncidentId}/logs	Authorization: Bearer {driverToken}		200 OK	{ "success": true, "data": [...] }	✓	

Test Scenario ID:		TC-API-30		Version:	V1.1		
API Name:		Log มีข้อมูลการเปลี่ยนสถานะ		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี log การเปลี่ยนสถานะแล้ว					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents /{driverIncidentId}/logs	Authorization: Bearer {driverToken}		200 OK	{ "data": [{ "fromStatus": "PENDING", "toStatus": "INVESTIGATING", "reason": "...", "changedBy": {...} }] }	✓	

Test Scenario ID:		TC-API-31		Version:	V1.1		
API Name:		Passenger สร้าง Incident สำเร็จ (201)		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี passengerToken + driverId					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/incidents	Authorization: Bearer {passengerToken}, Content-Type: application/json	{ "type": "SAFETY_CONCERN", "title": "[TEST] คนขับขับรถเร็วเกินกำหนด", "description": "...", "reportedUserId": "{driverId}" }	201 Created	{ "success": true, "data": { "id": "...", "status": "PENDING" } }	✓	

Test Scenario ID:		TC-API-32		Version:	V1.1		
API Name:		type เป็น SAFETY_CONCERN		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องสร้าง incident สำเร็จก่อน					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/incidents	Authorization: Bearer {passengerToken}, Content-Type: application/json	{ "type": "SAFETY_CONCERN", "title": "[TEST] คนขับขับรถเร็วเกินกำหนด", "description": "...", "reportedUserId": "{driverId}" }	201 Created	{ "data": { "type": "SAFETY_CONCERN" } }	✓	

Test Scenario ID:		TC-API-33		Version:	V1.1		
API Name:		Passenger ดึงรายการ Incidents สำเร็จ (200)		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี passengerToken + เคยสร้าง incident					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents/me	Authorization: Bearer {passengerToken}		200 OK	{ "success": true, "data": [...] }	✓	

Test Scenario ID:		TC-API-34		Version:		V1.1	
API Name:		มี incident ที่เพิ่งสร้างอยู่ในรายการ		Tested by:			
Date of Test:		3/3/2025		Test Environment:		https://pai-num-nae-production.up.railway.app/api	
Pre-requisite:		ต้องมี passengerIncidentId					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents/me	Authorization: Bearer {passengerToken}		200 OK	{ "data": [{ "id": "{passengerIncidentId}" }] }	✓	

Test Scenario ID:		TC-API-35		Version:	V1.1		
API Name:		Passenger ดูรายละเอียดสำเร็จ (200)		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี passengerIncidentId					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents /{passengerIncidentId}	Authorization: Bearer {passengerToken}		200 OK	{ "success": true, "data": { "id": "{passengerIncidentId}" } }	✓	

Test Scenario ID:		TC-API-36		Version:	V1.1		
API Name:		มี reportedUser ข้อมูลคนขับ		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี passengerIncidentId + reportedUserId=driverId					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents/{passengerIncidentId}	Authorization: Bearer {passengerToken}		200 OK	{ "data": { "reportedUser": { "id": "{driverId}" } } }	✓	

Test Scenario ID:			TC-API-37	Version:	V1.1		
API Name:			Admin อัปเดต Incident ของ Passenger สำเร็จ (200)	Tested by:			
Date of Test:			3/3/2025	Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:			ต้องมี adminToken + passengerIncidentId ที่ status=PENDING				
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
PATCH	/api/incidents /admin/{passengerIncidentId}	Authorization: Bearer {adminToken}, Content-Type: application/json	{ "status": "INVESTIGATING", "reason": "EVIDENCE_REVIEWED", "note": "กำลังตรวจสอบ รายงานจากผู้โดยสาร" }	200 OK	{ "data": { "status": "INVESTIGATING" } }	✓	

Test Scenario ID:		TC-API-38		Version:	V1.1		
API Name:		Admin ปฏิเสธ Incident สำเร็จ (200)		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		TC-API-37 (ต้องมี passengerIncidentId ที่ status=INVESTIGATING)					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
PATCH	/api/incidents /admin/{passengerIncidentId}	Authorization: Bearer {adminToken}, Content-Type: application/json	{ "status": "DISMISSED", "reason": "INSUFFICIENT_EVIDENCE", "note": "หลักฐานไม่เพียงพอ" }	200 OK	{ "data": { "status": "DISMISSED" } }	✓	

Test Scenario ID:		TC-API-39		Version:	V1.1		
API Name:		Passenger ดึง Notifications สำเร็จ (200)		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี passengerToken + admin อัปเดต incident แล้ว					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/notifications	Authorization: Bearer {passengerToken}		200 OK	{ "success": true, "data": [...] }	✓	

Test Scenario ID:		TC-API-40		Version:	V1.1		
API Name:		มี notification อัปเดตสถานะ incident ของ passenger		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		admin ต้องอัปเดต incident ของ passenger แล้ว					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/notifications	Authorization: Bearer {passengerToken}		200 OK	{ "data": [{ "type": "INCIDENT", "metadata": { "incidentId": "..." } }] }	✓	

Test Scenario ID:		TC-API-41		Version:	V1.1		
API Name:		Passenger ดู Incident Logs สำเร็จ (200)		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมีการเปลี่ยนสถานะแล้ว					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents /{passengerIncidentId}/logs	Authorization: Bearer {passengerToken}		200 OK	{ "success": true, "data": [...] }	✓	

Test Scenario ID:		TC-API-42		Version:	V1.1		
API Name:		มี log ทั้ง INVESTIGATING และ DISMISSED		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี log ทั้ง 2 สถานะ					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents/{passengerIncidentId}/logs	Authorization: Bearer {passengerToken}		200 OK	{ "data": [{ "toStatus": "INVESTIGATING" }, { "toStatus": "DISMISSED" }] }	✓	

Test Scenario ID:		TC-API-43		Version:	V1.1		
API Name:		Negative: คนที่ไม่เกี่ยวข้องดู incident ไม่ได้ (403)		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี driverToken + passengerIncidentId					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents/{passengerIncidentId}	Authorization: Bearer {driverToken}		403 Forbidden	{ "success": false }	✓	

Test Scenario ID:		TC-API-44		Version:	V1.1		
API Name:		Negative: ไม่ส่ง Token ถูก reject (401)		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:							
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/incidents	Content-Type: application/json (ไม่มี Authorization)	{ "type": "SAFETY_CONCERN", "title": "...", "description": "..." }	401 Unauthorized	{ "success": false }	✓	

Test Scenario ID:		TC-API-45		Version:	V1.1		
API Name:		Negative: ไม่ระบุ type ถูก reject (400)		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี passengerToken					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/incidents	Authorization: Bearer {passengerToken}, Content-Type: application/json	{ "title": "...", "description": "ทดสอบ validation" }` (ไม่มี type)	400 Bad Request	{ "success": false, "errors": [...] }	✓	

Test Scenario ID:			TC-API-46	Version:	V1.1		
API Name:			Admin ลบ Incident ของ Driver สำเร็จ (200)	Tested by:			
Date of Test:			3/3/2025	Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:			ต้องมี adminToken + driverIncidentId				
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
DELETE	/api/incidents/admin/{driverIncidentId}	Authorization: Bearer {adminToken}		200 OK	{ "success": true }	✓	

Test Scenario ID:		TC-API-47		Version:	V1.1		
API Name:		Admin ลบ Incident ของ Passenger สำเร็จ (200)		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี adminToken + passengerIncidentId					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
DELETE	/api/incidents/admin/{passengerIncidentId}	Authorization: Bearer {adminToken}		200 OK	{ "success": true }	✓	

Test Scenario ID:		TC-API-48		Version:	V1.1		
API Name:		Admin ลบ Reopened Incident สำเร็จ (200)		Tested by:			
Date of Test:		3/3/2025		Test Environment:	https://pai-num-nae-production.up.railway.app/api		
Pre-requisite:		ต้องมี adminToken + reopenedIncidentId					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/incidents/admin/{reopenedIncidentId}	Authorization: Bearer {adminToken}		200 OK	{ "success": true }	✓	

สรุปผลการทดสอบ

รายการ	จำนวน
Test Cases ทั้งหมด	48
Pass	48
Fail	0
Setup	4
Happy Path	34
Negative Cases	7
Cleanup	3