

Endpoint Coverage

Method	Endpoint	Description
GET	/api/payments/tax-profile/me	ดูข้อมูลภาษีของคนขับ
PUT	/api/payments/tax-profile/me	บันทึก/แก้ไขข้อมูลภาษีของคนขับ
GET	/api/payments/confirmations/history/me	ดูประวัติการยืนยันการชำระเงินของผู้ใช้
GET	/api/payments/confirmations/:id	ดูรายละเอียด payment confirmation
POST	/api/payments/bookings/:bookingId/proof	ผู้โดยสารส่งหลักฐานชำระเงิน
POST	/api/payments/confirmations/:id/confirm	คนขับยืนยันหลักฐานการชำระเงิน
POST	/api/payments/confirmations/:id/reject	คนขับปฏิเสธหลักฐานการชำระเงิน
POST	/api/payments/confirmations/:id/documents	คนขับออกเอกสารการเงิน

Test Scenario ID:		TC-API-PAY-01		Version:		V1.1	
API Name:		GET tax profile (driver) สำเร็จ		Tested by:		Sujeephon	
Date of Test:		18/3/2026		Test Environment:		API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		มี driverToken และ driver ผ่านการยืนยันตัวตนแล้ว					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/payments/tax-profile/me	Authorization: Bearer {{driverToken}}	-	200 OK	{ "success": true, "data": { "taxpayerName": "TestDriver UAT", "taxId": "1101700203451" } }	✓	

Test Scenario ID:		TC-API-PAY-02		Version:	V1.1		
API Name:		PUT tax profile (driver) สำเร็จ		Tested by:	Suphakit		
Date of Test:		18/3/2026		Test Environment:	API Tool: Postman Server: http://localhost:3000		
Pre-requisite:		มี driverToken และ driver ผ่านการยืนยันตัวตนแล้ว					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
PUT	/api/payments/tax-profile/me	Authorization: Bearer {{driverToken}} Content-Type: application/json	{ "taxpayerType": "INDIVIDUAL", "taxpayerName": "TestDriver UAT", "taxId": "1101700203451", "isHeadOffice": true, "taxAddress": "404 Moo 18, Chum Phae, Khon Kaen 40130", "email": "driver@test.com", "phoneNumber": "081-234-5678" }	200 OK	{ "success": true, "data": { "taxpayerType": "INDIVIDUAL", "taxId": "1101700203451" } }	✓	

Test Scenario ID:		TC-API-PAY-03		Version:		V1.1	
API Name:		PUT tax profile ไม่ผ่าน (taxId ไม่ครบ 13 หลัก)		Tested by:		Suphakit	
Date of Test:		18/3/2026		Test Environment:		API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		มี driverToken และ driver ผ่านการยืนยันตัวตนแล้ว					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
PUT	/api/payments/tax-profile/me	Authorization: Bearer {{driverToken}} Content-Type: application/json	{ "taxpayerType": "INDIVIDUAL", "taxpayerName": "TestDriver", "taxId": "123", "taxAddress": "Bangkok" }	400 Bad Request	{ "success": false, "message": "Validation error: ... Tax ID must be 13 digits" }	✓	Negative case

Test Scenario ID:		TC-API-PAY-04		Version:		V1.1	
API Name:		GET payment history (passenger) สำเร็จ		Tested by:		Suphakit	
Date of Test:		18/3/2026		Test Environment:		API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		มี passengerToken และมีข้อมูล payment history					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/payments/confirmations/history/me?scope=passenger&page=1&limit=20	Authorization: Bearer {{passengerToken}}	-	200 OK	{ "success": true, "total": N, "page": 1, "limit": 20, "data": [...] }	✓	

Test Scenario ID:	TC-API-PAY-05	Version:	V1.1
API Name:	GET payment history ไม่ผ่าน (page=0)	Tested by:	Suphakit
Date of Test:	18/3/2026	Test Environment:	API Tool: Postman Server: http://localhost:3000
Pre-requisite:	มี passengerToken		

Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/payments/confirmations/history /me?scope=passenger&page=0&limit=20	Authorization: Bearer {{passengerToken}}	-	400 Bad Request	{ "success": false, "message": "Validation error: ..." }	✓	Negative case

Test Scenario ID:			TC-API-PAY-06		Version:	V1.1	
API Name:			GET confirmation detail สำเร็จ (ผู้เกี่ยวข้องเท่านั้น)		Tested by:	suphakit	
Date of Test:			18/3/2026		Test Environment:	API Tool: Postman Server: http://localhost:3000	
Pre-requisite:			มี passengerToken หรือ driverToken ที่เป็นเจ้าของรายการ + มี confirmationId				
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/payments/confirmations /{confirmationId}	Authorization : Bearer {passengerToken}	-	200 OK	{ "success": true, "data": { "id": "...", "status": "..." , "latestSubmission": {...} } }	✓	

Test Scenario ID:		TC-API-PAY-07		Version:		V1.1	
API Name:		GET confirmation detail ไม่ผ่าน (ไม่ใช่ผู้เกี่ยวข้อง)		Tested by:		suphakit	
Date of Test:		18/3/2026		Test Environment:		API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		มี token ของ user ที่ไม่ใช่ passenger/driver ใน confirmation นั้น					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/payments/confirmations/{{confirmationId}}	Authorization: Bearer {{anotherUserToken}}	-	403 Forbidden	{ "success": false, "message": "Forbidden" }	✓	Negative case

Test Scenario ID:		TC-API-PAY-08			Version:	V1.1	
API Name:		Passenger ส่งหลักฐาน (PROMPTPAY + แนบไฟล์) สำเร็จ			Tested by:	Suphakit	
Date of Test:		18/3/2026			Test Environment:	API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		มี passengerToken และมีข้อมูล payment history					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/payments/bookings /{{bookingId}}/proof	Authorization: Bearer {{anotherUserToken}}	form-data: paymentMethod=PROMPTPAY paidAt={{paidAt}} amount={{amount}} requestedDocumentTypes =["TAX_INVOICE","PAYMENT_VOUCHER"] evidences=<file>	201 Created	{ "success": true, "data": { "status": "PROOF_SUBMITTED" } }	✓	

Test Scenario ID:			TC-API-PAY-09			Version:		V1.1	
API Name:			Passenger ส่งหลักฐานเงินสด (ไม่แนบไฟล์, มี note) สำเร็จ			Tested by:		Suphakit	
Date of Test:			18/3/2026			Test Environment:		API Tool: Postman Server: http://localhost:3000	
Pre-requisite:			มี passengerToken, bookingId และ booking สถานะ CONFIRMED						
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark		
POST	/api/payments/bookings /{{bookingId}}/proof	Authorization: Bearer {{passengerToken}} Content-Type: multipart/form-data}}	form-data: paymentMethod=CASH paidAt={{paidAt}} amount={{amount}} note=paid in cash to driver	201 Created	{ "success": true, "data": { "status": "PROOF_SUBMITTED" } }	✓	รองรับ cash flow		

Test Scenario ID:		TC-API-PAY-10			Version:		V1.1	
API Name:		Passenger ส่งหลักฐานไม่ผ่าน (non-cash แต่ไม่แนบไฟล์)			Tested by:		Suphakit	
Date of Test:		18/3/2026			Test Environment:		API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		มี passengerToken, bookingId						
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark	
POST	/api/payments/bookings/{{bookingId}}/proof	Authorization: Bearer {{passengerToken}} Content-Type: multipart/form-data	paymentMethod=PROMPTPAY paidAt={{paidAt}} amount={{amount}} (ไม่ใส่ evidences)	400 Bad Request	{ "success": false, "message": "At least one payment evidence file is required" }	✓	Negative case	

Test Scenario ID:		TC-API-PAY-11			Version:		V1.1	
API Name:		Passenger ส่งหลักฐานไม่ผ่าน (CASH แต่ไม่ใส่ note)			Tested by:		Suphakit	
Date of Test:		18/3/2026			Test Environment:		API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		มี passengerToken, bookingId						
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark	
POST	/api/payments/bookings/{{bookingId}}/proof	Authorization: Bearer {{passengerToken}} Content-Type: multipart/form-dat	form-data: paymentMethod=CASH paidAt={{paidAt}} amount={{amount}} (ไม่ใส่ note)	400 Bad Request	{ "success": false, "message": "Note is required for cash payment" }	✓	Negative case	

Test Scenario ID:		TC-API-PAY-12			Version:	V1.1	
API Name:		Passenger ส่งหลักฐานไม่ผ่าน (CASH แต่ไม่ใช่ note)			Tested by:	Suphakit	
Date of Test:		18/3/2026			Test Environment:	API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		มี driverToken และ confirmationId ที่สถานะ PROOF_SUBMITTED					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/payments/confirmations/{{confirmationId}}/confirm	Authorization: Bearer {{driverToken}} Content-Type: application/json	{"verifiedPaymentMethod": "PROMPTPAY" }	200 OK	{ "success": true, "data": { "status": "CONFIRMED" } }	✓	

Test Scenario ID:		TC-API-PAY-13			Version:	V1.1	
API Name:		Driver confirm ไม่ผ่าน (method mismatch แต่ไม่ใส่เหตุผล)			Tested by:	Suphakit	
Date of Test:		18/3/2026			Test Environment:	API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		มี driverToken, confirmationId ที่สถานะ PROOF_SUBMITTED					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/payments/confirmations/{{confirmationId}}/confirm	Authorization: Bearer {{driverToken}} Content-Type: application/json	{"verifiedPaymentMethod": "CASH" } (declared method เดิมไม่ใช่ CASH)	400 Bad Request	{ "success": false, "message": "Method mismatch reason is required when verified payment method differs from declared payment method" }	✓	Negative case

Test Scenario ID:		TC-API-PAY-14			Version:		V1.1	
API Name:		Driver reject payment proof สำเร็จ			Tested by:		Suphakit	
Date of Test:		18/3/2026			Test Environment:		API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		มี driverToken, confirmationId ที่สถานะ PROOF_SUBMITTED						
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark	
POST	/api/payments/confirmations/{{confirmationId}}/reject	Authorization: Bearer {{driverToken}} Content-Type: application/json	{ "reason": "evidence does not match booking payment" }	200 OK	{ "success": true, "data": { "status": "DISPUTED" } }	✓		

Test Scenario ID:		TC-API-PAY-15			Version:	V1.1	
API Name:		Driver reject ไม่ผ่าน (รายการถูก confirm แล้ว)			Tested by:	Suphakit	
Date of Test:		18/3/2026			Test Environment:	API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		มี driverToken, confirmationId ที่สถานะ CONFIRMED					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/payments/confirmations/{{confirmationId}}/reject	Authorization: Bearer {{driverToken}} Content-Type: application/json	{ "reason": "late dispute" }	400 Bad Request	{ "success": false, "message": "Confirmed payment cannot be rejected" }	✓	Negative case

Test Scenario ID:		TC-API-PAY-16			Version:	V1.1	
API Name:		Driver ออกใบกำกับภาษี (TAX_INVOICE) สำเร็จ			Tested by:	Suphakit	
Date of Test:		18/3/2026			Test Environment:	API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		มี driverToken, confirmationId ที่สถานะ CONFIRMED และ driver มี DriverTaxProfile					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/payments/confirmations /{{confirmationId}}/documents	Authorization: Bearer {{driverToken}} Content-Type: application/json	{ "documentType": "TAX_INVOICE", "note": "issued by driver" }	201 Created	{ "success": true, "data": { "documentType": "TAX_INVOICE", "documentNumber": "TI- 202603-0001" } }	✓	

Test Scenario ID:		TC-API-PAY-17			Version:		V1.1	
API Name:		Driver ออกใบสำคัญรับเงิน (PAYMENT_VOUCHER) สำเร็จ			Tested by:		Suphakit	
Date of Test:		18/3/2026			Test Environment:		API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		มี driverToken, confirmationId ที่สถานะ CONFIRMED						
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark	
POST	/api/payments/confirmations/{{confirmationId}}/documents	Authorization: Bearer {{driverToken}} Content-Type: application/json	{ "documentType": "PAYMENT_VOUCHER", "note": "issued by driver" }	201 Created	{ "success": true, "data": { "documentType": "PAYMENT_VOUCHER", "documentNumber": "PV-202603-0001" } }	✓		

Test Scenario ID:		TC-API-PAY-18			Version:		V1.1	
API Name:		Driver ออกเอกสารซ้ำประเภทเดิม ไม่ผ่าน			Tested by:		Suphakit	
Date of Test:		18/3/2026			Test Environment:		API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		เคยออก TAX_INVOICE หรือ PAYMENT_VOUCHER ประเภทเดียวกันแล้ว 1 ครั้ง						
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark	
POST	/api/payments/confirmations/{{confirmationId}}/documents	Authorization: Bearer {{driverToken}} Content-Type: application/json	{ "documentType": "TAX_INVOICE", "note": "issue duplicate" }	409 Conflict	{ "success": false, "message": "This document type has already been issued for the payment" }	✓	Negative case	

Test Scenario ID:		TC-API-PAY-19			Version:	V1.1	
API Name:		ออก TAX_INVOICE ไม่ผ่านเมื่อไม่มี DriverTaxProfile			Tested by:	Suphakit	
Date of Test:		18/3/2026			Test Environment:	API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		ใช้ driver ที่ไม่มี DriverTaxProfile และ confirmation อยู่สถานะ CONFIRMED					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
POST	/api/payments/confirmations/{{confirmationId}}/documents	Authorization: Bearer {{driverToken}} Content-Type: application/json	{ "documentType": "TAX_INVOICE", "note": "issued by driver" }	400 Bad Request	{ "success": false, "message": "Driver tax profile is required before issuing a tax invoice" }	✓	Negative case

Test Scenario ID:		TC-API-PAY-20			Version:		V1.1	
API Name:		ออกเอกสารไม่ผ่านเมื่อ payment ยังไม่ confirm			Tested by:		Suphakit	
Date of Test:		18/3/2026			Test Environment:		API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		confirmationId ยังเป็นสถานะ PROOF_SUBMITTED หรือ DISPUTED						
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark	
POST	/api/payments/confirmations/{{confirmationId}}/documents	Authorization: Bearer {{driverToken}} Content-Type: application/json	{ "documentType": "PAYMENT_VOUCHER", "note": "issued before confirm" }	400 Bad Request	{ "success": false, "message": "Payment must be confirmed before issuing a document" }	✓	Negative case	

Test Scenario ID:		TC-API-PAY-21			Version:	V1.1	
API Name:		Auth fail (token invalid/หมดอายุ)			Tested by:	Suphakit	
Date of Test:		18/3/2026			Test Environment:	API Tool: Postman Server: http://localhost:3000	
Pre-requisite:		ใช้ token ไม่ถูกต้องหรือไม่ใส่ token					
Method	Endpoint	Header	Request Body	Expected Status	Expected Response	Test Result (Pass/Fail)	Remark
GET	/api/payments/confirmations /history/me	Authorization: Bearer <invalid_token>	-	401 Unauthorized	{ "success": false, "message": "Not authorized, token failed" }	✓	ใช้แทนได้กับ ทุก endpoint ที่ protect

Total Cases	Pass	Fail	Not Run
21	21	0	0

