Louis Zimmermann, Emilia Blättel, Anna Huttner

Syntax

C++ has a complex syntax, especially when dealing with low-level operations and memory management. It has a broad range of features and supports both procedural and object-oriented programming.

Comments:

- Single-line comments start with `//`.
- Multi-line comments are enclosed between `/*` and `*/`.

```cpp
// This is a single-line comment


/*
   This is a
   multi-line comment
*/
```

Data Types:

- C++ has built-in data types such as int, float, double, char, etc.
- Additional data types include classes, structures, and enumerations.

```cpp
int age = 25;
float pi = 3.14;
char grade = 'A';
```

Classes and Objects:

- C++ supports object-oriented programming with classes and objects.

```cpp
class Dog {
public:
    void bark() {
        // code
    }
};


Dog myDog;
myDog.bark();
```

Dynamic Memory Allocation:

- `new` is used to allocate dynamic memory, and `delete` is used to deallocate it.

```cpp
int* array = new int[10];
delete[] array;
```

Support

Operating System	x86	x64	ARM	ARM64[a]
Windows XP [b]	X	X		
Windows Vista	X	X		
Windows 7	X	X		
Windows 8	X	X	X	
Windows 8.1	X	X	X	
Windows 10	X	X	X	X
Windows 11	X	X	X	X
Windows Server 2003 [b]	X	X		
Windows Server 2008 R2	X	X		
Windows Server 2012 R2	X	X		
Windows Server 2016	X	X		
Windows Server 2019	X	X		
Windows Server 2022	X	X		
Android [c]	X	X	X	X
iOS [c]	X	X	X	X
Linux [d]	X	X	X	X

Learning Curve

- C++ has a steeper learning curve due to its complexity and low-level features.

- Can be overwhelming for beginners

- With no prior experience, you should expect it to take at least three months to learn the basics

Industry Adoption

- System Programming
- Embedded Systems
- Game development
- High-performance Computing
- Applications requiring substancial computational power
- Banking Applications

Performance

- Known for ist relatibely **high performance**
- Low-level Features: fine-grained **control over system**
- Development **speed**
- Ease of maintenence
- Availability of libraries
- **Close to hardware**: Faster