




Web Application Security Scanner

Technologies:

- Python

Developed by: Annu Kumari

LinkedIn: [linkedin.com/in/annu-kumari-902788282/](https://www.linkedin.com/in/annu-kumari-902788282/)




Web Application Security Scanner

Enter the target URL and run the code.

```
start_url = "https://example.com/"
```

The report will be generated automatically and saved in the 'Web Scanner Reports' folder.



Understanding the Report:-

Search Box Testing

- If a search box is found,the scanner will test each search field using multiple payloads and record the results in the report.

Search box testing

We checked search fields (name "s") with "' or 1=1--"
Status code vulnerability exists status code 403.
No Page load time based vulnerability, load time is 0.741132.
Page response length not changed, length is 4572. No blind sql vulnerability on page on scanning.
Page visible length not changed, length is 848. No information leak on scanning.
No detailed Error based sql vulnerability not exists.

Different payload testing
for all search fields

We checked search fields (name "s") with "and true --"
Status code vulnerability exists status code 404.
No Page load time based vulnerability, load time is 0.340274.
Page response length not changed, length is 57423. No blind sql vulnerability on page on scanning.
Page visible length not changed, length is 1188. No information leak on scanning.
No detailed Error based sql vulnerability not exists.

- If all payloads are handled safely, the result will be: "Search box has no vulnerability."
- If any payload successfully triggers a vulnerability, the result will be: "Search box is vulnerable."

Search box is vulnerable for SQL injection

- If no search box is found on the page, the result will be: "Search box does not exist."

Search box testing

Search box not exist.

Web Application Security Scanner

Cookie Testing

- If cookies are present on the page, the scanner tests each cookie using multiple payloads and record the results in the report.

```
We checked cookies (name "(' ' ', ' ') with "'union select null--"
| Status code vulnerability exists status code 418.
No Page load time based vulnerability, load time is 4.64247.
Page response length not changed, length is 627. No blind sql vulnerability on page on scanning.
Page visible length not changed, length is 155. No information leak on scanning.
No detailed Error based sql vulnerability not exists.
```

Different payload testing for all cookies

```
We checked cookies (name "(' ' ', ' ') with "' or 1=1--"
| Status code vulnerability exists status code 418.
Page load time based sql vulnerability exists, load time is 8.779142.
Page response length not changed, length is 627. No blind sql vulnerability on page on scanning.
Page visible length not changed, length is 155. No information leak on scanning.
No detailed Error based sql vulnerability not exists.
```

- If all cookies handle all payloads safely, the result will be: "Cookies have no vulnerability."
- If any cookie is found to be vulnerable, the result will be: "Cookies are vulnerable."

```
Cookies are vulnerable for SQL injection
```

- If no cookies are found on the page, the result will be: "Cookies do not exist."

```
Cookies testing .....
cookies not exist
```


Web Application Security Scanner

Each testing contains:-

1. response_status_code: Checks the HTTP response status code returned by the server. If the status code changes during scanning, it may indicate that the server is processing the injected input or payload differently. If the status code remains unchanged (for example, 200 OK), no status-code-based anomaly was detected.

```
Status code vulnerability exists status code 404.
```

2. response_time: Checks the server's response time and page load duration. If the response takes significantly longer than expected or the load time changes noticeably when specific payloads are tested, it may indicate a time-based vulnerability, such as Blind SQL Injection.

```
No Page load time based vulnerability, load time is 0.340274.
```

3. response_hidden_length: Checks the total length of the HTTP response body. If the response length changes while the HTTP status code remains the same (for example, 200 OK), it may indicate that additional data is being returned by the server. This can sometimes reveal hidden information and may be a sign of a Blind SQL Injection vulnerability, even when no visible changes appear on the webpage.

```
Page response length not changed, length is 57423. No blind sql vulnerability on page on scanning.
```

4. response_visible_length: This checks the length of the visible response content. If the visible content length changes while the HTTP status code remains 200 OK, it may indicate that additional information is being disclosed in the response source code, potentially leading to information leakage.

```
Page visible length not changed, length is 1188. No information leak on scanning.
```

5. response_error: This checks whether the server returns detailed error messages. Verbose error messages may reveal sensitive information about the application's internal structure, technologies, file paths, or database configuration, which could be useful to an attacker.

```
No detailed Error based sql vulnerability not exists.
```


Web Application Security Scanner

After completing all tests, the Final Verdict of report will be generated.

```
Final verdict: Search box not exists on page | cookies are vulnerable.
```

Usage: Any web application can be scanned simply by changing the target URL in the “start_url” variable.