
SET UP GUIDE: Confluent + wxO

Setting Up the wxO Tenant Connection

Connections


You will need to set up the connection from Confluent Cloud to the wxo tenant

wxo homepage → hamburger menu




Type / for Box AI and more or @ to mention people


Connections → Scroll to the bottom



Connections→ Prebuilt → Search for IBM Confluent Cloud (Regional or Global or RTCE) → Click the three dots → Edit Connection




Choose “Basic Auth” for authentication type




Scroll down to Credential type → Team credentials → Username is Confluent API Key and Password is Confluent API Secret → Save Changes

*NOTE= We are using the Confluent API Key and Secret associated a global resource scope.




Click “Live” in the top left of the popup and repeat steps

Choose “Basic Auth” for authentication type → Scroll down to Credential type → Team credentials → Username is Confluent API Key and Password is Confluent API Secret → Save Changes



Afterwards, your desired connection will look like this in the connection page:



Congrats, the connection is set up!

Get your Confluent Information

Confluent Credentials

Register your topics

- Bob + Confluent CLI - Instructions here (This is what I did)
- Confluent UI - Instructions here

Register your schemas

There are multiple ways:

- Bob + Confluent Cloud API - Instructions here (This is what I did)
- Confluent UI - Instructions here

Collect secrets for pipeline creation

All of these can be found in Confluent search “API Keys” in search bar and you will find majority of the values:

- Confluent Cloud API Key
- Confluent Cloud API Secret
- Confluent Compute Pool ID
- Confluent Org ID
- Kafka API Key
- Kafka API Secret
- Kafka Bootstrap URL
- Schema Registry API Key
- Schema Registry API secret
- Schema Registry URL
- Flink API Key
- Flink API Secret
- Flink REST Endpoint


Setting Up the Event-Triggering Pipeline

Building the pipeline in Agent Builder UI


PLEASE NOTE:
The new trigger feature is only enabled on **live,** deployed agents.
For instructions to deploy an agent go to https://www.ibm.com/docs/en/watsonx/watson-orchestrate/base?topic=deploying-agents-live-environment

---


Navigate to the Agent Builder UI
Hamburger Menu → Active Inventory → Agents




Click on the **Live Agent** for which you want to build an event-driven pipeline




Scroll to the Bottom → Triggers → Creaste pipeline




Fill in your Confluent Creds (Cloud API Key, API Secret, etc.) or choose a prebuilt connection (each time you make a connection here, it will save. You will not see a prebuilt connection the first time you build this pipeline).



Select Environment




Select a Cluster




Select an Input Topic

Either Click “Create New Topic” and upload a schema OR




Use the search bar to find your pre-created input topic in Confluent → Select → Edit




Select a Filtered Topic


Use the search bar to find your pre-created filter topic → Select → Three dots → Edit




Either write your own SQL filter or use the AI suggestion bar to generate a suggestion




"Optional" - Use plain language to describe the filter you want → Generate Suggestion → Accept Suggestion




→ Next


Edit agent | IBM watsonx Orch
staging-wa.watson-orchestrate.ibm.com/build/agent/edit/66ce754a-aa12-44a5-be76-5aa5a51c41c5
New Chrome available
All Bookmarks
IBM watsonx Orchestrate
EN
Configure Confluent Connections
Connect to Confluent
Select an Environment
Select a Cluster
Create / Select Input Topic
Filter Topic
Optional
Configure your event driven agent
Filter Topic
Create topics with an Avro schema. Topics created here will be available to select when configuring your pipeline. This step is optional if your topics already exist.
Change Topic
Describe the filter in plain English and the AI will suggest a WHERE clause based on your schema.
Enter your prompt...
Generate Suggestions
Filter Type
Where Clause
Raw SQL
Preview
1 severity = 'high'
Cancel
Back
Next


Name your pipeline and select a key field



Click “Create a pipeline”


Edit agent | IBM watsonx Orch
staging-wa.watson-orchestrate.ibm.com/build/agent/edit/66ce754a-aa12-44a5-be76-5aa5a51c41c5
New Chrome available
All Bookmarks
IBM watsonx Orchestrate
EN
Configure Confluent Connections
Connect to Confluent
Select an Environment
Select a Cluster
Create / Select Input Topic
Filter Topic
Optional
Configure your event driven agent
Configure your event driven agent
Create a name for your pipeline and select an event key for event deduplication. The selected event key should be unique across events to prevent your pipeline from processing the same event multiple times.
Pipeline Name (required)
Test-02
Key Field (required)
incident_id
The field that acts as a unique event identifier. Duplicate events with the same key are automatically discarded, and the key is used as the Kafka message key on output.
Current Pipeline
Input Topic
dc-disruption-events-2
A Kafka sink connector watches this topic and invokes the agent for each event that arrives.
View Schema
Filtered Topic (Optional)
dc-disruption-filtered-2
Apply SQL filtering to transform and filter events from the input topic before they reach the agent.
View Schema
Agent
Test Agent for Event-Driven A...
Receives the event payload and runs whatever logic you configure — LLM calls, enrichment, routing, or actions
Output Topic
Auto-generated
Receives the event payload and runs whatever logic you configure — LLM calls, enrichment, routing, or actions
Cancel
Back
Create pipeline


Congrats! THE PIPELINE IS CREATED!!!!!!!!!




You are now at the point where you can send test events, let's try it!

Scroll Down to the "Key Field" Section and click "Event Builder" to generate an AI suggested test event

Click “Run Test”






The “Edit SQL” tab can be used to alter your filter or if you never created one add a filter now

Setting Up Agent Confluent MCP tools


Connecting the Tools

****NOTE: This guide walks you through connecting the MCP tools correlated with IBM Regional. To get access to the Global tools or RTCE, repeat the process, but swap out “Select Connection” step from “IBM Regional” to your desired connection!*****


Hamburger menu → Active Inventory → Tools




Create Tool


Agents and tools | IBM watsonx
staging-wa.watson-orchestrate.ibm.com/build/manage#tools
New Chrome available
All Bookmarks
IBM watsonx Orchestrate
EN
R
Home
Chat
BUILD & RUN
Catalog
Active inventory
Agents
Assistants
Agentic workflows
Tools
Knowledge
Voice configurations
Phone
AGENTOPS
AgentOps agent
Observability
GOVERN & OPERATE
Controls
Agent identities
Connections
Credentials
AI GATEWAY
Preview
Home /
Build agents and tools
Try agent workbench
All agents
935
All assistants
2
All tools
629
All knowledge
51
Search for a tool
Discover
Create tool
API
Get all airports
Returns a list of all airports (requires API key authentication)
API
Get predefined marks data
Returns a fixed dataset containing a student's details and scores.
API
Get predefined marks data
Returns a fixed dataset containing a student's details and scores.
API
Perform arithmetic
Takes two numbers and performs addition, subtraction, division, multiplication, powers Examples: a = 3.0 and b = 5 add: a + b = 8...
API
Perform arithmetic
Takes two numbers and performs addition, subtraction, division, multiplication, powers Examples: a = 3.0 and b = 5 add: a + b = 8...
</>
Get events in Teams
Retrieves events from a Microsoft Teams calendar.
</>
Create a team in Teams
Creates a team in Microsoft Teams.


Click MCP server



Click Add MCP server




Remote MCP server → Next




Fill in the necessary information → Connect


- Make a name (Confluent RTCE MCP for example)
- MCP server URL (This is Confluent MCP REST endpoint URL)
- Select Connection → IBM Confluent Cloud (RTCE or Regional or Global)



All MCP tools will be imported → Done



All tools will show up in the tools menu



These can now be added to your agent!