

Product Information Specifications & Tests

ETERWELL™ YOUTH

Product code: 5017810

- | | |
|--|--|
| 1. Appearance: | Clear to slightly opalescent, amber to brown colored, slightly viscous liquid with characteristic odor |
| According to a visual inspection | |
| 2. Identity by UHPLC: | Comparable chromatogram to that of internal reference standard |
| By Reversed Phase UHPLC-UV (350 nm) | |
| 3. pH: | 3.6 – 5.1 |
| According to EP 2.2.3 | |
| 4. Relative density d _{20/20} : | 1.100 – 1.250 |
| According to EP 2.2.5 | |
| 5. Refractive index n ₂₅ : | 1.416 – 1.436 |
| According to EP 2.2.6 | |

Product Information

Specifications & Tests

ETERWELL™ YOUTH

Product code: 5017810

6. Flavonoids content: $\geq 35 \text{ mg} / 100 \text{ g}$
 (calculated as myricitrin)

By Reversed Phase UHPLC-UV (350 nm)

Column	BGB Raptor ARC-18, 2.1 x 100 mm, 1.8 μm
Pre-column	BGB Raptor ARC-18, 2.1 x 5 mm
T° column	45°C
T° sample	25°C
Mobile phase A	H ₂ O + 0.1 % CH ₃ COOH + 0.9% HCOOH (v/v)
Mobile phase B	MeCN + 0.1 % CH ₃ COOH + 0.9% HCOOH (v/v)
Flow	0.4 ml / min
Detection	UV / 350 nm
Wavelength	210 - 400 nm
Test solution dilution	~ 0.4 ml / 20 ml (exact weight)

Gradient :		
Time (min)	% A	% B
0	90	10
5.0	87	13
8.0	87	13
8.2	70	30
11.0	90	10
12.0	90	10

Product Information Specifications & Tests

ETERWELL™ YOUTH

Product code: 5017810

7. Total Viable Aerobic Count

According to EP 2.6.12, pour plate

- Total Aerobic Microbial Count (TAMC): ≤ 100 CFU / g
- Total Yeasts/Molds Count (TYMC): ≤ 100 CFU / g

8. Specified microorganisms:

According to EP 2.6.13

<i>Pseudomonas aeruginosa</i>	Absence in 1 g
<i>Staphylococcus aureus</i>	Absence in 1 g
<i>Candida albicans</i>	Absence in 1 g
<i>Escherichia coli</i>	Absence in 1 g

This document is valid without signature.

Disclaimer: The information contained herein is to the best of our knowledge accurate. However, we refuse any liability for the application and use of further processed material containing our product. Solely the producer of the final product has to assume full responsibility according to the relevant local regulations. The content of this document is subject to change without further notice unless otherwise agreed in writing. Please consult your local representative or visit the DSM Portal at <https://nutritionportal.dsm.com> for the latest version of this document or the latest information.