

Active Beauty

Vetivyne™

Fragrance inspired skin youth booster

Crafted by green technology





Givaudan

engage your senses

Skin lipids and ageing ...

When facial fat loss becomes a cosmetic issue



It's not only about the lines on your face

Skin lipids play a fundamental role



Skin lipids are mostly produced by 3 types of cells:

Sebocytes

They produce sebum which ensure:

- ▶ the skin **protection from dehydration**,
- ▶ the maintenance of its **suppleness**
- ▶ and also **protects skin microflora** by its acidic pH and its Antimicrobial Lipids (AML)¹.

Keratinocytes

They accumulate lipids during their differentiation².

This process is a key step:

- ▶ Better **skin barrier function**
- ▶ **Prevents skin dehydration**.

Adipocytes

They produce other types of triglycerides and they play an important **role**

- ▶ in **skin volume**,
- ▶ **tonicity**
- ▶ and **firmness** by ensuring mechanical support.

¹ Fischer et al. 2014

² Feingold et al. 2014

Impact on skin upon ageing...

The disruption of SC integrity

Starting with the skin lipids depletion, it is globally described that the *stratum corneum* lipid content is **affected by age** with an overall decrease by **-30%**¹.

The lipids produced by the sebocytes are also affected, sebum production is maximal at 20 years old & **gradually decreases** around **25%**² per decade.

Resulting in a loss of Hydration

¹Verdier-Sévrain, et al. 2006

² Downing, et al., 1986



Impact on skin upon ageing...

The importance of facial fat

Facial fat loss upon ageing is related to a lower differentiation of the adipocytes, and a decreased fat storage:

Resulting in
Less firmness and tonicity
Sagging skin
Wrinkles appearance

¹ Verdier-Sévrain, et al. 2006

² Downing, et al., 1986





Will it be possible to
embrace your age
while limiting the
impact on skin lipids?

The unleashed power of Vetiver



Givaudan

engage your senses

A source of inspiration for some of the most iconic
Fine Fragrances in the perfume history.

Beautiful, warm, rich, muddy...



The most exquisite Vetiver

Known from the beginning of the 20th century



Haiti is the **world's leading** exporter of vetiver in quantity and quality.

The success of Vetiver dates back to the **1950s**, when the Haitian industrialist Louis Dejoie discovers the virtues of this plant from the family of grasses.

Plantation are mostly situated in the south peninsula, named

Les Cayes




Highly valuable raw material



A dozen species of vetiver are known,
including

Vetiveria zizanioides


commonly used in perfumery.




- ▶ Herbaceous plant of one to two meters high.
- ▶ The root grows vertically to quite **significant depths**.
- ▶ Farmers around the world are taking advantage of vetiver's **deep roots** to prevent soil erosion.

Part of « Givaudan Innovative Naturals » programme

Social and Environmental responsibility of vetiver production



Since 2012 Givaudan has been collaborating with a local supplier to support a cooperative of vetiver root producers, who have achieved Ecocert Organic Standard and fair trade certification (ESR standard).



Revealing the intensive power of Vetiver Roots

Traditional use



Vetiver essence is obtained by the steam distillation of its roots.

150 kg of dried roots

=

1 kg of essential oil



Vetiver oil was traditionally known to :

- ▶ Speeds up eradication of scars & other marks from skin by promoting growth of new tissues
- ▶ Rich antiseptic properties
- ▶ Provides relief from all types of inflammation
- ▶ Rejuvenates body & boosts immune system

Upcycle [verb]

*“Treat an item that has already been used in such a way that you make something of **greater quality** or **value** than the original item.”*

Definition from the Oxford Dictionary

The premium version of recycling

Nothing is lost, Everything is transformed



Upcycling



also known as **creative re-use**

Process of transforming **co-products**,
useless materials or **unwanted**
products into new materials or products of
better quality and for **better**
environmental value.

Turning textile waste into sustainable fashion

From grunge to Haute Couture




The future of design

A new era for interior designer

Petit h, a upcycled range by Hermès



Salone del Mobile, Milano, April 2017
Recovered textile fibres
for new furnitures



Art & Design inspiration



Ugly food gets a facelift

The #UglyFruitAndVeg campaign was started to encourage people to eat "imperfect foods" in an effort to end food waste, hunger and climate change at the same time.

A GROTESQUE APPLE

A DAY KEEPS THE DOCTOR AWAY AS WELL.

Ingredients:
apples
vitamin C
potassium
fiber
malic acid
malic acid
malic acid



THE RIDICULOUS POTATO

ELECTED MISS MASHED POTATO 2014.

Ingredients:
potatoes
butter
milk
salt
pepper



THE FAILED LEMON

FROM THE CREATOR OF THE LEMON.

Ingredients:
lemons
sugar
water
lemon juice
lemon juice



A HIDEOUS ORANGE

MAKES BEAUTIFUL JUICE.

Ingredients:
oranges
vitamin C
potassium
fiber
malic acid
malic acid
malic acid



THE DISFIGURED EGGPLANT

SO CHEAP IT COULD BE EVEN MORE DISFIGURED.

Ingredients:
eggplants
butter
vegetables
vegetables
vegetables



AN UGLY CARROT

WHO LOVES BEING A NON CONFORMIST.



Recycling vs Upcycling

Upcycling is not recycling, it's better

RECYCLING

Each time the item is recycled the quality of the materials degrades slightly.



- ▶ Requires processes to break down the original materials.

UPCYCLING

- ▶ Better quality.
- ▶ Designed unique.



Upcycling is a form of recycling in which the item is upgraded.

So let's re-create something
even greater from Vetiver
roots for our skin!

~~Nothing is~~
Lost

Nothing is
Created

Everything is
Transformed



Upcycling vetiver roots for skin beauty

State-of-the-art extraction and purification processes




Active Beauty have been able to **upcycle exhausted vetiver roots** to create a fully natural, concentrated odour-free extract showing impressive skincare benefits: **Vetivyné™**.



Exclusive and patent-pending, rich in zizanoic acid, it has unique properties to **reactivate the entire lipids synthesis in the skin.**

Holistic skin lipids action

Proteomics



Global action on lipids & epidermis differentiation

First step, a proteomic analysis.

A proteomic analysis was performed:

- ▶ By LC-MS/MS
- ▶ On human skin explants
- ▶ 3 donors (54, 56 and 69 years old women)
- ▶ Product was applied at 1% (solution),
- ▶ Everyday for 6 days.

Cellular function	Proteins name	Fold expression	
Lipids metabolism & transport	ORM1 - Alpha 1 acid glyco-protein 1	0.57*	
	RTN4 - Reticulon-4	1.33*	
	CLTA - Clathrin light chain A	3.77*	
	SNX5 - Sorting nexin 5	1.72*	
	CERT - Ceramide transport protein	2.69*	
	TFG - Protein TFG	1.34**	
Epidermis differentiation	INV - Involucrin	1.59	
	KRT36 - Keratin type I cuticular Ha6	1.73**	
	DMKN - Dermokine	1.53**	
	LOR - Loricrin	3.39*	

*p<0.05 Student's t test
**p<0.01 Student's t test

Results:

VetivynTM

- ▶ stimulates the expression of a complete set of proteins involved in the multiple pathways
- ▶ targeting lipids production, lipids transport, and epidermis differentiation.

Improving sebum

In vitro

A neon sign with the word "IMPROVE" in a stylized, outlined font is mounted on a brick wall. The sign is illuminated with a bright blue light. The brick wall is made of light-colored bricks with dark mortar. The sign is held in place by several small black pins or screws. The overall scene is dimly lit, with the neon sign being the primary light source.

IMPROVE

Sebocytes stimulation

Lipids accumulation in sebocytes

Sebocytes were pre-incubated with or without **Vetivyne™** at **1%** for **4 hours**.

Then a **lipogenic mix** (vitamin C, vitamin D3, insulin and calcium) was added for **7 days more** of incubation.

Treatment was **renewed after 3 days**.


The **lipid content** was then evaluated using Bodipy® fluorescent labelling (lipids were made visible in green).

Results:


Vetivyne™ shows a significant

- ▶ **stimulation of sebocytes**, with an
- ▶ **increase of sebum lipids accumulation up to +31%** versus lipogenic mix only.


Untreated



Lipogenic mix



Lipogenic mix +
Vetivyne™ 1%



***p<0.001 Student's t test

Antimicrobial lipids (AML) content increase

In vitro


Sebocytes were cultivated in 3D culture and treated in systemic with or without **Vetivyne™** at **1%** for **7 days**.

The **content of free fatty acids** was then assessed by GC/MS to analyse their content in AML.

Results:

Vetivyne™ significantly

- **increases up to + 23% the content of antimicrobial lipids in sebum** (Lauric acid and Sapienic acid).



**p<0.01 Student's t-test

#p<0.05 Student's t-test

Building barrier function

in vitro / ex vivo

A neon sign spelling the word "BUILD" in a stylized, outlined font. The sign is mounted on a red brick wall. The letters are constructed from a series of connected loops, with small black dots visible at the joints. Several thin black wires hang down from the bottom of the sign. The background is a close-up of the brick wall, showing the texture and color of the bricks and mortar.


BUILD

Reactivation of lipids production 1/3

Ceramides and their precursors synthesis

Reconstructed Human Epidermis (**RHE**) were incubated with or without **Vetivyne™** at **1%** for **7 days**.

Lipids contained in RHE were then extracted and studied by the Thin Layer Chromatography and densitometric analysis to assess the **quantity of ceramides precursors in the RHE**.



Results:

Vetivyne™ significantly

- **increases up to +42% the production of ceramides** and their various precursors in the epidermis.

Reactivation of lipids production 2/3

Ceramides transport stimulation

Normal Human Keratinocytes (**NHEKs**)
were stimulated for **5 days**.

With or without **Vetivyne™ at 1%**.

Ceramide Transport Protein (CERT)
was then quantified by
immunofluorescence.


● CERT ● Nucleus

Results:


Vetivyne™ significantly

- ▶ **increases up to +124.5% the expression of CERT**
- ▶ enabling a better transport of the lipids in the epidermis.

Untreated



Vetivyne™ at 1%



***p<0.001 Student's t-test

Reactivation of lipids production 3/3

Boosting lipids content

Skin explants from a donor aged 69 were **topically treated**.

With or without **Vetivyne™ at 1%** for **6 days**.

The neutral lipids from skin were stained using LipidTOX™.

The immunostaining was quantified by microscopical observation (green fluorescence) to assess **stimulation of keratinisation**.


● Lipids ● Nucleus

Results:


As a result of boosting lipids production and transport, Vetivyne™ significantly

► **increases up to +29.6% the lipid content in the cornified envelope.**

Untreated



Vetivyne™ at 1%



**p<0.01 Student's t-test

Reactivation of skin barrier proteins

Ex vivo

Human skin explants were **assessed by proteomic** using LC-MS/MS for **quantification of dermokine, involucrin and loricrin**, 3 characteristic proteins of the cornified envelope.


It was from **3 donors**, 54, 56 and 69 y/o on which product was applied everyday for 6 days.

Results:

Vetivyne™ at 1% significantly

- ▶ **increases the expression of 3 major proteins of the stratum corneum,**
- ▶ **from +53% up to +239% in average.**

Increased of cornified envelope proteins
(Illustrative pictures from explants of a 69 y/o donor)



*p<0.05 Student's t-test

Boosting adipocytes

in vitro/ex vivo

A neon sign spelling the word "BOOST" in a bright pink, outlined font. The sign is mounted on a wall made of reddish-brown bricks. The letters are formed by a continuous tube of neon, with visible electrical connections and wiring at the base of each letter. The sign is illuminated, casting a soft glow against the brick background.

Improving adipocytes differentiation

In vitro

Pre-adipocytes were cultured for **13 days** with or without **Vetivyné™ at 3%**.

Lipid droplets, a marker of adipocytes differentiation, were then labelled using AdipoRed™ (a fluorescent lipid probe) to **quantify the differentiation**.


● Lipids ● Nucleus

Results:


Vetivyné™ significantly

- ▶ **increases the adipocytes differentiation,**
- ▶ **with an effect up to +3413%.**

Untreated



Vetivyné™ 3%



Increasing adipocytes volume 1/2

Ex vivo

Explants of full skin (epidermis, dermis and hypodermis) were treated or not with **Vetivyne™ at 3%**.

On D0, D1, D4 and D6, the product was topically applied.

On **D8**, explants were stained for microscopical analysis.


Adipocytes size determination was then performed by image analysis, by measuring their equivalent circular diameter.

Results:


Vetivyne™ significantly

- **increases the average size of adipocytes in the hypodermis**, as observed by microscopy.

Untreated



Vetivyne™ at 3%




Increasing adipocytes volume 2/2

Evolution of adipocytes size distribution and populations

It is also noticeable that a shift in the population of adipocytes can be observed after the use of Vetivyne™.

■ Untreated ■ Vetivyne™ 1%

*p<0.05 Student's t-test



20 – 60 µm

The number of « small » adipocytes increases by +26%,

- **reflecting the differentiation boost** observed in vitro. (Appearance of new small adipocytes from pre-adipocytes)

100 – 140 µm

The number of « large » adipocytes increases by +189%,

- **as a consequence of the average size increase and a better fat storage capacity.** (Accumulation of lipids in the existing adipocytes)

Clinical test #1

Skin hydration – Dry legs



Skin composition and hydration benefits

Clinical test #1

Protocol:

- ▶ Double blind versus placebo
- ▶ 20 volunteers
- ▶ Women from 50 – 70 y/o, average 63
- ▶ Dry legs (corneometry value <35)

Volunteers applied a placebo or the product containing Vetivyne™ at 2% on their legs twice a day for 28 days.


INCI:
AQUA/WATER, CAPRIC/CAPRYLIC TRIGLYCERIDE, CETEARYL WHEAT STRAW GLYCOSIDES, CETEARYL ALCOHOL, +/-PROPANEDIOL, +/-VETIVERIA ZIZANOIDES ROOT EXTRACT, DIMETHICONE, PHENOXYETHANOL, FRAGRANCE, SODIUM HYDROXIDE, METHYL PARABEN, PROPYL PARABEN, ETHYL PARABEN, HEXYL CINNAMAL, BUTYLPHENYL METHYLPROPIONAL, CITRONELLOL, ALPHA ISOMETHYL IONONE, HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXYALDEHYDE.



Unveil your body's beauty

Improvement of lipids conformation

At **D0** and **D28**, **Raman spectroscopy** was used to assess the **quality of lipids conformation** in the skin.



Results:


Vetivyne™ shows a significant

- ▶ **improvement of the lipids conformation in the skin,**
- ▶ **up to + 20.5%,**
- ▶ therefore increasing their compacity, and ultimately the barrier function.

Unveil your body's beauty

Increase of skin hydration

At **D0** and **D28**, **skin hydration** was analysed by corneometry.



Results:

Vetivyné™ shows a significant

► **increase of skin hydration up to +7.3%** on volunteers with dry skin.

*p<0.05 Student's t-test



Clinical test #2

Skin fatigue & Ageless benefits



A·E·O·O (ā/jiz)
age·ism (ā/jiz)
[1965–70] —
age·less (āj'
ever; eternal
age·long (ā
mato

Skin age reduction

Clinical test #2

Protocol:

- ▶ Double blind versus placebo
- ▶ 2 groups of 21 volunteers
- ▶ Women from 52 – 69 y/o, average 60
- ▶ Sagging face and wrinkles

Volunteers applied a placebo or the product containing Vetivyné™ at 2% on their face for 56 days, twice a day.

INCI:
AQUA/WATER, CAPRIC/CAPRYLIC TRIGLYCERIDE, CETEARYL WHEAT STRAW GLYCOSIDES, CETEARYL ALCOHOL, +/-PROPANEDIOL, +/-VETIVERIA ZIZANOIDES ROOT EXTRACT, DIMETHICONE, PHENOXYETHANOL, FRAGRANCE, SODIUM HYDROXIDE, METHYL PARABEN, PROPYL PARABEN, ETHYL PARABEN, HEXYL CINNAMAL, BUTYLPHENYL METHYLPROPIONAL, CITRONELLOL, ALPHA ISOMETHYL IONONE, HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXYALDEHYDE.




Improvement of tonicity and firmness and anti-fatigue effect

Skin biomechanical properties were measured by **cutometry** on **cheekbones**.

Focusing on the **-R6 and R9 parameters**, respectively representative of viscoelastic balance and of the fatigue effect.

At **D0**, **D28** and **D56**, face of the volunteers was analysed thanks to AEVA HE®, a patented projection unit combined with stereo imaging.



*p<0.05 Student's t-test

Results:

Vetivyné™ enables

- ▶ **A time-progressive and significant recovery of the skin biomechanical properties** on aged volunteers,
- ▶ with up to **+11.2%** recovery in **tonicity** and **firmness**
- ▶ and **-17.8%** of **skin fatigue decrease** versus placebo.


Results clearly visible on the 3D face images of the volunteers

Illustrative pictures from a 58 years old donor

D0

D28

D56



Smoothing of perilabial wrinkles

At **D0** and **D56** a particular focus was put into the **perilabial wrinkles** of the volunteers to quantify them thanks to AEVA HE®.


Results:

The daily application of Vetivyne™ enables a

- ▶ **significant effect for 100% of the volunteers** versus placebo in **2 months**,
- ▶ with an average reduction of **-18%***** of the perilabial wrinkles.

Decrease of perilabial wrinkles

(illustrative pictures from a 60 years old donor)



***p<0.001 Student's t-test

Self assessment of the skin benefits

All volunteers were asked to assess the benefits of Vetivyne™ for their skin at D56

My skin is more hydrated.

76%



Givaudan

My skin is more pleasant and comfortable.

72%



Confidential and proprietary business information of Givaudan

My skin is nourished.

71%



Clinical test #3

Fragrance boosting benefits



Fragrance boosting benefits

Clinical test #3

Thanks to the observed skin benefits, hypothesis was made that Vetivyné™ could impact on fragrances behaviour.

Protocol:

- ▶ 20 women
- ▶ Twice a day on the forearms
- ▶ During 28 days

Volunteers applied a placebo on one arm and the product containing Vetivyné™ at 2% on the other.

One day after the end of the treatment, a fine fragrance was applied to both of their forearms

INCI:

AQUA/WATER, CAPRIC/CAPRYLIC TRIGLYCERIDE, CETEARYL WHEAT STRAW GLYCOSIDES, CETEARYL ALCOHOL, +/-PROPANEDIOL, +/-VETIVERIA ZIZANOIDES ROOT EXTRACT, DIMETHICONE, PHENOXYETHANOL, FRAGRANCE, SODIUM HYDROXIDE, METHYL PARABEN, PROPYL PARABEN, ETHYL PARABEN, HEXYL CINNAMAL, BUTYLPHENYL METHYLPROPIONAL, CITRONELLOL, ALPHA ISOMETHYL IONONE, HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE.




Enjoy a long-lasting sensual fragrance

Self-assessment of long-lastingness

Volunteers were asked to **rank the olfactive intensity** of the fine fragrance.

2 hours and **4 hours** after its application on their skin.



*p<0.05 Student's t-test
#p<0.1 Student's t-test


Results:

Vetivyné™ demonstrates a

- ▶ **Boosting effect** of fragrances long-lastingness
- ▶ Significantly increasing the **fragrance olfactive intensity**
- ▶ Hours after application, **up to +25%.**


Benefit from a fragrance boost!

Professional fine fragrance evaluator opinion




To confirm the benefits of Vetivyne™ in terms of fragrance boosting properties, a professional fine fragrance evaluator was asked to assess the differences in terms of olfactive properties between the 2 forearms of the volunteers.

*"By emphasising fragrances heart and base notes over time, Vetivyne™ demonstrates a real interest as a **fragrance sensuality booster.**"*



Summary

Fragrance inspired
skin youth booster!




Vetivyne™ acts on the three main lipids sources in the skin

Mode of action


Before

1. Loss of Hydration
2. Less firmness and tonicity
3. Sagging skin and wrinkles



After

1. Improvement of skin hydration
2. Reduction of wrinkles and skin fatigue
3. Fragrance enhancing properties



Consumers benefits


Vetivyne™

Claims:

- ▶ Stimulation of sebum production
- ▶ Stimulation of sebum antimicrobial lipids production
- ▶ Activation of adipocytes volume increase
- ▶ Skin hydration
- ▶ Skin tonicity booster
- ▶ Skin fatigue reduction
- ▶ Perilabial wrinkles reduction
- ▶ Skin repulping
- ▶ Fragrance long-lastingness enhancer

Applications:

- ▶ Serums for dry skin
- ▶ Anti-ageing perilabial serum
- ▶ Anti-ageing night & day creams
- ▶ Anti-fatigue essence
- ▶ Skin tonifying mask
- ▶ Anti-acne cream
- ▶ Body lotion to increase fragrance long-lastingness



Unveil your body's beauty

Skin Plump'

Featuring Vetivyne™,
fragrance inspired skin youth booster

Inspired from green technology



Givaudan

engage your senses

Skin plump'

VetivynTM - SoligelTM - Uniprosyn[®] PS 18 - Syner-GXTM - Kendi oil

Ref.: SC 18-8

Phase	INCI name	Commercial name	Supplier	Dosage
A	Cetearyl wheat straw glycoside, Cetearyl alcohol Aleurites moluccanus seed oil Dimethicone	Xyliance Kendi oil Xiameter pmx-200 silicone Fluid 350cSt	Givaudan AB Givaudan AB Dow corning	4% 3% 2.5%
	Cyclopentasiloxane, Dimethiconol Isopropyl palmitate Mineral oil/Paraffinum liquidum Phenoxyethanol, Ethylhexylglycerin BHT	Xiameter PMX-1501 Fluid Dub IPP Marcol 82 Euxyl PE 9010 BHT	Dow corning Stearinerie Dubois Exxonmobil Clariant Sigma	3% 2% 1% 1% 0.05%
B	Aqua / Water Rhizobian gum Glycerin Cyamopsis tetragonoloba (guar) gum, Xanthan gum Sodium stearoyl glutamate Butylene Glycol, Hydrolyzed Oat Protein, Niacinamide, Adenosine Triphosphate	SoligelTM Vegetal glycerin rapeseed Syner-GXTM	Givaudan AB Oleon Givaudan AB	SQ 100% 0.1% 1% 0.1%
		Amisoft HS11PF Uniprosyn[®] PS 18	Ajinomoto Givaudan AB	0.5% 3%
C	Propanediol, Water, Vetiveria zizanoides root extract	VetivynTM	Givaudan AB	2%
D	Fragrance	Lips passion fruit 16 EAF42865/00	Givaudan	0.05%

Process

1. Prepare A and B and heat under gentle stirring at 75°C in a Bain-Marie;
2. At 75°C, add B in A under high speed mixing at 3000 rpm for a few minutes;
3. Let it cool down at room temperature under gentle stirring;
4. At 35°C, add successively C and D under high speed mixing at 3000 rpm for a few minutes.

Aspect: White cream • Viscosity : 13000 mPa.s (Brookfield DVIII Ultra, Spindle E, Speed 12 at 20°C) • pH : 6.31

Technical information

Vetivyne™

INCI

Vetiveria Zizanoides Root Extract (and)
Propanediol (and) Water

Origin

Vegetal Extraction

Preservation

None

Appearance

Amber liquid

Solubility

Water soluble

Dosage

1-3%

Processing

Can be added at the beginning or at
the end of the formulation process into
the water phase. Formulate at T°
below 40°C, and pH between 4 and 10.

Compliance



Approval pending



« It's important to send the message to women that there isn't an age limit on beauty. »

Andie MacDowell, American actress and fashion model.

Thank you

Marketing team
Global.cosmetic@givaudan.com

Givaudan Active Beauty Sales offices

Europe

Givaudan France SAS
17-23 rue de la Voie des Bans
FR-95100 Argenteuil (France)

Givaudan UK Ltd
Magna House
76-80 Church Street
Staines, TW18 4XR (United Kingdom)

North America

Givaudan Fragrances Corp.
40 W – 57th Street - Floor 17
NY 10019 - New York (United States)

Asia Pacific

Givaudan Singapore Pte Ltd
1 Pioneer Turn
627576 Singapore (Singapore)

Givaudan Shanghai Ltd
298 Li Shi Zhen Road
Pudong Zhang Jiang High Tech Park
201203 Shanghai (China)

Latin America

Givaudan do Brasil Ltda
Av. Engº Billings - 2185, Edifício 31, 1ºAndar - Jaguaré
05321-010 São Paulo - SP (Brazil)

global.cosmetic@givaudan.com