


SymCalmin®

Intelligent itch reducer



1		<i>Itchiness: the most frequent skin concern</i>
2		<i>Dihydroavenanthramide D: the power inspired by oat</i>
3		<i>Efficacy</i>
4		<i>ID card</i>
5		<i>From consumer desires to cosmetic formulations</i>

Itchiness

*The most frequent
skin concern*

Itchiness

A symptom of time

IT EXISTS TWO TYPES OF ITCHING

▶ **Itchy rash** (short-term acute) usually disappears within a **few days**. *Moderate itchy rashes refer to allergic reactions, hives, insect bites, nettle rash.*

▶ **Severe long-term itching** (chronic) lasts for **several weeks**. *It's closely linked to dryness and dermatoses and leads to scratching that causes secondary skin changes like:*

Excoriation: abrasions of the skin caused by scratching or rubbing

Lichenification: epidermis thickening due to chronic scratching

*MORE THAN 1/5 PEOPLE
experience
LONG-TERM ITCHING
once in their life.*




Itchiness

The most frequent skin symptom of mature skin

A MATURE SKIN CONCERN

- ▶ *Itching prevalence increases with age:
**Itch is the most common skin complaint
in people over the age of 65***
- ▶ *Confirmed in a second study showing that
**20% of seniors aged 61-70
experienced LONG-TERM ITCHING***




Itchiness

A major consequence of sensitive skin with related symptoms

Itchy skin is often associated with other symptoms:

35%	<i>Burning / Stinging</i>
34%	<i>Redness</i>
32%	<i>Pimples</i>
31%	<i>Dryness / Dehydration</i>



Itchiness

The most frequent skin symptom in dermatology


MORE THAN 1/2 DERMATOLOGICAL
CONSUMERS EXPERIENCE
MILD TO SEVERE ITCHING

▶ Atopic dermatitis, eczema, psoriasis

*79% of psoriasis subjects
have itching daily*

▶ Acne-prone skin

*Up to 70% teenagers
with acne suffer from itching*



▶ Itch is the main dermatological
symptom in pregnancy, occurring
in 18% of pregnancies

▶ Diabetic skin

*10% of diabetic subject
experienced itching*

Itchiness


How it works?

EXTERNAL FACTORS

- Stress / anxiety
- Pollution
- Shaving, waxing...
- Low or intense cleansing
- Chemical treatments (peelings, dyes...)

INTERNAL FACTORS

- Dry (& elderly) skin/scalp
- Eczema, allergic-prone skin, diabetic skin
- Dandruff
- Insect bites, pro-itching agents (pollen, stinging nettle etc.)
- Sebum oxidation




EPIDERMIS

DERMIS

Itchiness

Focus on crosstalk between mast cells & nerves ending in the dermis



CONSUMERS ARE LOOKING FOR AN INTELLIGENT SKIN CARE ABLE TO COUNTERACT THE VICIOUS CYCLE OF ITCHING AND REDUCE BOTH SHORT AND LONG TERM ITCHY SENSATIONS

Dihydroavenanthramide D

The power inspired by oat

AVENANTHRAMIDES: THE POWER OF OAT


- ▶ Oat (*Avena sativa*) has been traditionally used to relief itching for centuries.
- ▶ **Avenanthramides**: polyphenols exclusively found in Oat with **anti-itch** activity
- ▶ Oat extract standardized in 100 ppm avenanthramides is efficient vs short-term itching sensations (mild to moderate itchy rash)

100% natural oat avenanthramide extract, **DragoCalm®**, significantly reduces acute itching. It is perfectly suitable for young skin concerned by minor itching episodes.

A higher concentration of avenanthramides is needed to be efficient against more long-term chronic itching episodes associated with dry mature skin and dermatoses. However, avenanthramides are present at relatively low content in oat and natural-based product contains lower amounts of avenanthramides.

THIS IS THE REASON WHY SYMRISE HAS DEVELOPED **SymCalmin®**, AN ACTIVE SOLUTION RICH IN A SYNTHETIC AVENANTHRAMIDE DERIVATIVE, DIHYDROAVENANTHRAMIDES D, TO TARGET BOTH SHORT-TERM AND LONG-TERM ITCHING SENSATIONS

A 8-years research program on avenanthramides synthesis



Dihydroavenanthramide D mode of action

MODULATES THE NEUROSENSORY CHAIN REACTION AT THE SOURCE OF ITCHINESS

- ▶ SymCalmin® is the result of years of research from Symrise on oat avenanthramides synthesis
- ▶ Selected among 40 synthetic avenanthramide derivatives, Dihydroavenanthramide D has revealed to be the best candidate considering its stability and proven mechanism of action against itching mediators.

NK-1 R MODULATION

Dihydroavenanthramide D inhibits the activation of NK-1 receptor by substance P

in vitro test in NK-1 receptor over-expressing cells

REDUCTION OF HISTAMINE RELEASE

Dihydroavenanthramide D inhibits histamine release from mast cells

in vitro test in mast cells

SymCalmin® is a highly concentrated solution standardized at 50 000 ppm Dihydroavenanthramide D.


Dihydroavenanthramide D – in vitro study

NK-1 RECEPTOR MODULATION

Dihydroavenanthramide D action vs calcium release in response to substance-P / NK-1 interaction

Dihydroavenanthramide D dose dependently **reduces** substance P -induced calcium release in **NK-1R overexpressing** cells.

=> SymCalmin®:
NK-1R mediator & Mast cell stabilizer.
Avoid Mast cell degranulation.



Protocol

Effect of Dihydroavenanthramide D on calcium release in response to substance-P interaction with NK-1 receptor on NK-1R overexpressing cells. Dihydroavenanthramide D was tested at concentrations of 500ppm (1% SymCalmin®), 750 ppm (1,5% SymCalmin®) and 1000 ppm (2% SymCalmin®) in association with Substance P as NK-1 agonist vs Substance P alone. Calcium release was measured by fluorescence at 340 and 380 nm for 120s.


Dihydroavenanthramide D – in vitro study

HISTAMINE RELEASE REDUCTION

Dihydroavenanthramide D action in response to substance-P stimulation

Dihydroavenanthramide D dose-dependently **reduces the release of histamine**, marker of itchiness from peritoneal mast cells, stimulated by substance P.

Highest inhibitory activity at 500 ppm = 1% SymCalmin®



Protocol

Study to determine the effect of Dihydroavenanthramide D on histamine release from peritoneal mast cells stimulated by substance P (10 µmol).


Secreted histamine quantified by measuring the fluorescence intensity using a spectrofluorometer.

The tested concentrations correspond to respectively 0,001% - 0,01% - 0,1% & 1% SymCalmin®.

Results are mean % of histamine release calculated with the value of the respective solvent control (ethanol 0.5%)

SymCalmin[®]

Intelligent itch reducer




SymCalmin[®] MODULATES THE ACTIVATION OF NK1 RECEPTOR
AND REDUCES THE HISTAMINE RELEASE RESPONSIBLE OF THE ITCHY SENSATION

SymCalmin®

Efficacy

INTELLIGENT ITCH REDUCER



MODE OF ACTION

- Modulates NK-1 receptor
- Modulates histamine release

in vitro
in vitro

ITCHY SKIN RELIEF

- 1 SHORT TERM
- 2 LONG TERM

- Immediately reduces skin itchiness in 30 min
- Immediately reduces itching-related redness
- In 2 weeks reduces symptoms related to itching

in vivo
in vivo
in vivo

ITCHY SCALP RELIEF

- 3 SHORT TERM
- 4 LONG TERM

- Immediately reduces scalp itchiness in 30 min
- Reduces scalp itching after 5 days
- Reduces scalp itching related to dandruff after 42 days

in vivo
in vivo
in vivo

5 ANTIOXIDANT

- Reduces the damages induced by free radicals

in vitro

INNOVATION

*SymCalmin® by Symrise provides both **short and long-term reduction of itching sensation**, thanks to its high content in dihydroavenanthramide D and intelligent mechanism of action at the source of itchiness. SymCalmin® also **helps relieving histamine-induced redness** and associated itching-related symptoms. In addition SymCalmin® is a **potent antioxidant**.*

Instant & long-term effects vs Itching and associated symptoms

1

SHORT-TERM

- ▶ vs Itching: significant reduction in only 30 min: -39% vs placebo.
- ▶ vs Redness: full disappearance of redness in only 2h30 with first significant benefits observed only 30 min after application.

Double-blind in vivo study - Prick test - 1% SymCalmin® applied on forearms.

2

LONG-TERM

- ▶ vs Itching: -62% reduction of itching sensation after 2 weeks
- ▶ vs Itching related clinical symptoms: significant reduction of scaling, redness, lichenification and excoriation after 2 weeks of application.

Double-blind cross-over in vivo study on itchy mature skin at 2% SymCalmin®.

SymCalmin®




Skin itching reduction - in vivo study

IMMEDIATE ITCH RELIEF

Prick test evaluation of histamine-induced itch sensation on human skin

SymCalmin® clearly reduces the itching sensation in only 30 min by 39% vs placebo!



Protocol

Itching induced by histamine hydrochloride - 10 subjects (4 females & 6 males) aged 19-49

Self-visual assessment using scoring scale

Once application of 1% SymCalmin® (500ppm Dihydroavenanthramide D) or placebo on inner sides of forearms

*p < 0.05 versus placebo

SymCalmin®




Skin redness reduction - in vivo study

IMMEDIATE & COMPLETE REDNESS RELIEF

Prick test evaluation of histamine-induced redness on human skin

SymCalmin® visibly reduces redness in **only 30 min** by **26%** vs placebo.

Complete disappearance of redness in 2h30!



Protocol

Itching & inflammation induced by histamine hydrochloride - 10 subjects (4 females & 6 males) aged 19-49

Self-visual assessment using scoring scale

Once application of 1% SymCalmin® (500ppm Dihydroavenanthramide D), or placebo on inner sides of forearms.

*: $P < 0.05$ vs placebo

Excoriation: abrasions of the skin caused by scratching or rubbing
Lichenification: epidermis thickening due to chronic scratching

SymCalmin®




Skin itching reduction - in vivo study

LONG-TERM ITCH RELIEF

Cross-over study - evaluation by investigator on **dry mature skin**

SymCalmin® significantly reduces itching sensation by 62% after 2 weeks.



Protocol

4 week double-blind cross-over study on 40 subjects aged 35-80 with dry & itchy skin (itch rating score 5 on a 10-point scale).

20 Subjects use SymCalmin® at 2% (1000 ppm / 0.1% Dihydroavenanthramide D) or Placebo for the first 2 weeks and cross over at week 2 to use the other product (SymCalmin® 2% or the Placebo) for the 2 remaining weeks. Itching evaluated by score scaling from 0 – none to 9 – Severe. Self-assessment evaluation.

###p < 0.001 vs baseline

SymCalmin®




Itching-related symptoms - in vivo study

REDUCTION OF ITCHING-RELATED SYMPTOMS AFTER 2 WEEKS

Cross-over study - evaluation by investigator on dry mature skin

SymCalmin® significantly reduces the clinical symptoms associated with dry itchy skin such as scaling, erythema, excoriation & lichenification after 2 weeks.



Protocol

4 week double-blind cross-over study on 40 subjects aged 35-80 with dry & itchy skin (itch rating score 5 on a 10-point scale). 20 Subjects use SymCalmin at 2% (1000 ppm / 0.1% Dihydroavenanthramide D) or Placebo for the first 2 weeks and cross over at week 2 to use the other product (SymCalmin 2% or the Placebo) for the 2 remaining weeks. Parameters evaluated by score scaling from 0 – none to 9 – Severe: Investigator assessment

####P < 0.001 vs baseline

*P= 0.041 vs placebo

**P= 0.037 vs placebo

Excoriation: abrasions of the skin caused by scratching or rubbing

Lichenification: epidermis thickening due to chronic scratching

Scaling skin is the loss of the outer layer of the epidermis in large, scale-like flakes.

Instant & long-term effects vs Itching and associated symptoms

1

SHORT-TERM

- ▶ **vs Itching: 69% more efficient vs placebo in decreasing itchy scalp sensations after only 30 min**

Single-blind cross over in vivo study - 1% SymCalmin®.

2

LONG-TERM

- ▶ **vs Itching: 67% reduction of itching sensations vs placebo after 5 days.**

Single-blind cross over in vivo study - 1% SymCalmin®.

- ▶ **vs Itching: -17% reduction of itchy scalp sensation related to dandruff after 42 days. Synergistic combination with Crinipan AD**

In vivo study – 500 ppm DHAD (1% SymCalmin®) + Climbazole (0.2% Crinipan® AD).

SymCalmin®




Scalp itching reduction - in vivo study

IMMEDIATE RELIEF OF ITCHY SCALP

Cross-over study – self assessment evaluation on itchy scalp after single application of lotion

SymCalmin®
significantly decreases
itching sensation on scalp
by 69% after 30 min
vs placebo!



Protocol

Clinical randomized single blind cross over clinical evaluation. 18 volunteers (9 males & 9 females), 18-60 years, suffering from itchy scalp. After baseline evaluation, application of 2 ml of SymCalmin® Lotion (1%) or Placebo Lotion on each volunteer's scalp.

After 30 min, self-assessment evaluation of the decrease in itching sensation by a 4-point scoring scale.

* $P < 0.05$ vs placebo

SymCalmin®




Scalp itching reduction - in vivo study

LONG-TERM ITCH RELIEF ON SCALP

Cross-over study – self assessment evaluation of itchy scalp after 5 days (lotion)

SymCalmin® significantly decreases itching sensation on scalp by 67% after 5 days vs placebo (D5 vs D0)



D5 placebo: 1,6 (mild to moderate) vs D0 placebo 1,8 (mild to moderate). **D5 - D0: -0,2**

D5 SymCalmin: 0,9 (absent to mild) vs D0 SymCalmin 1,5 (Mild to moderate). **D5 - D0: -0,6**

Protocol

Clinical randomized single blind cross over clinical evaluation. 18 volunteers (9 males & 9 females), 18-60 years, suffering from itchy scalp

After baseline evaluation, application of 2 ml of SymCalmin® Lotion (1%) or Placebo Lotion on each volunteer's scalp for 5 days.

After 5 days, self-assessment evaluation of itching and burning sensations according to a 4-point scale. **Here, the score difference D5-D0 of each group is determined.**

*P < 0.05 vs placebo

1. Instant skin relief

2. Long-term skin relief

3. Instant scalp relief

4. Long-term scalp relief

5. Antioxidant

SymCalmin®



Dandruff related itching reduction - in vivo study

ADDITIONAL BENEFITS WITH CLIMBAZOLE

Self assessment evaluation after 21 and 42 days on itchy flaky scalp




SymCalmin® combined with Climbazole significantly **decreases itching sensations related to dandruff** after 21 and 42 days.

Higher efficacy compared to Climbazole alone
= **Additional effects**

Protocol

6 week study on 24 male subjects aged up to 60 with moderate to severe dandruff itching.

12 subject applied with Shampoo A with Crinipan® AD (Climbazole, (0.2%) only and the 12 others with Shampoo B formulating with Dihydroavenanthramide D 1% (500 ppm, 1% SymCalmin®) and Crinipan® AD (0.2%). Application of the active shampoo every second day. Itching self-assessed by scoring at D21 and D42.



#P < 0.05 vs baseline

Patents: EP1959915(B1) and US8911795(B2)


SymCalmin®



Dihydroavenanthramide D - ABTS assay in vitro study

ANTIOXIDANT EFFICACY

Dihydroavenanthramide D
(0.015% SymCalmin®)
reduces 50% of free
radicals



Protocol


Reductive discoloration of the green colored ABTS radical by Dihydroavenanthramide D. The discoloration is measured spectrophotometrically at 734 nm. 5 concentrations tested. IC50 value at 50% Inhibitory concentration simply denotes the concentration of test sample required to scavenge 50% of the ABTS free radicals and it is always compared with the standard (here Trolox)

REMAINS ON SKIN

Application of different rinse-off products

The lower the oil content, the higher the substantivity.

For an improved substantivity the oil content should be kept low.



Protocol

Application of product containing 2% SymCalmin® on artificial skin (20 cm²), rubbing in & rinse-off process.

Shampoo, shower oil & in-shower lotion (threefold determination) // micellar water (double determination). Extraction process in approx. 10 ml Ethanol


Evaporation of ethanol for concentrating the extract to < 1 ml // fill up to 1 ml

Quantification of Dihydroavenanthramide D via HPLC

SymCalmin®

ID Card



INCI : Butylene Glycol, Pentylene Glycol, Hydroxyphenyl Propamidobenzoic Acid Product Number: 143535 Appearance: clear to slightly cloudy liquid, colorless to yellow, odorless Solubility: oils, ethanol, glycols, surfactants Recommended use level: 1 - 2% pH stable: between 4 to 9 Temperature stable: up to 80° C			Instantly soothes ITCHY SKIN & SCALP in only 30 minutes		
			+ LONG-TERM RELIEF		
			Makes skin & scalp MORE COMFORTABLE		
 OAT-INSPIRED INTELLIGENT ITCH REDUCER		NATURE INSPIRED	Quickly reduces REDNESS		NEUROSENSORY SOOTHING Reduces symptoms of DRY ITCHY SKIN
Dihydroavenanthramide D 50 000 ppm		100% READILY BIODEGRADABLE	ANTIOXIDANT		
 PATENTED		 SUITABLE VEGAN	MAIN APPLICATIONS • SENSITIVE & DRY SKIN CARE • MATURE SKIN CARE • AFTER-SHAVE • SCALP CARE • DANDRUFF RELATED ITCH • FACE & BODY CARE • MASKS & RINSE-OFF CARE		
 HALAL		 CHINA COMPLIANT			

MARKETING

- **Nature inspired** molecule selected among 40 avenanthramide synthetic derivatives
- Modulates the neurosensory chain reaction at the source of itchiness: **NK-1 receptor modulation**
- Both **short & long-term effects vs itching on skin & scalp**
- Ideal for **dry itchy & mature skin**
- Significantly **reduces both skin itching and redness in 30 min**
- Significantly **breaks the vicious circle** between mast cells & nerve endings
- Provides **antioxidant benefits**

TECHNICAL

- **Easy to formulate** (soluble in ethanol, glycols and common cosmetic oils)
- **Patented**
- **Cost effective**
- **Wide range of applications:** face & body and scalp care products. **Suitable for rinse-off applications.**
- **Award:** New Technology Finalist Award (by HBA and Cosmetics & Toiletries) in 2005
- **China compliant:** IECIC listed
- **Halal & Suitable Vegan**
- **Readily biodegradable**





Inspirations

*From consumer desires
to cosmetic formulations*

INTELLIGENT ITCH REDUCER



- ▶ Sensitive skin
- ▶ Dry to very dry skin
- ▶ Mature skin
- ▶ Atopic-prone skin
- ▶ Scalp

SKIN IS

- ✓ MORE COMFORTABLE
- ✓ LESS ITCHY
- ✓ WITHOUT REDNESS

SCALP IS

- ✓ MORE COMFORTABLE
- ✓ LESS ITCHY

- Neurosensory soothing inspired by oat
- Soothing skin active rich in Dihydrovenanthramide D

- ✓ **Instantly calms** skin from discomfort such as itching
- ✓ **Long-lasting skin comfort**
- ✓ **Soothes** itchy and dry skin
- ✓ **Visibly reduces redness**
- ✓ **Calms dry skin discomfort**
such as scaling, erythema, excoriation & lichenification
- ✓ **Soothes immediately itching sensation on scalp**
- ✓ **Relieves itching sensation induced by dandruff**



PsoriaSym

Soothing body care

For a soothed atopic prone skin, relieved from itch, scaling & redness.



Youth Comfort

Smoothing & soothing body care

For a smoother mature skin, soothed from dryness & itching



Belly Care

Moisturizing & soothing

For a nourished skin, relieved from itching & prevented from stretch marks



SOS Baby Stick

Instant relief from dryness & itching

For a stronger baby skin, relieved from itch, redness & dryness.

SymCalmin®

Concepts collection



Ultra Calming Mask

Soothing & refreshing


For a comfortable & relaxed skin, relieved from itching and redness.



FresHead Shampoo

Soothing & refreshing

For a fresh & comfortable scalp, relieved from itching.



CleanHead Shampoo

Itch & dandruff control

For a clean & fresh scalp, relieved from itching and dandruff.

symrise

PSORIASYM

Soothing body care
for very dry skin
to atopic skin

*This moisturizing cream **relieves**
short and long-term itching sensations
and reduces redness and scaling.
Quickly absorbed, its caring texture brings
back **ultra comfort.***



Phase	Material Name	EU INCI	% Material	Supplier	30/CCSKN19033/00
A	Emulsiphos® (677660)	POTASSIUM CETYL PHOSPHATE HYDROGENATED PALM GLYCERIDES	2.0	SYMRISE	
	Dracorin® GOC (683541)	GLYCERYL OLEATE CITRATE CAPRYLIC/CAPRIC TRIGLYCERIDE	0.5	SYMRISE	Operating Instructions Premix phase A without Keltrol® CG-SFT and Sensocel® stab 026. Then heat up to 80°C and disperse the thickeners into the hot oil phase by using an Ultra Turrax®. Weigh in phase B and heat up to 80°C. Add phase B to phase A and homogenize (15000rpm/1 min per 100g, Ultra Turrax® T25). Let cool down to room temperature while stirring. Add phase C one after the other below 40°C. The pH value of the finished product should be approx. 5.5-6.0 and has to be checked.
	Kahlwax 6290 Berry Wax	RHUS VERNICIFLUA PEEL CERA	2.0		
	Mango Butter (621258)	MANGIFERA INDICA SEED BUTTER	2.0	SYMRISE	
	Avocado Oil (212535)	PERSEA GRATISSIMA OIL	4.0	SYMRISE	
	SymMollient® S (181598)	CETEARYL NONANOATE	3.0	SYMRISE	
	SymMollient® PDCC (102129)	PROPANEDIOL DICAPRYLATE/CAPRATE	2.0	SYMRISE	
	SymDecanox® HA (972276)	CAPRYLIC/CAPRIC TRIGLYCERIDE HYDROXYMETHOXYPHENYL DECANONE	1.0	SYMRISE	
	Keltrol® CG-T	XANTHAN GUM	0,3	CP KELCO	
B	Sensocel® stab 026	MICROCRYSTALLINE CELLULOSE CELLULOSE GUM	2.0	CFF GmbH & Co. KG	
	Aqua/Water	AQUA	77.9	/	
	SymDiol® 68 (844033)	1,2-HEXANEDIOL, CAPRYLYL GLYCOL	0,5	SYMRISE	
C	SymSave® H (979940)	HYDROXYACETOPHENONE	0,5	SYMRISE	
	SymCalmin® (143535)	PENTYLENE GLYCOL, BUTYLENE GLYCOL, HYDROXYPHENYL PROPAMIDOBENZOIC ACID	2.0	SYMRISE	Fragrance 130951 Gio Watery Unisex
	Fragrance	PARFUM	0.3	SYMRISE	

SOS BABY STICK

instant relief
from dryness & itching

*Does your baby wriggle and wince?
Relieve his urgent need to scratch
with this SOS stick!*

*High tolerance, this melting stick
instantly soothes dry itchy patches
of fragile, sensitive baby skin.*



symrise 



- ✓ CALMS & BRINGS INSTANT COMFORT
- ✓ REDUCES REDNESS
- ✓ MOISTURIZES AND VISIBLY REDUCES DRYNESS

SOS Baby Stick

Instant relief from dryness & itching



PHASE	MATERIAL NAME	INCI	%	SUPPLIER
A	Dehymuls® PGPH	POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE	5.25	BASF
	Tegosoft® MM	MYRISTYL MYRISTATE	1.00	EVONIK
	Nat Rice Bran Wax	ORYZA SATIVA BRAN CERA	3.00	POTH HILLE
	Lanette® 18	STEARYL ALCOHOL	6.00	BASF
	Candelilla Wax	EUPHORBIA CERIFERA CERA	6.00	KOSTER KEUNEN
	Cacao Butter, refined	THEOBROMA CACAO SEED BUTTER	0.50	/
	Caprylic/Capric Triglyceride	CAPRYLIC/CAPRIC TRIGLYCERIDE	5.00	/
	Jojoba Oil (Organic) (172792)	SIMMONDSIA CHINENSIS SEED OIL	10.00	SYMRISE
	Bentone Gel® GTCCV	CAPRYLIC/CAPRIC TRIGLYCERIDE, STEARALKONIUM HECTORITE, PROPYLENE CARBONATE	2.50	ELEMENTIS
	Sweet Almond Oil (Organic) (600828)	PRUNUS AMYGDALUS DULCIS (SWEET ALMOND) OIL	10.00	SYMRISE
	Cutina® HR	HYDROGENATED CASTOR OIL	2.50	BASF
	Zinc Oxid PI (100233)	ZINC OXIDE	1.20	SYMRISE
B	Cetiol® SB 45	BUTYROSPERMUM PARKII (SHEA) BUTTER	0.50	BASF
	Tocopheryl Acetate	TOCOPHERYL ACETATE	0.30	/
	Aqua/Water	AQUA	35.75	/
	Magnesium Sulfate Heptahydrate	MAGNESIUM SULPHATE HEPTA HYDRATE	0.50	MERCK
	Glycerin	GLYCERIN	5.00	/
C	SymOcide® PS (510179)	PHENOXYETHANOL, DECYLENE GLYCOL, 1,2-HEXANEDIOL	1.00	SYMRISE
	Hydrolite® 5 green (996442)	PENTYLENE GLYCOL	1.00	SYMRISE
D	SymReboot™ L19 (846066)	MALTODEXTRIN, LACTOBACILLUS FERMENT	0.50	SYMRISE
D	SymCalmin® (143535)	PENTYLENE GLYCOL, BUTYLENE GLYCOL, HYDROXYPHENYL PROPAMIDOBENZOIC ACID	2.00	SYMRISE
E	Fragrance	PARFUM	0.50	SYMRISE

67/CSBBY19003/01

Operating Instructions

Heat separately phase A and phase B to 80°C.
Add very slowly phase B into phase A under gentle agitation using a Rayneri with deflocculator.
Keep stirring and let cool down until 65°C, then add phases C, D and E.
Between 70°C and 72°C, pour into the packaging.

Fragrance
242536 COCOON

TENTATIVE FORMULA

YOUTH COMFORT BODY CARE

Smoothing & soothing
from dryness & itching

*This creamy texture actively
nourishes very dry skin, **calms itching**
sensation on both short and long-term
while **bringing back ultra-comfort**
and smoothness to mature skin.*



symrise



Youth Comfort Body Care

Smoothing & soothing





Phase	Material Name	EU INCI	% Material	Supplier	67/CCSKN1803/01
A	Emulsiphos® (677660)	POTASSIUM CETYL PHOSPHATE HYDROGENATED PALM GLYCERIDES	2,0	SYMRISE	
	Dracorin® GOC (683541)	GLYCERYL OLEATE CITRATE CAPRYLIC/CAPRIC TRIGLYCERIDE	0,5	SYMRISE	Operating Instructions Weigh all the raw material of Phase A and heat to 80°C. Phase B: Sprinkle Carbopol Ultrez 21 on the surface of the water and let to swell. Add the remaining raw materials and heat up to 80°C. Add phase B into Phase A under strong agitation with an Ultra Turrax. Let cool down to room temperature under gentle agitation. At T°<40°C add phase C and check pH and neutralize to get a final pH 5-5,5 with phase D.
	Lanette® O	CETEARYL ALCOHOL	3,0	BASF	
	PCL-Liquid® 100 (660089)	CETEARYL ETHYLHEXANOATE	4,0	SYMRISE	
	SymMollient® S (181598)	CETEARYL NONANOATE	4,0	SYMRISE	
	Murumuru Butter Refined (736043)	ASTROCARYUM MURUMURU SEED BUTTER, HELIANTHUS ANNUUS SEED OIL, TOCOPHEROL	2,0	SYMRISE	
B	Aqua/Water	AQUA	72,1	/	Viscosity: 35700 cP Spindle: 27 / Speed (RPM): 5 / Temp(°C): 20
	Dragosine® (844033)	CARNOSINE	0,2	SYMRISE	
	Carbopol® Ultrez 21	ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER	0,2	LUBRIZOL	
	Polymer				
	Glycerin	GLYCERIN	3,0	/	
	Keltrol® CG-T	XANTHAN GUM	0,1	CP KELCO	
	SymSave® H (979940)	HYDROXYACETOPHENONE	0,5	SYMRISE	
C	Hydrolite® 6 (841129)	1,2-HEXANEDIOL	1,0	SYMRISE	FRAGRANCE- FREE
	SymGlucan® (151719)	AQUA, GLYCERIN, 1,2-HEXANEDIOL, CAPRYLYL GLYCOL, BETA-GLUCAN	5,0	SYMRISE	
	SymCalmin® (143535)	PENTYLENE GLYCOL, BUTYLENE GLYCOL, HYDROXYPHENYL PROPAMIDOBENZOIC ACID	2,0	SYMRISE	
D	Sodium Hydroxide 10% solution	AQUA SODIUM HYDROXIDE	0,4	/	

BELLY CARE

Moisturizing & soothing
from dryness & itching

*High tolerance formula,
this nourishing texture actively supports the
skin as it stretches during pregnancy,
designed to **relieve itching**, moisturize and
reduce the appearance of stretch marks.*



symrise 



Belly Care Body Care

Moisturizing & soothing



Phase	Material Name	EU INCI	% Material	Supplier	67/CCSKN1803/01
A	Emulsiphos® (677660)	POTASSIUM CETYL PHOSPHATE HYDROGENATED PALM GLYCERIDES	2,0	SYMRISE	
	Dracorin® GOC (683541)	GLYCERYL OLEATE CITRATE CAPRYLIC/CAPRIC TRIGLYCERIDE	0,5	SYMRISE	Operating Instructions Weigh all the raw material of Phase A and heat to 80°C. Phase B: Sprinkle Carbopol Ultrez 21 on the surface of the water and let to swell. Add the remaining raw materials and heat up to 80°C. Add phase B into Phase A under strong agitation with an Ultra Turrax. Let cool down to room temperature under gentle agitation. At T°<40°C add phase C and check pH and neutralize to get a final pH 5-5,5 with phase D.
	Lanette® O	CETEARYL ALCOHOL	3,0	BASF	
	PCL-Liquid® 100 (660089)	CETEARYL ETHYLHEXANOATE	4,0	SYMRISE	
	SymMollient® S (181598)	CETEARYL NONANOATE	4,0	SYMRISE	
	Murumuru Butter Refined (736043)	ASTROCARYUM MURUMURU SEED BUTTER, HELIANTHUS ANNUUS SEED OIL, TOCOPHEROL	2,0	SYMRISE	
B	Aqua/Water	AQUA	72,1	/	Viscosity: 35700 cP Spindle: 27 / Speed (RPM): 5 / Temp(°C): 20
	Dragosine® (844033)	CARNOSINE	0,2	SYMRISE	
	Carbopol® Ultrez 21	ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER	0,2	LUBRIZOL	
	Polymer				
	Glycerin	GLYCERIN	3,0	/	
	Keltrol® CG-T	XANTHAN GUM	0,1	CP KELCO	
	SymSave® H (979940)	HYDROXYACETOPHENONE	0,5	SYMRISE	
C	Hydrolite® 6 (841129)	1,2-HEXANEDIOL	1,0	SYMRISE	FRAGRANCE- FREE
	SymGlucan® (151719)	AQUA, GLYCERIN, 1,2-HEXANEDIOL, CAPRYLYL GLYCOL, BETA-GLUCAN	5,0	SYMRISE	
	SymCalmin® (143535)	PENTYLENE GLYCOL, BUTYLENE GLYCOL, HYDROXYPHENYL PROPAMIDOBENZOIC ACID	2,0	SYMRISE	
D	Sodium Hydroxide 10% solution	AQUA SODIUM HYDROXIDE	0,4	/	

ULTRA CALMING MASK

Soothing sheet mask

*This ultra-calming mask
refreshes and soothes intensely your skin
to give you a delightful moment of well-
being and relaxation.*

*It **reduces skin itchiness and redness**
for a **ultra comfortable** face skin.*



Ultra-Calming Mask

Soothing sheet mask

Phase	Material Name	EU INCI	% Material	Supplier
A	Aqua/Water	AQUA	69.20	/
	SymSave® H (979940)	HYDROXYACETOPHENONE	0.50	SYMRISE
	EDTA NA2 (800130)	DISODIUM EDTA	0.10	/
	Glycerin (657319)	GLYCERIN	6.00	/
	Hydrolite® 5 green (996442)	PENTYLENE GLYCOL	3.00	SYMRISE
B	Sepimax™ ZEN	POLYACRYLATE CROSSPOLYMER-6	0.50	SEPPIC
C	Jojoba Oil (659830)	SIMMONDSIA CHINENSIS SEED OIL	4.00	SYMRISE
	Caprylic/Capric Triglyceride	CAPRYLIC/CAPRIC TRIGLYCERIDE	8.00	/
	Dracorin® GOC (683541)	GLYCERYL OLEATE CITRATE, CAPRYLIC/CAPRIC TRIGLYCERIDE	2.00	SYMRISE
	Frescolat® ML Cryst (399952)	MENTHYL LACTATE	0.20	SYMRISE
	SymDecanox™ HA (972276)	CAPRYLIC/CAPRIC TRIGLYCERIDE, HYDROXYMETHOXYPHENYL DECANONE	1.00	SYMRISE
D	SymSitive® 1609 (399944)	PENTYLENE GLYCOL, 4-T-BUTYLCYCLOHEXANOL	1.20	SYMRISE
	Simulgel™ NS	HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER SQUALANE, POLYSORBATE 60	0.70	SEPPIC
E	SymCalmin® (143535)	PENTYLENE GLYCOL, BUTYLENE GLYCOL, HYDROXYPHENYL PROPAMIDOBENZOIC ACID	2.00	SYMRISE
	SymRelief® 100 (367692)	BISABOLOL, ZINGIBER OFFICINALE ROOT EXTRACT	0.05	SYMRISE
	Extrapone® Watermint P (646317)	AQUA, PROPYLENE GLYCOL, GLUCOSE, MENTHA AQUATICA LEAF EXTRACT	1.00	SYMRISE
	Fragrance	PARFUM	0.15	SYMRISE
	Colour I		0.40	SYMRISE
F	Sodium Hydroxide 10% sol	AQUA - SODIUM HYDROXIDE	0.00	/

67/CCFCE1831/01

Operating Instructions

Phase A: Blend phase A and heat at 70°C.
Add phase B under stirring at 500 rpm for 10 min. Let it swell under high stirring for 15 min until the gel is formed. Blend phase C and heat at 70°C.
When both phases are heated, add phase C to phase A+B under Ultra-Turrax®. Cool down below 30°C. Add phase D Ultra-Turrax®. Add phase E under stirring. Check pH and adjust to 5.0-5.5 with phase F.
Colour I = Aqueous solution of 0.1% FD&C Red No. 40 (100295) - C.I. 16035

For questions concerning product safety and dangerous substance classification please ask for the Safety Data Sheets of the used Symrise products.
Specifications
pH: 5.0-5.5

Fragrance
999230 Miracle de l'eau



symrise 

CLEANHEAD SHAMPOO

Itch & dandruff control
Soothing shampoo

*This refreshing shampoo purifies and **soothes itching sensation on both short and long-term**, while cleansing the hair and reducing dandruff.*



SymCalmin®



Crinipan® AD

Smart duo calming scalp itchiness while reducing dandruff



Frescolat® ML



- ✓ CALMS ITCHINESS
- ✓ REFRESHES
- ✓ LONG-TERM COMFORT
- ✓ REDUCES DANDRUFF

CleanHead Shampoo

Itch & dandruff control



Phase	Material Name	EU INCI	% Material	Supplier	22/CWHS17070/1.13
A	Aqua/Water	AQUA	28,15	/	
	EDETA B Powder	TETRASODIUM EDTA	0,10	BASF	Operating Instructions Prepare Phase A by adding ingredients one after another with stirring. Separately, combine Phase B and stir until clear. Add Phase B to Phase A with stirring. Add Phase C one after another with stirring. Check pH to be 6.0 - 6.5. Colour : 0.1% solution Green Food Colour (656662) Fragrance : Ice Dive #FS11974 (136458)
	Carbopol® Aqua SF-1 Polymer	ACRYLATES COPOLYMER	11,00	LUBRIZOL	
	Texapon® NSO UP	SODIUM LAURETH SULFATE	35,00	BASF	
	Dehyton® K	COCAMIDOPROPYL BETAINE	8,00	BASF	
	Plantacare® 2000 UP	DECYL GLUCOSIDE	4,00	BASF	
B	Fragrance	PARFUM	1,00	SYMRISE	
	SymSave® H (979940)	HYDROXYACETOPHENONE	0,50	SYMRISE	
	Hydrolite® 6 (841129)	1,2-HEXANEDIOL	1,00	SYMRISE	
	SymClariol® (344028)	DECYLENE GLYCOL	0,50	SYMRISE	
	Frescolat® ML Cryst (399952)	MENTHYL LACTATE	1,00	SYMRISE	
	SymCalmin® (143535)	PENTYLENE GLYCOL, BUTYLENE GLYCOL, HYDROXYPHENYL PROPAMIDOBENZOIC ACID	0,20	SYMRISE	
	Crinipan® AD (600306)	CLIMBAZOLE	0,20	SYMRISE	
C	Propylene Glycol (160221)	PROPYLENE GLYCOL	2,00	/	
	SymHair® Shield (771113)	PENTYLENE GLYCOL, AQUA, GLYCERIN, TRITICUM VULGARE BRAN EXTRACT, 1,2-HEXANEDIOL, CAPRYLYL GLYCOL	1,00	SYMRISE	FRAGRANCE ICE DIVE #FS11974 (136458) FOUGERE, CITRUS, AROMATIC Top: Green, Grapefruit, Citrus, Galbanum, Lavender Heart: Mint, Geranium, Lily of the valley, Anise Base: Wood, Patchouli, Musk, Amber, Sandalwood
	Sodium Hydroxide 10% solution	AQUA, SODIUM HYDROXIDE	2,20	/	
	Actipone® Alpha-Pulp (183926)	AQUA, BUTYLENE GLYCOL, MALIC ACID, ACTINIDIA CHINENSIS FRUIT EXTRACT, CITRUS AURANTIUM DULCIS JUICE, CITRUS PARADISI JUICE, PYRUS MALUS JUICE, TRIDECETH-9, PRUNUS AMYGDALUS DULCIS SEED EXTRACT	0,20	SYMRISE	
	Euperlan® PK 771 BENZ	SODIUM LAURETH SULFATE, GLYCOL DISTEARATE, COCAMIDE MEA, LAURETH-10	3,00	BASF	
	Colour		0,95	SYMRISE	



symrise 

FRESHEAD SHAMPOO

*This calming shampoo
soothes the itching sensation
from your scalp
while cooling down your head.*



- ✓ SOOTHES INSTANTLY
- ✓ REDUCES ITCHING SENSATION
- ✓ REFRESHES

FresHead Shampoo

Calming & refreshing shampoo



Phase	Material Name	EU INCI	% Material	Supplier	30/CWHS19037/00
A	Aqua/Water	AQUA	31.15	/	
	Carbopol® Aqua SF-1 Polymer	ACRYLATES COPOLYMER	9.00	LUBRIZOL	Operating Instructions Premix Water with Carbopol® Aqua SF-1 Polymer and adjust pH value with Sodium Hydroxide to minimum pH 6. Add SymSave® H, Propylene Glycol, Hydrolite® 6 and Edeta® BD and heat up to 40°C until SymSave® H is solved. Add the other ingredients of phase A. Premix phase B, heat up to 40°C and stirr until everything is solved. Add phase B to A while stirring. Add phase C to A/B step by step while stirring. The pH value should be approx 6.0-6.5 and has to be checked. Color : 0.1% aqueous solution of food color brilliant green E102+E131 (656662) pH : 6.3 Viscosity : Brookfield DVII CP 51/10 rpm/20°C cp: 3984
	Sodium Hydroxide 10% solution	AQUA, SODIUM HYDROXIDE	1.05	/	
	SymSave® H (979940)	HYDROXYACETOPHENONE	0.50	SYMRISE	
	Propylene Glycol (160221)	PROPYLENE GLYCOL	2.00	/	
	Hydrolite® 6 (841129)	1,2-HEXANEDIOL	1.00	SYMRISE	
	EDETA B Powder	TETRASODIUM EDTA	0.10	SYMRISE	
	Texapon® NSO UP	SODIUM LAURETH SULFATE	35.00	BASF	
	Dehyton® K	COCAMIDOPROPYL BETAINE	8.00	BASF	
	Plantacare® 2000 UP	DECYL GLUCOSIDE	4.00	BASF	
B	Fragrance	PARFUM	1.00	SYMRISE	
	Frescolat® ML Cryst (399952)	MENTHYL LACTATE	1.00	SYMRISE	
	SymCalmin® (143535)	PENTYLENE GLYCOL, BUTYLENE GLYCOL, HYDROXYPHENYL PROPAMIDOBENZOIC ACID	1.00	SYMRISE	
C	SymHair® Shield (771113)	PENTYLENE GLYCOL, AQUA, GLYCERIN, TRITICUM VULGARE BRAN EXTRACT, 1,2-HEXANEDIOL, CAPRYLYL GLYCOL	1.00	SYMRISE	
	Euperlan® PK 771 BENZ	SODIUM LAURETH SULFATE, GLYCOL DISTEARATE, COCAMIDE MEA, LAURETH-10	3.00	BASF	
	Color		1.00	SYMRISE	
					Fragrance Ice Dive #FS11974 (136458)

Thank you!

DISCLAIMER

“Symrise makes no warranties, either express or implied, as to the accuracy or completeness of the information set forth herein. Symrise expressly disclaims any implied warranty of merchantability and fitness for a particular purpose. Prospective users are requested to determine for themselves the suitability of Symrise materials and suggestions for any use prior to their utilization. Any necessary approvals from regulatory authorities for finished products must be obtained by the prospective user. Suggestions for applications involving our products or the reference to, or incorporation of, descriptive materials from patents and the citation of specific patents in this document may not be understood as recommendation for the use of Symrise products in violation of any patent or as a permission or license to use any patent of Symrise or a third party.”