

packages/graph-core/src/__tests__/embedding-search.test.ts

Kind: added · Baseline: 8e0dc031dcfc · Target: NovaDiff · Generated: 2026-05-19T20:06:17.110Z

Overview

A new test file `packages/graph-core/src/__tests__/embedding-search.test.ts` has been added. The file imports `vitest` helpers (lines 1-3), the `SemanticSearchEngine` and `cosineSimilarity` utilities (line 2), and the `GraphNode` type (line 3).

It defines an in-memory `nodes` array (lines 5-9) and an `embeddings` map (lines 12-16) for three sample nodes.

The test suite (lines 18-92) exercises the cosine similarity function and the search engine's public API.

Key changes

- **Imports:** `vitest`, `SemanticSearchEngine`, `cosineSimilarity`, `GraphNode`.
- **Test data:** `nodes` array and `embeddings` map defined inline.
- **Cosine similarity tests:** identity, orthogonality, similarity threshold, zero-vector handling.
- **SemanticSearchEngine tests:**
 - Result ordering by similarity.
 - `limit` and `threshold` options.
 - Type filtering (`types: ["function"]`).
 - Handling of missing embeddings.
 - `hasEmbeddings` flag behavior.
 - `addEmbedding` updates the index.

Impact

- Provides unit coverage for core search logic, ensuring that changes to similarity calculations or filtering are detected during testing.
- Centralizes test data; future updates to node structure or embeddings can be made in a single location.
- No modifications to production code paths; the new file only adds tests.

Risks & follow-ups

- **Determinism:** The tests rely on fixed embeddings; any change to `cosineSimilarity` must preserve the expected outputs.
- **Coverage gaps:** All public methods of `SemanticSearchEngine` are exercised, but edge cases such as an empty node list are not explicitly tested.
- **CI integration:** It is unknown from the diff whether the new tests are automatically included in the CI pipeline.