

packages/graph-core/src/__tests__/ignore-generator.test.ts

Kind: added · Baseline: 8e0dc031dcfc · Target: NovaDiff · Generated: 2026-05-19T20:08:38.348Z

Overview

A new test file `packages/graph-core/src/__tests__/ignore-generator.test.ts` (lines R1-162) validates `generateStarterIgnoreFile`. It imports `vitest` helpers, the generator, and Node `fs/path/os` APIs, then creates a temporary project directory for each test.

Key changes

- **Imports** (R1-R5): `vitest` functions, `generateStarterIgnoreFile`, `mkdirSync`, `rmSync`, `writeFileSync`, `join`, `tmpdir`.
- **Setup/teardown** (R7-R17): `beforeEach` creates a unique temp dir via `tmpdir()` and `mkdirSync`; `afterEach` removes it with `rmSync`.
- **Header tests** (R19-R24): assert that the output contains `.novadiffignore`, "same as .gitignore", and "Built-in defaults".
- **Suggestion logic** (R26-R57): verify all suggested patterns are commented out and that directory-based suggestions (`__tests__`, `docs`, `test`, `tests`, `fixtures`, `examples`, `.storybook`, `migrations`, `scripts`) appear only when the directory exists.
- **Generic test file suggestions** (R84-R89): always include `*.snap`, `*.test.*`, `*.spec.*`.
- **.gitignore integration** (R98-R161): create `.gitignore` files with `writeFileSync`, check that non-default patterns are prefixed with `#`, comments/blank lines are ignored, trailing-slash normalization works, and the section is omitted when no `.gitignore` or all patterns are defaults.

Impact

- Adds comprehensive guardrails for `generateStarterIgnoreFile`.
- Expands coverage for directory suggestions and `.gitignore` parsing.
- Tests perform filesystem writes; cleanup is handled in `afterEach`, but failures could leave temp dirs.

Risks & follow-ups

- **Temp dir uniqueness**: `Date.now()` may collide under heavy parallel runs; consider `crypto.randomUUID()` if flaky.
- **Cleanup reliability**: ensure `afterEach` runs even on failures to avoid orphaned directories.
- **Environment permissions**: tests assume write access to the OS temp directory; verify in CI.
- **API changes**: if `generateStarterIgnoreFile` signature changes, these tests will fail; maintainers should update imports accordingly.