

packages/graph-core/src/__tests__/search.test.ts

Kind: added · Baseline: 8e0dc031dcfc · Target: NovaDiff · Generated: 2026-05-19T20:14:13.724Z

Overview

A new test file `packages/graph-core/src/__tests__/search.test.ts` (lines R1-R158) validates the `SearchEngine` implementation. It defines a helper `makeNode`, a sample node set, and a suite of unit tests covering query handling, ranking, scoring, node updates, type filtering, and result limits.

Key changes

- **Imports added:** `vitest` helpers and `SearchEngine` from `../search.js` (R1-R3).
- **`makeNode` helper** (R5-R10) constructs `GraphNode` objects with defaults.
- **Sample node array** (R13-R57) includes diverse node types (file, class, function) and metadata (tags, summary).
- **Test cases** (R59-R158) cover:
 - Empty query handling (R60-R64).
 - Exact and fuzzy name matching (R66-R78).
 - Field-wide search (summary, tags) (R80-R94).
 - Ranking priority (R96-R102).
 - Score bounds (R104-R112).
 - Dynamic re-indexing via `updateNodes` (R114-R137).
 - Type-based filtering (R139-R151).
 - Result limiting (R153-R157).

Impact

- **Correctness:** Provides high-confidence coverage for core search logic; many tests will fail if the API or scoring logic changes.
- **Maintainability:** Centralizes test data in `makeNode`, easing future test additions.
- **Compatibility:** No API changes; purely test-only, so runtime behavior remains unchanged.

Risks & follow-ups

- **Regression risk:** Tests will fail if `SearchEngine` API or scoring logic changes.
- **Test flakiness:** Fuzzy matching tests rely on internal scoring thresholds; confirm stability after algorithm tweaks.
- **Coverage gaps:** Tests focus on positive paths; consider adding edge cases for malformed input or large node sets (unknown from the available diff/scan evidence).
- **Performance impact:** unknown from the available diff/scan evidence.