

packages/graph-view/src/components/FileExplorer.tsx

Kind: added · Baseline: 8e0dc031dcfc · Target: NovaDiff · Generated: 2026-05-19T20:22:27.484Z

Overview

A new `FileExplorer` component was added to `packages/graph-view/src/components/FileExplorer.tsx`. It builds a collapsible file tree from the current graph's nodes and lets users double-click a file row to navigate to its source.

Key changes

- **Imports** (lines 1-4): added `useMemo`, `useState` from React, `GraphNode` type, `useDashboardStore`, and `useI18n`.
- **FileEntry interface** (lines 6-12) defines the tree node shape.
- **Path utilities** (lines 14-19, 21-25) sanitize node paths and resolve duplicates.
- **Tree builder** (lines 27-82) converts `GraphNode[]` into a sorted `FileEntry[]`.
- **UI components** (lines 84-140, 142-214) render each folder/file row, manage expand/collapse state, and wire navigation via `useDashboardStore`.
- **Internationalisation** (line 146) supplies translated labels for empty states and file counts.

Impact

- **Correctness:** `buildFileTree` skips nodes without a `filePath` or with invalid paths, preventing crashes.
- **Maintainability:** All logic resides in a single file; the tree-building functions are pure and testable.
- **Performance:** `useMemo` recomputes the tree only when the graph changes.
- **Compatibility:** No API changes; the component is UI-only and does not modify existing stores or types.

Risks & follow-ups

- Verify that every `GraphNode` contains a valid `filePath`; otherwise the tree will be empty.
- Test rendering with an empty graph to confirm the "no graph loaded" message appears.
- Benchmark `buildFileTree` on the largest expected graph to ensure UI responsiveness.
- Confirm that translation keys (`t.common.noGraphLoaded`, `t.fileExplorer.*`) exist and render correctly.