

packages/graph-view/src/components/TokenGate.tsx

Kind: added · Baseline: 8e0dc031dcfc · Target: NovaDiff · Generated: 2026-05-19T20:35:03.074Z

Overview

A new `TokenGate` component is added at `packages/graph-view/src/components/TokenGate.tsx` (lines R1-R79). It renders a full-screen form that prompts the user for an access token, validates it via a fetch call, and invokes a callback on success.

Key changes

- **Import:** `useState` from `react` (R1).
- **Props interface:** `TokenGateProps` with `onTokenValid: (token: string) => void` (R3-R5).
- **Export:** `export default function TokenGate({ onTokenValid }: TokenGateProps)` (R7).
- **State hooks:** `input`, `error`, and `loading` initialized with `useState` (R8-R10).
- **Submit handler:** `handleSubmit` performs `fetch('/knowledge-graph.json?token=...')`, handles 200, 403, and other responses, and updates state (R12-R35).
- **UI:** Centered form with an input, error message, and a submit button that disables when `loading` or `input` is empty (R38-R75).

Impact

- The component enforces token validation before proceeding; the `onTokenValid` callback is called on a 200 response (R23).
- Logic is encapsulated in a single file; the interface makes the contract explicit.
- Uses minimal state and a single network request; no heavy rendering.

Risks & follow-ups

- Verify that `/knowledge-graph.json` accepts the token query param and returns the expected status codes (unknown from the available diff/scan evidence).
- Ensure the `onTokenValid` callback is wired correctly in the parent component to transition to the main view (unknown from the available diff/scan evidence).
- Test the disabled state of the submit button when `loading` or `input` is empty (R70).
- Confirm that error messages are accessible and match the design spec (unknown from the available diff/scan evidence).