

src/components/GitHistoryWorkspace.tsx

Kind: added · Baseline: 8e0dc031dcfc · Target: NovaDiff · Generated: 2026-05-19T19:10:45.854Z

Overview

A new `GitHistoryWorkspace` component is added at `src/components/GitHistoryWorkspace.tsx` (lines 1-256). It provides a UI for browsing commit history, selecting base/head revisions, comparing commits, and viewing blame information.

Key changes

- **Imports** – Lines 1-9 add React hooks (`useCallback` , `useEffect` , `useMemo` , `useState`), Lucide icons (`BookOpen` , `Loader2` , `Search`), and types from `../app/workspaceTypes` .
- **Props interface** – Lines 11-22 define `GitHistoryWorkspaceProps` with `workspace` , `busy` , `error` , and callbacks for compare, document commit, and live-repo persistence.
- **State & effects** – Lines 34-41 initialize `baseHash` , `headHash` , `useLiveHead` , `liveRepoRoot` , `blameCommit` , and `commitQuery` . A `useEffect` (lines 43-45) syncs `liveRepoRoot` with workspace changes.
- **Commit handling** – Lines 47-57 sort commits by `authoredAt` , set default base/head to the last two commits, and derive a filtered list from `commitQuery` (lines 59-71).
- **UI rendering** – Lines 125-256 use `HistoryCompareStrip` and `GitBlamePanel` , display loading/error states, and render a searchable commit list with actions (Set base/head, Blame, Docs).
- **Event handlers** – Lines 80-123 implement `browseLiveRepo` , `persistLiveRepo` , `swapRevisions` , and `runCompare` , coordinating with `window.electronAPI` and parent callbacks.

Impact

- **API dependency** – The component relies on `window.electronAPI.pickDirectory` ; missing API will break live-repo browsing (unknown from the available diff/scan evidence).
- **Type safety** – Uses `WorkspaceCommitSnapshot` and `GitHistoryCompareOptions` ; ensure these types are exported correctly.
- **Consumer changes** – Existing consumers must provide the new callbacks or update type definitions.

Risks & follow-ups

- Verify that `window.electronAPI.pickDirectory` and `onLiveRepoPersist` are defined in all target environments.
- Confirm that `HistoryCompareStrip` correctly reflects `useLiveHead` and `liveRepoRoot` changes.

- Test the component with large commit sets to ensure memoization of sorting and filtering is sufficient.