

src/components/LlmSettingsModal.tsx

Kind: modified · Baseline: 8e0dc031dcfc · Target: NovaDiff · Generated: 2026-05-19T09:41:29.907Z

Overview

`src/components/LlmSettingsModal.tsx` now renders its modal through the `AnimatedOverlay` component instead of a custom backdrop `<div>`. The early-return guard (`if (!open) { return null; }`) has been removed, so the component mounts regardless of the `open` prop and relies on `AnimatedOverlay` to show/hide the panel. Event handling for closing the modal has been shifted to the overlay's `onClose` prop, and the backdrop and panel classes are now supplied via `backdropClassName` and `panelClassName`.

Key changes

- **Import added** (line 4): `import { AnimatedOverlay } from "../ui/AnimatedOverlay"`.
- **Early-return removed** (lines 33-35).
- **Backdrop `<div>` removed** (lines 49-56).
- **Panel `<div>` removed** (line 58).
- **`AnimatedOverlay` usage** (lines 46-51):

```
`` `tsx <AnimatedOverlay open={open} onClose={onClose} backdropClassName="llm-modal-backdrop" panelClassName="llm-modal" labelledBy="llm-modal-title"
```

``` - **Button class names simplified**:` removed `className="llm-btn ghost"` and `className="llm-btn primary"`; dynamic `className={provider === "ollama" ? "active" : ""}` now controls the provider buttons.

- **Event handlers:** `onMouseDown` click-outside logic removed; closing is handled by `AnimatedOverlay`.

### Impact

- The modal is always mounted, which may increase memory usage but keeps state intact when toggled.
- Styling is largely preserved via the same `backdropClassName` / `panelClassName`, but the removal of explicit `<div>` wrappers could affect layout if CSS targets those elements.
- Click-outside closing behavior now depends on `AnimatedOverlay`; if that component does not propagate the event, the modal may not close as before.
- Button styling changes may alter the visual appearance of the provider selector, cancel, test, and save actions.

### Risks & follow-ups

- **Close-on-outside:** Verify that `AnimatedOverlay` correctly closes the modal when clicking the backdrop.

- **Styling regressions:** Inspect the modal layout and button appearance to ensure the removed `<div>` wrappers and class names do not break the design.
- **Mounting overhead:** Monitor performance when the modal is frequently toggled; consider re-introducing an early-return if unnecessary renders become problematic.
- **Accessibility:** Confirm that the `labelledBy` prop and ARIA attributes still provide the expected screen-reader support.