

src/components/SelectedDiffSummaryModal.tsx

Kind: added · Baseline: 8e0dc031dcfc · Target: NovaDiff · Generated: 2026-05-19T19:16:03.483Z

Overview

A new component `SelectedDiffSummaryModal` is added at `src/components/SelectedDiffSummaryModal.tsx`. It renders a modal overlay that displays LLM-generated documentation for a selected code range, with loading, error handling, and a close button.

Key changes

- **Imports** (lines 1-3):

```
``ts import { X } from "lucide-react"; import { LlmSummaryMarkdown } from "../LlmSummaryMarkdown"; import { AnimatedOverlay } from "../ui/AnimatedOverlay";
```

– **Props interface** (`SelectedDiffSummaryModalProps`, lines 5-12):` `ts export interface SelectedDiffSummaryModalProps { open: boolean; label: string | null; summary: string | null; loading: boolean; error: string | null; onClose: () => void; }` ```- Component (SelectedDiffSummaryModal, lines 14-63):` renders an `AnimatedOverlay` with custom classes, a header containing a title, optional kicker (`label`), and a close button using the `X` icon. The body shows an error paragraph if `error` is set, a loading spinner when `loading` is true and no trimmed `summary`, the `LlmSummaryMarkdown` component when `summary` exists, and a caret animation while streaming (`loading && summary?.trim()`).

Impact

- **UI:** Provides a reusable modal for LLM summaries, giving users visual feedback during analysis.
- **State handling:** Centralizes loading, error, and summary rendering logic, reducing duplication.
- **Accessibility:** Uses `aria-label` on the close button and `aria-hidden` on decorative elements.
- **Performance:** Conditional rendering limits unnecessary DOM updates; the spinner appears only when needed.

Risks & follow-ups

- **Missing CSS:** The classes `summary-modal-backdrop`, `summary-modal`, and related styles must exist; otherwise the overlay may break layout.
- **Icon import:** `lucide-react` must be installed and export `X`; a missing dependency will cause a build error.
- **Markdown rendering:** It is unknown from the diff whether `LlmSummaryMarkdown` sanitizes input; if not, XSS could be introduced.

- **Prop validation:** No runtime checks are present; passing undefined props may lead to unexpected UI states.