

packages/graph-view/src/themes/ThemeContext.tsx

Kind: modified · Baseline: 984f0748954a · Target: NovaDiff · Generated: 2026-05-27T05:59:52.519Z

Overview

`ThemeContext.tsx` now supports a *Liquid Glass* host mode. The provider tracks whether the current document is a Liquid Glass host, applies the appropriate theme tokens, and cleans them up on unmount. Import statements and effect dependencies were updated accordingly.

Key changes

- **Imports:** added `applyLiquidGlassEmbedTheme`, `clearLiquidGlassEmbedTheme`, and `isLiquidGlassHost` from `./theme-engine.ts`; removed the old `applyTheme`, `clearTheme` import (diff lines 13-19).
- **State:** introduced `liquidGlassHost` (`useState(isLiquidGlassHost)`) to cache host status (line 80).
- **Effect:** added a `MutationObserver` on `document.documentElement` to keep `liquidGlassHost` in sync (lines 82-89).
- **Theme application:** inside the main `useEffect` (lines 91-110) the logic now:
 - Calls `applyLiquidGlassEmbedTheme` when `liquidGlassHost` is true, otherwise falls back to `applyTheme`.
 - Adds `liquidGlassHost` to the dependency array (line 111).
- **Cleanup:** added a separate `useEffect` (lines 112-124) that clears the Liquid Glass theme on unmount when `scopeToHost` is true.
- **Meta-theme handling:** a new `useEffect` (lines 125-134) updates the config when `metaTheme` arrives asynchronously and no `localStorage` value exists.

Impact

- The provider now correctly applies and removes Liquid Glass styles, preventing residual tokens after unmount.
- The mutation observer runs only once on mount and is cleaned up immediately, keeping overhead minimal.
- Existing consumers of `ThemeProvider` remain unchanged; only the internal logic differs.

Risks & follow-ups

- Verify that `applyLiquidGlassEmbedTheme` and `clearLiquidGlassEmbedTheme` are idempotent; a double-apply could corrupt styles.
- Ensure the mutation observer does not trigger excessively on unrelated class changes; consider debouncing if needed.
- Confirm that the meta-theme effect does not unintentionally override user preferences; the precedence logic still matches the intended UX.

- Add unit tests for the new `liquidGlassHost` state path and cleanup effect to cover edge cases.