

Overview

The theme engine now supports a *macOS liquid-glass* host mode. New constants and helper functions expose a lightweight “transparent” theme that can be applied and cleared on demand, while a host-detection helper is added.

Key changes

- **Constants** `LIQUID_GLASS_TRANSPARENT_SURFACE_KEYS` and `LIQUID_GLASS_TRANSPARENT_DERIVED_KEYS` (lines 71-83) list CSS variables that should be set to `transparent` for the liquid-glass host.
- **`applyLiquidGlassEmbedTheme`** (exported at line 86) calls `applyTheme`, then overrides the surface and derived keys to `transparent`, sets background colors to `transparent`, and adds a `data-liquid-glass="true"` attribute.
- **`clearLiquidGlassEmbedTheme`** (exported at line 103) removes all overridden properties and the attribute, restoring the host to its original state.
- **`isLiquidGlassHost`** (exported at line 115) checks for the `app-liquid-glass` class on `document.documentElement`, enabling conditional logic in the host.
- Existing `applyTheme` and `clearTheme` functions remain unchanged.

Impact

- **Correctness:** The new helpers provide a dedicated API for embedding the graph view in NovaDiff’s liquid-glass environment without leaking theme variables.
- **Maintainability:** Constants are typed as `as const`, preventing accidental mutation.
- **Performance:** Each helper performs a bounded number of `style.setProperty / removeProperty` calls (≈ 10 per call), negligible for typical DOM sizes.
- **Compatibility:** `isLiquidGlassHost` guards against `document` being undefined, making the module safe in SSR contexts.

Risks & follow-ups

- Verify that `applyLiquidGlassEmbedTheme` is only called when `document` exists; otherwise it will throw.
- Ensure `clearLiquidGlassEmbedTheme` is invoked during teardown to avoid residual `transparent` styles leaking into other components.
- Run existing theme-clearing tests to confirm that the new helpers do not interfere with `clearTheme`.
- Confirm that the `data-liquid-glass` attribute does not clash with any other attributes used by NovaDiff.