

.novadiff-graph/diff-overlay.json

Kind: modified · Baseline: 46a8da0664d1 · Target: NovaDiff · Generated: 2026-05-19T22:33:25.344Z

Overview

The `diff-overlay.json` was regenerated on **2026-05-19T22:18:08.136Z** (R4), replacing the previous timestamp (L4). The overlay now contains a leaner set of files, focusing on core runtime and diff-visualization modules while removing legacy language, persistence, and UI components.

Key changes

- **Timestamp** – `generatedAt` updated to 2026-05-19T22:18:08.136Z (R4).
- **File list** – only core runtime modules (`electron` , `graph-view` , `packages/graph-core`) remain; test, config, build, and legacy UI files such as `README.md` , `THIRD_PARTY_NOTICES.md` , and `electron/compare-runner.cjs` were removed (L10-22, L25-26).
- **Node pruning** – `changedNodeIds` now contains only essential runtime functions; most function-level nodes were dropped (L183-184 / R14).
- **Affected nodes** – `affectedNodeIds` array is now empty, indicating no nodes are marked as affected by these removals (L187-198).
- **Build artifacts** – files like `vite-env.d.ts` , `tsconfig.json` , and `vite.config.ts` were removed (L10-22).

Impact

- **Smaller overlay** – fewer files and nodes reduce payload size.
- **Focused feature set** – the overlay tracks only core workspace and diff visualization, omitting legacy language support, persistence logic, and many UI components.
- **Build configuration** – removal of build artifacts requires updating build scripts to match the new structure.

Risks & follow-ups

- **Legacy functionality** – removal of language, persistence, and UI modules may affect integrations that rely on those features.
- **Placeholder handling** – empty entries were inserted for removed files; verify that downstream tooling can handle these placeholders (unknown from the available diff).
- **Testing** – run targeted tests for the remaining runtime modules and perform a smoke test on the diff visualization to ensure no regressions.