

src/app/docWorkspaceMetrics.ts

Kind: modified · Baseline: 8e0dc031dcfc · Target: NovaDiff · Generated: 2026-05-19T21:24:33.464Z

Overview

`depthBarMermaid` in `src/app/docWorkspaceMetrics.ts` was refactored to replace the old bar-graph logic with an XY-style chart. The function now limits the depth slice to 12 levels and updates the empty-data message.

Key changes

- **Slice size** – `metrics.depthHistogram.slice(0, 12)` (line 189) replaces the previous `slice(0, 14)`.
- **Empty case** – returns `"flowchart LR\n empty[No path depth data]"` (line 191).
- **Chart type** – the former `parts` array and `flowchart TB` block (lines 193–197) were removed.
- **Label/value extraction** – `labels = rows.map(d => ` d${d.depth}`)` and `values = rows.map(d => d.count)`` (lines 193–196).
- **Dynamic y-axis** – `yMax` is computed as ``Math.max(maxVal, Math.ceil(maxVal`
`1.15))`` (lines 196–201).
- **Return** – an array of strings joined with `\n` that defines an `xychart-beta` block (lines 197–203).

Impact

- **Visual output** – consumers will see an XY chart instead of a bar graph; rendering must support `xychart-beta`.
- **Data coverage** – only the first 12 depth levels are shown, which may hide deeper information but keeps the chart readable.
- **Performance** – the new logic is linear in the sliced array, similar to the old implementation.
- **Maintainability** – the code is now a single, explicit path with clear label/value extraction.

Risks & follow-ups

- **Chart compatibility** – unknown from the diff; verify that the target Mermaid renderer supports `xychart-beta`.
- **Regression tests** – snapshots or visual tests that asserted the old bar-graph output will need updating.
- **Documentation** – update README or docs to note the new chart type and the reduced depth slice.
- **Edge cases** – confirm that fewer than 12 histogram entries still produce a valid chart and that the empty-data message triggers correctly.