

src/app/pathDisplay.ts

Kind: added · Baseline: 46a8da0664d1 · Target: NovaDiff · Generated: 2026-05-19T22:40:26.911Z

Overview

A new file `src/app/pathDisplay.ts` was added. It exports the helper `pathDisplayLabel(absPath: string): string`. The file begins with the comment `/** User-facing path label – never expose full filesystem paths outside onboarding. */`.

Key changes

- **Function signature:** `export function pathDisplayLabel(absPath: string): string` (added at R2).
- **Whitespace handling:** `const trimmed = absPath.trim();` returns `""` if `trimmed` is empty (R3-R5).
- **Path normalization:** backslashes are replaced with forward slashes, the string is split on `/`, and empty segments are filtered out (R7).
- **Segment logic:**
 - No segments → return `trimmed` (R8-R9).
 - One segment → return that segment (R10-R12).
 - Two or more segments → return `${parts[parts.length - 2]}/${parts[parts.length - 1]}` (R13-R14).
- The function body spans lines R1-R15.

Impact

- Centralizes path-label logic in a single, pure TypeScript utility.
- Guarantees that only the last one or two path segments are exposed, in line with the comment about avoiding full filesystem paths.
- No other modules are modified; the change is self-contained.
- Operates in $O(n)$ time over the input string, adding negligible overhead.

Risks & follow-ups

- **Edge cases:** behavior with multiple consecutive slashes, trailing slashes, or UNC paths is not shown in the diff.
- **Testing:** unit tests should cover empty input, single-segment paths, multi-segment paths, and Windows backslashes.
- **Linting:** ensure the new file passes the repository's TypeScript linting (`tsc` , `eslint`).
- **Documentation:** update any onboarding documentation that references path display logic to point to this helper.