

src/components/onboarding/WorkspaceHub.tsx

Kind: modified · Baseline: 46a8da0664d1 · Target: NovaDiff · Generated: 2026-05-19T22:45:43.941Z

Overview

`WorkspaceHub` now accepts optional `activeWorkspaceId` and `onContinueLast` props (see `src/components/onboarding/WorkspaceHub.tsx` lines 9-12). When both are supplied, a “Continue with {workspace name}” button is rendered above the workspace list (lines 177-192). Local workspaces no longer show their repo path; the placeholder “Local repository” is used instead (line 214).

Key changes

- **Props API** – `WorkspaceHubProps` gains `activeWorkspaceId?: string | null` and `onContinueLast?: () => void`.
- **Component signature** updated to destructure the new props (lines 20-23).
- **Continue button** – an IIFE finds the workspace matching `activeWorkspaceId` and renders a button wired to `onContinueLast`.
- **Workspace list display** – `ws.githubSlug ?? ws.repoRoot` replaced with `ws.githubSlug ?? "Local repository"`.

Impact

- The continue button appears only when a matching workspace exists, preventing orphaned actions.
- Local repositories are now labeled consistently, improving readability.
- Existing callers remain unaffected; the new props are optional.

Risks & follow-ups

- **Regression** – Verify that `activeWorkspaceId` is correctly passed; missing IDs should not crash.
- **UI consistency** – Ensure the “Local repository” placeholder matches design tokens.
- **Accessibility** – The new button should have an accessible label; run accessibility checks.
- **Testing** – Add unit tests for the continue-button rendering path and for the updated list item display.