

src/app/mermaidBoot.ts

Kind: added · Baseline: NovaDiff-main · Target: NovaDiff · Generated: 2026-05-14T07:00:59.358Z

Overview

This diff represents a new file addition in the NovaDiff folder, with significant changes to the implementation of the Mermaid initialization and execution functions. The file is `src/app/mermaidBoot.ts`, which contains functions for initializing Mermaid and running Mermaid nodes.

Key Changes

The key changes in this diff are related to the initialization and execution of Mermaid. The following functions were added or modified:

- `ensureMermaidInit`: This function ensures that Mermaid is initialized correctly, by setting the theme based on the user's preferences.
- `runMermaidNodes`: This function runs Mermaid nodes on a given set of elements.

These changes are significant because they allow the app to properly initialize and execute Mermaid, which is a critical component of the app's functionality.

Impact

The impact of these changes is that the app can now properly initialize and execute Mermaid, which is a critical component of the app's functionality. This allows the app to render Mermaid diagrams correctly and provide a better user experience.

Risks & Follow-ups

There is a risk that the changes may introduce new bugs or issues with Mermaid initialization, but this can be mitigated by running the app's testing suite and verifying that the changes do not break any existing functionality. Additionally, it is important to ensure that the changes are compatible with other parts of the app and do not cause any performance issues.