

packages/graph-view/src/GraphEmbedSyncBridge.tsx

Kind: modified · Baseline: 9aadd5eb5604 · Target: NovaDiff · Generated: 2026-05-26T19:46:06.041Z

Overview

`GraphEmbedSyncBridge` now accepts optional props `detailLevel`, `showFunctionsInClassView`, and `cityFilterNodeIds`. These props are synced to the dashboard store via new `useEffect` hooks. The import statement was updated to expose the `DetailLevel` type.

Key changes

- **Import (R2):** `import { useDashboardStore, type DetailLevel } from "./store";`
- **Prop signature (R15-17, R23-26):** added `detailLevel?: DetailLevel`, `showFunctionsInClassView?: boolean`, `cityFilterNodeIds?: string[] | null`.
- **Detail level sync (R67-74):** effect updates `store.setDetailLevel` when `detailLevel` differs from the store.
- **Function view toggle (R75-84):** effect updates `store.setState` with `showFunctionsInClassView` and resets layout caches when the flag changes.
- **City filter sync (R88-106):** effect calls `store.setEmbedCityFilterNodeIds` and clears selection/focus if the active node is filtered out.
- **Selection change (unchanged):** still emits `onSelectionChange` when `selectedNodeId` changes.

Impact

- The component now fully controls the dashboard's detail level, function view, and city filter, keeping the UI in sync with embedded graph interactions.
- Optional props preserve backward compatibility.
- Each new effect guards against unnecessary store updates, minimizing runtime cost.

Risks & follow-ups

- Verify that `useDashboardStore` exposes `setDetailLevel`, `setEmbedCityFilterNodeIds`, and the `showFunctionsInClassView` flag; otherwise TypeScript errors will surface.
- Ensure existing tests that render `GraphEmbedSyncBridge` without the new props still pass.
- Confirm that setting `cityFilterNodeIds` to `null` correctly resets the graph without leaving dangling selections.
- Check that the new `useEffect` blocks do not trigger infinite loops when the store's state changes in response to the same props.