

src/app/codeCityChromeInsets.ts

Kind: modified · Baseline: 9aadd5eb5604 · Target: NovaDiff · Generated: 2026-05-26T19:27:21.806Z

Overview

src/app/codeCityChromeInsets.ts was modified.

- Added `isCodeViewerOpen()` (lines 24-31) that checks for `[data-novadiff-code-viewer-sheet]` or `[data-novadiff-code-viewer-modal]`.
- Refactored `isBlockingModalOpen()` (lines 32-48) to combine the new helper with the previous backdrop selectors and removed the obsolete `.novadiff-graph-shell.is-fullscreen .ui-overlay.is-open` selector.
- Updated `measureCodeCityChromeInsets()` (lines 59-104) to skip adding the sheet obstruction when the viewer is open and removed the earlier `layoutRow`-based obstruction logic.

Key changes

- `isCodeViewerOpen()` : new helper returning a boolean based on two selectors.
- `isBlockingModalOpen()` : now returns true if `isCodeViewerOpen()` is true or any of the backdrop selectors match; the selector list no longer contains `.novadiff-graph-shell.is-fullscreen .ui-overlay.is-open`.
- `measureCodeCityChromeInsets()` :
 - Skips adding the sheet obstruction when `isCodeViewerOpen()` is true (lines 75-83).
 - Removed the `layoutRow` traversal that previously added the sheet obstruction (lines 65-71).
 - Keeps activity-bar obstruction logic unchanged (lines 87-90).
 - Bottom inset calculation remains the same.

Impact

- The obstruction list is shorter when the code-viewer sheet is already open, reducing potential double-lifting of the chrome.
- Modal detection logic is clearer, separating viewer state from other backdrops.
- No exported API changes; callers of `measureCodeCityChromeInsets` receive the same `CodeCityChromeInsets` shape.

Risks & follow-ups

- Verify that all modal backdrops still trigger `isBlockingModalOpen()` by running UI tests.
- Ensure `isCodeViewerOpen()` covers all identifiers used for the code-viewer sheet/modal.
- Confirm that removing the `layoutRow` check does not affect scenarios where the sheet is positioned outside the current row.

- Run `npm run lint`, `npm test`, and the production build to catch any TypeScript or runtime errors introduced by the refactor.