

electron/github-service.cjs

Kind: modified · Baseline: f7c2bfd81af2 · Target: NovaDiff · Generated: 2026-05-21T10:45:33.299Z

Overview

A new export `getGithubCommitContext` has been added to `electron/github-service.cjs`. The export forwards all arguments to the helper defined in `./github-commit-context.cjs`:
`getGithubCommitContext: (...args) => require("./github-commit-context.cjs").getGithubCommitContext(...args)`

Key changes

- **Export addition** - `module.exports` now contains the `getGithubCommitContext` property (lines 224-225).
- **No other functional changes** - All existing functions (`slugFromRepoRoot`, `listRepos`, etc.) remain unchanged.
- **Import path** - The helper is required from `./github-commit-context.cjs`, preserving the original runtime behavior.

Impact

- **API surface** - Callers can now invoke `githubService.getGithubCommitContext(...)` directly, without importing the helper module.
- **Maintainability** - The commit-context logic stays in a single module; updates to `github-commit-context.cjs` automatically affect this export.
- **Performance** - The function simply forwards arguments; no measurable change is expected.
- **Compatibility** - Existing code continues to work unchanged; the new export is additive.

Risks & follow-ups

- **Missing module** - Verify that `github-commit-context.cjs` exists and exports `getGithubCommitContext`; otherwise the new export will fail.
- **Circular dependency** - Ensure that requiring `github-commit-context.cjs` from this module does not create a cycle that could delay initialization.
- **Documentation** - Update README/API docs to expose the new helper; otherwise callers may be unaware.
- **Testing** - Add unit tests to confirm that `getGithubCommitContext` forwards arguments correctly and handles edge cases.