

src/app/fileTree.ts

Kind: added · Baseline: f7c2bfd81af2 · Target: NovaDiff · Generated: 2026-05-21T10:54:23.237Z

Overview

A new module `src/app/fileTree.ts` is added. It defines the `FileTreeNode` interface (lines 1-6) and provides functions to build, sort, filter, and collect folder paths from a list of relative paths.

Key changes

- **FileTreeNode interface** (lines 1-6): `name`, `path`, `type` (`"file"` | `"dir"`), and `children`.
- **insertPath** (lines 8-31): builds a tree by splitting a path on `/` and creating nodes on demand.
- **sortNodes / sortTree** (lines 32-47): sort children so directories precede files and names are alphabetically ordered.
- **buildFileTree** (lines 48-54): constructs a sorted tree from an array of paths.
- **cloneFiltered** (lines 56-67): recursively clones nodes whose `path` contains a query string (case-insensitive).
- **filterFileTree** (lines 69-75): public API that returns the filtered tree or an empty root when no matches.
- **collectFolderPaths** (lines 78-90): returns an array of all directory paths in the tree.

Impact

- **Public API:** `buildFileTree`, `filterFileTree`, and `collectFolderPaths` are exported; consumers can build or query a file tree.
- **Maintainability:** Centralizes tree logic, reducing duplication across the codebase.
- **Correctness:** Path handling uses `split("/")` and `filter(Boolean)`, ignoring leading/trailing slashes; input paths should conform to this expectation.
- **Compatibility:** No existing modules are modified, so backward compatibility is preserved.

Risks & follow-ups

- **Integration:** Ensure imports reference `src/app/fileTree.ts`.
- **Testing:** Add unit tests for edge cases (empty paths, duplicates, case sensitivity).
- **Linting & Build:** Run the repository's lint, test, and production build scripts to confirm no TypeScript errors.
- **Performance:** `cloneFiltered` performs a recursive clone; unknown from the available diff/scan evidence whether this is a bottleneck.