

electron/diff-excerpt.cjs

Kind: added · Baseline: a9c34bfb03fe · Target: NovaDiff · Generated: 2026-05-20T04:19:33.353Z

Overview

`electron/diff-excerpt.cjs` is a new CommonJS module that exports two helper functions for creating compact diff excerpts. The module is added to the Electron build and mirrors the logic of `src/app/diffExcerpt.ts`.

Key changes

- `buildDiffExcerpt(payload, maxLen = 24000)` (lines 12-28) iterates over `payload.rows`, builds tab-separated lines, stops when the accumulated length exceeds `maxLen`, and returns the string or `undefined`.
- `buildDiffExcerptChunks(payload, maxLenPerChunk = FILE_SUMMARY_DIFF_CHUNK_CHARS, maxChunks = FILE_SUMMARY_MAX_CHUNKS)` (lines 36-67) pre-computes lines, calculates an effective max length based on total length and `maxChunks`, then splits into chunks.
- Constants `FILE_SUMMARY_DIFF_CHUNK_CHARS = 48000` and `FILE_SUMMARY_MAX_CHUNKS = 8`
- (lines 3-4) set default chunk size and maximum number of chunks.
- Exports both functions via `module.exports` (line 70).
- Uses strict mode (line 1) and JSDoc comments that match the TypeScript source (lines 6-11).

Impact

- Provides an Electron-friendly diff excerpt generator that matches the existing TypeScript API.
- Chunking logic limits memory usage for large diffs, keeping each chunk ≤ 48 k characters or fewer.
- The module performs only string manipulation, so it has no side effects and is safe for UI-thread usage.
- Configurable `maxLen` and `maxLenPerChunk` allow adaptation to LLM context size constraints.

Risks & follow-ups

- **Payload shape:** missing `left_no`, `right_no`, or `left_style` may produce empty strings; verify data integrity.
- **Boundary values:** test edge cases near 24 k and 48 k to ensure correct truncation and chunking.
- **Interop:** confirm that Electron code correctly requires this CommonJS module; missing `module.exports` could break imports.
- **Build validation:** run lint, unit tests, and production build to catch any CommonJS/ESM interop issues.