

packages/graph-core/src/__tests__/language-registry.test.ts

Kind: added · Baseline: a9c34bfb03fe · Target: NovaDiff · Generated: 2026-05-20T05:56:42.781Z

Overview

A new test file `packages/graph-core/src/__tests__/language-registry.test.ts` (lines 1-198) was added to exercise the `LanguageRegistry` implementation.

Key changes

- **Imports (lines 1-5):** ```ts import { describe, it, expect } from "vitest"; import { LanguageRegistry } from "../languages/language-registry.js"; import { StrictLanguageConfigSchema } from "../languages/types.js"; import { typescriptConfig } from "../languages/configs/typescript.js"; import { pythonConfig } from "../languages/configs/python.js";`

```- **Basic registry tests (lines 7-27)**: verify register, getById, getByExtension, getForFile, and getAllLanguages.`

- **`createDefault` tests (lines 51-87):** confirm 40 built-in configs, correct extension mapping, no duplicate extensions, and that each config has at least one concept.
- **Non-code language detection (lines 96-146):** test file-extension and filename-based detection for Dockerfile, Makefile, `.env`, and other common non-code files.
- **Schema validation (lines 148-198):** ensure `StrictLanguageConfigSchema` rejects configs lacking extensions or filenames and accepts valid ones.

### Impact

The added tests provide concrete coverage for registry operations and schema enforcement. Any future change to `LanguageRegistry` or language config definitions will be caught by these tests.

### Risks & follow-ups

- Modifying `LanguageRegistry` or language config definitions may break the tests; run the full suite after changes.
- If language configs evolve, expectations in the tests may need updating.
- The duplicate-extension test will flag any new config that re-uses an existing extension.