

packages/graph-core/src/__tests__/plugin-discovery.test.ts

Kind: added · Baseline: a9c34bfb03fe · Target: NovaDiff · Generated: 2026-05-20T05:58:54.923Z

Overview

A new test file `packages/graph-core/src/__tests__/plugin-discovery.test.ts` (lines 1-116) has been added. It imports `vitest` helpers and the discovery utilities from `../plugins/discovery.js` and exercises the parsing and serialization logic for plugin configuration objects.

Key changes

- **Imports:** `import { describe, it, expect } from "vitest";` and `import { parsePluginConfig, serializePluginConfig, type PluginConfig, type PluginEntry, DEFAULT_PLUGIN_CONFIG } from "../plugins/discovery.js";` (diff lines 1-8).
- **`parsePluginConfig` tests** cover:
 - Valid JSON with required fields (lines 12-22).
 - Invalid JSON or empty string → defaults to `DEFAULT_PLUGIN_CONFIG` (lines 25-33).
 - Filtering of entries missing `name` or `languages` (lines 35-46).
 - Defaulting `enabled` to `true` when omitted (lines 48-56).
 - Handling non-array or missing `plugins` fields (lines 58-71).
- **`DEFAULT_PLUGIN_CONFIG` assertion:** contains a single enabled `tree-sitter` entry (lines 75-80).
- **`serializePluginConfig` tests** verify formatted JSON output and inclusion of an `options` field (lines 83-114).

Impact

- **Correctness:** Provides deterministic checks for edge cases in plugin configuration handling.
- **Maintainability:** Acts as a guard against regressions when the discovery module is modified.
- **Observability:** Any change that breaks these expectations will surface immediately in the test suite.
- **Runtime:** No changes to production code; only test coverage is expanded.

Risks & follow-ups

- If the discovery implementation changes, these tests may fail; run the full suite to confirm.
- No snapshots are used, but ensure that any formatting changes to `serializePluginConfig` are intentional.
- Verify that the new test file passes linting and that the project builds successfully.